#### 21255 The Nether Portal Ambush

Adapted by John Le and tested by Jolene Nemeth

This building toy for kids features an Orc-warrior figure with a custom skin traveling through a Minecraft Nether portal to the border between the Crimson Forest and the Basalt Deltas. As players explore the forest's mushroom-filled trees, they must battle a series of the game's popular mobs: 2 magma cubes, a hoglin with its finger-controlled butting head, and a Minecraft ghast figure that shoots discs from its mouth. For added thrills, the ghast has a reputation for destroying portals, trapping players forever! Minecraft® battle scene and action figures — Includes an Orc Warrior figure, a Minecraft ghast that shoots discs from its mouth, a hoglin figure, with its butting head, and 2 magma cubes.

Minecraft® Nether role-play toy – Action-packed model set in the Nether with an iconic cast of mobs for the Orc Warrior to battle.

LEGO® set gift for gamers – Kids can build the mushroom-filled trees of the Minecraft® Crimson Forest and the rocky landscape of the Basalt Deltas.

Minecraft® gift for gamers – The set has 352 pieces and measures over 4 in. (11 cm) high, 8.5 in. (22 cm) wide and 5.5 in. (14 cm) deep.

The front of the box shows a nether portal that is in the nether surrounded by lava, magma cubes, and red trees. An orc warrior came out of the portal holding a diamond pickaxe and a bow and arrow. He better act fast because there is a hoglin coming for him and a ghast shooting fireballs from his mouth. He has to be careful though because if that fireball hits the portal it can get him stuck in the Nether!

The back of the box shows the nether portal being blown up by a fireball that was shot by the ghast! Magma cubes are jumping around and the hoglin is coming straight for the orc warrior. But don't worry because he has a bow and arrow to shoot it!

The top of the box shows all the characters the set comes with. It comes with the orc warrior, 2 magma cubes, a hoglin, and a ghast!

The build is 352 pieces in total and is for ages 8+.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we may be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: going from front to behind.
- Horizontally: going from left to right.
- Upright: pointing up towards the ceiling.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic

connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.

- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up from left to right.
- Column: studs lined up from top to bottom or front to back

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<a href="https://www.lego.com/en-us/service/buildinginstructions/21255">https://www.lego.com/en-us/service/buildinginstructions/21255</a>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

## Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 3 bags labeled 1,2, and 3, 1 set of instructions, and some loose pieces.

Bag 1 includes the pieces for the orc warrior and ghast.

Bag 2 includes the pieces for the hoglin and crimson forest.

Bag 3 includes the pieces for the magma cubes, the Basalt Deltas, and the Nether Portal.

Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Orc Warrior and Ghast

Group 1 - Page 5.

Group 2 - Steps 1-8 and 1 black 1x4 plate from Step 9.

Group 3 - Rest of Step 9 and Steps 10-27.

Group 4 - Steps 28-36.

Bag 2 - Hoglin and the Forest

Group 5 - Steps 37-54.

Group 6 - Steps 55-58.

Group 7 - Steps 59-63.

Group 8 - Steps 64-65 and 4 dark brown 1x1 plates from step 66.

Group 9 - Rest of Step 66

Group 10 - Steps 67-74.

Group 11 - Steps 75-79.

Group 12 - Steps 80-86.

Group 13 - Steps 87-97.

Bag 3 - Magma Cubes, Basalt Deltas, and Nether Portal

Group 14 - Steps 98-102.

Group 15 - Steps 103-110 and 2 light grey 2x2 tiles with a stud from step 111.

Group 16 - Rest of Step 111, Steps 112-113, and 1 transparent orange 1x1 brick from Step 114.

Group 17 - Rest of step 114 and Steps 115-118.

Group 18 - Steps 119-122.

Group 19 - Step 123.

Group 20 - Steps 124-131.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Orc Warrior

Sub-build 1. Locate 1 dark grey pair of legs, 1 mint torso printed with a brown belt and arrow sling over his shoulder, 1 mint head printed with an open mouth, beard, yellow eyes, and mean-looking eyebrows, 1 light blue pickaxe, and 1 purple bow and arrow. Assemble your minifigure then put the pickaxe and bow and arrow in his hands! To attach the bow, attach the hand to the vertical bar that is underneath the front of the arrow. Make sure the round part of the bow faces the back. This is the string!

Group 2 - Ghast

- 1. Locate 1 tan 4x4 plate. Place it upside down in front of you.
- 2. Locate 1 white 2x2 plate with a smooth underside. Place it upside down in the center of the plate.
- 3. Locate 2 white 2x2 plates with a smooth underside. Place them upside down to the left and right of the previously placed plate.
- 4. Locate 6 white 2x2 plates with a smooth underside. Place them in front of and behind the previously placed plates so they all make a big square. There will be a 1 stud overhang with these plates. Now flip your build so it is upright.
- 5. Locate 2 white 1x6 bricks. Stack them together then horizontally place them on the back row.
- 6. Locate 2 white 1x1 bricks. Place them on the leftmost and rightmost studs of the previously placed bricks.
- 7. Locate 1 white 1x6 plate. Horizontally place it on the front row.
- 8. Locate 2 light grey 1x2 plates and 1 white 1x2 tile with a stud. Horizontally place the 1x2 tile in the middle of the front row. Then vertically place the plates to the left and right so there is no overhang.

You will have an extra black 1x4 plate, save this for later.

- 9. Locate 1 white 1x4 plate. Horizontally place it in the middle of the front row. Then locate 1 black 1x4 plate from group 2. Horizontally place it behind the previously placed plate.
- 10. Locate 1 tall black 1x2 brick with 2x2 side studs. Horizontally place it in front of the 1x6 bricks so it is centered and the side studs face the front.
- 11. Locate 4 white 1x2 tiles with a stud. Horizontally place 2, 1 behind the other, in the middle of the front 2 rows. Then vertically place the rest to the left and right. They should all sit on the 1x4 plates.
- 12. Locate 1 white 1x2 tile and 2 red 1x1 round plates. Vertically place the 1x2 tile in the middle of the front 2 rows on top of the 1x2 tiles with a stud. Then place the plates to the left and right on top of the tiles with a stud.
- 13. Locate 2 light grey 1x2 plates and 2 light grey 1x6 plates. Repeat this step twice to get 2 of these. Place the 1x2 plate underneath the 2 rightmost columns of the 1x6 plate. Now with the 1x2 plate in the front, vertically place them on the 2 red 1x1 round plates and 1x6 brick in the back row.
- 14. Locate 1 white 2x6 plate and 1 white 2x2 plate with a smooth underside. Place the 2x2 plate underneath the 2 rightmost columns of the 2x6 plate. Then with the 2x2 plate in the front, vertically place it in between the previously placed 1x6 plates so it connects to the back 2 rows.
- 15. Locate 2 white 1x1 slope tiles. Place them on the back row to the left and right of the 1x1 bricks so they slope to the front.
- 16. Locate 2 white 1x2 tiles with a stud. Vertically place them between the 2 previously placed tiles so there is no overhang.
- 17. Locate 1 white 1x4 plate. Horizontally place it in the middle of the front row.
- 18. Locate 2 black 1x2 tiles with a wall. Vertically place them behind the previously placed plate so they are centered and the walls are facing outward.
- 19. Locate 2 tan 1x2 bricks. Vertically place them on top of the plates to the left and right of the previously placed tiles with a wall.
- 20. Locate 4 white 1x1 bricks and 2 light grey 1x1 plates. Do this step twice to get 2 of these! Stack 2 bricks together then place a 1x1 plate on top. Now place the 2 builds in the front left and front right corners.
- 21. Locate 1 light grey 1x2 brick with a hole. Horizontally place it on the back row in between the 2 slope tiles so it sits on the tiles with a stud.
- 22. Locate a 5.5L axle with a stop and 1 red 1x1 axle connector. Insert the axle connector into the side of the axle that has the stop. Then insert the axle all the way into the front-facing hole of the previously placed brick so the axle connector faces the front.

- 23. Locate 2 tall white 1x4 panels and 1 white 1x6 plate. Vertically place the panels on the leftmost and rightmost columns in the gap so the walls are facing outwards. Then horizontally place the 1x6 plate on the front row.
- 24. Locate 2 white 2x3 bricks and 1 white 1x2 tile with a stud. Vertically place the 2x3 bricks in the back left and right corners so there is no overhang. Then horizontally place the 1x2 tile with a stud on the back row in between the 2 previously placed bricks.
- 25. Locate 1 white 2x6 plate. Horizontally place it on the back 2 rows so there is no overhang.
- 26. Locate 2 white 1x1 bricks. Place them in front of the 2x3 bricks on the leftmost and rightmost columns.
- 27. Locate 2 red 1x2 grill tiles. Vertically place them on top of the tan 1x2 bricks that are in front of the 2x3 bricks and to the left and right of the previously placed 1x1 bricks.

#### Group 4 - Ghast

- 28. Locate 1 white 1x4 brick with a gap. Horizontally place in the middle of the front row. This gap is where the fireball discs are going to come out of the ghast!
- 29. Locate 4 light grey 1x2 plates and 2 white 1x2 tiles with a stud. Do this step twice to get 2 of these parts! Put a tile on top of a plate. Then put a plate on top of the tile. There should be no overhang. Now vertically place your parts in the front left and front right corners.
- 30. Locate 1 white 4x6 plate and 2 dark grey 2x2 plates with a smooth underside. Flip your 4x6 plate over so it is horizontal. Now place the 2x2 plates upside down so they are centered on the middle 2 rows. Now flip it over again then horizontally place it in front of the 2x6 plate so there is no overhang.
- 31. Locate 1 white 1x2 tile, 2 white 1x2 plate with a 1x2 hinge, and 1 dark grey 1x1 plate-1x1 hinge. Place the 2x2 hinge plate in the back left corner so the studs are in the front. Then vertically place the 1x2 hinge plate to the right so the studs are in the front. Place the 2x2 hinge plate to the right so the studs are in the front. Then vertically place the 1x2 tile to the right.
- 32. Locate 1 white 1x2 tile, 2 white 1x2 plate-1x2 hinge, and 1 dark grey 1x1 plate-1x1 hinge. Repeat the previous step in the 2 rows in front of the previously placed pieces but put the tile on the leftmost column now so the studs face the front.
- 33. Locate 1 white 1x2 tile, 2 white 1x2 plate-1x2 hinge, and 1 dark grey 1x1 plate-1x1 hinge. Repeat step 31 on the front 2 rows.
- 34. Locate 1 light grey 1x1 plate with 2 side studs, 1 light grey 1x2 plate with a hinge connector, and 1 white 1x2 tile. Place the plate with side studs in front of you so the side studs face the front. Then vertically place the hinge connector plate upright on the side studs so the connector faces up, then vertically place the tile upright on it. Now on the build, there is a 3x3 set of staggered hinges. Attach the connector to the middle hinge so the tile faces the front.

- 35. Locate 8 light grey 1x2 plates with a hinge connector and 8 white 1x2 tiles. Attach the tile to the plate so there is no overhang. Do this 7 more times so you end up with 8 parts. Now attach the connectors to the hinges so the tile side faces the front.
- 36. Flip your build upside down so the axle is in the back. Now locate 2 b lack 2x2 round tiles with fireballs on them. Insert them into the front-facing mouth. Then push on the axle in the back to shoot out fireballs!

Building Instructions (Bag 2, Book 1):

Group 5 - Hoglin

- 37. Locate 1 nougat 2x4 plate and 1 light brown 2x3 plate. Horizontally place the 2x4 plate in front of you. Then vertically place the 2x3 plate on the 2 rightmost columns so it overhangs 1 stud in the back.
- 38. Locate 1 nougat 1x4 plate. Horizontally place it underneath the overhang so it aligns with the 2x4 plate.
- 39. Locate 2 light nougat 1x2 plates. Horizontally place them on the front and back rows to the left of the 2x3 plate.
- 40. Locate 1 light brown 2x3 plate. Flip your build upside down so it is horizontal. Then vertically place the 2x3 plate in the middle.
- 41. Locate 2 light nougat 1x3 arch bricks and 4 dark brown 1x1 plates. Place the 1x1 plates on the bottoms of the arches. Then vertically place them upside down to the left and right of the 2x3 plate. These are the feet of the hoglin! Now flip your build over again so it is horizontal and the 2 light nougat plates are on the left.
- 42. Locate 2 light nougat 1x2 plates and 1 light nougat 1x1 plate. Horizontally place the 1x2 plates in the front right and back right corners so there is no overhang. Then place the 1x1 plate on the rightmost column in between these plates.
- 43. Locate 1 light brown 1x3 plate. Vertically place it on the rightmost column.
- 44. Locate 1 light nougat 1x1 tile with a 1x1 slope. Horizontally place the tile side in the middle of the rightmost column so it slopes to the left.
- 45.1. Let's make a part! Locate 1 light nougat 1x1 plate-1x1 hole and 1 tan 1x3 pin. Place the hole vertically in front of you so the plate side is facing the back. Then insert the short side of the pin into the left-facing hole.
- 45.2. Locate 1 dark grey 1x2 plate with a hole underneath. Vertically insert the hole into the pin so the plate faces the back.
- 45.3. Locate 1 black 1x2 plate with a hinge connector. Vertically place it on the 1x2 plate so the connector faces the front.

- 45.4. Locate 1 light nougat 1x1 plate-1x1 hole. Vertically place the hole into the pin so the plate side is in the back.
- 45.5. Now vertically place the part on the 2 leftmost columns so the hinge connector faces the left.
- 46. Locate 2 light nougat 1x2 plates. Horizontally place them in the middle of the front and back rows.
- 47. Locate 2 light nougat 1x3 tiles. Horizontally place them in the front right and back right corners so there is no overhang.
- 48. Let's make a part! Locate 1 dark tan 2x2 round plate with a smooth underside. Place it in front of you.
- 49. Locate 1 black 1x2 plate with a hinge on the long side. Horizontally place it on the back row so the hinge faces the back.
- 50. Locate 1 nougat 2x2 plate. Place it in front of the 1x2 plate so it overhangs to the front.
- 51. Locate 1 light nougat 1x2 plate and 1 nougat 1x3 tile with 2 studs. Horizontally place the 1x3 tile on the back row so it is centered. Then horizontally place the 1x2 plate in front.
- 52. Locate 2 tan 1x1 plates with 2 side studs and 2 tan 1x2 tiles. Attach the tiles upright on the side studs so there is no overhang. Then place them on the front row so the tile sides face to the left and right.
- 53. Locate 1 light nougat 2x3 tile with a print of 2 white eyes and a big mouth. Vertically place it on the 2x3 studs so there is no overhang. Ask a sighted person to make sure it is oriented correctly!
- 54. Now attach the hinge to the connector on the left-facing side of the hoglin's body so the 1x2 tiles are on the bottom.

## Group 6 - Crimson Forest

- 55. Locate 1 red 4x8 plate and 1 red 2x2 tile with a stud. Horizontally place the 4x8 plate in front of you. Then place the tile in the front left corner.
- 56. Locate 1 dark red 1x4 brick and 1 dark red 2x4 brick. Horizontally place the 2x4 brick in the back right corner so there is no overhang. Now vertically place the 1x4 brick on the 2nd column from the right in front of the 2x4 brick so it overhangs 2 studs to the front.
- 57. Locate 1 orange 6x8 plate and 1 transparent orange 1x1 plate. Vertically place the back left corner of the 6x8 plate underneath the front overhang of the previous 1x4 brick. Then place the 1x1 plate on the front left corner of the 6x8 plate.
- 58. Locate 1 dark red 1x2 brick, 1 dark red 1x4 brick, and 1 red 2x2 tile with a stud. Horizontally place the 1x2 brick to the right of the front stud of the 1x4 brick. Then horizontally place the 1x4 brick to the right. Then place the 2x2 tile in front of the previously placed 1x2 brick and 1x4 brick. It should sit in front of the right stud of the 1x2 brick and left stud of the 1x4 brick.

# Group 7 - Crimson Forest

- 59. Locate 1 dark grey 6x8 plate. Vertically place it to the right of the orange 6x8 plate so it is aligned with it.
- 60. Locate 1 dark red 1x2 brick. 1 red 2x4 plate, and 1 light grey 2x2 tile with a stud. Place the tile on the front right corner of the dark grey 6x8 plate. Vertically place the 1x2 brick to the right of the horizontal 1x4 brick so it is aligned with the back row of the 6x8 plate. Now vertically place the 2x4 plate in front of the previously placed 1x2 brick and the horizontal 1x4 brick.
- 61. Locate 1 red 2x4 tile with 2 studs. Vertically place it to the right of the previously placed 1x2 brick so it overhangs 2 rows in the back.
- 62. Locate 1 red 4x4 plate. Place it underneath the overhang so it aligns with the right side of the 6x8 plate.
- 63. Locate 1 dark red 2x4 brick and 1 brown 2x2 plate. Horizontally place the 2 leftmost columns of the brick on top of the 2x2 plate. Then place the 2 rightmost columns behind the 2x4 tile with 2 studs so it overhangs 2 columns to the left.

Group 8 - Crimson Forest

- 64. Locate 1 red 2x2 tile with a stud. Place it to the right of the back 2 rows of the 2x4 tile with 2 studs.
- 65. Locate 1 red 6x8 plate and 2 red 2x2 tiles with a stud. Place 1 red 2x2 tile on top of the 2 right columns of the back right 2x4 brick. Then horizontally place the 6x8 plate to the left so it sits on top of the bricks and is aligned with the bricks in the front. Then place the tile to the left of the back 2 rows of the previously placed 6x8 plate.

You will have 4 extra dark brown 1x1 plates. Save them for later.

Group 9 - Crimson Forest

- 66.1. Let's make a part! Locate 1 dark red 2x2 plate and 2 dark tan 1x1 plates. Place the 2x2 plate in front of you. Then place the 1x1 plates in the back left and front right corners.
- 66.2. Locate 2 dark brown 1x1 plates from group 8. Place them in the front left and back right corners of the 2x2 plate.
- 66.3. Locate 2 dark tan 1x1 plates. Place them in the front left and back right corners.
- 66.4. Locate 2 dark brown 1x1 plates from group 8. Place them in the back left and front right corners.
- 66.5. Locate 1 dark red 2x2 plate. Place it on top of the previously placed plates. Now place the part in front of the 2x2 tile with a stud that is on top of a brick in the back right.

Group 10 - Crimson Forest

- 67. Locate 2 dark red 2x2 bricks and 2 red 2x2 tiles with a stud. Place the tiles on each of the bricks. You should have 2 identical parts. Now place them in front of and to the right of the previously placed part.
- 68. Locate 1 dark red 2x4 brick and 1 red 2x4 plate. Place the plate on top of the brick so there is no overhang. Then horizontally place it on top of the 6x8 plate to the left of the part you placed in step 66.5.
- 69. Locate 1 dark red 2x2 brick and 1 red 2x2 tile with a stuck. Place the tile on top of the brick. Then place it to the right of the previously placed brick.
- 70-71. Put your build aside for now while we make a tree! Locate 4 dark red 2x2 bricks. Stack them together and place them on the table.
- 72. Locate 2 brown 2x2 plates. Stack them together then place them on top of the brick.
- 73. Locate 2 tall tan 1x2 bricks with 2x2 side studs. Vertically place them on top of the plate so the side studs face left and right.
- 74. Locate 2 black 1x2 plates with 2x2 side studs. Horizontally place them on top so the side studs face the front and back.

#### Group 11 - Crimson Forest

- 75. Locate 1 red 2x2 brick and 1 red 2x6 brick. Place the 2x2 brick in the center of the 2x6 brick. Then horizontally place it upright on the right-facing side studs so it is centered.
- 76. Locate 1 red 2x4 brick. Vertically place it upright on the back-facing side studs so it is centered.
- 77.1. Locate 1 red 2x2 plate with 2 side studs and 1 dark red 1x2 brick. Place the plate in front of you so the side studs face the front. Then horizontally place the brick on the back row.
- 77.2. Locate 2 red 1x2 plates. Stack them together then place them on the front row.
- 77.3. Locate 1 red 2x2 tile with a stud and place it on top so there is no overhang. Now place the part upright on the front-facing side studs so the side studs of the part face up.
- 78. Locate 1 red 2x6 brick, 1 red 2x2 brick, and 1 red 2x2 tile with a stud. Horizontally place the 2x6 brick on the table. Place the 2x2 tile on the 2 rightmost columns. Then place the 2x2 brick to the left. Now horizontally place the 2x6 brick upright on the left-facing side studs so it is centered and the tile is in the front.
- 79. Locate 1 red 2x2 brick and 1 red 2x6 brick. Place the 2x2 brick in the center of the 2x6 brick. Now horizontally place it on the top-facing side studs so it is centered. Make sure there are 1x2 side studs free in front of these bricks.

#### Group 12 - Crimson Forest

80.1. Let's build a part! Locate 1 white 2x2 plate and 1 white 1x1 round plate. Place the 2x2 plate in front of you. Then place the round plate in the back right corner.

- 80.2. Locate 1 white 1x1 round plate and 2 transparent orange 1x1 plates. Place the round plate in the front left corner. Then place the other plates in the front right and back left corners.
- 80.3. Locate 2 transparent orange 1x1 plates. Place them on top of the round plates.
- 80.4. Locate 2 white 1x1 round plates. Place them in the front right and back left corners.
- 80.5. Locate 1 transparent orange 2x2 tile with a stud. Place it on top so there is no overhang. Now place your part on top of the set of 1x2 studs in front of the 2x2 brick.
- 81. Bring back your main build and orient it so it is facing the same way. There should be a 2x2 tile in the front right corner and a 1x1 plate in the front left corner. Now place the tree on top of the 2 rightmost columns of the 2x4 plate that is to the left of the 2x2 tile with a stud. This is the highest section of the build.
- 82. Locate 2 dark red 1x1 clips. Place them, 1 in front of the other, in front of the leftmost column of the 2x4 plate that you placed the tree on. Make sure the clip sides are on the left and right.
- 83. Let's build some lava! Locate 1 red 2x8 plate and 1 orange 1x1 tile. Place the plate horizontally in front of you. Then place the tile in the back right corner.
- 84. Locate 3 orange 1x1 tiles. Leave a column free to the left of the previously placed tile and place 1 in the front row. Skip another column to the left, then place a tile in the back row. Then skip another column and place a tile in the front row.
- 85. Locate 2 red 1x2 plates with a bar. Horizontally place them underneath the 2 rightmost columns so the bar faces the right.
- 86. Now attach the bars to the hooks and make sure the plate is upright and facing the left.

#### Group 13 - Crimson Forest

- 87. Locate 2 purple 1x1 round plates and 2 teal 1x1 plates. Place each plate on top of the round plates. In the front, there is a vertical 2x4 plate. Place 1 on the back left stud. Behind this plate and 1 column to the right, place another 1. They should be diagonal to each other now!
- 88. Locate 1 dark red dead bush. Place it on the 2x2 tile with a stud that is to the left of the vertical 2x4 plate.
- 89-90. Let's make another tree! Locate 4 dark red 2x2 bricks and stack them on top of each other.
- 91. Locate 2 black 1x2 plates with 2x2 side studs. Vertically place them on top so the side studs face left and right.
- 92. Locate 2 black 1x2 plates with 2x2 side studs. Horizontally place them so the side studs face front and back.

- 93. Locate 1 red 2x4 brick and 1 red 2x2 tile with a stud. Place the tile in the center of the 2x4 brick. Then horizontally place it upright on the right-facing side studs so it is centered.
- 94. Locate 2 red 2x4 bricks. Vertically place them upright on the front-facing and back-facing side studs so they are centered.
- 95. Locate 1 red 2x4 brick and 1 red 2x2 tile with a stud. Place the tile in the center of the 2x4 brick. Then horizontally place it upright on the left-facing side studs so it is centered.
- 96. Locate 1 red 2x4 brick and 1 red 2x2 tile with a stud. Place the tile in the center of the 2x4 brick. Then horizontally place it on the top-facing studs so it is centered.
- 97. Now place this tree to the right of the 2x2 tile with a stud that is on top of a brick on the left side of the build. The 2x2 brick with a tile on top is on the back right corner of the 4x8 plate in the back left corner of the build.

Building Instructions (Bag 3, Book 1):

Group 14 - Magma Cubes and Basalt Deltas

- 98. Locate 2 dark red Magma Cubes. They have red orange eyes and black spots on them! Put them aside while we build the Basalt Deltas!
- 99. Locate 1 black 1x16 brick and 1 black 1x4 brick. Rotate your build 90 clockwise so the lava dripping from the tree is facing the back. Horizontally place the 1x16 brick to the left of the 2x2 tile with a stud and in front of the 2x4 plate. Then horizontally place the 1x4 brick in front to the left of the 2x2 tile with a stud.
- 100. Locate 1 black 2x2 tile with a stud. Place it on the 2 rightmost columns of the previously placed bricks.
- 101. Locate 1 dark grey 6x8 plate. Horizontally place it underneath the overhang on the left so it is aligned with the 2x2 tile with a stud at the front.
- 102. Locate 1 black 1x4 brick and 2 black 1x4 tiles. Horizontally place 1 tile to the left of the previously placed 1x4 brick. Then horizontally place a 1x4 brick to the left. Then horizontally place a tile behind the previously placed tile.

Group 15 - Basalt Deltas

- 103. Locate 1 light grey 4x4 plate and 1 light grey 2x2 tile with a stud. Rotate your build 180 degrees so the 1x16 brick overhangs to the right now. Place the 2x2 tile in front of the 1x16 brick so there are 4 free columns of the 6x8 plate to the right. Then place the 4x4 plate to the left so it overhangs in the front right corner. This 4x4 plate should sit in front of the 1x4 tile that is on top of the 1x16 brick.
- 104. Locate 2 orange 1x1 tiles and 2 dark red 1x1 plates. Place 1 plate in the back row to the right of the previously placed 2x2 tile. Then place 1 tile in front of the plate. Then place 1 plate to the right of the tile. Then place 1 tile behind the plate.

- 105. Locate 1 orange 6x8 plate. Horizontally place it underneath the overhang of the 4x4 plate so it is aligned at the front.
- 106. Locate 2 orange 1x1 tiles and 2 dark red 1x1 plates. Place 1 tile in front of the rightmost column of the 4x4 plate. Then place 1 plate to the left of the tile. Then place 1 tile in front of the plate, then 1 plate to the right of the tile.
- 107. Locate 1 dark grey 2x4 brick. Vertically place it on the rightmost column of the plates in front of the 1x16 brick.
- 108. Locate 1 orange 6x8 plate. Vertically place it underneath the overhang of the 1x16 brick on the right side so it is aligned at the back.
- 109. Locate 1 dark grey 1x8 brick and 2 dark grey 1x2 bricks. Vertically place a 1x2 brick in the back right corner. Then horizontally place the 1x8 brick to the left on the back row. Then vertically place a 1x2 brick to the left.
- 110. Locate 1 dark grey 2x4 brick and 1 tan 1x2 log brick. Vertically place the 1x2 log brick behind the rightmost column of the 1x16 brick. Then horizontally place the 2x4 brick to the right so it sits to the right of the 1x16 brick and front row of the 1x2 brick.

You will have 2 extra light grey 2x2 tiles with a stud, save these for later.

### Group 16 - Basalt Deltas

- 111. Locate 1 light grey 2x6 plate and 2 light grey 2x2 tiles with a stud from group 15. Place the 2x2 tile on the 2 front rows of the vertical 2x4 brick that is in front of the 1x16 brick. Then vertically place the 2x6 plate behind the tile. Then place a 2x2 tile to the left of the back 2 rows of the 2x6 plate. Locate 1 black 2x2 tile with a stud. Place it in front of the previously placed tile.
- 112. Locate 2 dark grey 2x4 bricks and 1 dark grey 2x2 plate. Place the plate in the middle of the previously placed 2x6 plate. Then vertically place a brick in the back right corner so there is no overhang. Then horizontally place a brick to the left of the back 2 rows of this brick.
- 113. Locate 1 orange 2x2 slope brick. Place it on the plate in front of the brick on the 3rd and 4th columns from the right so it slopes to the front.

You will have an extra transparent orange 1x1 brick. Save this for later.

## Group 17 - Basalt Deltas.

- 114. Locate 1 orange 2x2 slope brick, 1 orange 2x2 brick, and 1 orange 1x1 brick. Place the slope brick on top of the previously placed slope brick and brick behind it so it slopes to the front. There should be a 1x2 gap behind it. Place the 1x1 brick on the right side of this gap. Then place the 2x2 brick to the left of the slope brick so it sits on top of the 1x16 brick. Now locate 1 transparent orange 1x1 brick from group 16. Place it in the 1x1 gap to the left of the 1x1 brick.
- 115. Locate 1 light grey 2x2 tile with a stud. Place it behind the previously placed 2x2 brick so it is aligned with the back row.

- 116. Locate 4 dark grey 2x2 bricks with a groove on each side and 2 light grey 2x2 tiles with a stud. Stack 2 bricks together then place a tile on top. Do this again so you have 2 identical parts. Now place 1 part to the left of the 2 stacked slope bricks. Then place the other part to the left so it sits on the 3rd and 4th rows from the back.
- 117. Locate 3 dark grey 2x2 bricks with a groove on each side and 1 light grey 2x2 tiles with a stud. Stack the 3 bricks together then place the tile on top. Place the part on the back right corner of the build.
- 118. Locate 2 teal 1x1 bricks and 4 dark green 1x1 round plates. Place a plate on top of the brick, then place the brick on top of the plate. Do this again so you end up with 2 identical parts. There is a 1x4 tile on top of the 1x16 brick. Place the parts to the left and right of this 1x4 tile so they sit on top of the 2x2 tile with a stud.

### Group 18 - Nether Portal

- 119. Locate 4 black 2x2 bricks, 2 black 2x2 corner plates, and 2 purple 1x1 round plates. Place 1 brick on the table. Then place 1 round plate on the front right corner. Then place the corner plate on top of the brick so there is no overhang and it looks like the braille letter f. Then place a brick on top. Do this again to get 2 identical parts. Now place them to the left and right of the 1x4 tile so the round plate is in the front left corner.
- 120. Locate 2 black 2x2 tiles with a stud. Place them to the left and right of the previously placed parts so they are centered on top of the 1x1 round plates.
- 121. Locate 2 black 2x4 plates. Horizontally place them on top of the previously placed plates and bricks.
- 122. Locate 2 black 2x2 tiles with a stud, 2 black 2x2 corner plates, and 2 purple 1x1 round plates. Place the tiles on the outer 2 columns of the previously placed 2x4 plates. Then on the inner 2 columns of these plates, place the round plates in the back right corners. Then place the corner plates on the brick so it surrounds the round plate. The corner tiles should look like braille letters h on the left and j on the right. The left and right should be symmetrical.

#### Group 19 - Nether Portal

123. Locate 2 teal 1x1 bricks and 2 dark green 1x1 round plates. Place the bricks on top of the plates. Then place each part on top of the previously placed 2x2 tiles with a stud.

### Group 20 - Nether Portal

124. Locate 4 black 2x2 bricks, 4 black 2x2 corner plates, and 4 purple 1x1 round plates. Place the brick on the table. Place a round plate in the front right corner. Then place the corner plate on the brick so it surrounds the round plate. Place a brick on top so there is no overhang. Then place the round plate on the back left corner and the corner plate on top of the brick to surround the plate. The bottom corner plate should look like the braille letter f and the top one should look like the braille letter j. Do this again so you end up with 2 parts. Now place each part on the inner 2 columns next to the previously placed bricks.

125. Locate 1 black 1x8 plate and 2 black 1x2 plates. Horizontally place the 1x8 plate on the front row on top of the previously placed parts. Then horizontally place the 1x2 plates on the back row on top of the previously placed parts.

126. Locate 2 black 2x4 plates. Horizontally place them, 1 to the right of the other so the left and right sides are aligned with the previously placed plates.

127. Locate 2 black 2x4 tiles. Horizontally place them on top of the previously placed plates.

128. Let's make the portal now! Locate 1 black 1x4 brick and 2 tall transparent purple 1x2 bricks. Place the 1x4 brick horizontally in front of you. Then horizontally place the tall bricks on top so they are next to each other.

129. Locate 1 black 1x2 slope tile. Horizontally place it in the middle of the 2 bricks so it slopes to the back.

130. Locate 2 black 1x1 slope tiles. Place them to the left and right of the previously placed slope tile so they slope to the back.

131. Rotate your build 180 degrees so the tree is on the right. Now horizontally insert the portal into the gap of the nether portal.

Thank you so much for building this set!

Visit <u>bricksfortheblind.org</u> for more accessible instructions, sign up for our newsletter, and follow us on <u>Facebook</u> and <u>Instagram</u> to be the first to know when new instructions are available!

We also love seeing your completed builds, so please tag our <u>Facebook</u> and <u>Instagram</u> accounts in any photos of your builds so we can share your accomplishments with our Bricks for the Blind community.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 7 LEGO Minecraft Theme kits:

21256 The Frog House

21257 The Devourer Showdown

21251 Steve's Desert Expedition

21255 The Nether Portal Ambush

21252 The Armory

21253 The Animal Sanctuary

21254 The Turtle Beach