

## **75373 Ambush on Mandalore Battle Pack**

Adapted by John Le and tested by Jolene Nemeth

Let kids play out epic jetpack battles with the LEGO® Star Wars: The Mandalorian Ambush on Mandalore Battle Pack (75373). A super anytime fantasy gift idea for creative boys, girls, and fans aged 6 and up, this buildable adventure toy playset lets them relive Star Wars: The Mandalorian Season 3 action with 4 collectible LEGO minifigures: a Mandalorian Nite Owl, Mandalorian Warrior, and 2 Imperial Commandos. There are also lots of LEGO accessories, including blasters, blaster pistols, and jetpack elements, plus a transparent element with a handle to make a LEGO minifigure 'fly'. A buildable rock formation with a cave and a stud-shooting cannon add to the inspiring action-play possibilities.

4 collectible LEGO® Star Wars™ minifigures – A Mandalorian Nite Owl and Mandalorian Warrior, each with a blaster, and 2 Imperial Commandos, each with a blaster pistol, plus 4 jetpack elements.

Star Wars™ building toy for kids – The set features a buildable rock formation with a cave, a stud-shooting cannon, and a storage box containing a thermal detonator element for creative adventures.

Jetpack flying action – Attach a LEGO® minifigure to the transparent element and use the handle to make them 'fly' through the air.

Measurements – The buildable rock formation in this 109-piece set measures over 3 in. (7 cm) high, 6.5 in. (17 cm) wide and 3.5 in. (8 cm) deep.

The front of the box shows the rock formation. To the left, 2 imperial commandos have blasters in their hands and are shooting at the Mandalorians who are on the right. But don't worry they also got blasters and jetpacks too!

The back of the box shows the imperial commandos behind cover shooting at the Mandalorians. 1 is flying in the air shooting back and the other is using a mounted weapon that shoots studs!

The top of the box shows a 1 to 1 ratio of an imperial commando.

The build is 109 pieces in total and is for ages 6+.

Bag 1 includes the pieces for the rock formation and minifigures.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast that fell off the

table.

- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/75373>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 1 bag labeled 1, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Minifigures and Rock Formation

Group 1 - Pages 6-7.

Group 2 - Pages 8 and 2 transparent red 1x1 round plates from Page 11.

Group 3 - Pages 9-10 and the rest of Page 11.

Group 4 - Steps 1-6. (Pages 12-15)

Group 5 - Steps 1-5 and 1 tall dark tan 1x2 slope brick from Step 6.

Group 6 - Rest of Step 6, Step 7, and 1 tall dark grey 1x2 slope brick from Step 8.

Group 7 - Rest of Step 8, Step 9, and 1 red 1x1 round plate from Step 10.

Group 8 - Rest of Step 10 and Steps 11-21.

Group 9 - Steps 22-33.

Group 10 - Steps 34-35.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Madalorian Minifigures

1. Locate 2 dark blue pairs of legs printed with light grey holsters and dark grey straps around the knees, and 2 dark blue torsos printed with a blue chest and brown belt. Place the torsos on top of the legs and place them on the table.
2. Locate 2 dark grey jetpacks with a rocket pointing up in the middle and 2 black heads. Put the jetpacks on the torsos then place the black head on top.
3. Locate 1 blue helmet printed with a light grey and dark grey visor and 1 dark grey mic. Place the helmet on the minifigure so the curved part faces the front. Then place the mic on the left side so the mic is upright.
4. Locate 1 blue helmet printed with a dark grey visor and 1 dark grey mic. Place the helmet on the minifigure so the curved part faces the front. Then place the mic on the left side so the mic is upright.
5. Locate 2 blasters and put them into the minifigures' hands. Now put them aside while we build the imperial commandos!

Group 2 - Imperial Commandos Minifigures

1. Locate 2 pairs of white legs printed with light grey padded armor, 2 white torsos printed with dark grey arms, a belt with many pouches, and padded armor. Place the torsos on top of the legs then place them on the table.
2. Locate 2 white jetpacks and 2 white 1x1 tiles printed with the blasters for the jetpack. Place the tiles on the back of the jetpacks so the blasters are vertical. Ask a sighted person to make sure it is oriented correctly! Now place them on the torsos.
3. Locate 2 black heads, 2 white and dark grey helmets, and 2 blasters. Place the heads on top of the torsos, then place the helmet on top so the curved side faces the front. Then place the blasters in their hands. Put them aside while we build a mounted weapon.

Group 3 - Mounted Weapon

1. Locate 1 black 2x2 round plate with 4 bars and 1 light grey 2x2 round tile. Place the tile on top of the round plate.
2. Flip over the plate so it sits on the bars. Now locate 1 dark grey 1x1 round plate with a hole in the stud. Place it upside down in the middle of the 2x2 round plate.

3. Locate 1 dark grey stud shooter and 1 dark grey piece with an angled side and rounded side. Insert the rounded side into the top of the stud shooter. Then insert the handle of the shooter into the upside-down 1x1 plate.
4. Locate 2 transparent red 1x1 round plates from group 2. This is the ammo for the shooter! Place 1 inside the barrel of the stud shooter and push down on the top to shoot it!

#### Group 4 - Container

1. Locate 1 light grey 2x2 plate and 1 dark grey 1x2 plate with 4 side studs. Place the 2x2 plate in front of you. Then vertically place the 1x2 plate on the right column so the side studs face the right.
2. Locate 1 dark grey 1x2 plate with 4 side studs. Vertically place it on the left column of the 2x2 plate so the side studs face the left.
3. Locate 1 light grey 2x2 box. Place it in between the side studs.
4. Locate 1 light grey 1x1 round tile printed with a thermal detonator. Place it inside the box.
5. Locate 1 dark grey 2x2 tile with a stud. Place it on top of the box.
6. Locate 4 dark grey 1x2 slope tiles. Horizontally place 2 upright on the left-facing side studs so they slope towards each other. Repeat symmetrically for the right side.

#### Group 5 - Rock Formation

1. Locate 1 light grey 4x8 plate and 1 dark grey 1x1 round plate. Horizontally place the 4x8 plate in front of you. Then place the 1x1 plate in the back right corner.
2. Locate 1 light grey 1x1 brick with a bar. Place it in front of the 1x1 plate so the bar faces the right.
3. Locate 1 dark tan 1x1 tile with a 1x1 slope. Vertically place it on top of the previously placed pieces so it slopes to the back and does not overhang.
4. Locate 1 tall dark tan 1x2 slope brick. Horizontally place it to the left of the brick with a bar so it slopes to the right.
5. Locate 1 dark tan 1x2 slope brick and 1 dark grey 1x1 round plate. Horizontally place the 1x2 brick in front of the brick with a bar so it overhangs and slopes to the right. Now place the 1x1 plate underneath the overhang.

You will have 1 extra tall dark tan 1x2 slope brick. Save it for later.

#### Group 6 - Rock Formation

6. Locate 1 tall dark grey 1x2 slope brick. Horizontally place it in front of the tall slope brick so it slopes to the left and the stud aligns with the stud of the slope brick behind it. Now locate 1 tall dark tan 1x2 slope brick from group 5. Vertically place it to the right of the previously placed slope brick so it slopes to the front.

7. Locate 1 dark tan 2x4 plate and 1 dark grey 1x1 round plate. Horizontally place the 2x4 plate in the back left corner of the 4x8 plate so it overhangs 2 columns to the left. Now place the 1x1 plate in the front left corner of the 4x8 plate.

You will have 1 extra tall dark grey 1x2 slope brick. Save it for later.

#### Group 7 - Rock Formation

8. Locate 1 tall dark tan 1x2 slope brick. Vertically place it on the 2x4 plate so 2x2 studs are free to the left and it slopes to the back. Now locate 1 tall dark grey 1x2 slope brick from group 6. Horizontally place it in front of the previously placed slope bricks so it slopes to the right.

9. Locate 1 light grey 4x8 plate and 3 light grey 1x1 slope tiles. Horizontally place the 4x8 plate underneath the overhang on the left side so the front and back are aligned. Now place 1 slope tile on the slope brick that is on top of the 2x4 plate so it slopes to the right. Now to the right, on top of the tall 1x2 slope bricks, there is a set of 2x2 studs with a missing stud in the back right. Place 1 slope tile on the back stud so it slopes to the back. Then place 1 tile on the right stud so it slopes to the right.

You will have 1 extra red 1x1 round plate from step 10. Save it for later.

#### Group 8 - Rock Formation

10. Let's make a part! Locate 1 tall inverted 1x2 slope brick and 1 transparent white 1x1 round plate. Place the short end of the inverted slope brick horizontally in front of you so the anti-studs face the right. Now place the stud of the 1x1 plate upright on the top anti-stud on the right-facing side. Now locate 1 transparent red 1x1 round plate. Place it upright underneath the previously placed 1x1 plate. Now horizontally place the part on the stud that is in front of and to the left of a slope tile so the 1x1 plates are on the right.

11. Locate 1 tall inverted 1x2 slope brick. Horizontally place it on the tall 1x2 slope brick to the left of the previously placed inverted slope brick so it slopes to the right.

12. Let's make a part! Locate 1 dark tan 1x6 plate, 1 light grey 1x1 slope tile, and 1 dark tan 1x2 slope brick. Place the 1x6 plate horizontally in front of you. Then place the slope tile on the rightmost stud so it slopes to the right. Then horizontally place the slope brick to the left so it slopes to the left. Now horizontally place it on top of the 2 inverted slope bricks so the slope tile is on the right.

13. Locate 1 dark grey 4x4 plate. Place it to the left of the inverted slope brick that is on the left so it overhangs 2 rows to the front.

14. Locate 1 light grey 6x12 angled plate. Orient the plate so it is horizontal and the missing corner is in the front right. Then place the back right corner of the plate underneath the overhang. It should overhang 4 columns to the left.

15. Locate 1 dark tan 1x1 brick and 1 tall dark tan 1x1 brick. Place the 1x1 brick in the back right corner of the 4x4 plate. Then place the tall brick behind it.

16. Locate 1 dark tan 1x2 slope brick. Horizontally place it in front of the previously placed 1x1 brick so it slopes to the right and the slope part sits on top of the 1x1 round plate.

17. Locate 1 dark tan 1x2 slope brick and tall dark tan 1x2 slope brick. Vertically place the 1x2 slope brick on top of the 1x1 brick and 1x2 slope brick so it slopes to the front. Then vertically place the tall brick in the back left corner of the 4x4 plate so it slopes to the front.

18. Locate 2 dark tan 1x1 bricks. Place them on top of the previously placed slope bricks.

19. Locate 1 tall dark tan 2x2 slope brick and 1 light grey 1x1 slope tile. Place the slope tile in front of the tall slope brick that is in the back left corner of the 4x4 plate so it slopes to the left. Then place the 2x2 slope brick to the right so it slopes to the front. The studs of this brick should be 1 row behind the slope tile.

20. Locate 1 tall dark tan 2x2 slope brick and 1 dark grey 2x4 slope brick. Place the 2x2 slope brick to the left of the tall slope brick with a 1x1 brick on top so it slopes to the front. Then vertically place the 2x4 slope brick so the studs are aligned with the previous slope brick and slopes to the front.

21. Locate 1 dark tan 1x2 slope brick and 1 light grey 1x1 slope tile. Horizontally place the 1x2 slope brick on the 2x4 slope brick so it slopes to the left. Then place the 1x1 slope tile on top so it slopes to the left.

#### Group 9 - Rock Formation

22. Locate 1 light grey 1x2 plate with a socket. Horizontally place it on top of the 2x2 tall slope brick so the socket overhangs to the left on top of the 1x1 slope tile.

23. Locate 1 dark tan 1x6 plate and 1 dark grey 1x1 plate with a clip. Horizontally place the 2 leftmost columns of the 1x6 plate on top of the 1x2 plate with a socket. Then place the 1x1 plate behind the rightmost stud of the 1x6 plate so the clip faces the back.

24. Locate 1 dark tan 2x4 plate. Horizontally place it on top of the 1x1 plate with a clip and 1x6 plate so it overhangs in the back left.

25. Locate 1 tall dark tan 1x2 slope brick. Horizontally place it in the front right corner of the 2x4 plate so it slopes to the left.

26. Locate 1 dark tan 1x1 tile-1x1 slope. Horizontally place it on top of the previously placed slope brick and 1x6 plate to the right so it slopes to the right.

27. Locate 1 dark tan 1x1 tile-1x1 slope and 1 light grey 1x1 slope tile. Vertically place the 1x1 tile-1x1 slope to the left of the previously placed 1x2 slope brick so it slopes to the front on top of the tall 2x2 slope brick. Then place the 1x1 slope tile to the right of the previous slope tile so it slopes to the front.

28. Locate 2 dark tan 1x2 slope bricks. Horizontally place 1 on top of the 2 leftmost columns of the 1x6 plate so it sits to the right of the socket and slopes to the left. Then vertically place 1 to the right so it slopes to the front and does not overhang.

29. Locate 2 dark tan 1x2 plates and 1 dark grey 1x1 brick with a clip. Horizontally place 1 plate on the back left corner of the 6x12 angled plate that is in the front left. Then place the brick in the front left corner of the angled plate so the clips face the left. Then vertically place the 1x2 plate to the right so it does not overhang.

30. Locate 1 dark tan 1x1 tile-1x1 slope. Horizontally place it on top of the brick and 1x2 plate so it slopes to the right.

31. Locate 1 dark tan 1x2 slope brick and 1 dark grey 1x1 round plate. Horizontally place the brick behind the 1x1 brick with a clip so it overhangs and slopes to the left. Then place the 1x1 round plate underneath the overhang.

32. Locate 1 dark grey 1x1 round plate and 1 light grey 1x1 slope tile. Place the round plate behind the slope brick. Then place the slope tile to the right of the slope brick so it slopes to the right.

33. Locate 2 dark tan 1x1 tile-1x1 slopes. Horizontally place 1 on the back left corner of the 6x12 angled plate on top of the 1x2 plate so it slopes and overhangs to the left. Then vertically place 1 on top of the slope brick and the 1x1 round plate so it slopes to the back.

#### Group 10 - Flying Mechanism

34.1. Let's make the mechanism to make it look like the minifigures are flying with their jetpacks! Locate 1 dark grey 1x3 axle connector with a hole in the middle and 1 red 1x2 axle. Place the axle connector horizontally in front of you. Then insert the axle into the left-facing axle hole.

34.2. Locate 1 black short pin with a ball. Insert the pin into the top hole.

34.3. Locate 1 light grey 1x2 axle connector. Insert it into the axle on the left.

34.4. Locate 1 transparent curved bar with a stud and axle. Insert the axle into the right-facing axle hole so it curves to the front.

34.5. Now rotate your build 180 degrees so the 6x12 angled plate is in the back right. Now vertically attach the ball to the socket on the right side of the build so the curved bar is facing the back.

35. Locate 1 black rifle blaster. Attach it upright to the front-facing clip to the left of the part you just placed so the barrel faces up.

Now you can attach the anti-stud on the back of your minifigures' legs to the stud of the curved bar to make it look like they are flying!

Thank you so much for building this set!

Visit [bricksfortheblind.org](http://bricksfortheblind.org) for more accessible instructions, signup for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We also love seeing your completed builds, so please tag our [Facebook](#) and [Instagram](#) accounts in any photos of your builds so we can share your accomplishments with our Bricks for the Blind community.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 4 LEGO Star Wars Theme kits:

75386 Paz Vizsla™ and Moff Gideon™ Battle

75391 Captain Rex™ Y-Wing™ Microfighter

75373 Ambush on Mandalore™ Battle Pack

75390 Luke Skywalker™ X-Wing™ Mech