### 75581 Minions' Music Party Bus

Adapted by John Le and tested by Matthew Shifrin

The set includes 4 Minion figures: Phil, Mel, Dave, and high-flying Mega Minion, Gus, who makes his first appearance in the Despicable Me 4 movie. The bus has a driver's seat and a bar on the roof that's ideal for Gus to hang onto. It splits open halfway down one side and the roof lifts to reveal a dance floor, DJ station, electric guitar, piano, microphone, lights, speakers, and a hot tub! Many elements detach to expand play beyond the bus. This fun toy for kids bursts with bright colors and cool accessories, including a flag, balloon, ice cream, hats, drinks, lights, speakers, and screens. Kids can also enjoy digital fun with the LEGO Builder app.

Minions bus toy – Includes a buildable, push-along bus that converts into a mobile party for 4 Minion LEGO® figures: Phil, Mel, Dave, and high-flying Mega Minion Gus.

Versatile vehicle toy – The bus has a driver's seat and a bar on the roof (for Gus to hang onto!) and splits open halfway down one side to reveal a DJ station, dance floor, and hot tub for parties.

Creative building and play – Accessories, including an electric guitar, piano, microphone, lights, speakers, screens, a flag, balloon, hats, ice cream, and drinks, inspire imaginative play.

Measurements – This 379-piece set measures over 3.5 in. (9 cm) high, 6 in. (15 cm) long, and 3 in. (7 cm) wide when in the 'closed bus 'configuration.

The front of the box shows the Minions' Music Party Bus opened up showing their large speakers, a DJ table, and 2 platforms to dance on! There is a smaller picture that shows you can move the walls to turn it back into its bus form. On the left side, there is a minion singing while also playing piano! At the bottom, there is a picture of 4 minions and their names. This set contains Mel, Dave, Phil, and Mega Minion Gus!

The back of the box shows the Minions' Music Party Bus opened up again! But this time the minions are holding a bunch of different things. One is playing guitar, one is singing with the mic, one has 2 ice cream cones in his hands, and the last one is floating away holding a balloon!

The top of the box shows one of the minions wrapped in rope going down to grab something!

The build is 379 pieces in total and is for ages 4+.

Bag 1 includes the pieces to make Mega Minion Gus and the base of the bus.

Bag 2 includes the pieces to make Dave the minion and the base of the bus.

Bag 3 includes the pieces to make Phil the minion and the rear of the bus.

Bag 4 includes the pieces to make Mel the minion and the front of the bus.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.

- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<a href="https://www.lego.com/en-us/service/buildinginstructions/75581">https://www.lego.com/en-us/service/buildinginstructions/75581</a>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

# Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 4 bags labeled 1, 2, 3, and 4, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Group 1 - Pages 4 - 5.

Group 2 - Steps 1 - 4.

Group 3 - Steps 5 - 13 and 2 dark blue 1x2 plates from step 14.

Group 4 - 2 transparent red 1x2 plates from step 14 and 1 pink 1x2 slope tile and 3 pink 2x2 tiles from steps 16-17 and step 18.

Group 5 - 2 transparent white 1x2 plates from step 14, 2 yellowish-green 1x2 slope tiles, and 3 yellowish-green 2x2 tiles from steps 16-17, and steps 15, 19, and 20

#### Bag 2 - Dave and Bus Base

Group 6 - Pages 22 - 23.

Group 7 - Steps 21 - 22, and 2 yellowish-green 1x2 slope tiles and 3 yellowish-green 2x2 tiles from steps 23-24.

Group 8 - 1 pink 1x2 slope tile and 3 pink 2x2 tiles from steps 23-24 and steps 25-26.

Group 9 - Steps 27 - 29.

Group 10 - Steps 30 - 35.

Group 11 - Step 36 and 2 transparent light green 1x1 round plates from Step 37.

Group 12 - 2 transparent light pink 1x1 round plates from Step 37 and 1 green 2x4 plate from Step 38.

Group 13 - Rest of step 38.

Bag 3 - Phil and Bus Rear

Group 14 - Pages 42 - 43.

Group 15 - Steps 39 - 49.

Group 16 - Steps 50 - 68.

Group 17 - Steps 69 - 75 and 2 light blue 1x2 plates with a hole instead of a stud and 2 black 1x2 pins from steps 76-77.

Group 18 - 2 white 1x2 plates with a hole instead of a stud from steps 76-77 and steps 78 - 85.

# Bag 4 - Mel and Bus Front

Group 19 - Page 70 - 71.

Group 20 - Steps 86 - 87.

Group 21 - Steps 88 - 93.

Group 22 - Steps 94 - 111.

Group 23 - Steps 112 - 118 and 2 light blue 1x2 plates with a hole instead of a stud and 2 black 1x2 pins from steps 119-120.

Group 24 - 2 white 1x2 plates with a hole instead of a stud from steps 119-120 and steps 121 - 129.

Let's get to building!

Building Instructions (Bag 1, Book 1):

### Group 1 - Mega Minions Gus and Accessories

Sub-build 1. Locate 1 yellow 2x2 minion body with blue overalls, 1 orange minion cone head with a cape and goggles, 2 black 1x1 round tiles with printed eyes and yellow eyelids, and 2 yellow arms with black gloves. Assemble your minion by putting the cone head on the body, and then the eyes on the goggles. Then insert the arms into the body!

Sub-build 1.1. Locate 1 transparent light green popsicle and 1 transparent pink cup. Place the popsicle in your minion's hand and put the cup by his side!

Sub-build 2. Locate 1 white 2x2 plate with a smooth underside, 2 nougat 1x2 plates with a bar, and a white 2x2 tile with a sticker. Place the smooth plate on the table, then vertically place the 1x2 plates so the bars face left and right. Then place the 2x2 tile on top. Attach this build to the minion's hand!

Sub-build 2.1. Skip this step if you have already placed your sticker! Ask a helper to place sticker 5 on the white 2x2 tile. This sticker has a QR code on it. The QR code leads to a video titled, "Hop Aboard The Minions' Party Bus," showing the minions dancing aboard their bus, driving off a cliff, and partying underwater. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Sub-build 3. Locate 1 green 2x2 dome brick, 1 light green 2x2 inverted dome brick, and a white bar that connects to a stud. Connect the dome bricks to make a balloon then attach the top of the bar to the bottom of the inverted dome brick. You made a balloon! Put everything aside for now while we build the base of the bus.

# Group 2 - Bus Base

- 1. Locate 1 black 4x6 plate and 1 white 2x2 inverted slope brick. Place the plate vertically in front of you then place the slope brick on the back right corner so the slope overhangs and slopes to the back.
- 2. Locate 3 white 2x2 inverted slope bricks. Place 1 to the left of the previously placed brick so it overhangs and slopes to the back. Then repeat symmetrically for the front row.
- 3. Locate 2 tan 1x2 log bricks. Vertically place them in the middle of the leftmost and rightmost columns of the 4x6 plate.
- 4. Locate 4 dark grey 1x6 bricks with holes and 8 black 1x2 pins. Do this step 4 times to get 4 identical parts! Place the 1x6 brick horizontally in front of you. Now insert a pin into the 2nd hole and 4th hole starting from the left so the pins face the front. Now you should have 4 of these! Horizontally place 2 in front of the 2 tan 1x2 log bricks so they overhang 5 studs to the left and 5 studs to the right. Make sure the pins face the front! Repeat symmetrically behind the tan 1x2 log bricks.

### Group 2 - Bus Base

- 5. Locate 1 tan 4x6 plate. Vertically place it on top of the build so it is centered and the front row and back rows are free.
- 6. Locate 2 black 2x6 plates, 4 white 1x2 inverted slope bricks, 4 white 2x2 inverted slope bricks, and 4 white inverted sloped corner bricks. Do this step twice to get 2 of the same parts! Place the 2x6 plate vertically in front of you. Place 2 of the 2x2 inverted slope bricks on the right column so that together they are centered and the slopes overhang on the right. Then place a corner slope in front of and back of the previously placed slopes so the slopes line up. Now vertically place the 1x2 slope bricks to the left of the corner bricks so the slopes overhang and slope outwards. There should be a 1x4 gap on the 2x6 plate! You should have 2 of these parts now! Vertically place your sub-builds on the leftmost and rightmost columns so the bricks with holes sit on the gap of the sub-builds.

- 7. Locate 2 tan 1x2 log bricks. Vertically place them in between the bricks with holes so they sit on the black 2x6 plates.
- 8. Locate 4 black 1x4 bricks with holes, 4 blue 1x4 plates, and 4 yellow 1x2 pins. Do this step 4 times to get 4 identical parts! Place the 1x4 brick horizontally in front of you. Then horizontally place the 1x4 plate on top and insert the pin into the front of the middle hole. Now you should have 4 parts! Horizontally insert 2 of your sub-builds into the front-facing pins so the yellow 1x2 pins face the front. Repeat symmetrically for the back.
- 9. Make 2 identical sub-builds! Locate 2 light grey 4x4 plates, 2 blue 1x4 plates, and 2 light blue 2x2 plates. Place the 4x4 plates in between the blue plates of the previously placed parts. Place the 2x2 plate to the left of the 4x4 plate that is on the left so it is centered to this plate. Repeat symmetrically for the right side. Then horizontally place the 1x4 plates on the front and back rows in front of the tan 4x6 plate that is in the middle of the build.
- 10. Locate 4 blue 3x3 plates. Place them in front of and back of previously placed light blue 2x2 plates so there is no overhang.
- 11. Locate 2 light grey 1x2 plates with 2 side studs. Vertically place them on the leftmost and rightmost columns in between the previously placed plates so the side studs face outwards.
- 12.1. Locate 2 white 1x2 tiles with a sticker. Horizontally place them upright on the side studs of the previously placed plates.
- 12.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the white 1x2 tile. This sticker has a black oval with the word AVL written on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 13. Locate 1 dark blue 1x4 brick. Vertically place it on the rightmost column so it is centered in the front and back.
- 14.1. Locate 2 dark blue 1x2 plates. Vertically place them in front of the previously placed brick.

Group 4 - Bus Base

14.2. Locate 2 transparent red 1x2 plates. Vertically place them on top of the previously placed plates. You will have leftover pieces, save this for later.

Group 5 - Bus Base

- 14.3. Locate 2 transparent white 1x2 plates. Vertically place them on top of the previously placed plates.
- 15. Locate 1 dark blue 1x1 brick and 1 dark blue 1x6 arch brick. Place the 1x1 brick on the back row to the left of the previously placed plates. Then horizontally place the arch brick to the left.

- 16-17.1. Locate 2 yellowish-green 1x2 slope tiles and 3 yellowish-green 2x2 tiles. Vertically place 1 slope in the back right corner so it sits in front of the 1x1 brick and slopes to the left. Leave 2 rows in front free then vertically place another slope so it slopes to the left. Leave 2 columns to the left of the previously placed slope tile free then place the 2x2 tile. Leave 2 rows behind it free and then place another 2x2 tile. Now place the 2x2 tile to the right of the previously placed 2x2 tiles so it is between them. It should look like a checkerboard.
- 16-17.2. Locate 1 pink 1x2 slope tiles and 3 pink 2x2 tiles from group 4. Vertically place the 1x2 slope tile in between the 2 slope tiles from the previous step so it slopes to the left. Now place the 2x2 tiles in the open 2x2 sets of studs so all the tiles make a checkered dance floor!
- 18. Locate 1 bright green 1x6 plate and 1 light blue 1x1 brick from group 4 Vertically place the 1x6 brick to the left of the 2x2 tiles so there is no overhang. Then place the 1x1 brick to the left of the back stud of the previously placed brick.
- 19. Locate 1 dark blue 1x1 brick and 1 dark blue 1x6 arch brick. Horizontally place the 1x1 brick on the front row to the left of the stack of plates that are on the rightmost column. Then horizontally place the arch brick to the left.
- 20. Locate 3 light blue 1x6 tiles and 1 light blue 2x2 plate. Horizontally place 2 tiles in the front right and back right corners so there is no overhang. Then vertically place 1 tile on the rightmost column in between them. Place the 2x2 plate to the left of the 1x6 tile on the back row so there is no overhang. Put your build aside while we make another minion!

Building Instructions (Bag 2, Book 1):

Group 6 - Dave the Minion and Accessories

Sub build 4. Locate 1 yellow 2x2 minion body with blue overalls, 1 yellow minion cone head with goggles, 2 black 1x1 round tiles with printed eyeballs, and 2 yellow arms with black gloves. Assemble your minion by putting the cone head on the body, and then the eyes on the goggles. Then insert the arms into the body!

Sub build 5.1. Locate 1 brown star and 1 pink 3 gradually smaller circles on top of each other. Place the brown star on the minion's head, then the pink piece on top of the star!

Sub-build 5.2. Locate 1 transparent wine glass and 1 light green 1x1 round plate. Place the plate on top of the wine glass then put it in his hand!

Sub-build 5.3. Locate 1 white 1x2 brick with grooves and 1 white 1x2 tile with a print of piano keys. Orient the brick so it is horizontal and the vertical grooves faces you. Then place the piano keys on top to make a piano!

Sub-build 5.4. Locate 1 white 1x2 brick with grooves, 2 white 1x1 bricks with clips, 1 white 1x2 tile, and 1 light purple guitar. Horizontally place the 1x2 brick in front of you so the columns face the front. Then place the bricks with clips on top of the 1x2 brick so the clips face the front. Horizontally place the tile on top of these bricks. Then attach the bar of the guitar on the left clip so it is upside down! This minion is so talented! Put him aside while we build the rest of the bus.

### Group 7 - Bus Base

- 21. Bring back your main build so it is horizontal and the tiled side is on the right. Locate 1 dark blue 1x2 brick with a hole. Horizontally place it on the back row to the left of the previously placed light blue 2x2 plate in step 20.
- 22. Locate 1 dark blue 1x6 arch brick and 1 dark blue 1x1 brick. Horizontally place the arch brick to the left of the previously placed brick. Then place the 1x1 brick to the left.
- 23-24.1. Locate 2 yellowish-green 1x2 slope tiles and 3 yellowish-green 2x2 tiles. Repeat step 16-17.1. for the left side so it is symmetrical with the tiles on the right side.

# Group 8 - Bus Base

- 23-24.2. Locate 1 pink 1x2 slope tiles and 3 pink 2x2 tiles. Repeat step 16-17.2. for the left side so it is symmetrical with the tiles on the right side.
- 25. Locate 1 light green 1x6 brick and 1 light blue 1x1 brick. Vertically place the 1x6 brick to the right of the previously placed tiles so there is no overhang. Then place the 1x1 brick to the right of the back stud of the previously placed brick.
- 26. Locate 1 black 1x4 brick with side studs and 2 light grey 1x2 grill tiles. Place the grill tiles upright on the side studs of the brick so there is no overhang. Then vertically place it on the leftmost column of the build so it is centered in the front and back and the grill tiles face left.

### Group 9 - Bus Base

- 27. Locate 2 transparent 1x1 bricks. Place them in front of and back of the previously placed 1x4 bricks.
- 28. Locate 2 white 1x1 bricks with a side stud and 2 transparent orange 1x1 round tiles. Place the tiles upright on the side studs of the bricks. Now place the bricks in the front left and back left corners so the tiles face left.
- 29. Locate 2 light blue 1x6 tiles, 1 light blue 1x2 plate, and 1 light blue 2x2 plate. Horizontally place the 1x6 tile in the back left corner so there is no overhang. Place the 2x2 plate to the right so there is no overhang. Then horizontally place the 1x2 plate to the right so it sits on the back row. Now vertically place the 1x6 tile on the leftmost column in front of the 1x6 tile.

### Group 10 - Bus Base

- 30. Locate 1 white 1x6 plate, 1 dark blue 1x2 plate, and 1 tall transparent light blue 1x2 panel. Horizontally place the 1x6 plate on the back row so it is in the middle. Horizontally place the 1x2 plate in the middle of the previously placed plate. Then horizontally place the panel on top of the previous 1x2 plate so the panel faces the back.
- 31. Locate 1 black 1x7 technic lift arm, 1 black 1x2 pin, and 1 dark blue 1x2 brick with a hole. Horizontally place the brick on top of the panel. Insert the pin into the front of the brick. Then vertically attach the end hole of the technic lift arm to the pin so it is upright and hangs below the pin.

- 32. Locate 2 red 1x2 bricks with axle holes. Horizontally place them, 1 in front of the other, in front of the 1x7 technic plate.
- 33. Locate 1 dark grey 1x4 axle with a round end. Rotate your build 180 degrees so the panel is facing you. Insert the axle into the middle front-facing axle hole and make sure it is fully in. The 1x7 technic plate should be locked in place now. Rotate the bus 180 degrees so the panel is at the back.
- 34. Locate 1 dark blue 2x4 brick, 1 dark blue 1x6 arch brick, and 1 dark blue 1x1 brick. Vertically place the 2x4 brick in front of the red 1x2 brick with an axle hole. Then horizontally place the arch brick on the front row to the left of the previously placed brick. Then place the 1x1 brick to the left.
- 35. Locate 2 light blue 1x6 tiles. Horizontally place them on the front row to the left of the 1x6 tile so there is no overhang.

Group 11 - Bus Base

- 36. Locate 1 black 4x6 plate and 1 black 1x6 plate. Horizontally place the 4x6 plate in front of the 1x7 technic plate so it is centered. Then horizontally place the 1x6 in front.
- 37.1. Locate 2 transparent light green 1x1 round plates. Place the stud part upright on the top 2 holes of the 1x7 technic plate.

Group 12 - Bus Base

- 37.2. Locate 2 transparent pink 1x1 round plates. Place the stud part upright on the 2 holes below the previously placed plates. Put your build aside while we build the DJ table!
- 38.1. Locate 1 green 2x4 plate and place it horizontally in front of you.

Group 13 - DJ Table

- 38.2. Locate 1 light green 2x4 plate, 2 black 1x2 plate with clips, and 1 black 2x2 plate. Horizontally place the 2x4 plate on the previously placed plate. Place the 2x2 in the middle of the plate. Then vertically place the 1x2 plates to the left and right so the clips face outwards.
- 38.3. Locate 2 white 2x2 rotator tiles. Place them next to each other on top of the plates so there is no overhang.
- 38.4. Locate 2 light grey 2x2 round rotator plates. Place them on top of the previously placed tiles.
- 38.5. Locate 1 black 2x2 round tile with sticker. Place it on top of the left rotator plate.
- 38.6. Skip this step if you have already placed your sticker! Ask a helper to place sticker 8 on the black 2x2 round tile. This sticker has a record on it with a yellow middle circle. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 38.7. Locate 1 black 2x2 round tile with sticker. Place it on top of the right rotator plate.

38.8. Skip this step if you have already placed your sticker! Ask a helper to place sticker 9 on the black 2x2 round tile. This sticker has a record on it with a red middle circle. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

38.9. Bring back your main build and orient it so the 1x2 panel faces the back. Now horizontally place the DJ table in the middle of the build on the front 2 stud rows. Put your build aside while we build a minifigure.

Building Instructions (Bag 3, Book 1):

Group 14 - Phil the Minion

Sub-build 6. Locate 1 yellow 2x2 minion body with blue overalls, 1 yellow minion cone head with freckles on his forehead and goggles, 2 black 1x1 round tiles with printed eyeballs, and 2 yellow arms with black gloves. Assemble your minion by putting the cone head on the body, and then the eyes on the goggles. Then insert the arms into the body!

Sub-build 6.1. Locate 1 yellow banana, 1 violet microphone, 1 purple star, 1 light green frog, and 1 purple 3 gradually smaller circles on top of each other. Place the purple star on the minion's head, then the purple 3 circle piece on top of the star! Put the banana in one hand and the microphone in the other! Then place the frog by his side! Put this away while we build the rest of the bus!

Group 15 - Rear of Bus

- 39. Locate 1 white 6x8 plate and 1 light blue 2x6 plate. Vertically place the 6x8 plate on the table. Then vertically place the 2x6 on the 2 rightmost columns so it is centered in the front and back.
- 40. Locate 1 light blue 4x4 quarter circle plate and 1 white 1x4 curved tile. Place the quarter circle plate to the left of the 2x6 plate so the 90-degree angle of the plate is in the front right corner and it lines up with the back row with the 2x6 plate. Now place the curved tile on the curve of the 4x4 plate so the edges line up. This is the edge of the hot tub!
- 41. Locate 1 light blue 2x4 plate. Horizontally place it in front of the guarter circle plate.
- 42. Locate 1 white 1x2 plate with a bar and 1 white 2x2 sloped curved tile. Vertically place the plate on the leftmost column in front of the 4x4 curved tile so the bar faces the left. Now place the sloped curved tile on top of and to the right of the previously placed plate so it slopes to the right.
- 43. Locate 1 transparent light blue 1x6 windshield. Vertically place it on the rightmost column so it is centered in the front and back and faces right.
- 44-45. Locate 2 transparent light blue 1x1 round tiles and 1 light grey L-shaped bar with a 1x1 faucet. Place the faucet to the left of the back row of the windshield so the bar faces the front. Place 1 tile in front of the bar. Leave 1 row free in front of the tile, then place another.

- 46. Locate 1 yellow 1x2 rounded plate, 2 yellow 1x1 round plates, 1 orange 1x2 plate with an angled sloped curve, and 1 transparent light blue 1x1 round tile. Vertically place the rounded plate to the left of the front 2 rows of the windshield. Place 1 round plate on the back row of the rounded plate. Then vertically place the 1x2 plate with an angled sloped curve on top of the 1x1 plate so it slopes to the back. Then place the round plate on top. Now place the round tile to the left of the 1st row of the rounded plate.
- 47. Locate 2 dark blue 1x2 inverted curved bricks. Horizontally place them in the front right corner and back right corner of the build so they slope to the right.
- 48. Locate 1 dark blue 1x6 brick. Vertically place it on top of the windshield.
- 49. Locate 2 tall dark blue inverted slope bricks. Horizontally place them on top of the previously placed 1x2x3 inverted arch bricks so they slope to the right. Put this build away while we build a part.

# Group 16 - Rear of Bus

- 50. Make a part! Locate 1 dark blue 1x2 plate and 1 tall dark blue 1x1 brick. Place the 1x2 plate horizontally in front of you. Then place the tall brick on the right stud.
- 51. Locate 1 tall transparent light blue 1x2 panel. Horizontally place it on the left stud of the 1x2 plate so the panel wall faces the back and it overhangs to the left.
- 52. Locate 1 dark blue 1x4 hinge plate. This plate is two 1x2 plates connected with a hinge. It also has a little round part that sticks out. Horizontally place it underneath the overhang so the round side faces the back.
- 53. Locate 1 tall dark blue 1x1 brick. Place it to the left of the panel.
- 54. Locate 1 dark blue 1x4 plate. Horizontally place it on top of the tall bricks and panel.
- 55. Locate 1 tall transparent light blue 1x2 panel and 1 dark blue 1x2 plate. Horizontally place the panel on the left side of the 1x4 hinge plate. Then horizontally place the 1x2 plate on top of the panel.
- 56. Locate 1 dark blue 1x4 hinge plate and 1 dark blue 1x2 plate. Horizontally place the 1x2 plate on top of the right side so there is no overhang. Then horizontally place the hinge plate to the left so the little round part faces the back.
- 57. Locate 1 dark blue 1x2 plate. Horizontally place it on the left side so there is no overhang.
- 58. Bring back your build so the windshield faces the right. Horizontally attach your sub-build on the back row so the 1x2 panel overhangs to the left and can rotate freely.
- 59. Locate 1 dark blue 1x6 plate. Horizontally place it on the back right corner of the build so there is no overhang. Put your build away while we build another part!
- 60. Locate 1 dark blue 1x2 plate and 1 tall dark blue 1x1 brick. Horizontally place the 1x2 plate in front of you. Then place the 1x1 brick on the right stud.

- 61. Locate 1 transparent light blue 1x2 panel. Horizontally place it to the left of the brick so the panel faces the front and overhangs to the left.
- 62. Locate 1 dark blue 1x4 hinge plate. Horizontally place it under the overhang so the little circle part faces the front.
- 63. Locate 1 tall dark blue 1x1 brick. Place it to the left of the panel.
- 64. Locate 1 dark blue 1x4 plate. Horizontally place it on top of the bricks and panel.
- 65. Locate 1 transparent light blue 1x2 panel. Horizontally place it to the left of the tall brick on the 2 studs so the panel faces the front.
- 66. Locate 1 dark blue 1x1 round plate, 3 dark blue round bricks, and 1 dark blue 1x3 rounded plate. Stack 3 round bricks on top of each other, then place them onto the round plate. Then horizontally attach the leftmost stud of the rounded plate to the bricks so it overhangs on the right. Now horizontally place the right side of the rounded plate on top of the panel from the previous step so the bricks are to the left of the panel.
- 67. Locate 1 dark blue 1x1 round plate, 1 dark blue 1x4 hinge plate, and 1 dark blue 1x2 plate. Place the stud on the leftmost column of the build. Then horizontally place the hinge plate to the right so the little round part is in the front. There should be no overhang. Then horizontally place the 1x2 plate to the right.
- 68. Locate 1 dark blue 1x3 rounded plate. Horizontally place the rounded plate on the left side of the build so there is no overhang.

Group 17 - Rear of Bus

- 69. Locate 1 white 1x3 rounded plate. Horizontally place it underneath the left side of the build so there are no exposed studs.
- 70. Bring back your build and orient it so the windshield is on the right! Now horizontally place the subbuild on the front row so the 1x3 side overhangs and can freely rotate.
- 71. Locate 1 dark blue 1x6 plate. Horizontally place it on the front right corner of the build so there is no overhang.
- 72. Locate 2 light blue 1x3 tiles, 1 light blue 1x2 tile, and 1 light blue 1x1 tile with a rounded side. Place the 1x1 tile with a rounded side on the front left corner on top of the rounded 1x3 plate so the tile follows the curve of it. Horizontally place the 1x2 tile to the right. Then horizontally place the 1x3 tile to the right. Now horizontally place the 1x3 tile on the back row so there are 3 free studs to the right. Make sure it is not on the part that can freely rotate!
- 73. Flip your build upside down so the windshield faces the right. Locate 1 light grey 1x4 plate. Vertically place it upside down in the middle of the leftmost side of the 6x8 plate.

- 74. Bring back your main build and orient it so the panel faces the back! Rotate the sides of your subbuild so they are horizontal. Then horizontally place it onto the right side of the main build it connects to the 1x2 plate that is to the right of the panel on the back row. Now you can rotate this entire side to open up the party bus!
- 75. Now put your main build aside while we build the roof! Locate 1 light blue 1x8 plate and 1 white 2x8 plate. Place the 1x8 plate horizontally in front of you. Then place the 2x8 plate on top so it overhangs 1 row to the front.
- 76-77.1. Locate 2 light blue 1x2 plates with a hole instead of a stud and 2 black 1x2 pins. Vertically place the plate underneath the overhang of the leftmost stud so the hole is in the front. Then insert the pin through the right side of the hole. Repeat for the right side so it is symmetrical.

### Group 18 - Rear of Bus

- 76-77.2. Locate 2 white 1x2 plates with a hole instead of a stud. Vertically attach the hole to the pin so the 1x1 plate part is in the front. Repeat for the right side so it is symmetrical.
- 78. Locate 2 white 2x2 sloped curved tiles and 2 light blue 1x2 curved tiles. Place the 2x2 tiles in between the plates with holes so they slope and overhang in the front. Now place the 1x2 curved tile on the leftmost side so the long side of the curve faces the back left corner. Repeat symmetrically for the right side. Flip your build upside down so the 1x1 plates stick out to the left.
- 79. Locate 1 white 6x8 plate and 4 light blue 1x3 tiles. Vertically place the 6x8 plate in front of you. Then horizontally place 2 tiles on the front row and 2 tiles on the back row. Flip your build upside down so it is still vertical. Now attach the right side underneath the overhanging 1x1 studs of the sub-build. Make sure the front and back rows line up!
- 80. Locate 1 light grey half-circle plate with a gap, and 2 light grey 2x2 corner plates. Vertically place the half-circle plate upside down on the 2nd column from the left so it is centered in the front and back and the curve faces the left. Place the corner plates upside down to the right of the half-circle plate so together they form a 2x3 gap in the middle. The one in the front should look like the braille letter f and the one in the back should look like the braille letter h.
- 81. Locate 3 transparent light green 1x1 round plates. Place them upside down on the half-circle plate on the 3 leftmost anti-studs.
- 82.1. Locate 1 black 2x2 plate with a smooth underside with a sticker. Place it upside down on top of the back 2x2 corner plate and 1x2 plate. Make sure the entire corner plate is covered.
- 82.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 7 on the black 2x2 tile. This sticker has a picture of a minion in red clothing waving! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 82.3. Locate 1 black 2x2 plate with a smooth underside with a sticker. Place it upside down on top of the front 2x2 corner plate and 1x2 plate. Make sure the entire corner plate is covered.

- 82.4. Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the black 2x2 tile. This sticker has a picture of a minion with a blond wig singing into a microphone! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 83. Locate 2 dark grey 2x2 dishes. Place them upside down on the front and back hole of the half-circle plate. These are speakers! Flip your build over now so the studs are facing up.
- 84. Bring back your main build so the 1x6 windshield is facing the right. Now horizontally place your roof build on the right side of the build so there is no overhang and the curved tiles on top of the roof are on the right side.
- 85. Locate 2 white 1x2 tiles with a bar. Vertically place them, 1 in front of the other, on the rightmost column, in between the 2 curved tiles, so the bars are on the right. Now put your build away while we build the last minion!

Building Instructions (Bag 4, Book 1):

Group 19 - Mel the Minion and Accessories

Sub-build 7. Locate 1 yellow 2x2 minion body with blue overalls, 1 yellow minion dome-shaped head with lines of hair on his head and goggles for 1 eyeball, 1 black 1x1 round tile with a printed eyeball, and 2 yellow arms with black gloves. Assemble your minion by putting the dome-shaped head on the body, and then the eye on the goggles. Then insert the arms into the body!

Sub-build 7.1. Locate 1 transparent pink 1x1 round plate and 1 pink baseball cap. Place the plate on his head then place the hat on!

Sub-build 7.2. Locate 2 green ice cream cones and 2 red balls. Place the balls onto the cones. Then place 1 in his hand and 1 on the table!

Sub-build 7.3. Locate 1 white bar that connects to a stud and 1 light orange flag. Insert the thicker round part of the flag into the top of the bar, then put the bar in his hand!

Group 20 - Front of Bus

86. Locate 1 white 6x8 plate and 1 light blue 1x6 plate. Place the 6x8 plate horizontally in front of you. Then horizontally place the 1x6n plate on the back row in the middle.

87. Locate 1 light green 2x2 plate and 1 black 1x2 steering wheel. Place the plate on the front row in the middle so there is no overhang. Then horizontally place the steering wheel behind it so it faces the front.

Group 21 - Front of Bus

88. Locate 1 violet 2x2 plate, 1 white 1x2 plate with a bar, and 1 white 2x2 sloped curved tile. Place the 2x2 plate to the left of the previously placed 2x2 plate. Then horizontally place the 1x2 plate on top of the previously placed plate so the bar overhangs to the front. Then place the sloped curved tile on top of and back of the 1x2 plate so it slopes to the back.

- 89. Locate 1 tall transparent light blue 1x6 windshield. Horizontally place it on the back row in the middle so it faces back.
- 90. Locate 2 dark blue 1x2 sloped curved bricks. Vertically place them in the back left and back right corners so they slope to the back.
- 91.1. Locate 1 dark blue 1x6 brick with a sticker. Horizontally place it on top of the windshield so the sticker faces the back.
- 91.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 6 on the dark blue 1x6 brick. This sticker says "party on wheels" in all capital letters. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 92. Locate 1 dark blue 1x2x3 inverted slope brick, 1 dark blue 1x1 round plate, 1 black 1x1 plate with 2 side studs, and 1 white 1x2 slope tile. Vertically place the inverted slope brick on the stud of the inverted arch brick that's in the back right corner so the slope faces the back. Place the round plate on the back stud of the inverted slope brick. Then place the 1x1 plate with side studs in front so the side studs face right. Next, vertically place the 1x2 slope tile upright on the side studs so it slopes to the back. The slope tile is the bus's mirror!
- 93. Locate 1 dark blue 1x2x3 inverted slope brick, 1 dark blue 1x1 round plate, 1 black 1x1 plate with 2 side studs, and 1 white 1x2 slope tile. Repeat the previous step so it is symmetrical.

### Group 22 - Front of Bus

- 94. Put your sub-build aside while we build a part. Locate 1 dark blue 1x2 plate and 1 tall dark blue 1x1 brick. Horizontally place the 1x2 plate in front of you. Then place the 1x1 brick on the left stud.
- 95. Locate 1 transparent light blue 1x2 panel. Horizontally place it to the right of the brick so the panel faces the back and overhangs to the right.
- 96. Locate 1 dark blue 1x4 hinge plate. Horizontally place it under the overhang so the little circle part faces the back.
- 97. Locate 1 tall dark blue 1x1 brick. Place it to the right of the panel.
- 98. Locate 1 dark blue 1x4 plate. Horizontally place it on top of the bricks and panel.
- 99. Locate 1 transparent light blue 1x2 panel and 1 dark blue 1x2 plate. Horizontally place the panel to the right of the tall brick on the 2 studs so the panel faces the back. Then horizontally place the plate on top of the panel.
- 100. Locate 1 dark blue 1x4 hinge plate and 1 dark blue 1x2 plate. Horizontally place the 1x2 plate on top of the right side so there is no overhang. Then horizontally place the hinge plate to the left so the little round part faces the front.
- 101. Locate 1 dark blue 1x4 plate and 1 dark blue 1x2 plate. Horizontally place the 1x4 plate on the rightmost side so there is no overhang. Then horizontally place the 1x2 plate to the left.

- 102. Bring back your sub-build and orient it so the windshield faces the back. Now vertically place the build on the rightmost column so the 1x2 part in the front can freely rotate.
- 103. Locate 1 dark blue 1x2 plate and 1 tall dark blue 1x1 brick. Horizontally place the 1x2 plate in front of you. Then place the 1x1 brick on the left stud.
- 104. Locate 1 transparent light blue 1x2 panel. Horizontally place it to the right of the brick so the panel faces the front and overhangs to the right.
- 105. Locate 1 dark blue 1x4 hinge plate. Horizontally place it under the overhang so the little circle part faces the front.
- 106. Locate 1 tall dark blue 1x1 brick. Place it to the right of the panel.
- 107. Locate 1 dark blue 1x4 plate. Horizontally place it on top of the bricks and panel.
- 108. Locate 1 transparent light blue 1x2 panel. Horizontally place it to the right of the tall brick on the 2 studs so the panel faces the front.
- 109. Locate 1 dark blue 1x1 round plate, 3 dark blue round bricks, and 1 dark blue 1x3 rounded plate. Stack 3 round bricks on top of each other, then place them onto the round plate. Then horizontally attach the rightmost stud of the rounded plate to the bricks so it overhangs on the left. Now horizontally place the left side of the rounded plate on top of the panel from the previous step so the bricks are to the right of the panel.
- 110. Locate 1 dark blue 1x1 round plate, 1 dark blue 1x4 hinge plate, and 1 dark blue 1x2 plate. Place the stud on the rightmost column of the build. Then horizontally place the hinge plate to the left so the little round part is in the front. There should be no overhang. Then horizontally place the 1x2 plate to the left.
- 111. Locate 1 dark blue 1x3 rounded plate and 1 dark blue 1x4 plate. Horizontally place the 1x4 plate on the leftmost side so there is no overhang. Then horizontally place the rounded 1x3 plate to the right.

#### Group 23 - Front of Bus

- 112. Locate 1 white 1x3 rounded plate. Horizontally place it underneath the rightmost side of the build so there are no exposed studs from it.
- 113. Bring back your sub-build and orient it so the windshield faces the back. Now vertically place your build on the leftmost column so the 1x3 part in the front can freely rotate.
- 114. Locate 1 light blue 1x1 tile with a rounded side, 1 light blue 1x2 tile, and 2 light blue 1x3 tiles. Place the tile with a rounded side on the front left corner of the 1x3 part that rotates so the rounded side faces you. Then vertically place the 1x2 tile behind it. Now vertically place the 1x3 tile behind the 1x2 tile. Now vertically place a 1x3 tile on the rightmost column so there are 2 free studs from the hinge plate in front of it.

- 115. Locate 1 light grey 1x4 plate. Flip your build upside down so the parts that can rotate face the right. Vertically place the 1x4 plate upside down on the rightmost column of the 6x8 plate so it is in the middle. Now flip it over again so the rotating plates are on the right.
- 116. Bring back your main build so the part of the bus with the hot tub faces the right. This is the side with the roof built! Now horizontally place your sub-build on the left side so there is no overhang. The 1x6 windshield should be facing the left! This is the front end of the bus!
- 117. Flip up the roof on the right side so it is upright. Now locate 1 light blue 1x6 tile. Horizontally place it in the middle of the back row in between the 2 tiles. Put away your build so we can build a roof for the front!
- 118. Locate 1 light blue 1x8 plate and 1 white 2x8 plate. Place the 1x8 plate horizontally in front of you. Then place the 2x8 plate on top so it overhangs 1 row to the front.

# Group 23 - Front of Bus and Wheels

- 119-120.1. Locate 2 white 1x2 plates with a hole instead of a stud. Vertically attach the hole to the pin so the 1x1 plate part is in the front. Repeat for the right side so it is symmetrical.
- 121. Locate 2 light blue 1x2 tiles and 2 light blue 2x2 curved tiles. Place the 2x2 curved tile on the leftmost side so the long side of the curve faces the back left corner. Repeat symmetrically for the right side. Now horizontally place the 1x2 tiles in between the 2x2 curved tiles.
- 122. Locate 2 white 2x2 sloped curved tiles. Place them in front of the previously placed 1x2 tiles so they slope and overhang to the front. Now flip your build upside down so the 1x1 plates that stick out are on the right.
- 123. Locate 1 white 6x8 plate and 4 light blue 1x3 tiles. Vertically place the 6x8 plate in front of you. Then horizontally place 2 tiles on the front row and 2 tiles on the back row. Flip your build upside down so it is still vertical. Now attach the left side underneath the overhanging 1x1 studs of the sub-build. Make sure the front and back rows line up!
- 124. Locate 1 light grey half-circle plate with a gap, and 2 light grey 2x2 corner plates. Vertically place it upside down on the 2nd column from the right so it is centered in the front and back and the curve faces the right. Place the corner plates upside down to the left of the half-circle plate so together they form a 2x3 gap in the middle. The back one should look like the braille letter j. The front one should look like the braille letter d.
- 125. Locate 3 transparent light pink 1x1 round plates. Place them upside down on the half-circle plate on the 3 rightmost anti-studs.
- 126.1. Locate 1 black 2x2 plate with a smooth underside with a sticker. Place it upside down on top of the back 2x2 corner plate and 1x2 plate. Make sure the entire corner plate is covered.

126.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the black 2x2 tile. This sticker has a picture of a minion with a red mohawk playing guitar! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

126.3. Locate 1 black 2x2 plate with a smooth underside with a sticker. Place it upside down on top of the front 2x2 corner plate and 1x2 plate. Make sure the entire corner plate is covered.

126.4. Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the black 2x2 tile. This sticker has a picture of a single-eyed minion with a red jacket and black hair playing piano! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

127. Locate 2 dark grey 2x2 dishes. Place them upside down on the front and back hole of the half-circle plate. These are speakers! Flip your build over now so the studs are facing up.

128. Bring back your main build so the front end of the bus is facing the left. This is the side without a roof! Now horizontally place your roof build on the left side of the build so there is no overhang and the curved tiles on top of the roof are on the left side.

129. Locate 4 tires and 4 white 2x2 round tiles with a hole. Insert the tiles into the side of the tires. Then insert the tires into the pins on the front and back. Make sure the tiles are facing outward of the build!

Thank you so much for building this set!

Visit <u>bricksfortheblind.org</u> for more accessible instructions and follow us on Facebook and Instagram to be the first to know when new instructions are available!

We also love seeing your completed builds, so please tag our <u>Facebook</u> and <u>Instagram</u> accounts in any photos of your builds so we can share your accomplishments with our Bricks for the Blind community.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 4 Despicable Me 4 Theme kits:

75580 - Minions and Banana Car

75581 - Minions' Music Party Bus

75582 - Brick-Built Gru and Minions

75583 - Minions and Gru's Family Mansion