76995 Shadow the Hedgehog Escape

Adapted by John Le and tested by Jolene Nemeth

Sonic toy – Gift boys, girls, and fans aged 8+ with this Shadow the Hedgehog Escape motorcycle set that lets kids create stories with their favorite Sonic the Hedgehog[™] action figures.

Shadow motorcycle – The set features a motorcycle for Shadow, plus a buildable lab section and video game characters including a Clucky and the Badnik, RhinoBot.

Fun Sonic merchandise – This buildable gift for kids enhances boys 'and girls 'storytelling play with functions including an opening stasis chamber and a closing barrier.

Video game toy – This 196-piece toy set includes a buildable lab section that measures over 4 in. (10 cm) high, 5.5 in. (14 cm) wide, and 2.5 in. (6 cm) deep.

The front of the box shows the gate in the back with the capsule door flying off! In the front, the rhino with a chicken on its back is chasing after Shadow who is doing a wheelie on his motorcycle!

The back of the box shows Shadow on his motorcycle crashing into the rhino's head and launching the little chicken off of its back! There are 2 smaller pictures that show Shadow inside the capsule that is connected to the gate. There is a part you can press to launch the door off of it so Shadow can escape! There is one more picture that shows that the rhino's horn can rotate up and down.

The top of the box shows Shadow next to the rhino.

The build is 196 pieces in total and is for ages 8+.

Bag 1 includes the pieces for Shadow and his motorcycle, and the rhino.

Bag 2 includes the pieces for the capsule and gate.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two

studs on top.

- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (https://www.lego.com/en-us/service/buildinginstructions/76995) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 2 bags labeled 1 and 2, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Shadow, Motorcycle, and Rhino

Group 1 - Page 5.

Group 2 - Steps 1-5.

Group 3 - Steps 6-19.

Group 4 - Step 20 and 1 red 1x1 round plate from Step 21.

Group 5 - Rest of Step 21.

Group 6 - Steps 22-29.

Group 7 - Steps 1-16.

Bag 2 - Capsule and Gate

Group 8 - Steps 1-12 and 1 red 2x2 tile with 2 studs from Step 13.

Group 9 - Rest of Step 13 and Steps 14-17 and 1 yellow 1x2 tile from Step 18.

Group 10 - Rest of Step 18 and Steps 19-31.

Group 11 - Steps 32-43.

Group 12 - Steps 44-46 and 4 white 1x1 tiles from Step 47.

Group 13 - Rest of Step 47 and Steps 48-51.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Shadow the Hedgehog

Sub-build 1. Locate 1 black pair of legs printed with white and red shoes, 1 black torso printed with white fur on his chest and white hands, and 1 black head printed with red eyes, spiked red and black hair, and a black nose. Assemble your minifigure, then put him away while we build his motorcycle!

Group 2 - Motorcycle

- 1. Horizontally place a dark grey 2x2 plate with 2 extended arms with a hole in front of you so the plate side faces the left. Then vertically place a white 1x2 plate on the leftmost column so there is no overhang.
- 2. Horizontally place 2 red 1x2 plates with 2 side studs above the plate underneath the leftmost column so the side studs face front and back. The left studs of these plates should be exposed.
- 3. Vertically place a dark grey 1x2 brick with an axle hole on the leftmost column on top of the exposed studs from the previous plates. Then place a light grey 2x2 plate to the right.
- 4. Horizontally place 2 black 1x2 plates with 2 side studs below the plate on the 2 leftmost columns so the side studs face the front and back. There should now be a 2x2 set of side studs in the front and back!
- 5. Locate a red 1x2 plate connected to curved sloped sides that are connected to another 1x2 plate. Horizontally place the lower side on the rightmost stud column so it overhangs to the right.

Group 3 - Motorcycle

- 6. Horizontally place 2 black 1x2 plates, 1 in front of the other, on the 2nd and 3rd columns from the left.
- 7. Place 2 light grey 1x1 plates with a side stud on the leftmost column so the side studs face front and back. Now attach a dark grey 1x1 round plate upright to each of the side studs of the previous 1x1 plates.
- 8. Place a black 1x2 plate with a 1x2 hinge on the 2 leftmost columns so the hinge is on the left. Then vertically place a black 1x2 ingot tile to the right.
- 9. Horizontally place a black 2x3 sloped curved tile to the right of the previous ingot tile so it slopes to the left. It should sit on the 1x2 plates of the curved slopes.
- 10. Place a white 2x2 corner plate with a cutoff corner upright on the front-facing side studs so it sits underneath the 1x1 round plate and overhangs to the left. The studs on this plate should look like the braille letter d. Then vertically place a black 1x2 plate upright to the right of the previous corner plate.

- 11. Vertically place a dark grey 1x2 plate with a bar upright on the previous 1x2 plate so the bar faces the right.
- 12. Horizontally place a dark grey 1x2 sloped curved tile upright on the lower stud of the previous plate with a bar so it slopes to the left onto the lower stud of the corner plate. Then place a black 2x2 round tile printed with a fiery red ball upright on the front-facing corner plate and 1x1 round plate.
- 13. Insert 1 axle of a light grey connector with 3 axles into the left-facing axle hole of the main build. The remaining axles should face the upper left and lower left.
- 14. Flip your build upside down so the axles face the left. Now place a red 2x2 round plate with a smooth underside onto the anti-studs that are to the right of the axle so there is no overhang. Keep your build upside down as we continue the next few steps!
- 15. Place a white 2x2 corner plate with a cutoff corner upright on the front-facing side studs so it sits above the 1x1 round plate and overhangs to the left. The studs on this plate should look like the braille letter j. Then vertically place a black 1x2 plate upright to the right.
- 16. Vertically place a dark grey 1x2 plate with a bar upright on the previous 1x2 plate so the bar faces the right.
- 17. Horizontally place a dark grey 1x2 sloped curved tile upright on the upper stud of the previous plate with a bar so it slopes to the left onto the upper stud of the corner plate. Then place a black 2x2 round tile printed with a fiery red ball upright on the front-facing corner plate and 1x1 round plate. It should look the same as the other side!
- 18. Insert a light grey 3L pin with a stop into the front-facing hole that is on the right side of the build. Make sure it does not go all the way through the first hole.
- 19. Insert a light grey wheel into a black tire. Now place the wheel in between the 2 holes that are on the right. Then push the 3L pin with a stop all the way through so it keeps the wheel in place.

Group 4 - Motorcycle

- 20.1. Let's make a part! Horizontally place a white 2x3 tile with an angled side printed with a red ball and light grey metal design upside down in front of you so the angled side faces the right.
- 20.2. Vertically place a white 1x2 plate with 2 clips upside down on the leftmost column so the clips face the left.
- 20.3. Then vertically place a white 1x2 plate upside down to the right. Now flip it over so it is horizontally upright and the angled side faces the right. Now repeat this step so you have 2 parts in total!
- 20.4. Now horizontally attach the clips of your part upright to the front-facing bar of the 1x2 plate so the tile side faces the front and the angled side faces the right. Repeat symmetrically to the back. Now flip your motorcycle so it is right-side-up and the hinge is on the left.

You will have an extra red 1x1 round plate. Save it for later.

Group 5 - Motorcycle

- 21. Place a transparent 1x1 round plate in front of you. Then place a red 1x1 round plate from group 4 on top of it. Then horizontally place the leftmost anti-stud of a black 1x2 plate with a hinge connector on top so it overhangs a stud to the right and the hinge faces the right. Now attach the hinge connector of your part to the hinge that is on the left side so the 1x1 plates face the left and the stud side faces the right. Bend it so it is slightly facing to the left.
- 22. Let's make a part! Horizontally place a black axle connector with bar holes in front of you so the barholes face the left and right. The axle connector should be facing to the top! Now insert a black bar into the right-facing bar hole of your connector.

Group 6 - Motorcycle

- 23. Then horizontally attach the left-facing bar hole of another black axle connector to the right side of the bar. The axle-hole of this connector should face the ceiling, and be oriented the same as your other axle connector.
- 24. Now insert a 3L light grey axle into each of the top-facing axle holes so it goes all the way in but does not come out the other side.
- 25. Locate a black axle connector with an axle hole. Insert the axle connector part into the right 3L axle so the axle hole faces the front. Make sure it goes all the way down and touches the axle connector with the bar holes.
- 26. Insert a red wheel into a black tire. Now insert the wheel into the left 3L axle.
- 27. Let's make a part! Horizontally place a black axle connector with bar holes in front of you. Now insert a black bar into the right-facing bar hole of your connector. Then horizontally attach the left-facing bar hole of another black axle connector to the right side of the bar. Now horizontally place it on top of the 3L axles.
- 28. Locate 2 black handles connected to a handle with a stop. Insert each handle into the 2 right-facing bar holes so the ends of the handles with a stop face the front.
- 29. Now horizontally attach the front-facing axle hole of your part to the upper left-facing axle of the motorcycle build. Your wheel should be on the left and you should be able to ride your motorcycle around freely! Now put your motorcycle away while we build a rhino!

Group 7 - Rhino and Chicken

- 1. Place a black 2x2 round plate in front of you. Then place a black 2x2 inverted slope brick on the right column so it slopes to the right.
- 2. Place a black 2x2 inverted slope brick on the leftmost column so it slopes to the left.
- 3. Horizontally place a black 2x3 plate on the leftmost column so there is no overhang.

- 4.1. Let's make a part! Place a light grey 2x2 plate in front of you. Vertically place a dark grey 1x2x2 brick with 6 side studs on the right column so the side studs face the front, back, and right.
- 4.2. Then vertically place 2 light grey 1x2 slope tiles on the right-facing 2x2 side studs so the tiles slope down outwards. Now place your part on the rightmost column of the build so it overhangs to the right and the slopes face the right.
- 5. Place a black 2x2 tile to the left of the 1x2x2 brick with 6 side studs.
- 6.1. Let's make a part! Vertically place a light grey 1x2 plate in front of you. Then vertically place a light grey 1x2 plate with a bar on top so the bar faces the left.
- 6.2. Place 2 light grey 1x1 bricks with a side stud on top so the side studs face the front and back.
- 6.3. Place 2 light grey 1x1 clips on top of the previous bricks so the sides of the clips are on the left and right. Now vertically place your part to the left of the 2x2 tile so the bar faces the left.
- 7.1. Let's make a part! Vertically place a white 2x2 plate with 2 side studs in front of you so the side studs face the left.
- 7.2. Horizontally place a light grey 1x2 slope tile upright to the left-facing side studs so it slopes up.
- 7.3. Horizontally place a light grey 3x4 sloped curved brick on top so the short side slopes and overhangs to the right. Now repeat step 7 again so you have 2 of these parts in total.
- 7.4. Horizontally place your part upright on the front-facing side studs so the rightmost column of the 3x4 sloped curved brick sits on the 2 right front-facing side studs. Repeat symmetrically to the back.
- 8. Let's make a part! Horizontally place a light grey 1x2 plate with a clip on the short side in front of you so the clip faces the right. Then horizontally place a light grey 1x2 plate on top so there is no overhang.
- 9. Horizontally place a light grey 1x2 brick with side studs all around and an anti-stud sticking out on top of the previous plate so the anti-stud faces the right and sits over the clip.
- 10.1. Horizontally place a yellow 1x1 plate with a double-sided stud in front of you so the 1x1 plate is on the left.
- 10.2. Attach a light orange 1x1 round plate upright to each side of the double-sided stud.
- 10.3. Attach a light orange 1x1 round tile printed with a black eye upright on each of the previous 1x1 round plates.
- 10.4. Then place a light orange 1x1 tile on top of the 1x1 plate. Now place your part on top of the right column of your part so the eyes overhang to the right.
- 11. Place a light grey 1x1 plate to the left of your previous part placed. Then place a white 1x1 pyramid tile on top.

- 12.1. Let's make a part! Place a light grey 1x1 plate with a side stud in front of you so the side stud faces the right. Then place a light grey 1x1 slope tile on top so it slopes to the left. Then place a white 1x1 pyramid tile on the right-facing side stud.
- 12.2. Now attach your part upright to the left-facing side stud of the build so the pyramid tile sits to the left of the previous pyramid tile.
- 13.1. Let's make a part! Horizontally place a light orange 2x2 angled plate in front of you so the studs are in the front and the long side is on the right. Make sure this is the right plate, there are 2 orientations of this plate!
- 13.2. Now horizontally place a light grey 1x2 angled sloped curved tile on the left stud so it slopes to the left. Make sure the angled part is in the front left corner. There are 2 different orientations to this tile as well so make sure it is the correct one!
- 13.3. Place your part upright to the front-facing side studs so the tile slopes to the left. Make sure the studs of the 2x2 angled plate are directly on top of the side studs of the build.
- 14.1. Let's make a part! Horizontally place a light orange 2x2 angled plate in front of you so the studs are in the back and the long side is on the right. Make sure this is the right plate, there are 2 orientations of this plate!
- 14.2. Now horizontally place a light grey 1x2 angled sloped curved tile on the left stud so it slopes to the left. Make sure the angled part is in the back left corner. There are 2 different orientations to this tile as well so make sure it is the correct one!
- 14.3. Place your part upright onto the back-facing side studs so the tile slopes to the left. Make sure the studs of the 2x2 angled plate are directly on top of the side studs of the build.
- 15. Now attach the right-facing clips of your part to the left-facing bar of the build.
- 16.1. Let's make a part! Vertically place a dark grey 1x2 plate with a bar on the long side in front of you so the bar faces the right.
- 16.2. Then place a light grey 2x2 sloped curved tile on top so it slopes and overhangs to the left.
- 16.3. Now attach the bar to the top-facing clips so your part overhangs to the left. Then place a little white chicken with orange feet and nose next to your rhino! Now put everything away while we build the capsule and gate!

Building Instructions (Bag 2, Book 1):

Group 8 - Capsule and Gate

1. Horizontally place a light grey 4x6 plate in front of you.

- 2. Place a dark grey 1x1 brick with a hole in the back left corner so the hole faces the front and back. Then place a white 1x1 brick with an axle hole in front so the axle hole faces the front and back.
- 3. Horizontally place a dark grey 1x1 brick with a hole in front of the previous brick so the hole faces the front and back.
- 4. Horizontally place a red 1x4 brick on the back row to the right of the 1x1 brick in the back left corner. Then vertically place a red 1x4 brick on the rightmost column so there is no overhang.
- 5. Let's make a part! Vertically place a light grey 2x3 plate in front of you. Then horizontally place a red 1x4 tile with 2 studs on the front row so it overhangs 2 columns to the right.
- 6. Then vertically place a light grey 2x3 plate underneath the overhang so the back of the plates align.
- 7. Vertically place 2 light grey 2x3 plates, 1 to the right of the other, on the back 2 rows so they overhang 1 row to the back.
- 8. Horizontally place a red 1x4 tile with 2 studs behind the 1x4 tile with 2 studs so there is no overhang. Then horizontally place a light grey 2x4 plate behind the previous 1x4 tile with 2 studs.

Group 9 - Capsule and Gate

- 9. Horizontally place a red 2x4 plate on the back 2 rows so there is no overhang.
- 10. Now place your part on the front row of the main build so it sits to the left of the vertical 1x4 brick. The back row of the 2x4 plate should align with the front stud of the vertical 1x4 brick.
- 11. Horizontally place a black 2x6 plate on the back 2 rows of the build. Then horizontally place a black 1x6 plate in front of the previous 2x6 plate.
- 12. Place a light grey 2x2 plate in front of the 1x6 plate so it is centered horizontally to it. Then place a red 2x2 corner plate to the right so it looks like the braille letter f. Now place a red 1x1 plate to the left of the front row of the 2x2 plate.

You will have an extra red 2x2 tile with 2 studs. Save it for later.

Group 10 - Capsule and Gate

- 13. Vertically place a yellow 2x3 plate on the back left corner so there is no overhang. Then place a yellow 2x2 tile with 2 studs on the back 2 rows to the right of the previous plate so the studs are in the back. Then place a red 2x2 tile with 2 studs from group 9 in front of the previous tile so the studs are in the back.
- 14. Horizontally place a dark grey 1x2 jumper plate in front of the previous red 2x2 tile with 2 studs. Then place a red 1x1 tile to the left.
- 15. Let's make a part! Horizontally place a light grey 1x3 plate in front of you. Then place a transparent light orange 1x1 round plate on the rightmost stud.

- 16. Horizontally place a yellow 1x4 tile to the left of the previous 1x1 round plate so it overhangs 2 columns to the left.
- 17. Vertically place the back row of a light grey 2x6 plate underneath the overhang so there are 2x5 studs exposed in the front.

You will have an extra yellow 1x2 tile. Save it for later.

Group 11 - Capsule and Gate

- 18. Horizontally place a black 1x2 tile in front of the 1x4 tile so there is no overhang. Then horizontally place a yellow 1x2 tile from group 10 in front of the previous tile so there is no overhang.
- 19. Horizontally place a black 1x2 tile in front of the previous tile. Then horizontally place a yellow 1x4 tile in front of the previous tile so it overhangs 2 columns to the right. Then horizontally place a black 1x2 tile in front of the previous tile so there is no overhang.
- 20. Flip your build upside down so it is vertical and the overhang of the 1x4 tile is in the front. Let's make a part! Place a black 1x1 plate with a side stud in front of you so the side stud faces the front. Then place a transparent light orange 1x1 round plate upright on the front-facing stud. Now place your part upside down on the 2nd column from the left on top of the overhang of the 1x4 tile so the round plate faces the front.
- 21. Place a transparent light orange 1x1 round plate upside down in the back right corner of the build. Then horizontally place a light grey 1x2 plate with a hole underneath to the left so the hole is on the left. Now repeat this step symmetrically on the 2nd row from the front.
- 22. Horizontally place a black 1x2 plate upside down on the back right corner on top of the previous plates. Then repeat this step symmetrically on the 2nd row from the front.
- 23. Now flip your build so it is upright and the top-facing 1x1 round plate is in the back right corner. The 1x1 round plate that is on a side stud should be facing the front!
- 24. Now place your part on the back left corner of the build so the 2x3 plate sits in the 2x3 gap of your part. It should not attach to any studs. Now insert a light grey 5L axle into the back-facing hole of your previous part so it attaches to the main build.
- 25. Vertically place a yellow 2x4 plate on the back right corner so it overhangs 1 row to the back. Then place a red 2x2 corner tile in front so there is no overhang. It should look like the braille letter f.
- 26. Place a red 1x1 brick on the back left stud of the 2x3 plate in the back left corner of the build. Then horizontally place a red 1x2 brick to the right.
- 27. Horizontally place a red 1x2 brick with a hole to the right of the previous 1x2 brick. Then place a red 1x1 brick to the right.

- 28. Place a red 1x1 slope tile on top of the previous 1x1 brick on the rightmost column so it slopes to the right. Then horizontally place a red 1x4 brick to the left. Now place a red 1x1 slope tile to the left so it slopes to the left.
- 29. Horizontally place a black 1x4x3 panel printed with a red diagram of Shadow's body and the different parts of his body on top of the previous 1x4 brick so the wall faces the front.
- 30. Vertically place a light grey 1x2x5 brick in front of each of the previous 1x1 slope tiles.
- 31. Horizontally place a black 1x2 plate on top of the previous 1x4 panel so it is centered horizontally. Then place a black curved 2x2 corner plate to the left and right. The left one should look like the braille letter f and the right one should look like the braille letter d.

Group 12 - Capsule and Gate

- 32. Let's make a part! Vertically place a light grey 1x2 tile on the 2 side studs of a black 1x1 plate so there is no overhang. Now repeat this step so you have 2 parts in total. Now place them on the front studs of the 1x2x5 bricks in front of the previous corner plates so the upright tiles face the front.
- 33. Horizontally place a black 1x2 plate on top of the previous 1x2 plate that is in between 2 corner plates. It should be centered horizontally. Then place a red 2x6 plate in front so it is also centered horizontally.
- 34. Place a black 2x2 plate on top of the previous 1x2 plate and 2x6 plate so there is no overhang. Then horizontally place a black 1x2 plate on the back row of the 2x2 plate.
- 35. Let's make a part! Place a red 4x4 round plate in front of you.
- 36. Vertically place 2 white 1x2 grill tiles on the front row so they are centered horizontally and do not overhang.
- 37. Place a white 1x1 round tile behind each of the previous 1x2 grill tiles.
- 38. Horizontally place a red 2x3 angled plate to the left and right of the back row of the grill tiles so the angled sides face the back and the long ends face outwards.
- 39. Horizontally place 2 red 2x3 angled plates on top of the back row of the grill tiles and previous angled plates so they are centered horizontally. The short ends should face inwards towards each other and the long ends should face outwards.
- 40. Place a red 2x2 angled sloped curved tile on top of the 2 previous angled plates so it is centered horizontally and the angled side overhangs to the front and sits on top of the grill tiles.
- 41. Flip your build upside down so it is horizontal and the grill tiles face the front. Place the 4 side studs of a black 1x2 plate with 4 side studs on the front 2 rows of anti-studs so it is centered horizontally and the anti-studs of the 1x2 plate face the front.

- 42. Now horizontally place the 1x2 plate with 4 side studs of your part on top of the front row of the 2x6 plate of the main build so it is centered horizontally and faces the front.
- 43. Rotate your build 180 degrees so the back is now facing the front. Now place an orange 2x2 dome brick on top of the 1x2 plate and 1x2 plate with 4 side studs so there is no overhang.
- 44. Let's make a part! Place a black 1x1 plate with a double-sided stud in front of you so the double-sided stud faces the right. Then insert a red bar with a stop in the middle into the back-facing side of the double-sided stud.
- 45. Horizontally place the rightmost stud of a light grey 1x10 plate underneath the 1x1 plate so there are 9 exposed columns to the left.
- 46. Horizontally place a black 1x2 sloped curved tile on the rightmost column so it slopes to the left onto the 1x10 plate.

You will have 4 extra white 1x1 tiles. Save them for later.

Group 14 - Capsule and Gate

- 47. Place a red 1x1 tile to the left of the previous 1x2 sloped curved tile. Then place 3 more to the left so there is a 1x1 gap in between each of them. Then fill those gaps with 4 white 1x1 tiles from group 13. There should be no exposed studs now!
- 48.1. Let's make another part! Vertically place a black L-shaped piece with pinholes in front of you so the long side is vertical and on the right, and the short side is in the back and faces the left. It should be flat on the table.
- 48.2. Insert the pin side of a red pin with a stud into the front-facing hole that is on the left side so the stud is a front-facing side stud.
- 48.3. Insert a light grey 2L pin into the back right hole of your piece.
- 48.4. Now attach the stud side of the red pin to the back-facing red bar that is in the back right corner of your previous part.
- 49. Now attach the top-facing pin into the front-facing pinhole of your main build so the 1x10 plate overhangs to the left and the tile side faces the back.
- 50. You can flip this part up to let the motorcycle through!
- 51.1. Let's make a part! Place a transparent 2x4x5 half-circle panel in front of you so the curved side faces the front.
- 51.2. Place 2 light grey 2x2 plates with a cutoff corner on top so the left plate's cutoff corner is in the front left. The right one should be in the front right.

- 51.3. Now horizontally place a dark grey 1x2 grill tile on the back row of the 2 previous plates so it is centered horizontally.
- 51.4. Rotate your main build 180 degrees so the staircase faces the front! Now place your part on top of the 1x2 jumper plate so it is centered horizontally and the curved side faces the front.
- 51.5. You can push down on the back left part to make the capsule door come off!

Thank you so much for building this set!

Visit <u>bricksfortheblind.org</u> for more accessible instructions, sign up for our newsletter, and follow us on <u>Facebook</u> and <u>Instagram</u> to be the first to know when new instructions are available!

We also love seeing your completed builds, so please tag our <u>Facebook</u> and <u>Instagram</u> accounts in any photos of your builds so we can share your accomplishments with our Bricks for the Blind community.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 5 LEGO Sonic Theme kits:

76990 Sonic's Speed Sphere

76991 Tails' Workshop and Tornado Plane

76992 Amy's Animal Rescue Island

76993 Sonic vs. Dr. Eggman's Death Egg Robot

76994 Green Hill Zone Loop Challenge