

60412 4x4 Fire Truck with Rescue Boat

Adapted by John Le and tested by Jolene Nemeth

Here's a winning combination for fans of toy fire rescue vehicles. This cool LEGO® City 4x4 Fire Truck with Rescue Boat (60412) set for ages 5 plus is perfect for action-packed firefighting play and comes with a trailer for transporting the rescue boat, plus a toy tent and a camping scene with a campfire. Just add the firefighter and camper minifigures and let the adventures begin!

Take your everyday hero on an exciting journey of creativity with the LEGO Builder app. Here they can explore and save toy playsets, track their own building progress, and zoom in and rotate to view models from all angles as they build.

What's in this LEGO® building set? – Everything kids need to build a toy 4x4 fire truck, trailer, rescue boat, tent, and a camping scene with a campfire, plus a camper and 2 firefighter minifigures.

Packed with features for imaginative play – The 4x4 has a removable roof for access to the cockpit, a toy extinguisher, a tool storage compartment, and a trailer with a removable rescue dinghy.

Dimensions – The 4x4 fire truck with trailer in this 301-piece playset measures over 3 in. (8 cm) high, 11.5 in. (30 cm) long and 2.5 in. (6 cm) wide.

The front of the box shows the truck and the trailer parked near a fast river! A firefighter is on the dingy on the river trying to get across it to a tent that is on fire! They better hurry because I don't think they can last that long!

The back of the box shows the truck with the trailer and dingy parked in front of a river. Across the river, there is a tent. And in front of the firetruck, a camper is flipping an egg and the firefighters are waiting to eat it! There are 2 smaller pictures which show a firefighter putting out a fire with a stud shooter and the firefighters sitting around the tent enjoying food with the camper.

The top of the box shows all the minifigures together waving at each other.

The build is 301 pieces in total and is for ages 5+.

Bags 1 and 2 include the pieces for the truck.

Bag 3 includes the pieces for the dingy and trailer.

Bag 4 includes the pieces for the tent.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back

- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- “Anti-stud” is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/60412>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 4 bags labeled 1 through 4, 3 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Truck

Group 1 - Pages 5-6.

Group 2 - Steps 1-9.

Group 3 - Steps 10-16.

Group 4 - Steps 17-36.

Group 5 - Steps 37-44.

Bag 2 - Truck

Group 6 - Steps 45-56 and 2 red 2x2 sloped curved tiles with 02 printed on it from Step 57.

Group 7 - Rest of Step 57 and Steps 58-60.

Group 8 - Steps 61-66.

Bag 3 - Trailer and Dingy

Group 10 - Pages 3-4.

Group 11 - Steps 1-8.

Group 12 - Steps 1-6.

Group 13 - Steps 7-11.

Group 14 - Steps 12-23.

Group 15 - Steps 24-26.

Bag 4 - Tent

Group 16 - Page 3.

Group 17 - Steps 1-13.

Group 18 - Steps 14-18.

Group 19 - Steps 19-26.

Group 20 - Steps 27-28.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Firefighter

Sub-build 1. Locate 1 black pair of legs printed with neon green knees, 1 black torso printed with a neon green and red vest, 1 yellow head printed with a smile and glasses, 1 brown hair, 1 black axe, 1 yellow helmet, and 1 transparent face shield. Attach the face shield to the front of the helmet! Then assemble your minifigure and put the axe in her hand! You can switch out the helmet for the hair if you like!

Group 2 - Truck

1. Horizontally place a dark grey 2x14 plate in front of you.
2. Vertically place a light grey 1x4 plate on the rightmost column so it is centered vertically and overhangs in the front and back. Then vertically place a dark grey 2x4 plate with 2 pins to the left so it is centered vertically and overhangs in the front and back.
3. Place a light grey 2x2 plate to the left of the previous plate so there is no overhang. Then place a black 4x4 plate with a 2x2 gap to the left so it is centered vertically.
4. Place a lime green 2x2 tile in the 2x2 gap of the previous plate.
5. Place a light grey 2x2 plate to the left of the 4x4 plate so there is no overhang.

6. Vertically place a dark grey 2x4 plate with 2 pins to the left so it is centered vertically and overhangs in the front and back. Then vertically place a light grey 1x4 plate to the left so it is centered vertically and overhangs in the front and back.

7. Place a black 2x2 plate with a socket on the 2 leftmost columns so it is centered vertically and the socket faces the left.

8. Place a short tan 2x2 brick with grooves on top of the previous plate.

9. Horizontally place a dark grey 1x2 inverted slope brick in the front left and back left corners so they slope and overhang to the left. Then horizontally place a black 1x2 log brick to the right of each of the previous slope bricks.

Group 3 - Truck

10. Horizontally place a light grey 2x10 brick to the right of the 2x2 brick with ridges on the left. Then place a red 2x2 plate to the right.

11. Let's make a part! Horizontally place a dark grey 1x6 plate with inverted slope sides in front of you.

12. Horizontally place 2 dark grey 1x2 plates with rails next to each other in the 1x4 gap so the rails face the front.

13. Horizontally place a black 1x4 tile on top of the previous 1x2 plates. Now repeat steps 11-13 so you have 2 parts in total.

14. Horizontally place 1 part on the front 1x4 overhang so only the sloped parts overhang and the rails face the front. Then repeat symmetrically to the back.

15. Place a transparent orange 1x1 round plate in the front right and back right corners. Then horizontally place a black 1x2 log brick to the left of each of the previous 1x1 plates.

16. Vertically place a green 1x2 plate on the 2nd column from the right so it is centered vertically between the 2 previous bricks.

Group 4 - Truck

17. Vertically place a yellow 1x2 plate on the 2nd column from the right on top of the previous 1x2 plate.

18. Horizontally place a blue 2x3 brick on the front 2 rows on top of the previous plate and log brick so there is only an overhang in the front left corner. Then repeat symmetrically to the back. The rightmost column should be free.

19. Vertically place 2 light grey 1x2x2 bricks with 2x2 side studs, 1 in front of the other, on the rightmost column so together they are centered vertically and the side studs face the right.

20. Place a black 6x6 plate to the left of the previous 2x3 bricks so it is centered vertically.

21. Horizontally place 2 red 2x4 bricks, 1 in front of the other, to the left of the previous 6x6 plate so together they are centered vertically.
22. Vertically place a black 1x6 plate on the leftmost column so it is centered vertically.
23. Place 2 short red 1x1 bricks, 1 in front of the other, on the leftmost column so together they are centered vertically.
24. Horizontally place a black 2x4 tile on the 2 previous short bricks so there is no overhang.
25. Vertically place a light grey 1x4 plate to the right of the previous tile so it is centered vertically. Then vertically place a tan 1x4 brick to the right so it is also centered vertically.
26. Vertically place a red 1x6 brick to the right of the previous brick so it is centered vertically.
27. Horizontally place a red 1x2 inverted slope brick in front of the tan 1x4 brick so it slopes and overhangs to the left. Then repeat symmetrically to the back.
28. Place a black 2x2 plate with an arch in front of the right 2 columns of the previous 2x4 tile so the arch overhangs to the front. Then repeat symmetrically to the back.
29. Place a transparent 1x1 round tile to the left of the back row of the previous front 2x2 plate with an arch. Then repeat symmetrically to the back.
30. Horizontally place 2 red 1x2 inverted slope bricks, 1 in front of other, in front of the 2x4 tile on the leftmost column so they overhang and slope to the left. Then repeat symmetrically to the back.
31. Vertically place a yellow 2x6 plate on top of the vertical 1x6 brick that is in the middle so it is centered vertically and there is no overhang.
32. Horizontally place a yellow 2x6 plate to the left of the front 2 rows of the previous 2x6 plate. Then repeat symmetrically to the back.
33. Vertically place a blue 1x2 tile with an overhead bar to the right of the previous vertical 2x6 plate so it is centered vertically and the bar faces the left. Then vertically place a blue 1x2 steering wheel to the right so there is a 2x2 gap in between them and the steering wheel faces the left.
34. Vertically place a light grey 1x4 plate to the right of the steering wheel so it is centered vertically.
35. Horizontally place a red 1x2 inverted slope brick to the left and in front of the previous plate so it slopes and overhangs to the right. Then repeat symmetrically to the back.
36. Horizontally place a red 1x3 car door on the front row to the left of the previous slope brick so the door opens outwards to the right. Make sure the stud of this door is on the right and the door faces the front. Then repeat symmetrically to the back.

Group 5 - Truck

37. Place a red 2x2 plate on the 2nd and 3rd columns from the right so it is centered vertically.

38. Place a black 2x2 plate with an arch in front of the previous plate so the arch faces the front. Then repeat symmetrically to the back.

39. Vertically place 2 red 1x2 plates with a rail, 1 in front of the other, on the rightmost column so the rails face the right and are centered vertically.

40. Vertically place a black 2x4 tile on the 2 rightmost columns on top of the previous 1x2 plates with a rail so there is no overhang. Then vertically place a red 2x6 plate to the left of the previous tile so it is centered vertically.

41. Horizontally place a red 1x2 sloped curved tile on the front right corner in front of the previous 2x4 tile so it slopes and overhangs to the right. Then repeat symmetrically to the back.

42. Horizontally place a black 1x2 plate with a hinge on the front row to the left of the previous 2x6 plate so the hinge faces the front. Then repeat symmetrically to the back.

43. Vertically place a transparent 3x6 windshield on top of the previous hinge plates and left column of the 2x6 plate so it slopes to the right.

44. Vertically place a red 2x2 plate with angled sides to the right of the windshield so it is centered vertically and the short side faces the right.

Building Instructions (Bag 2, Book 1):

Group 6 - Truck

45.1. Let's make a part! Place a dark grey 1x1 brick with a hole in front of you so the hole faces left and right. Then insert a yellow 2L pin into the right-facing hole.

45.2. Insert a light grey cylinder with a stud and a gear on each end into the right-facing pin so the stud faces the front.

Group 7 - Truck

45.3. Insert a black 2L pin into the right-facing hole of the previous piece.

45.4. Insert a dark grey 1x1 brick with a hole into the right-facing pin.

46. Rotate your part 90 degrees clockwise so it is vertical. Then vertically place your part on the leftmost column on the corners of the 2x6 plates so it is centered vertically.

47. Place a red 1x1 brick in the front left and back left corners.

48. Horizontally place a red 1x4 tile on the front and back rows to the right of each of the previous 1x1 bricks.

49. Horizontally place a light grey 1x4 plate behind the previous 1x4 tile that is in the front. Then repeat symmetrically to the back.

50. Vertically place a red 1x2 brick with a clip on the front left corner so the clip faces the left. Then repeat symmetrically to the back.

51. Horizontally place 2 light grey 1x2x2 bricks with 2x2 side studs, 1 to the right of the other, on top of the previous 1x4 plate that is in the front so the side studs face the front. Then repeat symmetrically to the back.

52. Let's make a part! Horizontally place a red 2x3x2 cabinet in front of you so the opening faces the front. Then horizontally attach a dark grey cabinet door to the front so it opens to the left. Then repeat again so you have 2 of these parts in total!

53. Horizontally place 1 part on the front 2 rows to the right of the previous 1x2x2 bricks with side studs so the cabinet door faces the front. Then repeat symmetrically to the back.

54. Horizontally place a black 4x6 plate on top of the leftmost column and previous 1x2x2 bricks with side studs so it is centered vertically. Then vertically place a light grey 1x4 plate to the right so it is also centered vertically.

55.1. Let's make a part! Horizontally place a tan 2x4 plate in front of you. Then place 2 blue 2x2 half-cylinder bricks, next to each other on top so the curves face the front and back. Then repeat again so you have 2 parts in total.

55.2. Horizontally place 1 part upright on the front-facing 2x4 side studs that are in front of the previous 4x6 plate you placed. Then repeat symmetrically to the back.

56. Place 2 red 1x1 clips, 1 in front of the other, on the leftmost column so together they are centered and the clip hands face the front and back. Then horizontally place a red 2x6 tile to the right so it is centered vertically.

You will have 2 extra red 2x2 sloped curved tiles with 02 printed on them. Save them for later.

Group 8 - Truck

57. Place a red 2x2 sloped curved tile in front of the previous pieces on the front left corner so it slopes to the front. Then place a red 2x2 sloped curved tile with 02 printed on it from group 7 to the right so it also slopes to the front. Now repeat both parts symmetrically to the back.

58. Place a red 2x2 sloped curved tile on the front 2 rows to the right of the previous sloped curved tile so it slopes to the front. Then vertically place a red 1x2 sloped curved tile to the right so it slopes to the front. Now repeat both parts symmetrically to the back.

59. Horizontally attach the leftmost middle 2 horizontal bars of a black prison door to the leftmost 1x1 clips so it sits on top of the truck. It should be lying flat and centered vertically. There should be no overhang to the left. Now vertically place a red 4x6 car hood printed with a fire and shield emblem to the right so it sits on top of the windshield. Make sure that it slopes to the right.

60. Vertically place a black 1x6 plate on top of the windshield so it is centered vertically. Then vertically place 3 transparent blue 1x2 tiles, 1 in front of the other, on top of the previous 1x6 plate so there is no overhang.

Group 9 - Truck

61.1. Let's make a part! Horizontally place a light grey 1x4 plate in front of you.

61.2. Then horizontally place 2 dark grey 1x2 plates with a hinge connector, 1 to the right of the other, on top so the hinges face the front.

61.3. Then horizontally place a black 1x2 tile on top so it is centered horizontally. Then horizontally place a black 1x2 sloped curved tile to the left and right so they slope and overhang outwards.

61.4. Horizontally place your part upright on the lower row on the right-facing side studs so the hinges face down.

62. Let's make a part! Horizontally place a black 1x6 plate in front of you. Then horizontally place a black 1x4 ridged tile on top so it is centered horizontally. Then place a transparent 1x1 round tile to the left and right. Now horizontally place your part upright onto the right-facing side studs so it sits above your previous part.

63. Insert 4 black wheels into 4 black tires printed with the words Lego group and number 35570 on it. Now attach the wheels to the front-facing and back-facing pins under the arches so the print faces outwards.

64. Attach a 1x1 round plate with a string to the back of a white stud shooter. Then attach the other end of the string to the 1x1 stud on the light grey cylinder with gears that is on the left-facing side.

65. Now you can roll up the string by spinning the gears and then attach the handle of the stud shooter to the back left-facing clip!

66. Insert a transparent light blue 1x1 round tile into the front of the stud shooter. You will have 1 extra, save it to put out another fire!

Building Instructions (Bag 3, Book 2):

Group 10 - Firefighter

Sub-build 2. Locate 1 black pair of legs printed with neon green knees, 1 black torso printed with a neon green vest, 1 orange lifejacket, 1 yellow head printed with a sweating scared face, 1 black hair, 1 yellow helmet, and 1 transparent face shield. Attach the face shield to the front of the helmet! Then assemble your minifigure and put the lifejacket on him! You can switch out the helmet for the hair if you like!

Group 11 - Dingy

1. Horizontally place a red dingy in front of you so the curved side faces the right.

2. Vertically place a black 1x2 plate with 2x2 side studs below the plate on the leftmost column so it is centered vertically and the side studs face the left.
- 3.1. Let's make a part! Place a black 2x2 sloped curved tile with 2 studs in front of you so the studs are in the back. Then place 2 light grey 1x1 ice cream tops on the back 2 studs.
- 3.2. Now place your part upright onto the left-facing side studs so the ice cream tops are on the bottom.
4. Horizontally place 2 light grey 1x1 plates with a clip, 1 in front of the other, on top of the 1x2 plate with 2x2 side studs so the clips face the right.
5. Vertically place a red 1x1 slope with a 1x1 tile printed with 03 on it on top of the previous plate on the front left corner so it slopes to the front. Then repeat symmetrically to the back.
6. Attach dark grey binoculars to the front right-facing clip so the larger round part faces up. Then attach the handle of a black walkie-talkie to the back right-facing clip so the studs face the back.
7. Vertically place a black 1x2 steering wheel on the rightmost 1x4 column of studs so it is centered vertically and the steering wheel faces the left. Then vertically place a black 1x2 tile with an overhead bar to the left so there is a 2x2 gap in between them and the bar faces the left.
8. Horizontally place a transparent blue 1x2 tile on the front 1x2 row so there is no overhang. Then repeat symmetrically to the back. Put this away while we build the trailer to haul it!

Group 12 - Trailer

1. Place a black 4x4 plate in front of you.
2. Vertically place a transparent red 1x2 plate on the leftmost column so it is centered vertically.
3. Vertically place a dark grey 1x1 plate with a double-sided stud in the front left corner so the double-sided stud overhangs to the front. Then place a transparent orange 1x1 round tile upright onto the left-facing stud of the double-sided stud. Now repeat both parts symmetrically to the back.
4. Horizontally place a dark grey 1x5 plate on the front row so it overhangs 2 studs to the right. Then repeat symmetrically to the back.
5. Horizontally place a black 4x9 angled plate underneath the overhang so the short end faces the right.
6. Then horizontally place 2 dark grey 1x12 plates, 1 in front of the other, to the right of the 1x2 plate so together they are centered vertically. There should be no overhang.

Group 13 - Trailer

7. Horizontally place a dark grey 1x2 plate on the front row to the right of the 1x5 plate. Then repeat symmetrically to the back.

8. Horizontally place a red 1x3 plate on the front left corner so there is no overhang. Then repeat symmetrically to the back. Now place a light grey 2x2 plate in between the right 2 studs of the previous plates.

9. Vertically place a red 2x4 plate to the right of the previous plates so there is no overhang.

10. Horizontally place a red 1x3 plate on the front row to the right of the previous plate. Then repeat symmetrically to the back. Now place a light grey 2x2 plate in between the 2 left studs of the previous plates.

11. Place a red 2x2 sloped curved tile on the 2 leftmost columns so it is centered vertically and slopes to the left.

Group 14 - Trailer

12. Vertically place a red 1x2 tile to the right of the previous tile. Then horizontally place a yellow 1x2 plate on the front row on the 2nd and 3rd columns from the left. Then repeat symmetrically to the back.

13. Horizontally place a yellow 1x2 sloped curved tile on the front left corner so it slopes to the left. Then repeat symmetrically to the back. There should be no overhang.

14. Place a black 2x2 plate with an arch on the front 2 rows to the right of the 1x2 tile and 1x2 plate so the arch faces the front. Then repeat symmetrically to the back.

15. Vertically place a red 1x2 tile to the right of the previous plates so it is centered vertically. Then place a red 2x2 sloped curved tile to the right so it slopes to the right.

16. Horizontally place a yellow 1x2 plate on the front row to the right of the previous 2x2 plate with an arch. Then repeat symmetrically to the back.

17. Horizontally place a yellow 1x4 tile on the front row to the right of the 1x2 sloped curved tile. Then horizontally place a yellow 1x2 sloped curved tile to the right so it slopes to the right. Now repeat both parts symmetrically to the back.

18.1. Let's make a part! Horizontally place a light grey 2x2 plate in front of you. Then horizontally place a red 1x2 plate with 2 side studs above the plate on the back row so the side studs face the back. Then repeat symmetrically to the front.

18.2. Vertically place a yellow 1x2 plate on the left column. Then horizontally place a 1x2 plate with a hitch and ball to the right so the ball overhangs to the right.

18.3. Horizontally place a light grey 2x5 stair plate on top so the lower side faces the left.

18.4. Horizontally place the 2 leftmost columns of your part underneath the 2 rightmost columns of your trailer.

19. Horizontally place a dark grey 1x3 sloped curved brick on the front row so there are 2 free stud columns to the right and it slopes to the left. Then repeat symmetrically to the back.

20. Vertically place 2 yellow 1x2 plates, 1 to the right of the other, on the 2 rightmost columns so there is no overhang.

21. Horizontally place a light grey 1x2 plate with 2 side studs below the plate in the front right corner so the side studs face the front. Then repeat symmetrically to the back. There should be no overhang.

22. Horizontally place a red 2x3 tile upright onto the front-facing 2x2 side studs so there is no overhang. Then repeat symmetrically to the back.

23. Flip your build upside down so it is horizontal and the hitch faces the right. Now horizontally place a light grey 2x6 plate upside down on the leftmost column so there is no overhang and it is centered vertically.

Group 15 - Trailer

24.1. Let's make a part! Place a light grey 2x2 plate in front of you. Then place a black 2x2 plate with a small pin on the right column so the pin faces the right. Then repeat symmetrically to the left.

24.2. Vertically place a transparent red 1x2 plate on the leftmost and rightmost columns.

24.3. Vertically place your part upside down on the 2nd and 3rd columns from the right of the 2x6 plate.

25. Flip your build right-side-up so it is horizontal and the hitch faces the right. Place a dark grey 2x2 tile on the 2 rightmost columns so there is no overhang.

26. Insert 2 black wheels into black tires. Then attach them to the front-facing and back-facing pins underneath the arches. Now place your dingy on top of the left side so it attaches to the 2x2 plate and the curved side faces the right!

Building Instructions (Bag 4, Book 3):

Group 16 - Camper

Sub-build 3. Locate 1 light blue pair of legs, 1 brown torso printed with pink arms and pockets, 1 yellow head printed with a frightened face, 1 dark tan hair, and 1 silver fork. Assemble your minifigure and then put the fork in his hand!

Group 17 - Tent

1. Place a green 8x8 plate with a rounded side in front of you so the rounded side faces the right.

2. Horizontally place a light orange 1x4 plate in the back left corner so there is no overhang.

3. Then horizontally place a light orange 2x8 plate in front of it so it overhangs 4 columns to the left.

4. Place a green 8x8 plate with a rounded side underneath the overhang so the front aligns with the previous 8x8 plate and the rounded side faces the left.

5. Horizontally place a light orange 1x4 plate on the back row to the left of the previous 1x4 plate. Then place a dark grey 1x1 slope tile to the left so it slopes to the back. Then repeat symmetrically to the right.
6. Horizontally place a yellow 1x2 plate with a clip for a stud to the left of the front row of the 2x8 plate so the clip faces the right. Then repeat symmetrically to the right.
7. Horizontally place a light orange 2x8 plate in front of the previous 2x8 plate. Then horizontally place a yellow 1x1 plate with a 1x1 clip to the left of the back row of the 2x8 plate so the clip faces the right. Then repeat symmetrically to the right. They should sit in front of the previous 1x2 plates with a 1x1 clip.
8. Vertically place a green 1x4 sloped curved tile on top of the left 1x1 plates with 1x1 clips so there is no overhang. Then repeat symmetrically to the right.
9. Horizontally place a brown 1x2 slope tile in front of the front 2x8 plate so it is centered horizontally and slopes to the back. Then place 2 brown 1x1 round plates next to each other, in front of the 1x2 slope tile.
10. Place a green 2x2 plate in front of the 2 previous 1x1 round plates so it overhangs 1 row to the front. Then horizontally place a light blue 2x6 plate with a rounded side underneath the overhang so it is centered horizontally and the rounded side faces the front. Then place 2 brown 1x1 round plates on the front row in front of the previous 2x2 plate.
11. Vertically place 2 brown 1x4 tiles with 2 studs on the front row so together they are centered and do not overhang.
12. Insert an axle of a dark grey hole into the front of a light grey 1x2 brick with an axle hole. Now repeat this again so you have 2 parts in total. Now horizontally place them on the 2 leftmost columns, 1 in front of the other, so the holes are outwards to the front and back and face up and down.
13. Place a dark grey 2x2 tile on top of the 2 previous 1x2 bricks with axle holes so there is no overhang.

Group 18 - Tent

14. Place a white 2x2 tile to the left of the 2 right 1x1 clips so there is a 1-column gap in between them. Then horizontally place a teal 2x4 tile to the left.
15. Vertically attach a light orange bar to the 2 right clips so it is centered vertically. Then repeat symmetrically to the left.
16. Place a dark grey 1x1 slope tile in front of each of the previous bars so they slope to the front.
17. Attach a large dark blue panel with 2 clips to the right bar. Then repeat symmetrically to the left.
18. Now push the panels together so they create a point.

Group 19 - Tent

19. Let's make a part! Horizontally place a large green leaf plate in front of you so the end stud with the long bar faces the right. Now attach a light green 1x1 plate with 3 leaves to the rightmost stud so the leaves face the back. Then place another 1 on the front left and back left studs so the leaves face outwards to the front and back.

20. Insert a light green stem into the middle stud.

21. Now attach a thick brown bar with a pin underneath the middle stud, then push them stem all the way through so it attaches to it. Make sure the pin faces down.

22. Attach the pin of your previous part to the back pinhole that is on the leftmost column so the leaves face the right.

23. Let's make a part! Horizontally place a large green leaf plate in front of you so the end stud with the long bar faces the right. Now attach a light green 1x1 plate with 3 leaves to the rightmost stud so the leaves face the back. Then place another 1 on the front left and back left studs so the leaves face outwards to the front and back.

24. Insert a light green stem into the middle stud.

25. Now attach a thick brown bar with a pin underneath the middle stud, then push them stem all the way through so it attaches to it. Make sure the pin faces down.

26. Attach the pin of your previous part to the front pinhole that is on the leftmost column so the leaves face the front.

Group 20 - Tent

27. Let's make a part! Horizontally place a dark brown 1x3 plate with a smooth underside in front of you so the studs face up. Then horizontally place a larger transparent orange fire in the middle stud. Then horizontally place a smaller transparent orange candle fire in the left and right stud. Now repeat again so you have 2 parts in total. You can place these on your build so it looks like the build is on fire!

28.1. Let's make a part! Place a dark grey 2x2 round tile with a stud in front of you. Then place an orange head on top.

28.2. Place a silver pan on top so the handle faces the right.

28.3. Place a white 1x1 tile printed with an egg yoke on top of the pan. Now place your part to the right of the back 2 rows of the 1x4 tiles with 2 studs that are in the front middle so the handle faces the right!

Thank you so much for building this set!

Visit bricksfortheblind.org for more accessible instructions, sign up for our newsletter, and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We also love seeing your completed builds, so please tag our [Facebook](#) and [Instagram](#) accounts in any photos of your builds so we can share your accomplishments with our Bricks for the Blind community.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 5 LEGO CITY Theme kits:

60419 Police Prison Island

60418 Police Mobile Crime Lab Truck

60415 Police Car and Muscle Car Chase

60414 Fire Station with Fire Truck 60414

60413 Fire Rescue Plane