

## **75378 BARC Speeder Escape**

Adapted by John Le and tested by Jolene Nemeth

Relive the BARC Speeder escape flashback scene from Star Wars: The Mandalorian Season 3 with this unique LEGO® Star Wars™ set (75378). A top gift idea for kids, fans, and Star Wars collectors aged 8 and up, it features a LEGO brick-built toy speeder bike with a sidecar. The speeder has a minifigure cockpit and 2 stud shooters, and Grogu's hoverpram can be clipped into the detachable sidecar. This toy building set also includes a small scenery build and 3 LEGO minifigures: Kelleraan Beq with blue and green lightsabers, and 2 501st Clone Troopers, each with blasters, plus a LEGO figure of Grogu (affectionately known as 'Baby Yoda' to fans) to inspire action-packed, creative play.

LEGO® Star Wars™ BARC speeder with sidecar – Star Wars: The Mandalorian fans can recreate the daring BARC Speeder escape flashback scene from Season 3 with this building set.

3 LEGO® Star Wars™ minifigures plus Grogu – Kelleraan Beq with blue and green lightsabers, and 2 501st Clone Troopers, each with blasters, plus a Grogu LEGO figure.

Detailed Star Wars™ BARC speeder bike buildable toy – Features a minifigure cockpit, 2 stud shooters and a detachable sidecar with space for Grogu's buildable hover pram.

Build and play – The brick-built Star Wars™ toy BARC Speeder with sidecar in this 221-piece LEGO® set measures over 1.5 in. (4 cm) high, 7.5 in. (19 cm) long and 3.5 in. (9 cm) wide.

The front of the box shows Kelleraan Beq and Grogu in the BARC Speeder flying through the city shooting at 2 clone troopers! The clone troopers are shooting back but one of them dropped their gun!

The back of the box shows the BARC Trooper parked on a high-rise platform. There is a compartment that hovers and brings Grogu wherever Kelleraan goes. Kelleraan has blue and green lightsabers and is fighting off 2 clone troopers that want to kill them! Hopefully, he can block those blasters with his lightsabers!

The top of the box shows a real-size image of Kelleraan dressed in his tan robe and brown cape.

The build is 221 pieces in total and is for ages 8+.

Bag 1 includes the pieces for Kelleraan Beq and part of the BARC Speeder.

Bag 2 includes the pieces for the clone troopers and part of the BARC Speeder.

Bag 3 includes the pieces for Grogu, the rest of the BARC Speeder, and a light pole.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.

- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/75378>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

#### Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 3 bags labeled 1 to 3, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Kelloran and BARC Speeder

Group 1 - Pages 4-5.

Group 2 - Steps 1-4 and 1 white 1x2 plate from Step 5.

Group 3 - Rest of Step 5 and Step 6.

Group 4 - Steps 7-12.

Group 5 - Steps 13-16.

Group 6 - Step 17.

Group 7 - Step 18 and 2 light grey 1x2 jumper plates from Step 19.

Group 8 - 1 dark red 1x1 plate and 1 dark red 1x2 jumper plate from Step 19.

Group 9 - 1 white 1x2 jumper plate from Step 19 and Steps 20-31.

Group 10 - Steps 32-38.

Bag 2 - Clone Troopers and BARC Speeder

Group 11 - Page 36 and 2 white 1x1 brick with a bottom lip and a side stud from Steps 39 and 40.

Group 12 - Rest of Steps 39 and 40.

Group 13 - Steps 41-52.

Group 14 - Steps 53-71.

Bag 3 - Grogu, BARC Speeder, and Light Pole

Group 15 - Steps 72-82.

Group 16 - Steps 1-7.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Kelleran Beq

Sub-build 1. Locate 1 dark tan pair of legs printed with robes, 1 torso printed with a dark tan robe and a brown belt, 1 brown cape, and 1 brown head printed with a mean-looking face with a black mustache. Now assemble your minifigure and put the cape on his back. It is brown on both sides so it does not matter which way it goes. Now put him in front of you.

Sub-build 2. Locate 2 silver lightsaber hilts, a transparent green bar, and a transparent blue bar. Insert each bar into the thick ends of each of the hilts. Now put your lightsabers in your minifigure's hands! Now put him away while we build the BARC Speeder

Group 2 - BARC Speeder

1. Horizontally place a white 2x3 plate in front of you. Then horizontally place a white 1x4 inverted sloped curved brick in the back right corner of the plate so it slopes and overhangs 3 studs to the right.

2. Horizontally place a white 1x4 inverted sloped curved brick in front of the previous inverted sloped curved brick so it slopes and overhangs 3 studs to the right.

3. Vertically place a light grey 1x2 plate with a hinge on the short side on the 3rd column from the right so the hinge faces the back.

4.1. Let's make a part! Stack 2 white 2x2 plates on top of each other so there is no overhang.

4.2. Place 2 white 1x1 bricks with a side stud and bottom lip, 1 to the right of the other, on the front row so the side studs face the front. Then repeat symmetrically to the back.

4.3. Now place your part on the 2nd and 3rd column from the right so the side studs face the front and back.

You will have an extra white 1x2 plate. Save it for later.

#### Group 3 - BARC Speeder

5. Vertically place a dark grey 1x2 plate on the 2nd column from the left so there is no overhang. Then horizontally place a white 1x2 plate from group 2 in the front left corner so it overhangs 1 stud to the left. Then horizontally place a dark grey 1x2 plate with a hinge on the long side behind it so it overhangs to the left and the hinge faces the back.

6. Locate a white 2x5x3 stair plate with a lower 2x2 side and a higher 2x3 side. Horizontally place the higher side on top of the 4 1x1 bricks with side studs so the lower side sits to the left. It should be centered horizontally on the build.

#### Group 4 - BARC Speeder

7. Vertically place a black 1x2 plate on the 3rd column from the left so it sits on top of the stair plate and does not overhang. Then vertically place a black 1x2 tile on top.

8. Place a white 2x2 plate underneath the overhang on the leftmost column so there are 2 exposed studs of this plate to the left.

9. Horizontally place a white 1x2 plate with 2 side studs on the leftmost column so it overhangs to the left and the side studs face the front. Then repeat symmetrically to the back.

10. Horizontally place 2 white 1x2 inverted slope plates, 1 in front of the other, underneath the leftmost column so they slope and overhang 1 column to the left.

11. Let's make a part! Horizontally place a white 2x8 plate in front of you.

12. Vertically place 2 white 1x2 jumper plates on the plate so that together they are centered horizontally.

#### Group 5 - BARC Speeder

13. Vertically place a white 1x2 plate to the right of the jumper plates.

14. Horizontally place a white 2x3 plate underneath the 3 rightmost columns so there are no exposed studs of this plate.

15. Horizontally place the rightmost column of your part on the leftmost column of your build so it overhangs 8 columns to the left.

16. Horizontally place a white 2x5x2 stair plate to the right of the leftmost 1x2 plate so the higher 2x3 is on the left and the lower 2x2 side is on the right.

#### Group 6 - BARC Speeder

17.1. Let's make a part! Horizontally place a white 1x2 plate with 2x2 side studs below the plate in front of you so the side studs face the front. Now horizontally place a black 1x2 plate on the lower row of the side studs.

17.2. Place a black 2x2 sloped curved tile on the front-facing side studs so it slopes upwards. Now vertically place your part on the 4th column from the right so the slope overhangs over the 1x2 tile that is to the left. Then place a black 2x2 tile with 2 studs to the left so the 2 studs are on the right.

#### Group 7 - BARC Speeder

18. Vertically place a dark grey 1x2 plate to the left of the previous 2x2 tile with 2 studs. Then vertically place a white 1x2 slope tile on top so it slopes to the right.

19.1. Vertically place a light grey 1x2 jumper plate on the rightmost column of the build. Then vertically place another 1 to the left so it sits on the upper part.

#### Group 8 - BARC Speeder

19.2. Vertically place a dark red 1x2 jumper plate to the left of the previous jumper plate. Then place a dark red 1x1 plate on top.

#### Group 9 - BARC Speeder

19.3. Vertically place a white 1x2 jumper plate to the left of the 1x2 jumper plate with a 1x1 plate on top.

20.1. Let's make a part! Horizontally place a white 1x4 plate in front of you. Then horizontally place a dark red 1x3 plate on top of the left 3 studs of the 1x4 plate.

20.2. Horizontally place another dark red 1x3 plate on top of the previous 1x3 plate so there is no overhang. Then place a dark red 1x1 slope tile to the right so it slopes to the right.

20.3. Horizontally place a white 1x3 slope brick on top of the 1x3 plate so it slopes to the right and does not overhang.

20.4. Horizontally place your part on the rightmost column so it sits on the jumper plate and slopes and overhangs 3 columns to the right.

21.1. Let's make a part! Horizontally place a white 1x4 sloped curved tile with a sticker in front of you so it slopes to the right. Now place a white 1x1 plate underneath the leftmost column of the tile. Now horizontally place your part on the right side so it sits on the stud of the 1x3 slope and 3 jumper plates and slopes to the right.

21.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the white 1x4 sloped curved tile. It is a rectangular sticker that has a dark red side and a white side. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

22. Horizontally flip your build on its side so the bottom of the build faces the front. In the middle of the build, there are 2 top-facing side studs of a 1x2 plate. Place a transparent 2x2 round plate with a smooth underside upright on the front-facing anti-studs that are in front of the 2 top-facing side studs. Then place 2 more upright to the right on the front-facing anti-studs. Now orient your build so it is horizontal and upright.

23. Let's make a part! Place a light grey 2x2 round plate with a tile underside in front of you. Place a white 2x2 plate on the right column so it overhangs to the right.

24. Place a dark red 2x2 plate with 2 side studs to the left of the previous plate so it overhangs to the left and the side studs face the left.

25. Horizontally place a light grey 1x2 plate with 2 side studs below the plate on the front row so it is centered horizontally and the side studs face the front. Then repeat symmetrically to the back.

26. Place a white 1x1 plate with a side stud below the plate in the front right corner so the side stud faces the front. Then repeat symmetrically to the back.

27. Place a white 2x2 plate on top of the build so it is centered horizontally.

28. Vertically place a dark red 1x2 tile with an overhead bar on the leftmost column so the bar faces the right. Then horizontally place a 1x2 slope tile on the left-facing side studs so it slopes up and to the right.

29. Vertically place a dark grey 1x2 plate with a hinge on the long side to the right of the tile with an overhead bar so the hinge faces the left. It should be underneath the bar. Then vertically place a black 1x2 plate on top so there is no overhang.

30. Horizontally place a white 1x4 inverted sloped curved plate in the front right corner so it slopes and overhangs 3 studs to the right. Then repeat symmetrically to the back.

31. Horizontally place a white 2x3 plate to the right of the previous 1x2 plate so it sits in the 2x3 gap.

#### Group 10 - BARC Speeder

32.1. Let's make a part! Horizontally place a light grey 1x4 stud shooter in front of you so the 1x1 plate part faces the right. Insert the curve of a dark grey curved piece with 3 rounded parts into the top slot of the stud shooter. This is the stud shooter's trigger.

32.2. Horizontally place a dark grey 1x2 sloped curved tile on the rightmost column so it slopes to the right. Now repeat these steps again so you have 2 parts in total.

32.3. Horizontally place 1 part on the front-facing 3 side studs so the shooter faces the left. Then repeat symmetrically to the back.

33. Let's make a part! Horizontally place a white 1x2 jumper plate upright on the front-facing 1x4 side studs of a 1x2 plate with 1x4 side studs, so it is centered horizontally. Then repeat again so you have 2 parts in total. Now horizontally place 1 part on the front row of the build so it sits to the right of the 1x2 plate and the side studs face the front. Then repeat symmetrically to the back.

34. Horizontally place the 3 rightmost columns of your part underneath the 3 leftmost columns of the main build.

35. Horizontally place a white 2x6 tile to the right of the 1x2 tile with an overhead bar that is on the left.

36. Vertically place a dark red 1x2 plate with a clip on the long side to the left of the 1x2 slope tile that is in the middle of the build so the clip faces the right. Then vertically attach the bottom bar of black handlebars to the clip so the handlebars face the right.

37. Vertically place a dark red 1x2 jumper plate on top of the previous 1x2 plate with a clip so there is no overhang. Then vertically place 3 more to the left next to each other so there is no overhang. Then place a dark red 1x1 plate to the left so it sits on the white 1x2 jumper plate. There should be a free 1x2 jumper plate to the left now.

38. Horizontally place a dark red 1x10 slope brick to the left of the 1x2 jumper plate that is on top of the 1x2 plate with a clip so it slopes to the left. Then horizontally place a white 1x3 plate on top of the previous slope brick and the 1x2 jumper plate.

Building Instructions (Bag 2, Book 1):

#### Group 11 - Clone Troopers

Sub-build 3. Locate 1 white pair of legs printed with white and blue armor, 1 white torso printed with a white belt and white and blue body armor, 1 tan head printed with scratches on his face and a mean-looking face, 1 white and blue helmet, and 1 black blaster. Assemble your minifigure then put the blaster in his hand. Then repeat again so you have 2 clone troopers in total. Also, make sure the rounded bottom lip of the helmet faces the front!

You will have 2 extra white 1x1 bricks with a bottom lip and a side stud. Save them for later.

#### Group 12 - BARC Speeder

39.1. Let's make a part! Place a white 1x1 brick with a bottom lip and a side stud from group 11 in front of you so the side stud faces the left. Then place a dark grey 1x1 brick with a side stud on each side to the right so it connects to the previous brick. Then place a black 1x1 brick with a bottom lip and side stud to the right so it connects to the right-facing side stud of the previous brick.

39.2. Place a transparent red 1x1 round tile on top of a black 1x1 plate. Place this mini-assembly upright onto the left-facing side stud of your part. Now place a dark grey rounded piece with a bar upright onto the right-facing side stud of your part.

39.3. Horizontally place a white 1x3 jumper plate on top so there is no overhang.

39.4. Horizontally place a white 1x3 tile with a sticker on the front-facing side studs so there is centered horizontally. Then repeat symmetrically to the back.

39.5. Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the white 1x3 tile. It is a sticker of a dark grey handlebar. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

39.6. Now horizontally place the left 2 columns of your part upright onto the front-facing 2 side studs that are on the rightmost side of your build so the 1x1 round tile faces the right. Make sure the 1x3 jumper plate faces the front.

40.1. Let's make a part! Place a black 1x1 brick with a bottom lip and a side stud in front of you so the side stud faces the left. Then place a dark grey 1x1 brick with a side stud on each side to the right so it connects to the previous brick. Then place a white 1x1 brick with a bottom lip and side stud from group 11 to the right so it connects to the right-facing side stud of the previous brick.

40.2. Place a transparent red 1x1 round tile on top of a black 1x1 plate. Place this mini-assembly upright onto the right-facing side stud of your part. Now place a dark grey rounded piece with a bar onto the left-facing side stud of your part.

40.3. Horizontally place a white 1x3 jumper plate on top so there is no overhang.

40.4. Horizontally place a white 1x3 tile with a sticker on the front-facing side studs so that it is centered horizontally. Then repeat symmetrically to the back.

40.5. Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the white 1x3 tile. It is a sticker of a dark grey handlebar. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

40.6. Now horizontally place the left 2 columns of your part upright onto the back-facing 2 side studs that are on the rightmost side of your build so the 1x1 round tile faces the right. Make sure the 1x3 jumper plate faces the back.

### Group 13 - BARC Speeder

41. Let's make a part! Horizontally place a dark grey 2x6 plate in front of you. Then horizontally place a light grey 1x2 plate with a hinge on the long side on the back row so it is centered horizontally and the hinge faces the back.

42. Horizontally place a black 1x3 rounded plate in the front left corner so there is no overhang.

43. Horizontally place another black 1x3 rounded plate in the back left corner so it overhangs 1 stud to the left. Then horizontally place a white 1x2 inverted slope plate underneath the overhang in the back left corner so it slopes to the left.

44.1. Let's make another part! Horizontally place a white 1x2 inverted slope plate in front of you so it slopes to the left. Then place a dark grey 1x1 rounded plate with a bar on the right stud so the bar faces the front.

44.2. Now place a light grey 1x2 plate with a hinge on the short side on the right column so it overhangs to the back and so the hinge faces the back.



44.3. Now place the overhang of your part on top of the previous part on the 2nd stud from the left so the leftmost slope aligns with the previous slope.

45. Vertically place a black 1x3 rounded plate to the right of the 1x2 plate with a hinge on the short side so it is centered vertically. Then place another 1 to the right so it is also centered vertically.

46. Place a dark grey 2x2 corner plate to the right of the 1x2 plate with a hinge on the long side and the 1x3 rounded plate so it looks like the braille letter j. There should be no overhang.

47. Horizontally place a dark grey 2x3 plate to the right of the vertical 1x3 rounded plates so there is no overhang.

48. Vertically place a black 1x2 jumper plate on the leftmost column so there is no overhang. Then vertically place another 1 to the right. Then place a pink 1x1 round plate to the right so it is centered on the 1x3 rounded plate.

49. Place a black 1x1 tile to the right of the previous 1x1 round plate so it is also centered on the 1x3 rounded plate. Then horizontally place a dark grey 1x2 tile in front of and behind the 1x1 round plate and 1x1 tile.

50. Horizontally place a dark grey 1x1 plate with a 1x1 hinge in the front right corner so the hinge overhangs to the right. Then repeat symmetrically to the back.

51. Place a black 2x2 sloped curved tile on top of the previous plates so it slopes to the right. Then horizontally place 2 black 1x2 jumper plates, 1 in front of the other, to the left of the previous sloped curved tile.

52. Vertically place a light grey 1x2 plate underneath the rightmost overhang.

#### Group 14 - BARC Speeder

53. Horizontally place a white 1x3 rounded plate on the leftmost column so there is no overhang. Then place a tan 1x2 rounded plate on top of the 2 right studs of the previous rounded plate.

54. Then place a light green bar into the right stud of the previous 1x2 rounded plate, then push it all the way down.

55. Place a dark grey 1x1 brick with a side stud on each side on top of the bar so the anti-stud connects to the stud of the rounded plate. Then vertically place a black 1x2 ingot upright on the right-facing side stud of the previous brick so it hangs down and touches the 1x1 tile.

56. Horizontally place a white 1x3x2 slope brick connected to a 1x1 plate on the leftmost column so it slopes to the left. The 1x1 plate should connect to the top of the 1x1 brick with a side stud on each side. Then place a white 1x1 slope tile on top of the previous slope brick so it slopes to the left.

57. Let's make another part! Place a black 1x1 plate in front of you. Then place a white 3x3 sloped curved quarter brick on top so the curve faces the back left. Repeat this step so you have 2 parts in total. Now

place your part upright on the front-facing side studs so the curve faces the top left. There should not be any overhang. Then repeat symmetrically to the back.

58. Let's make another part! Horizontally place a white 1x3 ski in front of you so the curved end faces the right. Then place a light grey 1x1 clip on top so it is centered and the clip hands face the front and back. Now horizontally attach the clip upright to the front-facing bar. Make sure the curved end of the ski faces the right.

59. Horizontally flip your build on its side so the anti-studs face the front. Now place a transparent 2x2 round plate with a smooth underside on the 2 leftmost columns of anti-studs so there is no overhang. Then place another 1 on the 2 rightmost columns of anti-studs so there is no overhang.

60. Let's make another part. Horizontally place a white 1x4 plate in front of you. Then place a white 2x2 plate on top so it is centered horizontally and overhangs to the front.

61. Place a white 2x2 plate on top so it is centered horizontally and overhangs to the front.

62. Vertically place 2 dark red 2x3 angled plates underneath the overhang so they angle inwards to the front.

63. Horizontally place a white 1x2 plate on the back row so it is centered horizontally.

64. Horizontally place 2 white 1x1 slopes with a 1x1 tile on the back row so together they are centered horizontally and slope outwards to the left and right.

65.1. Horizontally place a dark red 3x4 sloped curved brick with a sticker in front of the 2 previous slope tiles so it is centered and slopes to the front.

65.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the dark red 3x4 sloped curved brick. It is a sticker of a dark red background with 2 white lines. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

66. Flip your part upside down so it is horizontal and the 3x4 sloped curved brick faces the left. Now vertically place a 2x2 plate with extended angled sides on the 2 leftmost columns so the angled sides align with the 3x4 sloped curved brick. Keep your build upside down.

67. Vertically place a dark grey 1x2 plate with a bar on the long side on the 2nd column from the left so the bar faces the right.

68. Place a dark grey 2x2 inverted curved plate with a smooth underside on the 2 leftmost columns so it slopes to the left.

69. Orient your previous part so it is horizontal and the 2 clips face the left. Now attach the bar of your current part to the 2 leftmost clips so the 3x4 sloped curved brick faces the left.

70.1. Let's make a part! Vertically place a dark grey hinge connector with an axle hole in front of you so the hinge faces the back. Then insert a black 2L axle into the front-facing axle hole. Then vertically insert

another dark grey hinge connector with an axle hole into the front-facing axle so the hinge connector faces the front. Now repeat this step so you have 2 parts in total.

70.2. Now vertically attach the hinge connector of each of the parts to the 2 front-facing hinges.

71. Now bring back your main build so it is horizontal and the stud shooters face the right. Now rotate your part 180 degrees so the hinge connectors face the back. Now attach the hinge connectors to the 2 front-facing hinges of your main build.

Building Instructions (Bag 3, Book 1):

72.1. Let's make a part! Horizontally place a white 1x3 ski in front of you so the curved side faces the right. Then insert a bar of a dark grey 1x1 round plate with bar on side into the stud of the ski. Now repeat 3 more times so you have 4 parts in total. Horizontally place 1 part upright on the rightmost front-facing 1x2 jumper plate so the curved side of the ski faces the right. Then repeat symmetrically to the back.

72.2. Now horizontally place another 1 upright on the left stud of a front-facing 1x3 jumper plate. Then repeat symmetrically to the back. Make sure the curved sides face the right.

73. Let's make a part! Place a white 2x2 plate in front of you. Then vertically place a light grey 1x2 plate on the left column so there is no overhang.

74. Place a dark red 2x2 tile with a stud to the right of the previous 1x2 plate so it overhangs to the right.

75. Place a white 2x2 sloped curved plate with a smooth underside underneath the overhang so it slopes to the right.

76. Place a white 1x1 brick with a side stud in the front left and front right corners so the side studs face the front. Then repeat symmetrically to the back.

77. Horizontally place a dark red 1x2 plate with a rail in front of you so the rail faces the front. Then horizontally place a white 1x4 sloped curved tile on top so it is centered horizontally. Now repeat this step again so you have 2 parts in total. Now horizontally place a part on the front-facing side studs so it is centered and so the rail faces the table. Then repeat symmetrically to the back.

78. Vertically place a white 1x2 sloped curved brick on the leftmost column so it is centered vertically and slopes to the left.

79. Locate a baby Yoda torso printed with tan robes and light green hands, and 1 light green head with long ears and big black eyes. Assemble your baby yoda minifigure, then put him inside the 2x2 gap so it sits on the stud of the 2x2 tile. Make sure he faces the right and the ears are in the front and back.

80. Now place your part on the 2 black 1x2 jumper plates that are in the front. Make sure it is centered.

81. Insert 2 transparent red 1x1 round plates into the right-facing stud shooters. You can press on the rounded part that you inserted into the stud shooters to shoot the studs! You also have 2 extra transparent red 1x1 round plates. Save them for when you need more ammo for the shooters!

82. Place a transparent 2x2 dish in front of you. You can take out the previous part that you placed on the 2 jumper plates and place it on the dish so it is centered.

#### Group 16 - Light Pole

1. Place a light grey 4x4 plate in front of you. Then place a dark grey 2x2 corner brick in the back right corner so it looks like the braille letter d.
2. Place a dark grey 2x2 corner brick in the back left corner so it looks like the braille letter f. Then place a black 2x2 round brick in between the 2 corner bricks so it is centered on the 4x4 plate.
3. Place a dark grey 2x2 curved brick in the front left corner so the curve faces the front left. Then repeat symmetrically to the right.
4. Vertically place a dark grey 1x2 tile in the back left corner so there is no overhang. Then repeat symmetrically to the right. Place a dark grey 2x2 curved tile in the front left corner so it aligns with the curved brick. Then repeat symmetrically to the right.
5. Place a light grey 2x2 brick in the back 2 rows so it is centered horizontally. Then horizontally place a light grey 1x2 brick with a rounded side in front so the rounded side faces the front.
6. Horizontally place a light grey 1x2 jumper plate on the back row so it is centered horizontally. Then place a light grey 2x2 round tile with a stud in front.
7. Let's make a part! Place a dark grey 1x1 round plate in front of you. Then place a transparent 1x1 round brick on top. Then insert the the side with a stop of a dark grey bar into the previous round brick. Now place the bar into the stud of the 2x2 round tile.

Thank you so much for building this set!

Visit [bricksfortheblind.org](http://bricksfortheblind.org) for more accessible instructions, sign up for our newsletter, and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We also love seeing your completed builds, so please tag our [Facebook](#) and [Instagram](#) accounts in any photos of your builds so we can share your accomplishments with our Bricks for the Blind community.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets, there are no ads.