

## **75386 Paz Vizsla and Moff Gideon Battle**

Adapted by John Le and tested by Jolene Nemeth

Build the drama of an epic Star Wars: The Mandalorian Season 3 scene with the LEGO® Star Wars™ Paz Vizsla and Moff Gideon Battle set (75386) for boys, girls, and any fan aged 7+. A cool fantasy gift for kids, this LEGO brick-built toy playset features a Mandalorian base with an armored door with a slam-shut trigger, control panels, and a rotating, stud-shooting turret. There are also 4 collectible LEGO Star Wars: The Mandalorian minifigures to play out Paz Vizsla's standoff against Moff Gideon (wearing Dark Trooper Armor) and the Imperial Praetorian Guards, plus accessories such as Moff Gideon's jetpack and a storage box containing a thermal detonator element for creative play.

LEGO® Star Wars: The Mandalorian buildable toy playset for kids – Relive a dramatic confrontation from Star Wars: The Mandalorian Season 3 with this the Paz Vizsla and Moff Gideon Battle set.

4 collectible LEGO® Star Wars: The Mandalorian minifigures – Paz Vizsla, Moff Gideon, and 2 Imperial Praetorian Guards.

Star Wars™ building toy for kids – The Mandalorian base in this set features a heavily armored door with a slam-shut trigger and control panels, plus a rotating, stud-shooting turret.

Playful accessories – There's a brick-built heavy blaster for Paz Vizsla, a jetpack for Moff Gideon, weapons for the Praetorian Guards, plus a storage box containing a thermal detonator element.

The front of the box shows the gate in the background. Moff Gideon is controlling a turret that guards the gate! Be careful, he has a stud shooter! In front of the gate, a Mandalorian is fighting off 2 imperial guards so he can get in!

The back of the box shows the same picture as the front of the box. There are 2 smaller pictures that show that the turret can shoot out studs when you press on it, and the gate can close so no one can get through.

The top of the box shows a real-size image of Moff Gideon.

The build is 289 pieces in total and is for ages 7+.

Bag 1 includes the pieces for the Mandalorian and the gate.

Bag 2 includes the pieces for Moff Gideon and the gate.

Bag 3 includes the pieces for 2 imperial guards and the gate.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.

- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- “Anti-stud” is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/75386>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 3 bags labeled 1, 2, and 3, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Mandalorian and Gate

Group 1 - Pages 6-8.

Group 2 - Steps 1-27.

Group 3 - Steps 28-39.

Group 4 - Steps 40-46.

Bag 2 - Moff Gideon and Gate

Group 5 - Pages 46-47.

Group 6 - Steps 47-50 and 1 transparent 1x2 tile from Step 51.

Group 7 - Rest of Step 51 and Steps 52-60.

Group 8 - Steps 61-72.

Group 9 - Steps 73-75.

Bag 3 - Imperial Guards and Gate

Group 10 - Pages 78-79.

Group 11 - 3 transparent pink 1x1 round plate from page 79.

Group 12 - Steps 76-91.

Group 13 - Steps 92-106.

Group 14 - Steps 107-110.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Mandalorian

Sub-build 1. Locate 1 dark grey pair of legs printed with sand blue armor, 1 dark grey torso printed with sand blue armor and a brown belt, 1 sand blue shoulder armor, 1 black head, and 1 sand blue helmet. Assemble your minifigure and make sure the stud on the shoulder armor faces the back and the lower lip of the helmet faces the front. Now rotate him 180 degrees so the stud on the back of your minifigure faces the front.

Sub-build 2. Let's make a jetpack! Horizontally place a dark grey 1x2 plate with 2 side studs above the plate in front of you so the side studs face the front. Then place a yellow 1x2 plate with 2 side studs below the plate on top of it so the side studs face the back. Now place 2 silver 1x1 round plates next to each other upright onto the 2 front-facing side studs. Then repeat symmetrically to the back. Now attach the jetpack to the front-facing stud on your minifigure so it is centered and the 1x1 plates on the dark grey plate face up.

Sub-build 3.1. Let's make a weapon! Place a black 1x1 brick with a side stud in front of you so the side stud faces the front. Then place a black 1x1 round plate with a bar on top so the bar faces the left.

Sub-build 3.2. Place a black 1x1 round plate with a bar on the bottom underneath the 1x1 brick so the bar is vertical. Now flip your part upside down so the extended bar of the 1x1 plate faces the right.

Sub-build 3.3. Let's make another part! Place a transparent orange 1x1 plate in front of you. Then place a black 1x1 round tile with a bar on top. Then attach the bar hole of a thick black bar to the previous bar. Now place your previous part on top of the bar so the bar of the black 1x1 round plate faces the right. Now put your weapon in your Mandalorian's hand!

Group 2 - Gate

1. Horizontally place a black 2x12 plate in front of you. Then horizontally place a dark grey 1x2 tile in the back left corner so there is no overhang.

2. Horizontally place a dark tan 1x2 slope brick in front of the previous tile so it slopes to the left. Then vertically place another 1 to the right so there is no overhang and it slopes to the back.
3. Horizontally place a dark grey 1x4 tile with 2 studs on the back row to the right of the previous 1x2 slope brick. Then vertically place a dark grey 1x2 tile to the right of the previous tile so there is no overhang. Then horizontally place a dark grey 1x2 grill tile on the back row to the right of the previous tile. Then place a light grey 2x2 tile with a stud in front of the previous grill tile so it overhangs 1 row to the front.
4. Horizontally place a black 6x10 plate underneath the front overhang so the right side aligns with the right side of the 2x12 plate.
5. Place a black 1x1 brick with a bar in the back left corner of the 6x10 plate so the bar faces the left.
6. Horizontally place a dark tan 1x2 slope brick behind the previous brick so it sits on the 2 slope bricks and slopes to the left. Then vertically place another 1 in front of the brick with a bar so it slopes to the front.
7. Vertically place a dark grey 1x2 log brick on top of the previous slope brick and brick with a bar.
8. Vertically place a dark tan 1x2x3 slope brick on the slope brick and back stud of the previous log brick so it slopes to the back.
9. Horizontally place a dark tan 2x4x6 rock formation to the right of the previous slope brick so the studs align and the formation faces the back.
10. Place a dark grey 2x2 plate in front of the 2x2 tile with a stud that is to the right. Then vertically place a dark grey 1x3 brick to the left so it sits in front of the 1x2 tile.
11. Place a silver 1x1 round plate on the front stud of the previous 1x3 brick. Then place a light grey 1x1 brick to the right. Then vertically place a dark grey 2x3 plate in front of the 2 previous pieces.
12. Horizontally place a dark grey 1x4 tile with 2 studs in the back right corner so it overhangs 2 columns to the right. Then place a dark grey 2x2 brick with vertical grooves on the back 2 rows of the previous 2x3 plate. Then horizontally place a dark grey 1x2 log brick in front.
13. Place a black 6x6 plate underneath the right overhang so the 1x4 tile sits in the back left corner.
14. Place a dark grey 4x4 tile with a row of studs in front of the previous 1x4 tile with 2 studs so the studs face the front. Then horizontally place a light grey 2x4 tile in front so it sits to the right of the 2x2 brick with grooves. It should overhang 1 stud in the front right corner.
15. Horizontally place a black 2x12 plate underneath the overhang.
16. Vertically place a dark grey 1x2 grill tile to the right of the previous 2x4 tile. Then place a dark grey 1x1 tile in front of the leftmost column of the 2x4 tile. Then horizontally place a dark grey 1x4 tile with 2 studs to the right.

17. Horizontally place a dark grey 1x2 grill tile on the back row to the right of the 1x4 tile with 2 studs. Then place a light grey 2x2 tile with a stud in front. Then horizontally place a dark grey 1x2 tile in front. Then vertically place a light grey 2x4 tile in front.
18. Horizontally place a dark grey 1x4 tile with 2 studs on the back right corner so it overhangs 2 columns to the right.
19. Place a black 6x6 plate with a cut off corner underneath the overhang so the cut off corner faces the back right.
20. Place a dark grey 4x4 tile with a row of studs in front of the previous 1x4 tile with 2 studs so the studs face the front. Then vertically place a dark grey 2x3 plate to the right of the front 3 rows of the previous 4x4 tile. Then place a light grey 2x2 triangle tile behind it so there is no overhang and the long side aligns with the plate with the cut off corner.
21. Vertically place a light grey 1x3 plate in front of the right column of the previous 2x3 plate. Then horizontally place a light grey 2x4 tile to the left of the back 2 studs of the previous 1x3 plate. Then vertically place a dark grey 1x2 grill tile to the left. Then horizontally place a dark grey 1x4 tile with 2 studs in front of the grill tile and 2x4 tile. Then place a dark grey 1x1 tile to the right.
22. Place a light grey 3x3 plate on the 2 rightmost columns so the front row of the build is free and it overhangs 1 column to the right. Then place a light grey 2x2 triangle tile behind it so there is no overhang.
23. Vertically place a dark grey 1x2 rounded plate underneath the back 2 studs of the previous 3x3 plate. Then vertically place another 1 underneath the front stud so there is 1 stud exposed to the front.
24. Horizontally place a dark grey 1x2 rounded plate in the front right corner so there is no overhang. Then place a black 1x1 plate with a clip to the left so the clip faces the front.
25. Vertically place a dark grey 1x2 rounded plate in the front right corner so there is no overhang.
- 26.1. Let's make a part! Horizontally place a dark grey 1x2 log brick in front of you. Then horizontally place a dark grey 1x2 rounded plate on top so there is no overhang. Repeat both parts 2 more times so you end up with a stack of 3 bricks and 3 plates interchanging.
- 26.2. Vertically place your part behind the 1x1 round plate so it sits to the right of the 2x4x6 rock formation.
27. Horizontally place a dark grey 1x2 log brick to the right of the higher 1x2 set of studs of the rock formation. Then repeat symmetrically to the left.

### Group 3 - Gate

28. Place a dark grey 1x1 brick with a side stud in front of the left stud of the previous left log brick so the side stud faces the left. Then attach a transparent red 1x1 tile upright onto the side stud.
29. Vertically place a light grey 1x3x3 arch brick on top of the previous brick so it slopes to the front. Then place a light grey 1x1 brick on the back stud of the arch brick.

30. Let's make a part! Horizontally place a light grey 1x4 brick in front of you. Then horizontally place a light grey 1x2x2 brick with 4 side studs on top of the left 2 studs so the side studs face the front.

31. Place a silver 1x1 round plate to the right of the previous brick. Then place a black 1x1 plate with a clip to the right so the clip faces the right.

32. Horizontally place a light grey 1x2 plate on top of the right 2 studs so there is no overhang.

33. Place a light grey 1x1 brick on the left stud of the previous 1x2 plate.

34. Horizontally place a dark grey 1x3 brick on top of the left 3 studs so there is no overhang.

35.1. Horizontally place a black 2x3 tile with a sticker upright onto the front-facing 4 side studs so there is no overhang on the left or right and there are no more front-facing studs.

35.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the black 2x3 tile. It is a sticker of a dark red diagram of a ship. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

36. Vertically place your part in front of the previous stack of 3 bricks and 3 plates so the sticker faces the left.

37.1. Stack 2 dark grey 1x2 rounded plates together so there is no overhang then vertically place them in front of you. Then place a silver 1x1 round plate on the back stud.

37.2. Vertically place your part on the back stud of your previous part so it sits in front of the horizontal 1x2 log brick and the 1x1 round plate is in the back.

38. Place a light grey 1x1 brick to the right of the front stud of your previous part. Then horizontally place a light grey 1x2x2 slope brick to the right so it slopes to the right.

39. Horizontally place a light grey 1x2 plate on top of the pieces from the previous step so there is no overhang.

#### Group 4 - Gate

40. Place a light grey 1x1x3 brick on top of the left stud of the previous 1x2 plate.

41.1. Horizontally place a light grey 1x2x3 inverted slope brick with a sticker to the right of the previous brick so it slopes to the right.

41.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the light grey 1x2 inverted slope brick. It features 3 red lines. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

42. Horizontally place a light grey 1x3 plate on top of the left stud of the previous 1x2 inverted slope brick as well as the 1x1x3 brick and front stud of the 1x2 rounded plate so there is no overhang. Vertically place a dark grey 1x2 log brick in front of the leftmost stud of the previous 1x3 plate.

43. Horizontally place a light grey 1x3x3 arch brick in front of the previous 1x2 log brick so it slopes to the left.

44. Vertically place a light grey 1x2 inverted slope brick on top of the rightmost stud of the previous arch brick so it slopes to the front.

45. Place the front right corner of a black 6x6 plate on top of the back stud of the previous 1x2 inverted slope brick so the back row attaches to the 1x6 set of studs. Make sure it connects to the rock formation!

46. Place a tan 1x1 tile on the front stud of the previous 1x2 inverted slope brick.

Building Instructions (Bag 2, Book 1):

#### Group 5 - Moff Gideon

Sub-build 4.1. Locate 1 black pair of legs with pockets, 1 black torso printed with armor and a red and black belt, 1 black jetpack and a black 1x1 tile printed with a thruster. Attach the torso to the pair of legs then put it in front of you. Now place the tile upright on the jetpack then attach it to the torso so it faces the back.

Sub-build 4.2. Locate 1 brown head printed with black eyes, eyebrows, and lips, 1 black hair, and 1 black helmet with spikes and a red visor. Assemble the rest of your minifigure, and you can switch out the helmet for his hair if you'd like! Make sure the gap on the lower lip of the helmet faces the front!

#### Group 6 - Gate

47. Place a light grey 1x1x5 brick to the right of the front right corner of the previous 6x6 plate. Then vertically place a light grey 1x2x5 brick with a vertical groove behind it so the groove faces the right. Then vertically place a light grey 1x2 inverted slope brick behind it so it slopes to the back.

48. Horizontally place a black 1x2 brick with 2 holes on the previous 1x1x5 brick and front right corner of the 6x6 plate. Then place a dark grey 2x2 brick with vertical grooves behind it.

49. Rotate your build 180 degrees so it is horizontal and the 6x6 plate is on the right now. Now horizontally place a dark grey 1x4 brick to the right of the previous 1x2 brick with 2 holes. Then vertically place a dark grey 1x3 brick in the front left corner of the 6x6 plate so it sits in front of the 2x2 brick.

50. Horizontally place a dark grey 1x4 brick on the front row to the right of the previous 1x3 brick. Then vertically place 2 dark grey 1x3 bricks, 1 in front of the other on the rightmost column of the 6x6 plate so there is no overhang.

You will have an extra transparent 1x2 tile. Save it for later.

#### Group 7 - Gate

51. Vertically place a dark grey 1x4 tile on the rightmost column on top of the previous 1x3 bricks so it is centered vertically. Then horizontally place a dark grey 1x6 tile behind it so there is no overhang. Horizontally place a dark grey 1x2 tile in front of the previous 1x4 tile so there is no overhang. Now horizontally place a transparent 1x2 tile from group 6 to the left. Then horizontally place a dark grey 1x2 tile to the left. Then place a dark grey 1x1 tile behind the left column of the previous tile.

52. Vertically place a dark tan 2x4x6 rock formation on the 2nd and 3rd columns from the left so there is no overhang and the formation faces the left.

53. Place a light grey 1x1 brick on the front and back stud of the previous rock formation.

54. Place a dark grey 2x2 brick with grooves to the right of the rock formation so it sits in the formation's gap. Then place a light grey 1x1 brick in front of the right column of the previous brick.

55. Place a light grey 1x1 brick on top of the previous 1x1 brick. Then vertically place a light grey 1x2x5 brick with a groove behind it so the groove faces the right.

56. Place a dark grey 2x2 brick with grooves on top of the previous 1x2x5 brick and rock formation so there is no overhang. Then vertically place a dark grey 1x2 rounded plate on the left column of the previous brick.

57. Let's make a part! Place a transparent 1x1 plate in front of you. Then place a light grey 1x1 brick on top. Repeat again so you have 2 parts in total. Now place 1 part in front of and behind the previous 1x2 rounded plate.

58. Vertically place a light grey 1x4 plate on top of the previous bricks and rounded plate so there is no overhang.

59. Horizontally place a light grey 1x2x2 slope brick to the right of the front stud of the previous 1x4 plate so it sits to the right of the 1x1 brick and slopes to the right.

60. Horizontally place a light grey 1x2 plate on top of the previous slope brick and 1x1 brick.

#### Group 8 - Gate

61.1. Let's make a part! Place a light grey 1x2x2 brick with 2 side studs in front of you so the side studs face the front. Then vertically place a dark grey 1x2 tile with red buttons upright onto the front-facing side studs.

61.2. Place a transparent red 1x1 plate on top of the previous brick. Then place a light grey 1x1 brick on top of the previous plate.

61.3. Now place your part on top of the left stud of the previous 1x2 plate so the tile faces the front.

62.1. Horizontally place a light grey 1x2x3 inverted slope brick with a sticker to the right of the previous part so it slopes to the right.



62.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the light grey 1x2 inverted slope brick. It features 3 red lines. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

63. Let's make a part! Horizontally place a light grey 1x2 plate in front of you.

64. Vertically place a light grey 1x2 inverted slope brick on the left stud so it slopes to the front.

65. Horizontally place a dark grey 1x3 brick on the right stud so it overhangs 2 studs to the right.

66. Horizontally place a light grey 1x10 plate underneath the overhang.

67. Vertically place a light grey 1x2 inverted slope brick to the right of the 1x3 brick so it slopes to the front. Then horizontally place a dark grey 1x4 brick to the right. Then vertically place another light grey 1x2 inverted slope brick to the right so it slopes to the front.

68. Horizontally place a dark grey 1x3 brick to the right of the previous brick so it overhangs 1 stud to the right.

69. Horizontally place your part on top of the 2 1x2x3 inverted slope bricks so the 1x2 inverted slope bricks slope to the front.

70.1. Let's make a part! Horizontally place a dark grey 1x6 tile with a sticker in front of you.

70.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the dark grey 1x6 tile. It is a sticker of a white and grey grill. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

70.3. Place a dark grey 2x2 plate with 2 side studs in front of you so the side studs face the front. Now place your 1x6 tile with a sticker upright on the side studs so it overhangs 4 columns to the right. Then attach the 2 side studs of another 2x2 dark grey plate with side studs onto the 2 rightmost columns of the 1x6 tile.

70.4. Horizontally place your part on top of the 2 rightmost 1x2 inverted slope bricks of your previous part so the tile faces the front.

71. Place a black 3x3 corner plate on the back row of the previous right 2x2 plate with 2 side studs so there is no overhang. It should look like the braille letter j. The rightmost column of this plate should sit between 2 tiles.

72. Make a part: Horizontally place a dark grey 1x2 ingot tile upright on the 2 side studs of a dark grey 2x2 plate with side studs. Now place your part to the left of the left 2x2 tile with 2 side studs so the plate and ingot tile overhang 1 row to the front.

Group 9 - Gate

73.1. Let's make a part! Horizontally place a dark grey 1x6 tile with a sticker in front of you.

73.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the dark grey 1x6 tile. It is a sticker of a white and grey grill. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

73.3. Place a dark grey 2x2 plate with 2 side studs in front of you so the side studs face the front. Now place your 1x6 tile with a sticker upright on the side studs so it overhangs 4 columns to the right. Then attach the 2 side studs of another 2x2 dark grey plate with side studs to the 2 rightmost columns of the 1x6 tile.

73.4. Horizontally place a black 1x2 plate on the back row of the left 2x2 plate so there is no overhang.

73.5. Horizontally place your part on top of the 2 leftmost 1x2 inverted slope bricks that are to the left of the previous part.

74. Horizontally place a dark grey 1x2 rounded plate to the right of the black 1x2 plate of your previous part. Then place a silver 1x1 round plate on the left stud. Then repeat both parts symmetrically to the right.

75.1. Let's make a part! Place a light grey 2x2 plate in front of you. Then vertically place a dark grey 1x2 plate with 2x2 side studs on the right column so the side studs face the right.

75.2. Vertically place a dark grey 1x2 plate with 2x2 side studs on the left column so the side studs face the left.

75.3. Then place a light grey 2x2 box on top so there is no overhang.

75.4. Place a light grey 1x1 round tile printed with a red button on top inside the box. This is a Thermal Detonator.

75.5. Then place a dark grey 2x2 tile with a stud on top of the box.

75.6. Horizontally place a dark grey 1x2 slope tile on the lower row of the left-facing side studs so it slopes down. Then horizontally place another 1 on the top row of the left-facing side studs so it slopes up. Then repeat symmetrically to the right.

75.7. Place the back right corner of your part on top of the front right 2x2 tile with a stud. Then orient your part so it is diagonal and the slope tiles face the front right and back left.

Building Instructions (Bag 3, Book 1):

Groups 10-11 - Imperial Pretorian Guards

Note that you will have 3 transparent pink 1x1 round plates in group 11. Save them for later. Don't get them mixed up with group 10.

Sub-build 5.1. Locate 1 red pair of leg with armor, 1 red torso printed with armor, 1 red head, and 1 red helmet. Assemble your minifigure and make sure the lower lip of the helmet faces the front, then put him in front of you.

Sub-build 5.2. Let's make his weapon now! Horizontally place a black bar with a stud on each side in front of you. Then attach a black 1x1 round plate upright to the left-facing and right-facing studs of the bar. Then place a transparent pink 1x1 cone brick upright onto the left-facing and right-facing studs. Now attach your weapon to your minifigure's hand!

Sub-build 6.1. Locate 1 red pair of leg with armor, 1 red torso printed with armor, 1 red head, and 1 red helmet. Assemble your minifigure then put him in front of you.

Sub-build 6.2. Let's make his weapon now! Horizontally place a black bar with a stud on each side in front of you. Then attach a black 1x1 round plate upright onto the right-facing stud of the bar. Then attach a transparent pink 1x1 round plate from group 11 upright onto the left-facing stud. Then place a black 1x1 round plate upright onto the left-facing stud.

Sub-build 6.3. Attach a transparent pink 1x1 round plate from group 11 upright onto the left-facing stud. Then place a black 1x1 round plate upright onto the left-facing stud.

Sub-build 6.4. Place a transparent pink 1x1 round plate upright onto the left-facing stud. Now attach the weapon to your minifigure's hand! Put everything away now while we build the rest of the gate!

## Group 12 - Gate

76.1. Let's make a part! Place a black 1x1 round plate in front of you. Then place a transparent red 1x1 round brick on top. Now insert the bar of a black 1x1 bar with a anti-stud into the brick. Now place the anti-stud of your bar on the leftmost column on the back stud of the 1x2 rounded plate.

77. Let's make a part! Horizontally place a dark grey 2x12 plate in front of you. Then place a light grey 2x2 plate with a ball on the 2x12 plate so it is centered horizontally and the ball faces the back.

78. Place a black 3x3 plate to the right so it overhangs 1 row to the front. Then repeat symmetrically to the left.

79. Horizontally place a dark grey 1x12 plate underneath the overhang so it is centered horizontally.

80. Horizontally place a black 1x2 plate in front of the 2x2 plate with a ball.

81. Vertically place a light grey 2x8 plate with a rail on the 2 rightmost columns so the rail is on the right and it overhangs 5 rows to the front. Then repeat symmetrically to the left.

82. Flip your build upside down so the ball faces the back. Place a dark grey 2x2 plate upside down on the left 2x8 rail plate so it sits in front of the 1x12 plate. Then repeat symmetrically to the right. Then horizontally place a dark grey 1x12 plate upside down in front of the previous plates. Now horizontally place a black 2x3 plate upside down on the left rail plate so it overhangs 1 column to the right. Now repeat symmetrically to the right.

83. Flip your build so it is upright and the ball faces the back. Vertically place 1 black 2x3 plate to the right of the front 3 studs of the rail plate that is on the left. It should overhang in the front right corner. Then repeat symmetrically to the right.

84. Horizontally place a dark grey 2x6 plate on the front 2 rows underneath the overhang of the previous 2x3 plates. Then horizontally place a dark grey 2x4 plate on top of the previous plate so it is centered between the 2 2x3 plates.

85. Horizontally place 2 dark grey 2x6 tiles next to each other on the back 2 rows so there is no overhang. Then horizontally place a dark grey 1x8 tile in front so it is centered horizontally. Now place a dark grey 2x2 corner tile to the left and right. The left one should look like the braille letter f and the right one should look like the braille letter d.

86.1. Let's make a part! Place a black 1x1 round plate with a bar in front of you so the bar faces the left. Then attach the bar hole of a dark grey 1x1 bar hole connected to a bar into the left-facing bar. Repeat again so you end up with 2 parts in total.

86.2. Place them behind the front 2x4 plate so together they are centered. The left one should be diagonal to the left and the right one should be diagonal to the right.

87. Place a dark grey 2x2 corner tile in front of the previous left corner tile. It should look like the braille letter h. Then place a dark grey 2x2 angled plate to the right so it sits in between the 2 corner tiles so the angled side faces the right. Make sure the long end is in the back. Now repeat both parts symmetrically to the right. Then horizontally place a dark grey 1x8 tile between the front row of the previous corner tiles.

88. Horizontally place a dark grey 2x6 tile on the front 2 rows so it is centered horizontally. Then horizontally place a dark grey 1x3 tile to the left of the back row of the previous 2x6 tile. Then horizontally place a black 1x3 plate in front of it. Now repeat both parts symmetrically to the right.

89. Horizontally place a dark grey 1x2 tile on the right 2 studs of the previous 1x3 plate that is on the left. Then repeat symmetrically to the right.

90. Flip your build upside down so the ball faces the back. Vertically place a light grey 1x2 plate with a hole underneath on the front left corner so the hole faces the front. Then vertically place a dark grey 1x2 inverted sloped curved plate with a smooth underside on top of the previous plate so it slopes to the back.

91. Rotate your main build 180 degree so the vertical rock formation faces the right. Now using the rails on the left and right, insert them into the bricks with grooves that are on the left and right so your part sits in front of the bridge and the studs face the back. Make sure the ball of your part is facing up!

#### Group 13 - Gate

92. Horizontally place a black 1x8 plate with a rail behind the ball so it is centered between the 2 1x1 round plates and the rail faces the front.

93. Horizontally place a dark grey 2x6 tile on top of the previous rail plate so it is centered horizontally and does not overhang. Then horizontally place a dark grey 2x4 plate to the left and right.

94. Horizontally place a black 1x2 plate on the front left corner of the previous 2x4 plate that is on the left. Then horizontally place a black 1x2 hinge plate on the front right corner of the previous 2x4 plate that is

on the right so the other 1x2 part sits vertically on the 1x4 plate that is to the right and is centered vertically.

95. Insert a light grey 2L pin into the right front-facing hole of the 1x2 brick that is to the left of the gate.

96.1. Let's make a part! Horizontally place a dark grey 4L L-shaped lift arm in front of you so the short end of the L is on the right and faces down. Now insert the pin of a black ball into the lower back-facing hole that is on the right.

96.2. Insert the 1L axle of a tan 1L axle with a 1L pin into the leftmost front-facing axle hole.

96.3. Now attach a tan 1L axle connector to the front-facing pin. Now attach the leftmost hole of your part to the front-facing pin on your main build. Make sure the back-facing ball sits to the right of the 1x1x5 brick.

97. Let's make a part! Place a dark grey 6x6 plate in front of you. Then place a dark grey 2x2x2 slope brick on the back 2 rows so it is centered horizontally and slopes to the back.

98. Stack 2 dark grey 1x1 bricks together then place the stack to the right of the front row of the previous brick. Then repeat symmetrically to the left.

99. Place a dark grey 2x2x2 slope brick on the 2 rightmost columns so it slopes to the right and is centered vertically on the plate. Then repeat symmetrically to the left. Now place another 1 on the front 2 rows so it is centered horizontally and slopes to the front.

100. Stack 2 dark grey 1x1 bricks together then place the stack to the right of the back row of the front 2x2x2 brick. Then repeat symmetrically to the left.

101. Place a black 4x4 tile with a small circle and a larger ridged circle on top of all the previous bricks so there is no overhang.

102. Let's make another part! Place a dark grey 4x4 round plate in front of you. Then vertically place a dark grey 1x2 rounded plate on the leftmost column so there is no overhang.

103. Place a dark grey 4x4 plate to the right so it is centered vertically and overhangs to the right.

104. Horizontally place a dark grey 1x2 slope brick on the front right corner of the 4x4 plate so it slopes to the right. Then repeat symmetrically to the back. Now place a brown 2x2 tile with 2 studs in between the previous slope bricks so the studs are on the right.

105. Horizontally place a dark grey 2x3 slope brick to the left of the previous 2x2 tile with 2 studs so it slopes to the left. Then vertically place a transparent red 1x2 plate on top of the previous 2x3 slope brick.

106.1. Let's make a part! Horizontally place a silver 1x4 stud shooter in front of you so the plate part faces the right. This piece feels like a 1x3 brick with a hole connected to a 1x1 plate. Then place a silver 1x1 round plate on top of the 1x1 plate part.

106.2. Place the round side of a dark grey piece with 3 curved ends into the top of the stud shooter. Now repeat the previous steps so you end up with 2 of these parts in total.

106.3. Horizontally place 1 part in the front left corner so it overhangs to the left. Then repeat symmetrically to the back.

#### Group 14 - Gate

107. Vertically place a dark grey 1x1 slope tile connected to a 1x1 tile on top of the 1x1 round plate in the front so it slopes to the front and there is no overhang. Then repeat symmetrically to the back.

108. Now place your part on top of the ridged circle of the 4x4 tile so it clicks into place and can freely spin.

109. Place your part on top of the leftmost 6x6 tile area with a 4x4 gap in the center so there is no overhang.

110. Now locate 6 transparent green 1x1 round plates. Insert these into the stud shooters then click on the top part to shoot them out!

Thank you so much for building this set!

Visit [bricksfortheblind.org](http://bricksfortheblind.org) for more accessible instructions, sign up for our newsletter, and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We also love seeing your completed builds, so please tag our [Facebook](#) and [Instagram](#) accounts in any photos of your builds so we can share your accomplishments with our Bricks for the Blind community.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 4 LEGO Starwars Theme kits:

75386 Paz Vizsla™ and Moff Gideon™ Battle

75391 Captain Rex™ Y-Wing™ Microfighter

75373 Ambush on Mandalore™ Battle Pack

75390 Luke Skywalker™ X-Wing™ Mech