

## **76944 T. rex Dinosaur Breakout**

Adapted by John Le and tested by Jolene Nemeth

Youngsters who love dinosaurs and cool vehicles will enjoy learning to build with this LEGO® Jurassic World T. rex Dinosaur Breakout (76944) toy playset for kids aged 4 and up. It features an airport with a helipad, garage, helicopter, buggy and collapsible fence, plus a posable T. rex figure. There are also 3 minifigures – Owen Grady, Zia Rodriguez, and a wildlife guard – with accessory elements such as a dinosaur egg and walkie-talkie to inspire imaginative play.

Starter set – Introduce children aged 4 and up to LEGO® Jurassic World toys with this T. rex Dinosaur Breakout (76944) playset, featuring an airport, helicopter, buggy, and a T. rex figure.

3 LEGO® minifigures – Owen Grady, Zia Rodriguez, and a wildlife guard with accessory elements including a toy walkie-talkie and tranquilizer for imaginative role play.

Lots of play-inspiring features – An airport with a helipad and garage, an opening cage that can be transported in the helicopter or buggy, and a collapsible fence to play out dinosaur escapes.

Portable set for play on the go – The airport measures over 6 in. (15 cm) high, 6 in. (16 cm) wide and 2.5 in. (6cm) deep, and the T. rex stands over 4 in. (11 cm) tall.

The front of the box shows the fence at the front! It is equipped with walls, a siren, helipad, and an electric fence! But that's no match for the T-Rex because he just knocked down the gate and is chasing after a guy holding a chicken leg in a car! He might want to throw that away!

The back of the box shows all the accessories that the set comes with. It comes with 3 minifigures, the fence, a helicopter, a helipad, a vehicle, and some tools and food!

The top of the box shows the 3 minifigures standing next to each other holding their tools and food!

The build is 140 pieces in total and is for ages 4+.

Bag 1 includes the pieces for the dinosaur and vehicle.

Bag 2 includes the pieces for the helicopter and helipad.

Bag 3 includes the pieces for the electric fence and siren.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the

table.

- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- “Anti-stud” is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/76944>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 3 bags labeled 1, 2, and 3, 3 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

The steps in this set correspond to page numbers.

Bag 1 - Dinosaur and Car

Group 1 - Pages 6-9.

Group 2 - Pages 10-25.

Group 3 - Pages 26-38.

Bag 2 - Helicopter and Helipad

Group 4 - Pages 4-5.

Group 5 - Pages 6-39.  
Group 6 - Pages 40-54.

Bag 3 - Electric Fence  
Group 7 - Pages 4-5.  
Group 8 - Pages 6-23.  
Group 9 - Pages 24-51.  
Group 10 - Pages 52-65.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Owen Grady

6-7. Locate 1 dark blue pair of legs printed with dark grey pockets, 1 torso printed with a red plaid shirt and a dark grey sweater over it, 1 tan head printed with a stubby beard and brown eyebrows, 1 brown hair, 1 red bar with a stud, and 1 transparent orange flame. Assemble your minifigure then attach the flame to the stud of the bar, then attach the bar to your minifigure's hand!

8-9. Place a light grey 2x2 cabinet in front of you so the opening faces the front. Then attach a cabinet door to the bottom so it opens to the front. Now put a tan egg inside and close it! Now put everything away while we build a car!

Group 2 - Car

10-11. Horizontally place a black 3x4 plate connected to 2x2 plates with 4 pins in front of you so the pins face the front and back. Then place a short tan 2x2 ridged brick on the 2 rightmost columns so there is no overhang.

12-13. Vertically place a green 1x4 brick to the left of your previous brick so it is centered vertically. Then horizontally place a yellow 1x2 grill tile on the front row to the left of the previous brick. Now repeat symmetrically to the back.

14-15. Place a green 2x2 plate on the 2 leftmost columns so there is no overhang. Then place a green 4x4 plate on top of the 1x4 brick and 2x2 ridged brick so it overhangs 1 column to the right and is centered vertically.

16-17. Vertically place a green 2x4 plate with raised rounded sides and 2 side studs on the 2 leftmost columns so it is centered vertically and the side studs face the left. Then vertically place a green 1x2 slope tile on the leftmost column so it slopes to the left. Then vertically place a yellow 1x2 steering wheel to the right so the wheel faces the right.

18-19. Place a light grey 2x2 tile with a stud on top of the 4x4 plate so it is centered on it. Then horizontally place a dark grey 1x4 lattice panel on the front row of the 4x4 plate so the wall faces the front and there is no overhang. Then repeat symmetrically to the back.

20-21. Insert 4 white wheels into 4 black tires.

22-23. Insert your wheels onto the front-facing and back-facing pins.

24-25. Now place your minifigure on top of your car so he can drive it!

### Group 3 - T-Rex

26-27. Horizontally place 1 dark green and light green dinosaur base printed with red scratch marks in front of you so the 2x4 studs face up and the small front-facing and back-facing pin holes are on the left.

28-29. Insert a dark green T-Rex arm into the small front-facing pin hole so the claw faces the left. Then repeat symmetrically to the back.

30-31. Insert a large dark green and light green T-Rex leg printed with red scratch marks into the front-facing hole so the claws face the left. Then repeat symmetrically to the back.

32-33. Insert a large dark green and light green T-Rex tail printed with red scratch marks to the right-facing hole.

34-35. Let's make the head now! Place a light green lower T-Rex jaw with teeth in front of you so the short end faces the left. Then horizontally place a T-Rex head on top of it so it aligns the lower jaw and clicks into place.

36-37. Now insert the right-facing pin of the head into the left-facing hole of the T-Rex

38. Now put everything away while we make a minifigure!

### Building Instructions (Bag 2, Book 2):

#### Group 4 - Wildlife Guard

4-5. Locate 1 light green pair of legs, 1 olive green torso with pockets, a name tag, and a badge, 1 light tan head printed with an earpiece, 1 dark green cap, 1 red 1x1 round brick, and 1 light grey faucet. Assemble your minifigure then place the faucet on top of the round brick, then attach it to your minifigure's hand! The round brick and fauces are a fire extinguisher.

#### Group 5 - Helicopter

6-7. Horizontally place a dark grey 6x10 helicopter landing skid in front of you so the end with 3 studs face the right. This piece is 2 1x10 plates connected by 2 1x6 arches. Then vertically place a yellow 1x2 plate with 2 clips on the long side on top of the right archway so it is centered vertically and the clips face the right.

8-9. Horizontally place a dark green 4x12 helicopter base on top of the arches so it is centered vertically and the 2x6 brick tail end faces the right.

10-11. Vertically place a light grey 1x2 slope tile printed with speedometers on the leftmost column of the helicopter base so it is centered vertically and slopes to the right. Then place a brown 2x2 chair to the right so the back of the chair faces the right.

12-13. Vertically place a yellow 1x2 plate with 2 clips on top of the leftmost column of the 4x4 part of the helicopter so it is centered vertically and the clips face the left. Then vertically place a dark grey 2x4 plate with a pin to the right so it is centered vertically.

14-15. Vertically place a yellow 1x4 sloped curved tile on top of the previous 1x2 plate with 2 clips so it is centered vertically.

16-17. Attach the bar of a transparent 2x6 curved windshield to the left-facing clips so it curves to the left. Make sure to push it all the way down so it touches the 1x2 slope tile.

18-19. Place a dark grey 2x2 round tile with a stud upright onto the front-facing 2x2 studs. Then place a yellow 2x2 round tile printed with a badge with a wolf upright onto the left 2 front-facing studs that are above the previous 2x2 studs so there is no overhang.

20-21. Let's make a part! Place a transparent 2x2 round plate with a rounded bottom in front of you, rounded side down.. Then place a white 2x2 half-cone brick on top so there is no overhang. Now place the anti-stud of a black megaphone on top.

22-23. Now attach the bar upright to the front-facing stud of the 2x2 round tile so the rounded part faces the left.

24-25. Rotate your build 180 degrees so the tail end faces the left. Now place a yellow 2x2 tile printed with a badge with a wolf upright to the right 2 front-facing studs so there is no overhang.

26-27. Let's make a part! Place a dark grey 4x4 plate in front of you. Then vertically place a brown 1x2 tile with an overhead bar on the leftmost column so it is centered vertically and the bar faces the left. Then vertically place a yellow 1x2 plate with a bar on the long side on the rightmost column so the bar faces the right. Then vertically place a yellow 1x4 sloped curved tile on top so it is centered vertically.

28-29. Flip your build upside down so the white bar faces the right. Now attach the bar to the left-facing clips underneath the tail so the overhead bar faces the left. Now push it up to close the back of the helicopter!

30-31. Vertically place a yellow 2x2 plate with angled sides on the 2 leftmost columns of the tail end so it overhangs in the front and back and the short end faces the right. Then place a black 5x5 cross on top of the upward-facing pin so it is centered and can freely spin. This is the helicopter's propellers.

32-33. Vertically place a white 1x2 tile with a tail on the leftmost column of the previous 2x2 plate with angled sides so the tail faces the left.; Then vertically place a white 1x5 rounded plate on top of the previous cross so there is no overhang.

34-35. Horizontally place a black 1x6 plate on the right 2 studs of the cross so it overhangs 4 studs to the right. Then repeat symmetrically to the left.

36-37. Place a black 3x3 cross on top of the 2 previous plates and 1x5 rounded plate so it is centered.

38-39. Lift the windshield and place your minifigure inside then close it! Now put it away so we can build the helipad so he can land!

#### Group 6 - Helipad

40-41. Place a dark grey 8x8 plate in front of you. Then horizontally place a yellow 1x2 jumper plate on the front left and front right corners so there is no overhang.

42-43. Vertically place a green 2x4 slope brick on the 2 leftmost columns behind the jumper plate so it slopes to the right. Then place a green 2x2 slope brick behind it so it slopes to the right. Then repeat symmetrically to the right.

44-45. Vertically place a dark grey 1x6x5 rounded fence with a cross on top of the bricks on the leftmost column so there is no overhang and the rounded side faces the left. Then repeat symmetrically to the right.

46-47. Place a light grey 8x8 grated plate on top of the 2 fences so it is centered.

48-49. Place a yellow 2x2 tile on top of the 8x8 grate, so it is centered. Then vertically place a yellow 1x8 tile on the the left and right ends of the grate, so there is no overhang.

50-51. Horizontally place a dark grey 1x2 plate with a bar on the long side on the front row in between the 2 previous 1x8 tiles so the bar faces the front.

52-53. Attach the clips of a black ladder to the front-facing bar so it hangs down.

54. Now place your helicopter on top! Put everything away now so we can build another minifigure!

#### Building Instructions (Bag 3, Book 3):

##### Group 7 - Zia Rodriguez

4-5. Locate 1 black pair of legs, 1 torso printed with a black and red shirt and a dark grey jacket over it, 1 light tan head printed with a cute smile and lashes, 1 black hair, 1 dark grey gun, and 1 yellow syringe. Assemble your minifigure, then attach the syringe to the clip of the gun, then attach the gun to your minifigure's hand! Now you have a tranquilizer gun.

##### Group 8 - Electric Fence

6-7. Horizontally place a dark grey 2x12 plate in front of you. Then place a yellow 1x8 tile on the back row so it is centered horizontally.

8-9. Horizontally place a yellow 1x8 tile on the front row so it is centered horizontally. Then place a green 2x2 plate on the 2 leftmost columns so there is no overhang. Then horizontally place a green 2x4 plate on the 2 rightmost columns so it overhangs 2 columns to the right.

10-11. Place the back left corner of a dark grey 8x8 plate underneath the overhang.

12-13. Horizontally place a yellow 1x2 jumper plate on the front row of the 8x8 plate so it is centered horizontally. Then vertically place a white 1x2 rounded plate in the back right corner so there is no overhang.

14-15. Vertically place a green 1x2 slope brick in front of the previous 1x2 rounded plate so it slopes to the front. Then vertically place another 1 on the leftmost column of the 8x8 plate so it sits in front of the 2x4 plate and slopes to the front.

16-17. Horizontally place a light grey 3x6 rounded panel between the 2 previous 1x2 slope bricks so the rounded side faces the front. Make sure the back row is aligned with the back studs of the 1x2 slope bricks.

18-19. Horizontally place a dark grey 4x8 plate with a rounded side on top of the previous 3x6 rounded panel so it is centered.

20-21. Attach the bar of a brown chicken leg to the 1x2 jumper plate on the front row so the bar side of the chicken leg faces the front. Then place a light green 1x1 round brick with 3 leaves on the 3rd stud from the front and 2nd column from the left of the 8x8 plate so the leaves face the front left.

22-23. Horizontally place a green 1x2 plate with 2x2 side studs below the plate on the front row of the 4x8 plate with a rounded side so it is centered horizontally and the side studs face the front. Then horizontally place a green 1x6 brick behind it so it is centered horizontally.

#### Group 9 - Electric Fence

24-25. Horizontally place a transparent yellow 1x2 tile on top of the 1x6 brick so it is centered horizontally. Then horizontally place a black 1x2 plate with a clip on the short side to the left and right so the clips face outwards.

26-27. Place a yellow 2x2 tile printed with a badge with a wolf upright onto the front-facing side studs of the previous 1x2 plate with 2x2 side studs. Then attach the bar of a black walkie-talkie to the left-facing clip so the studs face down.

28-29. Horizontally place a transparent 1x6 rounded windshield on top of the 1x2 plates with a clip so the wall faces the front.

30-31. Let's make a part! Horizontally place a green 1x6 plate in front of you. Then horizontally place a black 1x4 brick with 4 side studs on top so it is centered horizontally and the side studs face the front. Then horizontally place 2 transparent yellow 1x2 tiles upright onto the front-facing side studs so there is no overhang.

32-33. Horizontally place your part on top of the windshield so there is no overhang and the 1x2 tiles face the front.

34-35. Place a light grey 3x3 dish in front of you. Then insert the bar of an orange claw into the top of the hole so it goes all the way through and the claw hands face the left and right. Then attach the end of the light grey bar to the clip so the anti-stud faces the back.

36-37. Place the anti-stud of the bar on the left stud of your previous part so the bottom of the dish faces the front.

38-39. Let's make a part! Horizontally place a green 1x6 brick in front of you.

40-41. Horizontally place a dark grey 1x6x5 rounded fence with a cross on top so there is no overhang and the rounded side faces the front.

42-43. Then horizontally place a green 1x6 plate on top so there is no overhang.

44-45. Horizontally place a black 1x2 plate with 2x2 side studs above the plate on top so it is centered horizontally and the side studs face the front.

46-47. Horizontally place a yellow 1x4 sloped curved tile on top of the previous plate so it is centered horizontally.

48-49. Place a transparent orange 2x2 sloped curved brick upright onto the front-facing side studs so it slopes up. Now repeat steps 38-49 so you have 2 of these parts in total!

50-51. Horizontally place your parts, 1 to the right of the other, on the front row of the leftmost column so there is no overhang and the upright brick faces the front! They should sit on the 2x12 plate that we covered with plates and tiles!

#### Group 10 - Electric Fence

52-53. Let's make a part! Place a green 2x2 plate in front of you. Then place a yellow 2x2 round tile with a stud on top so there is no overhang. Then insert the side of the black bar that has a stop into the stud of the 2x2 round tile.

54-55. Insert the end of a long light grey string into the top of the bar so it goes all the way down.

56-57. Then insert the end of another long light grey string into the top of the bar so it stays at the top.

58-59. Locate another black bar then insert the end of the bottom string into the top of the bar so it goes all the way down to the stop. Then insert the end of the other string into the bar so it sits at the top. The bar should look like the other bar and there should be no tangles in the string!

60-61. Let's make a part! Vertically place a yellow 1x2 plate with 2 clips in front of you so the clips face the left. Then place a yellow 2x2 tile printed with a black electric symbol on top so it overhangs to the right.

62-63. Attach the clips of your part to the middle of the bar that is connected to the round tile so the tile faces the front and is outwards to the right.



64-65. Now attach the black bar that is only connected to the string to the back stud of the back right 1x2 rounded plate of your main build. Then place the side with the 2x2 green plate to the right so it is fully extended! It should not connect to anything! This is an electric fence so the dinosaur can't escape!

Thank you so much for building this set!

Visit [bricksfortheblind.org](http://bricksfortheblind.org) for more accessible instructions, sign up for our newsletter, and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We also love seeing your completed builds, so please tag our [Facebook](#) and [Instagram](#) accounts in any photos of your builds so we can share your accomplishments with our Bricks for the Blind community.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets, there are no ads.