

76959 Triceratops Research

Adapted by John Le and tested by Jolene Nemeth

Kids who are into dinosaurs and cool cars will love this collectible LEGO® Jurassic World Triceratops Research (76959) playset. An awesome gift toy for ages 8 and up, it features an authentically detailed Jurassic Park Ford Explorer with an onboard navigation system element to track dinosaurs and space for the 2 minifigures – Dr. Ellie Sattler and Ian Malcolm. The set also includes a posable Triceratops, buildable pile of dinosaur poop with a toxic berry element inside, and a shovel accessory, so children can play out the famous Jurassic Park scene that inspired the set.

Playset for children who love dinosaurs and toy vehicles – Play out a memorable Jurassic Park scene with this Triceratops Research (76959) set, featuring a buildable Ford Explorer and dinosaur poop.

Toy dinosaur and 2 minifigures – A posable Triceratops figure, plus Ian Malcolm and Dr. Ellie Sattler with a shovel element to scoop the hidden toxic berry element from the buildable dinosaur poop.

Ford Explorer – The toy vehicle is packed with authentic details of the off-roader in Jurassic Park and has space inside for both minifigures and an onboard navigation system element.

Portable play – The buildable Ford Explorer measures over 3 in. (8 cm) high, 6.5 in. (16 cm) long and 2.5 in. (6 cm) wide. The set will fit in a kid's backpack, so they can play on the go.

The front of the box shows the car in the background parked in the grasslands. To the right, there is a dinosaur poop waiting to be explored! In the front, Ian Malcolm and Dr. Ellie Sattler are researching a large triceratops! Hopefully, it doesn't eat them!

The back of the box shows the car parked in the grasslands. The triceratops is to the right watching Ian and Ellie dig up the dinosaur poop to see if they can find anything important to research!

The top of the box shows a real size image of Ian Malcolm.

The build is 281 pieces in total and is for ages 8+.

Bag 1 includes the pieces for a minifigure, triceratops, and part of the car.

Bag 2 includes the pieces for the rest of the car.

Bag 3 includes the pieces for another minifigure and dinosaur poop.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.

- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/76959>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 3 bags labeled 1, 2, and 3, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Triceratops, Minifigure, and Part of Car

Group 1 - Pages 6-10 and 1 light blue 1x2 plate with 2 side studs from Step 3.

Group 2 - Steps 1-6 and 1 light blue 2x5 stair plate from Step 7.

Group 3 - Rest of Step 7 and Steps 8-14.

Group 4 - Steps 15-20.

Group 5 - Steps 21-26.

Group 6 - Steps 27-32.

Bag 2 - Part of Car

Group 7 - Steps 33-36.

Group 8 - Steps 37-40.

Group 9 - Steps 41-45 and 2 transparent 1x1 slope tiles from Step 46.

Group 10 - Rest of Step 46 and Steps 47-51.

Group 11 - Steps 52-54.

Group 12 - Steps 55-64.

Group 13 - Steps 65-70.

Bag 3 - Minifigure and Dinosaur Poop

Group 14 - Page 54.

Group 15 - Steps 1-14.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Triceratops and Minifigure

1. Horizontally place 1 large brown and dark tan triceratops body with a tail and spots on it in front of you so the tail faces the right. There are 5 holes on this body that are for the legs and head.
2. Insert the pin of a brown leg into the right front-facing hole so the toes face the left. Then repeat symmetrically to the back. These are the bigger legs with a sharp inward curve behind the knee.
3. Insert the pin of a brown leg into the left front-facing hole so the toes face the left. Then repeat symmetrically to the back. These are the smaller legs with no inward curve behind the knee.
4. Attach a large brown triceratops head with dark tan spikes and horns to the left-facing hole so the face faces the left and the horns face the ceiling! Put this aside while we make a minifigure!

Sub-build 1. Dr. Ellie Sattler. Locate 1 tan pair of legs printed with holes, 1 torso printed with a pink roughed-up jacket over a light blue shirt, 1 tan female head printed with a smirk and pink lipstick, and 1 light yellow hair. Assemble your minifigure then put everything away while we build the car!

You will have an extra light blue 1x2 brick with 2 side studs. Save it for later.

Group 2 - Car

1. Horizontally place a black 2x16 plate in front of you. Then vertically place a red 1x2 brick with 2 side studs on the rightmost column so the side studs face the right.
2. Vertically place a light grey 2x4 plate with 2 pins to the left of the previous brick so it is centered vertically and overhangs in the front and back. Then horizontally place a dark grey 4x10 plate to the left of the previous 2x4 plate with pins so it is centered vertically and overhangs in the front and back.

3. Vertically place a light grey 2x4 plate with 2 pins to the left of the previous 4x10 plate so it is centered vertically and overhangs in the front and back. Then vertically place a light blue 1x2 brick with 2 side studs from group 1 on the leftmost column of the build so it is centered vertically and the side studs face the left.

4. Horizontally place a black 1x8 plate with a rail underneath the front overhang of the 4x10 plate so it is centered horizontally and the rail faces the front. Then repeat symmetrically to the back.

5. Place a white 2x2 sloped curved brick to the left of the right 1x2 brick with side studs so it slopes to the left. Then repeat symmetrically to the left.

6. Place a tan 2x2 plate with 2 side studs on the leftmost column so it is centered vertically and the side studs face the left. Then repeat symmetrically to the right.

You will have an extra light blue 2x5 stair plate. Save it for later.

Group 3 - Car

7. Horizontally place the tall end of a light blue 2x5 stair plate from group 2 on top of the right column of the left previous tan 2x2 plate with 2 side studs so the rest of the stair plate sits to the right. Then repeat symmetrically to the right with a light grey 2x5 stair plate.

8. Place a white 4x4 plate in between the 2 previous stair plates so it is centered vertically.

9. Horizontally place a light grey 1x6 plate to the left of the back and front rows of the previous 4x4 plate. Then repeat symmetrically to the right.

10. Horizontally place a light grey 2x8 plate on top of the short ends of the 2 previous stair plates so it is centered vertically.

11. Horizontally place a lime green 2x4 mudguard in the front left corner so the arch faces the front. Then place a black 1x1 round plate in the back left and back right corner of the mudguard. Now repeat this symmetrically to the back. Then repeat both parts symmetrically to the right.

12. Horizontally place 4 dark grey 1x2 plates with 2 side studs, 1 to the right of the other, on the front row in between the 2 arch bricks so the side studs face the front. Then repeat symmetrically to the back.

13. Vertically place 2 tan 1x2 jumper plates, 1 in front of the other, on the 5th column from the right so they are centered vertically. Then vertically place a tan 1x4 tile to the left so it is centered vertically. Then vertically place a brown 1x2 plate to the left so it is also centered vertically.

14. Vertically place 2 tan 1x2 jumper plates, 1 in front of the other, to the left of the previous 1x2 plate so they are centered vertically. Then vertically place a tan 1x4 tile to the left so it is centered vertically. Now horizontally place a white 2x3 plate to the left so it is centered vertically.

Group 4 - Car

15. Place 2 tan 1x1 round plates on the leftmost column, 1 on the 2nd stud from the front and one on the 2nd stud from the back. Then repeat symmetrically to the right. They should sit on top of the black 1x1

round plates. Now place a tan 1x1 round plate to the left of each of the 1x1 round plates you placed on the rightmost column so there are 2 free columns in between.

16. Vertically place 3 lime green 1x2 bricks with 2 side studs, 1 in front of the other, on the rightmost column so they are centered vertically and the side studs face the right.

17. Vertically place a tan 2x4 tile to the left of the previous bricks so it is centered vertically. Then vertically place a tan 1x4 plate to the left of the previous 2x4 tile. Then place a lime green 1x1 plate in front of and behind the previous 1x4 plate.

18. Vertically place 2 tan 1x2 slope tiles, 1 in front of the other, on top of the previous 1x4 plate so they slope to the left. Now stack 2 lime green 1x3 plates together so there is no overhang, then horizontally place them on the front row to the left of the rightmost 1x2 brick with 2 side studs. Then repeat symmetrically to the back.

19. Place a light brown 1x1 plate with 2 side studs on the front row in front of a 1x2 plate and to the left of a 1x4 tile so the side studs face the front. Then repeat symmetrically to the back. Horizontally place a brown 1x2 plate with 2x2 side studs to the left so it sits in front of the right 2 columns of a 2x3 plate and the side studs face the front. Then place a light brown 1x1 plate with 2 side studs to the left so the side studs face the front. Then repeat both steps symmetrically to the back.

20.1. Let's make a part! Stack 2 tan 1x4 plates on top of each other so there is no overhang then place them horizontally in front of you.

20.2. Then horizontally place 2 tan 1x2 slope tiles on top so they slope to the front. Now vertically place your part in between the 2 previous 1x1 plates with 2 side studs that are on the right so it slopes to the left.

Group 5 - Car

21. Place a black 2x2 plate on the 5th and 6th columns from the left so it is centered vertically. Horizontally place a tan 1x3 plate in front of it so the right 2 columns are in front of the 2x2 plate. Repeat symmetrically to the back.

22. Vertically place a black 1x2 steering wheel on the front 2 stud rows in front of the front-facing side studs and to the left of the 1x4 tile so the steering wheel faces the right. Then vertically place a brown 1x2 plate behind it.

23.1. Vertically place a tan 1x2 log brick to the left of the steering wheel. Then place a brown 2x2 slope brick with a sticker behind it so it slopes to the right. Make sure the studs are aligned with the previous brick.

23.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 7 on the brown 2x2 sloped brick. It is a sticker of a green island surrounded by blue water. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

24. Vertically place a light grey 2x4 brick to the left of the previous 2x2 slope brick and 1x2 log brick so it is centered vertically. Then place a lime green 1x1 plate in front of and behind the leftmost column of the previous 2x4 brick. Then vertically place a black 2x4 plate to the left of the previous 2x4 brick.

25. Stack 2 lime green 1x3 plates together so there is no overhang then place them on the front row in front of the previous 2x4 plate and right column of the previous 2x4 brick. Then repeat symmetrically to the back.

26. Vertically place 3 lime green 1x2 bricks with 2 side studs, 1 in front of the other, on the leftmost column so the side studs face the left.

Group 6 - Car

27. Place a tan 3x3 plate upright on the front-facing 3x3 set of studs so there is no overhang. Then horizontally place a light brown 1x2 plate with a rail upright to the right of the bottom row of the previous 3x3 plate so the rail faces up. Then vertically place a tan 1x3 plate upright to the right of the previous 1x2 plate with a rail. Then horizontally place a light brown 1x2 plate with a rail upright to the right of the bottom stud of the previous 1x3 plate so the rail faces up.

28. Horizontally place a yellow 1x8 tile upright on the bottom row of front-facing side studs.

29.1. Place a lime green 2x2 tile with a sticker upright on the front-facing side studs above the 2 leftmost columns of the previous 1x8 tile.

29.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the lime green 2x2 tile. This sticker has a half-brown spot coming from the top and a circle in the middle with a black T-rex skeleton on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

29.3. Horizontally place a lime green 2x6 tile with a sticker upright to the right of the previous 2x2 tile.

29.4. Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the lime green 2x6 tile. This sticker has half-brown spots coming from the top and the word Jurassic Park on it in all capital letters. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

30. Rotate your car 180 degrees. Place a tan 3x3 plate upright on the front-facing 3x3 set of studs so there is no overhang. Then horizontally place a light brown 1x2 plate with a rail upright to the left of the bottom row of the previous 3x3 plate so the rail faces up. Then vertically place a tan 1x3 plate upright to the left of the previous 1x2 plate with a rail. Then horizontally place a light brown 1x2 plate with a rail upright to the left of the bottom stud of the previous 1x3 plate so the rail faces up.

31. Horizontally place a yellow 1x8 tile upright on the bottom row of front-facing side studs.

32.1. Place a lime green 2x2 tile with a sticker upright on the front-facing side studs above the 2 rightmost columns of the previous 1x8 tile.

32.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the lime green 2x2 tile. This sticker has a half-brown spot coming from the top and a circle in the middle with a black T-rex skeleton on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

32.3. Horizontally place a lime green 2x6 tile with a sticker upright to the left of the previous 2x2 tile.

32.4. Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the lime green 2x6 tile. This sticker has half-brown spots coming from the top and the word Jurassic Park on it in all capital letters. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Building Instructions (Bag 2, Book 1):

Group 7 - Car

33. Let's make a part! Horizontally place a lime green 2x6 plate with 4 side studs in front of you so the side studs face the back. Then place a dark grey 2x2 plate on the front row so it is centered horizontally and overhangs to the front.

34. Then place a black 1x1 round plate to the left and right of the back row of the previous 2x2 plate. Then vertically place a transparent red 1x2 plate on the leftmost and rightmost columns so there is no overhang.

35.1. Vertically place a black 1x2 grill tile on the leftmost and rightmost columns so there is no overhang. Then horizontally place a lime green 2x4 tile with a sticker in between so there is no overhang.

35.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the lime green 2x4 tile. This sticker has 3 half-brown spots coming from the top and a blue oval with the word ford in the bottom right corner. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

36. Place 2 yellow 1x1 plates with 2 side studs underneath the front overhang so the side studs face the left and right.

Group 8 - Car

37. Horizontally place a yellow 1x2 plate on the front row in between the 2 previous 1x1 plates with side studs.

38.1. Horizontally place a yellow 1x2 tile with a sticker on the front row on top of the previous 1x2 plate.

38.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 6 on the yellow 1x2 tile. This sticker has a little white rectangle with a T-Rex on it and the numbers 04 to the right. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

39. Place your part upright on the left-facing side of the build so it is centered. The 4 top-facing studs of this part should align with the studs to the right.

40.1. Let's make a part! Horizontally place a yellow 1x2 plate in front of you.

40.2. Stack 2 black 1x1 round plates on top of each other then place them on the right stud of the previous 1x2 plate.

40.3. Horizontally place a yellow 1x1 sloped curved brick with a 1x1 plate on top so it slopes to the left. There should be no overhang. Then place a yellow 1x1 tile on top of the previous slope bricks. Now repeat the previous steps so you have 2 of these parts in total.

40.4. Horizontally place 1 part upright on the 2 leftmost columns on the front-facing side studs of your previous part so it slopes to the left. Then repeat symmetrically to the back.

Group 9 - Car

41. Vertically place a transparent 2x6 windshield on the 2 leftmost columns so it is centered vertically and slopes to the left. Then vertically place a transparent red 1x2 plate on top of the windshield so it is centered vertically.

42. Rotate your build 180 degrees so the windshield faces the right. Now horizontally place a transparent 1x2x2 panel on the front and back rows to the left of the windshield so the walls face outwards. Then place a dark red 1x1 tile to the left of each of the previous panels.

43. Horizontally place a black 2x3 angled plate on the rightmost column in front of the 1x2 plate. Make sure it is horizontal and the angled side is in the back so the short end faces the left. Then repeat symmetrically to the back.

44. Vertically place a dark red 1x6 tile on the rightmost column so there is no overhang. Then place a dark red 1x1 tile to the left of the previous tile on the front and back rows.

45. Let's make a part! Horizontally place a lime green 2x6 plate in front of you. Vertically place a black 2x3 plate on top so it is centered and overhangs 1 row to the front.

You will have 2 extra transparent 1x1 slope tiles. Save them for later.

Group 10 - Car

46. Vertically place a black 1x2 plate to the left and right of the 2x3 plate so there is no overhang. Then place a transparent orange 1x1 slope tile on the front row of the leftmost and rightmost columns so they slope outwards to the left and right. Now place a transparent 1x1 slope tile from group 8 behind each of the previous slope tiles so they slope outwards to the left and right.

47. Horizontally place 2 lime green 1x2 grill tiles, 1 to the right of the other, on the back row so they are centered horizontally. Then horizontally place a yellow 1x4 tile with 2 studs in front so it is centered horizontally.

48. Place 2 yellow 1x1 plates with 2 side studs underneath the front row so the side studs face left and right.

49. Horizontally place a yellow 1x2 brick on the front row between the 2 previous plates with side studs. Then horizontally place a black 1x2 plate on top so there is no overhang.

50. Place 2 transparent 1x1 round plates on top of the previous 1x2 plate.

51. Now horizontally place your part on the left-facing side studs of the main build so it is centered. Make sure the extended part is at the bottom.

Group 11 - Car

52.1. Let's make a part! Horizontally place a yellow 1x2 plate in front of you.

52.2. Stack 2 black 1x1 round plates on top of each other then place them on the right stud of the previous 1x2 plate.

52.3. Horizontally place a yellow 1x1 slope brick with a 1x1 plate on top so it slopes to the left. There should be no overhang. Then place a yellow 1x1 tile on top of the previous slope brick. Now repeat the previous steps so you have 2 of these parts in total.

52.4. Horizontally place 1 part upright on the 2 leftmost columns on the front-facing side studs of your previous part so it slopes to the left. Then repeat symmetrically to the back.

53. Vertically place a yellow 1x2 brick on the 3rd column from the left so it is centered vertically. It should sit to the left of a 2x4 brick.

54.1. Vertically place a lime green 4x6 car hood on top of the leftmost side so there is no overhang and it slopes to the left.

Group 12 - Car

55.1. Let's make a part! Horizontally place a black rectangular bar with 4 studs in front of you. Then place 1 transparent 1x1 round plate on the back row on top of each of the studs.

55.2. Then vertically place 2 black 1x1 round plates with a bar on the front row, 1 on each of the studs so the bars face the back.

55.3. Vertically place a black 1x1 round plate with a bar on top of each of the previous plates with a bar so the bars face the front.

55.4. Horizontally attach your part on the 2 left-facing side studs that are below the grill tiles so the bars go down and sit to the left and right of a 1x2 set of studs.

56. Let's make a part! Horizontally place a black bar with a stop in the middle in front of you. Then attach a black bent skeleton hand to the left and right sides of the bar so the bend faces the back. This piece is a bent piece with a clip on either end. Now repeat these steps so you have 2 parts in total. Now attach the

clips to the front-facing bar of your previous part that is on the leftmost column so it bends to the right. The bar with a stop in the middle should sit to the right. Then repeat symmetrically to the back.

57.1. Let's make a part! Horizontally place a dark red 1x6 plate in front of you.

57.2. Horizontally place 2 lime green 1x2 grill tiles on top of the previous plate so together they are centered horizontally.

57.3. Place a dark red 1x1 tile on the rightmost column to the right of the grill tiles. Then horizontally place a dark red 1x1 plate with a double-sided stud on the leftmost column so the double-sided stud is on the left. Now attach a transparent 1x1 round plate upright to the front of the double-sided stud.

57.4. Now vertically place your part to the right of the 4x6 car hood so it is centered vertically and the double-sided stud is in the back.

58.1. Let's make a part! Horizontally place a dark red 2x6 plate in front of you.

58.2. Horizontally place a transparent 3x6 windshield on top so it slopes to the back and overhangs to the front.

58.3. Place a black 1x1 plate with a side stud underneath the overhang on each side so the side stud faces outwards to the left and right.

58.4. Place a black 1x1 slope tile on the left-facing and right-facing side studs so they slope to the back.

58.5. Now vertically place your part to the right of the previous part you placed so it is centered vertically and slopes to the left.

59. Let's make a part! Horizontally place a dark red 2x6 plate in front of you.

60. Vertically place a black 2x3 plate on top so it is centered horizontally and overhangs 1 row to the front.

61. Horizontally place a dark red 1x6 plate underneath the overhang so it is centered horizontally.

62. Horizontally place a dark grey 1x2 plate with 4 side studs on the back row so it is centered horizontally and the side studs face the back. Now horizontally place 2 black 1x2 grill tiles on the back-facing side studs so there is no overhang.

63. Place a dark grey 2x2 plate in front of the previous 1x2 plate with 4 side studs so it is centered horizontally.

64. Vertically place 2 dark red 2x3 slope bricks on the leftmost and rightmost columns so they slope outwards.

Group 13 - Car

65. Horizontally place a dark red 1x2 jumper plate on the front row so it is centered horizontally. Then place a dark red 2x2 tile behind it so it is also centered horizontally.

66. Place 3 transparent 1x1 slope tiles on the front row so they slope to the back.

67.1. Put this part aside while we make another part! Horizontally place a dark red 6x8 plate with 2 clips and a 4x6 gap in front of you so the clips are on the left.

67.2. Now place a transparent 6x6 windshield on the leftmost column so there is no overhang and it slopes to the left.

68. Vertically place your previous part to the right of the windshield so it is centered vertically and the 3 slope tiles face the left.

69. Now horizontally place your part on top of the windshield and 2 studs on the right side so it is centered vertically. Make sure the windshield of your part is on the left.

70. Place 4 yellow 2x2 round tiles printed with 5 black triangles upright on the side of 4 black wheels, 1 in each of them. Now attach your wheels to the front-facing and back-facing pins so the tiles face outwards.

Building Instructions (Bag 3, Book 1):

Group 14 - Ian Malcolm

Sub-build 2. Locate 1 black pair of legs, 1 torso printed with a v-neck shirt, 1 tan head printed with a smile and glasses on his face, 1 black hair, and 1 dark grey shovel. Assemble your minifigure and put the shovel in his hand!

Group 15 - Dinosaur Poop

1. Horizontally place a tan 4x6 plate in front of you.

2. Horizontally place a brown 2x6 plate on top of it so it is centered.

3. Place a light green 2x2 tile on the front row so it is centered horizontally and overhangs to the front. Then repeat symmetrically to the back.

4. Horizontally place a tan 2x6 plate with a rounded side underneath the front overhang so it is centered horizontally and the rounded side faces the front. Then repeat symmetrically to the back.

5. Place a light green 2x2 plate with a missing corner to the left of the front 2x2 tile so the missing corner faces the front left. Repeat symmetrically to the right. Then repeat both parts symmetrically to the back.

6. Horizontally place 2 brown 1x2 plates with 2x2 side studs, 1 in front of the other, in between the 2 light green 2x2 tiles so the side studs face front and back.

7. Place a dark tan 2x2 plate on top of the 2 previous 1x2 plates with side studs so there is no overhang.

8.1. Let's make a part! Place a dark tan 2x2 plate in front of you.

8.2. Place a light brown 1x1 round plate in the back left corner of the 2x2 plate. Then vertically place a brown 1x2 slope brick to the right so it slopes to the front.

8.3. Then vertically place a brown 1x2 sloped curved tile on the left column so there is no overhang and it slopes to the front. Now repeat the previous steps so you have 2 of these parts in total.

8.4. Place 1 part upright on the front-facing 2x2 studs so it slopes up. Then repeat symmetrically to the back.

9. Vertically place 2 brown 1x2x2 slope bricks on the 2nd column from the left so they are centered vertically and they slope outwards to the front and back. Then repeat symmetrically to the right.

10. Vertically place a dark brown 1x2 slope tile on top of the left 2 previous slope bricks so it slopes to the left. Then vertically place another 1 to the left so it is centered vertically and slopes to the left. Now repeat both parts symmetrically to the right.

11. Place a dark green 1x1 plate with 3 leaves behind the leftmost 1x2 slope tile so the leaves face the back left. Then place another 1 in front of the rightmost 1x2 slope tile so the leaves face the front right.

12. Place a light green 1x1 round plant with 3 stems in each of the previous leaf plates.

13. Place a purple pair of cherries inside the middle 2x2 gap.

14.1. Let's make a part! Place a dark tan 2x2 plate in front of you.

14.2. Place a light brown 1x1 round plate in the back left and front right corner of the previous plate.

14.3. Horizontally place a brown 1x2 slope brick in the front left corner of the plate so it slopes and overhangs to the left. Then horizontally place another 1 in the back right corner so it slopes and overhangs to the right

14.4. Horizontally place a brown 1x2 sloped curved tile in the front right corner on top of the 1x1 round plate so it slopes and overhangs to the right. Then horizontally place another 1 in the back left corner so it sits on the 1x1 round plate and slopes to the left.

14.5. Place a brown 1x1 slope tile on top of the back 1x2 slope brick so it slopes to the right. Then place a brown frog on the front 1x2 slope brick so it faces the right.

14.6. Vertically place your part on top of the 2x2 gap so it is centered.

Thank you so much for building this set!

Visit bricksfortheblind.org for more accessible instructions, sign up for our newsletter, and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We also love seeing your completed builds, so please tag our [Facebook](#) and [Instagram](#) accounts in any photos of your builds so we can share your accomplishments with our Bricks for the Blind community.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 4 LEGO Jurassic Theme kits:

76957 Velociraptor Escape

76958 Dilophosaurus Ambush

76959 Triceratops Research

76960 Brachiosaurus Discovery