

## **76965 Dinosaur Missions: Stegosaurus Discovery**

Adapted by John Le and tested by Jolene Nemeth

Creative dinosaur adventures await fans aged 6+ in this Dinosaur Missions: Stegosaurus Discovery (76965) set, a cool present full of role-play fun. After building the LEGO® Jurassic World dinosaur playset, kids get to create endless stories using the molded Stegosaurus toy figure with movable legs, a small Velociraptor toy figure, and Ben and Sammy minifigures. There's also a tree with a lookout and 2 detachable sections, plus an off-road vehicle with a 2-minifigure cab, removable roof, opening back, movable bed, and multiple storage areas for small story starter elements. Also included is a small connectable trailer with a movable satellite dish, microscope, and screens, plus much more.

Stegosaurus toy set – Treat dinosaur fans aged 6 and up with this detailed Dinosaur Missions: Stegosaurus Discovery set, made to meet kids' passions for adventure toys, animals, and fun stories.

Creative adventure toy – Features a molded LEGO® Stegosaurus with movable legs, a small Velociraptor figure, and Ben and Sammy minifigures to spark role-play and stories.

Details for stories – The detailed Jurassic World dinosaur toy includes a tree with a lookout stand and 2 detachable sections, plus an off-roader with a 2-minifigure cab, an opening back, and a trailer.

Dimensions – This 420-piece set includes a Stegosaurus toy figure that measures over 4 in. (11 cm) high, 8.5 in. (22 cm) long and 2 in. (5 cm) wide.

The front of the box shows a red truck parked in the background. To the right, there is a large tree with a lookout stand which a person is on top taking pictures of a stegosaurus! In front, there is a fire stand with a log as a chair and a bunch of stegosaurus eggs surrounded by leaves. There is also a trailer with radar equipment and another person holding a carrot trying to feed the stegosaurus! Hopefully, she doesn't get eaten!

The back of the box shows the stegosaurus eating leaves from the tree hideout. To the right, the trailer is attached to the truck, and the truck's back can open up to go inside. In the front, 2 people are sitting around a campfire roasting a carrot. They have to be careful though because a velociraptor is going to steal their carrot!

The top of the box shows 2 minifigures standing next to dinosaur eggs surrounded by leaves. There is also a velociraptor nearby trying to steal the eggs!

The build is 420 pieces in total and is for ages 6+.

Bag 1 includes the pieces for the stegosaurus, a minifigure, and part of the car.

Bag 2 includes the pieces for another minifigure and the rest of the car.

Bag 3 includes the pieces for the trailer, eggs, and campfire.

Bag 4 includes the pieces for the tree hideout.

Welcome to text-based instructions from Bricks for the Blind. Before you start building,

here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/76965>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 4 bags labeled 1, 2, 3, and 4, 2 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the

builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Minifigure, Stegosaurus, and Car

Group 1 - Pages 6-7.

Group 2 - Steps 1-7 and 2 red 1x8 plates from Step 8.

Group 3 - Rest of Step 8, Steps 9-21 and 1 dark grey 1x4 plate and 1 dark red 1x2 plate from Step 22.

Group 4 - Rest of Step 22 and Steps 23-30.

Group 5 - Steps 31-33 and 1 dark grey 1x4 plate from Step 34.

Group 6 - Rest of Step 34 and Steps 35-40

Group 7 - Steps 41-47.

Bag 2 - Minifigure and Car

Group 8 - Page 53.

Group 9 - Steps 48-62.

Group 10 - Steps 63-69.

Group 11 - Step 70.

Group 12 - Steps 71-72.

Group 13 - Steps 73-88.

Bag 3 - Trailer, Eggs, and Campfire

Group 14 - Steps 1-11.

Group 15 - 1 transparent green 1x1 tile from Step 12.

Group 16 - Rest of Step 12, Steps 13-16, and 1 white 2x2 tile with a stud from Step 17.

Group 17 - Rest of Step 17 and Steps 18-24.

Group 18 - Steps 1-13. (Pages 17-23).

Group 19 - Steps 1-13. (Pages 24-30).

Bag 4 - Tree Hideout

Group 20 - Steps 1-13.

Group 21 - Steps 14-15.

Group 22 - Steps 16-21.

Group 23 - Steps 22-30.

Group 24- Steps 31-34.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Minifigure and Stegosaurus

Sub-build 1. Locate 1 light blue pair of legs, 1 torso printed with an orange shirt, a light green jacket, and a plaid fanny pack, 1 light tan head printed with a cute smile, and 1 dark grey beanie. Assemble your minifigure and put him in front of you!

Sub-build 2. Insert a light green stem into an orange carrot. Then attach the clip of a tan clip with a bar hole to the stem. Now insert a tan bar into the bar hole. Now attach the bar to your minifigure's hand so he can feed dinosaurs the carrot!

Sub-build 3. Horizontally place a large dark green, brown, and tan stegosaurus body in front of you so the face faces the left. Now locate 2 dark green front legs that have a gradual curve. Insert them into the pin holes that are in the front left and back left of the body. Now locate 2 dark green back legs that have a sharp inward curve. Insert these into the front right and back right pin holes of the body. Now put everything away while we build the car!

#### Group 2 - Car

1. Vertically place a dark red 1x2 plate in front of you. Then place a black 2x2 plate with a socket on top so the socket faces the right and the plate overhangs 1 column to the left.
2. Horizontally place the rightmost column of a dark grey 2x16 plate underneath the left column of the previous piece.
3. Vertically place a dark grey 2x4 plate with 2 pins to the left of the 2x2 plate with a socket so it is centered vertically.
4. Vertically place a white 1x4 plate with inverted sloped sides to the left of the previous plate so it is centered vertically.
- 5.1. Let's make a part! Horizontally place a black 1x8 plate with a rail in front of you so the rail faces the front.
- 5.2. Vertically place a light grey 4x6 plate on the 4 rightmost columns so it overhangs 5 rows to the back. Then horizontally place a black 1x8 plate with a rail underneath the back row of the previous plate so the rail faces the back and there are 4 exposed columns to the left.
- 5.3. Vertically place a light grey 4x6 plate to the left of the previous 4x6 plate so it is centered vertically.
- 5.4. Horizontally place your part to the left of the previous 1x4 plate with inverted sloped sides so it is centered vertically.
6. Vertically place a white 1x4 plate with inverted sloped sides to the left of the previous part so it is centered vertically. Then vertically place a dark grey 2x4 plate with 2 pins to the left so it is centered vertically.
7. Horizontally place a black 2x8 plate on the rightmost column so it is centered vertically and there is no overhang. Then horizontally place another 1 to the left.

You will have 2 extra red 1x8 plates. Save them for later.

#### Group 3 - Car

8. Horizontally place a red 1x8 plate from group 2 on the 2nd row from the front in between the 2 sloped sides from the 1x4 plates. Then repeat symmetrically to the back. Now place a dark tan 1x8 plate on the front row in front of the previous 1x8 plate. Then repeat symmetrically to the back.

9. Horizontally place a dark red 1x2 plate on the front row of the 2x4 plate with 2 pins to the left of the sloped side from the left 1x4 plate. Then repeat symmetrically to the back. Now repeat both parts symmetrically to the right.

10. Vertically place a white 2x4 plate on the 2nd and 3rd columns from the right so it is centered vertically. Then vertically place a dark grey 1x4 plate to the left so it is centered vertically.

11. Place 2 black 1x1 plates connected to a double-sided stud on the rightmost column so the double-sided studs face front and back.

12. Place 2 red 2x2 corner plates on the rightmost column. The front one should look like the braille letter f and the back one should look like the braille letter h. Then vertically place a dark red 1x2 plate to the left so it is centered vertically.

13.1. Let's make a part! Horizontally place a light grey 1x1 sloped curved brick connected to a 1x1 plate in front of you so the plate faces the left. Then place a light grey 1x1 tile on top. Now repeat this step so you end up with 2 parts in total.

13.2. Horizontally place 1 part upright on the front right-facing double-sided stud so the curve faces the front. Make sure the double-sided stud connects to the 1x1 plate part. Now repeat symmetrically to the back.

14. Vertically place a dark red 1x6 tile on the rightmost column so it is centered vertically. Then vertically place a dark red 1x6 plate with inverted sloped sides to the left so it is also centered vertically.

15. Place a white 2x2 sloped curved tile to the left of the previous plate so it is centered vertically and slopes to the left.

16. Vertically place a white 1x2 tile to the left of the previous tile so it is centered vertically. Then horizontally place a white 2x4 tile to the left so it is also centered vertically.

17. Horizontally place a dark grey 1x4 plate in front of and behind the previous 2x4 tile. Then vertically place a white 2x4 plate to the left so it is centered vertically.

18. Place a transparent 1x1 slope tile on the right column of the previous 2x4 plate on the 2nd stud from the front, so it slopes to the right. Then place another 1 behind it so it slopes to the front.

19. Horizontally place a dark tan 2x2 brick with an arch on the front row in front of the 2x2 sloped curved tile that is on the right so the arch faces the front. Then repeat symmetrically to the back.

20. Vertically place a light blue 1x4 brick on the left column of the 2x4 plate so it is centered vertically and sits to the left of the 2 1x1 slope tiles. Then horizontally place a light blue 1x4 brick to the right of the front row of the previous brick. Then horizontally place a light blue 1x2 brick to the right. Now repeat both parts symmetrically to the back.

21. Vertically place a tan 2x4 brick to the left of the previous vertical 1x4 brick so it is centered vertically.

22.1. Let's make a part! Horizontally place a dark red 1x2 plate in front of you. Horizontally place a dark grey 1x4 plate on top so it is centered horizontally.

#### Group 4 - Car

22.2. Horizontally place a tan 1x4 plate on top of your previous plate so it is centered. Now vertically place your part to the left of the previous 2x4 brick so it is centered vertically.

23. Vertically place a white 1x4 brick with 4 side studs on the leftmost column so it is centered vertically and the side studs face the left. Then vertically place a white 2x4 plate to the right so it is also centered vertically.

24. Horizontally place a dark red 1x2 inverted sloped brick on the front row to the left of the 2x2 brick with an arch so it slopes to the right. Then horizontally place a dark red 1x6 brick to the left. Now place a dark red 1x2 inverted slope brick to the left so it slopes to the left. Now repeat everything symmetrically to the back.

25. Horizontally place a white 1x2 sloped curved tile on the 2nd row from the front on the rightmost column so it slopes to the right. It should sit to the left of the 1x6 tile. Now horizontally place a white 1x6 tile to the left. Now repeat both parts symmetrically to the back. Place a white 2x2 curved tile to the left of the previous front 1x6 tile so the outer curve faces the front left. Then repeat symmetrically to the back.

26. Horizontally place a dark red 1x2 plate on the front row of the front 2x2 brick with an arch. Then repeat symmetrically to the back.

27. Horizontally place a dark red 1x3 plate on top of the previous front 1x2 plate so there is no overhang. Then repeat symmetrically to the back.

28. Horizontally place a dark red 1x6 brick on the front row to the left of the previous 1x3 plate. Then place a dark red 1x1 brick to the left of the previous 1x6 brick. Now repeat both parts symmetrically to the back.

29. Horizontally place a dark red 1x3 panel on the front row to the left of the previous 1x1 brick so the wall faces the front. Then repeat symmetrically to the back. Now vertically place 2 black 1x2 tiles with an overhead bar, 1 in front of the other, in between the right column of the 2 previous panels so the bars face the right.

30. Vertically place 4 light brown 1x2 jumper plates to the left of the previous 1x2 tiles with an overhead bar so they sit in between the 1x3 panels.

31. Vertically place a dark grey 1x4 plate on the leftmost column so it is centered vertically. Then place a pink 2x2 round brick to the right so it is centered vertically.

32. Place a dark tan 2x2 brick with an arch in front of the previous 2x2 round brick so the arch faces the front. Then repeat symmetrically to the back.

33.1. Let's make a part! Horizontally place a dark red 2x6 plate in front of you. Then horizontally place a dark grey 1x4 plate on the back row so it is centered horizontally.

33.2. Horizontally place a black 1x2 steering wheel in front of the 2 leftmost columns of the previous 1x4 plate so the steering wheel faces the front. Then horizontally place a light grey 1x2 slope tile printed with speedometers to the right so it slopes to the front. Now vertically place your part on top of the previous 2x2 bricks with arches so the steering wheel faces the right.

You will have an extra dark grey 1x4 plate. Save it for later.

#### Group 6 - Car

34.1. Horizontally place a dark red 1x6 plate with inverted sloped sides in front of you. Then horizontally place a dark grey 1x4 plate from group 5 on top so it is centered horizontally.

34.2. Horizontally place a tan 1x4 plate on top of the previous 1x4 plate. Now vertically place your part on the leftmost column so it is centered vertically.

35. Place a dark red 3x3 corner plate on the front left corner so there is no overhang. Then repeat symmetrically to the back. The front plate should look like the braille letter h and the back one should look like the braille letter f.

36. Let's make a part! Horizontally place a dark grey 2x6 plate with 4 side studs in front of you so the side studs face the back. Then horizontally place a silver 1x2 grill tile on the right 2 columns of the raised 1x4 stud area.

37. Horizontally place another silver 1x2 grill tile to the left of the previous 1x2 grill tile. Then place a transparent 1x1 slope tile in the back left corner so it slopes to the left. Then repeat symmetrically to the right.

38. Horizontally place a white 2x4 plate on the front row so it is centered horizontally and overhangs to the front.

39. Horizontally place a dark red 1x2 plate on the back row of the previous 2x4 plate so it is centered horizontally. Then horizontally place a dark red 1x2 sloped curved tile to the left and right so they slope outwards.

40. Horizontally place a light grey 1x6 plate underneath the front overhang so it is centered horizontally.

#### Group 7 - Car

41. Place a light grey 1x1 slope tile in the front left and front right corner so they slope to the left and right outwards.

42. Horizontally place a light grey 1x4 tile with 2 studs on the front row in between the 2 previous 1x1 slope tiles.

43. Horizontally place your part upright on the left-facing side studs so the 4 side studs of your part face upwards and align with the studs to the right. Make sure there is no overhang in the front and back.

44. Vertically place 2 red 2x3 plates, 1 in front of the other, on the 2nd and 3rd columns from the left so there is no overhang. Then place a black 1x1 plate with a side stud to the right of the previous 2x3 plate so the side stud faces the front. Then repeat symmetrically to the back.

45. Place 2 red 2x2 sloped curved tiles on the 2 leftmost columns, 1 in front of the other, so together they are centered vertically. Then horizontally place a red 1x2 angled sloped curved tile in front of and behind the 2 previous tiles so they slope to the left. Make sure the angled part in the front tile faces the front, and the back one faces the back. There are 2 orientations to this tile so make sure they are in the right place.

46. Vertically place a dark red 1x2 plate to the right of the previous tiles so it is centered vertically. Then place a red 2x2 corner plate in front of and behind the previous 1x2 plate. The front one should look like the braille letter h and the back one should look like the braille letter f.

47. Place a black 1x1 slope tile upright on the front-facing side stud of the 1x1 plate so it slopes to the left. Then repeat symmetrically to the back.

Building Instructions (Bag 2, Book 1):

#### Group 8 - Minifigure

Sub-build 3. Locate a dark blue pair of legs, 1 torso with a light blue jacket with pockets and a red undershirt, 1 tan head printed with red lipstick and eyelashes, 1 black hair, and 1 magnifying glass. Assemble your minifigure and put the magnifying glass in her hand.

Sub-build 4. Locate 1 black camera and 1 transparent 1x1 round plate. Place the plate on the camera then attach it to her hand! Now put everything away while we build the rest of the car!

#### Group 9 - Car

48.1. Let's make a part! Horizontally place a black rectangular bar with 4 studs in front of you.

48.2. Let's make another part! Horizontally place a black bar with a stop in the middle in front of you. Then attach a black bent skeleton hand to the left and right sides of the bar so the bend faces the back. This piece is a bent piece with a clip on either end. Now repeat these steps so you have 2 parts in total. Now, attach the clips to the left and right bars of the rectangular bar so they bend to the left and right.

49. Now horizontally attach your part upright to the lower 2 studs of the left-facing side, Then push the front bar with a stop to the right so it curves around the car. Then repeat symmetrically to the back.

50. Let's make a part! Horizontally place a light brown 4x8 plate in front of you. Then vertically place a tan 1x4 tile on the rightmost column so there is no overhang.

51. Vertically place a tan 2x4 tile with 2 studs to the left so there is no overhang. Then place a tan 2x2 tile on the front 2 rows to the left of the previous tile.

52. Horizontally place a tan 2x4 tile with 2 studs to the left of the previous 2x2 tile so it overhangs 1 column to the left. Then horizontally place a blue 2x6 plate on the back 2 rows so it overhangs 1 column to the left.



53. Vertically place 2 light brown 1x2 plates with a bar on the long side, 1 in front of the other, underneath the leftmost overhang so the bars face the left.

54. Vertically place a white 1x2 slope tile on the rightmost column of the 2x6 plate so it slopes to the left. Then place a white 2x2 tile printed with a tan and blue treasure map to the right.

55. Place a brown 1x1 cone brick on the left stud of the front left 2x4 tile. Then place a brown 2x2 round tile with a stud on top.

56. Rotate your part 180 degrees so the 2x2 round tile you just placed is in the back right corner. Now horizontally place your part to the right of the 2 black 1x2 tiles with an overhead bar so it is centered vertically.

57. Horizontally place a red 1x10 plate on the front row in front of your previous part so there is no overhang. Then repeat symmetrically to the back.

58. Horizontally place a red 1x10 plate on top of each of the previous 1x10 plates so there is no overhang.

59.1. Horizontally place a dark red 1x4x2 panel with a sticker in front of you so the wall faces the back.

59.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the dark red 1x4x2 panel. It is a sticker of a corkboard with a bunch of papers and post-it notes hung up with red string connecting them all. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

59.3. Horizontally place your part on the back row so it sits on the 4 rightmost columns of the previous 1x10 plate and the wall faces the back.

60.1. Horizontally place a dark red 1x4x2 panel with a sticker in front of you so the wall faces the back.

60.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the dark red 1x4x2 panel. It is a sticker of a corkboard with a bunch of papers and post-it notes hung up with red string connecting them all. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

60.3. Horizontally place your part on the front row so it sits on the 4 rightmost columns of the previous 1x10 plate and the wall faces the front.

61.1. Horizontally place 2 dark red 1x4x2 panels with a sticker in front of you so the wall faces the back.

61.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the 2 dark red 1x4x2 panels. It is a sticker of 2 brown cabinets. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

61.3. Horizontally place your part on the front row so it sits to the left of the previous 1x4x2 panel on the 1x10 plate and the wall faces the front. Then repeat symmetrically to the back.

62. Vertically place 2 dark red 1x8 arch bricks, 1 to the left of the other, to the left of the 2 previous panels so they are centered vertically.

#### Group 10 - Car

63. Vertically place a black 2x4 plate on top of the 2 previous 1x8 arch bricks so it is centered vertically. Then horizontally place a black 1x10 plate behind the previous 2x4 plate so there is no overhang.

64. Horizontally place a black 1x3 plate in front of the previous 2x4 plate so there is no overhang. Then horizontally place a black 1x2 plate with a bar on the long side to the right so the bar faces the front. Then horizontally place a black 1x5 plate to the right.

65. Horizontally place a white 1x2 slope tile on the rightmost column of the previous 1x5 plate so it slopes to the front. Then horizontally place a white 1x4 tile with 2 studs to the left so there is 1 free column in between. Now repeat both parts symmetrically to the back.

66. Horizontally place a black 1x6 curved bar with 4 studs above the 1x4 tile on the front row so it attaches to the studs that are to the left and right. Then repeat symmetrically to the back.

67. Vertically place 2 white 1x2 plates with a clip to the left so together they are centered vertically and the clips face the right. Then vertically place 2 light grey 1x2 plates with a rail to the left so together they are centered vertically and the rails face the left.

68. Horizontally place a white 2x2 tile on top of the previous plates so it is centered vertically. Then place a white 2x2 sloped curved tile in front of and behind the previous tile so they slope outward to the front and back.

69. Vertically place a transparent black 2x6 windshield on the leftmost stud column so it slopes to the left.

#### Group 11 - Car

70. Vertically place a black 1x4 tile with 2 studs on top of the windshield so it is centered vertically. Then place a black 1x1 quarter tile in front of the previous tile so the curve faces the front left. Then repeat symmetrically to the back.

#### Group 12 - Car

71.1. Let's make a part! Vertically place a white 4x6 car hood in front of you so the studs face the right. Then vertically place a black 1x2 plate with 2 side studs on top of the back 2 studs so the side studs face the left.

71.2. Vertically place a black 1x2 plate with 2 side studs in front of the previous plate so the side studs face the left.

71.3. Vertically place a white 1x4 tile with 2 studs on top so there is no overhang.

71.4. Place 4 transparent 1x1 round plates upright onto the 4 left-facing side studs.

71.5. Vertically place your part on top of the windshield so there is no overhang to the left.

72.1. Let's make a part! Horizontally place a light grey 4x6 plate in front of you. Vertically place a black 1x2 plate with a bar in the back right corner so the bar faces the right.

72.2. Vertically place a black 1x2 plate with a bar on the long side in front of the previous plate so the bar faces the right. Now repeat the two previous steps symmetrically to the left.

72.3. Place a tan 4x4 plate in between the 4 previous plates with bars so there is no overhang.

72.4. Place 2 white 2x2 tiles, 1 in front of the other, on the 2 leftmost columns. Then repeat symmetrically to the right.

72.5. Vertically place 2 white 1x4 tiles with 2 studs, 1 to the right of the other, in between the previous tiles so there is no overhang.

72.6. Horizontally attach the left-facing bars of your part to the right-facing clips that are to the right of the previous car hood that you placed.

#### Group 13 - Car

73. Let's make a part! Horizontally place a dark red 1x6 brick with a sticker in front of you.

74. Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the dark red 1x6 brick. It is a sticker of different stickers on a dark red background. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

75. Horizontally place a red 1x6 plate on top of the previous brick so there is no overhang.

76. Horizontally place a red 1x4 plate on top of the previous plate so it is centered horizontally.

77. Place a black 1x1 plate with a side stud on the leftmost column so the side stud faces the front. Then repeat symmetrically to the right.

78. Horizontally place a dark red 1x2 brick on the 2 leftmost columns. Then repeat symmetrically to the right. Now horizontally place a black 1x2 brick with a pin in between the 2 previous bricks so the pin faces the front.

79. Horizontally place a dark red 1x6 brick on top so there is no overhang.

80. Horizontally place 2 black 1x3 plates next to each other on top so there is no overhang.

81. Attach a transparent red 1x1 tile to each of the front-facing side studs.

82. Horizontally place 2 white 1x2 plates with a clip on the long side, next to each other on top so together they are centered and the clips face the back.

83. Horizontally place a white 1x2 tile on top so it is centered horizontally. Then horizontally place a white 1x2 sloped curved tile to the left and right so they slope outwards.

84. Vertically attach the clips of your part to the right-facing bars of the previous part. This part should sit on the rightmost column!

85. Make sure to rotate your part down so it is upright!

86. Insert 5 light grey wheels into 5 black wheels. Insert a wheel into the right-facing pin so the indented side faces outwards. Then insert the rest of the wheels into the front-facing and back-facing pins so the indented side faces outwards!

87. Attach the clips of a black ladder to the front-facing bar so the ladder hangs down.

88. Vertically place a light brown 3x4 crate on top of the build so the leftmost column sits on the 2 rightmost studs of the 1x4 tile. Then vertically place a black 3x4 tile with 4 studs on top of the crate. Now place a light orange 2x2 container on the back stud to the left of the crate so the back right corner of the container connects to the stud. Then place a dark tan 2x2 tile with a stud on top of the container. Now put your car away while we build the trailer!

Building Instructions (Bag 3, Book 2):

Group 14 - Trailer

1. Horizontally place a light grey 2x6 plate in front of you. Then vertically place a dark tan 2x4 plate with 2 pins on the 2 rightmost columns so it is centered vertically.

2. Place a dark grey 2x2 plate to the left of the previous plate so there is no overhang. Then vertically place a dark grey 2x4 plate with 2 pins to the left so it is centered vertically.

3. Horizontally place a dark red 4x6 plate on top so it is centered.

4. Vertically place 2 dark grey 1x2 grill tiles on the rightmost column so there is no overhang. Then horizontally place 2 dark grey 1x2 grill tiles on the back row to the left of the previous grill tiles. Now repeat symmetrically to the front.

5. Place 2 tan 2x2 tiles with 2 studs in between the grill tiles so the studs face the right. Then horizontally attach a black trailer hitch to the leftmost column so it is centered vertically. The ball should face the left.

6. Vertically place a dark red 1x4 sloped curved tile on the leftmost column so there is no overhang.

7. Let's make a part! Vertically place a white 1x4 plate in front of you. Then place a light blue 2x2 tile with a stud on top so it is centered vertically and overhangs to the left.

8. Vertically place a white 2x4 plate underneath the left overhang so it is centered vertically.

9. Place a light blue 1x1 tile on the leftmost column to the left of the front row of the 2x2 tile with a stud. Then place a light grey 1x1 clip behind it so the clip hands are on the front and back,

10. Horizontally place a black 1x2 plate with 2 side studs in the front left corner so the side studs face the front and there is no overhang. Then repeat symmetrically to the back.

11. Place a light blue 1x1 tile in the front left corner. Then repeat symmetrically to the back. Now horizontally place a light blue 1x2 sloped curved tile to the right of each of the previous tiles so they slope to the right.

Group 15 - Trailer

12.1. Place a transparent green 1x1 tile upright onto the left front-facing side stud.

Group 16 - Trailer

12.2. Place a transparent red 1x1 tile upright onto the right front-facing stud. Then horizontally place a light grey 1x2 tile printed with a joystick and buttons upright on the back-facing side studs.

13. Vertically place your part onto the right side of the trailer so it is centered vertically and there is no overhang.

14.1. Let's make a part! Place a light grey 3x3 dish in front of you. Then place a light grey 1x1 clip on top so the clip hands face the front and back.

14.2. Horizontally attach the long end of a light grey L-shaped bar so the bar sits to the left and the short end faces the back.

14.3. Flip your part over so it is horizontal and the short end of the bar is on the right and faces the back. Now attach a dark grey 1x1 cone brick to the bottom of the dish.

14.4. Attach the short end of the bar to the clip on your trailer so the dish is upright and the cone brick faces the right.

15. Let's make a part! Horizontally place a white 2x4 plate in front of you. Then vertically place a dark grey 1x2 plate with a bar on the long side on the rightmost column so the bar faces the right.

16. Place a dark grey 2x2 plate to the left of the previous plate so there is no overhang. Then vertically place a dark grey 1x2 plate with a bar on the long side on the leftmost column so the bar faces the left.

17.1. Place a white 2x2 tile with a stud on the 2 rightmost columns so there is no overhang.

Group 17 - Trailer

17.2. Place a light blue 2x2 tile with a stud on the 2 leftmost columns so there is no overhang.

18. Attach a black 2x2 panel with a clip and a sticker upright to the middle of the left-facing bar so the panel faces the left.

19. Skip this step if you have already placed your sticker! Ask a helper to place sticker 6 on the black 2x2 panel with a clip. It is a sticker of a light green background with a dark green stegosaurus in the middle. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

20. Place a white 1x1 round tile with a bar on the left stud. Then place a transparent light orange 1x1 round tile on the right stud.

21. Insert a white bar hole with a clip into the bar of your left previous tile so the clip hands face the left and right.

22.1. Let's make a part! Horizontally place a white 1x2 plate with a bar on the short side in front of you so the bar faces the left. Then place a transparent 1x1 plate with a clip on the right stud so the clip faces the front.

22.2. Horizontally place a light blue 1x2 sloped curved tile on top so it slopes to the left and there is no overhang. Then attach the bar of a white 1x1 round tile to the front-facing clip so the anti-stud faces the right.

22.3. Now horizontally attach the left-facing bar of your part to the clip on your previous part.

23. Now vertically place your part on the trailer so it sits to the left of your previous part and so the sticker on the 2x2 panel faces the back.

24. Insert 4 light grey wheels into 4 black tires. Now attach the wheels to the front-facing and back-facing pins! Now put this aside while we build the egg habitat.

#### Group 18 - Egg Habitat

1. Place a green 6x6 round plate in front of you.

2. Horizontally place a brown 2x4 tile with 2 studs on top so it is centered.

3. Vertically place a brown 1x2 rounded plate to the left of the previous tile. Then horizontally place another 1 in front of the left 2 columns of the 2x4 tile. Now place a brown 1x1 brick with a clip on the back stud of the rightmost column so the clip faces the right.

4. Horizontally place a dark green leaf with a 1x1 round plate in front of the previous brick so the leaf faces the right.

5. Vertically place a dark brown 1x1 tile connected to a 1x1 slope tile on top of the previous leaf plate and brick so it slopes to the front.

6. Vertically place a light green 1x2 leaf plate behind the 2x4 tile so it is centered horizontally and the leaf faces the back. Then place a dark grey 1x1 slope tile to the left so it slopes to the back.

7. Horizontally place a green 1x2 sloped curved tile on the right stud of the previous 1x2 leaf plate so it slopes to the right.

8. Place a light brown 1x4 curved plate in the front left corner so it sits on the 2 brown 1x2 rounded plates. Make sure the curved corner faces the front left. Then place a dark grey 1x1 slope tile in front of the rightmost stud of the previous curved plate so it slopes to the front.

9. Horizontally place a light green 1x2 leaf plate in front of the 2 right columns of the 2x4 tile so the leaf faces the front.

10. Horizontally place a green 1x2 sloped curved tile on top of the left stud of the previous 1x2 leaf plate and the right stud of the 1x4 curved plate so it slopes to the right.

11. Place a white 1x1 quarter tile to the left of the previous tile so the curve faces the back right. Then place another 1 on the back stud of the leftmost column so the curve faces the front right.

12. Place a white egg on top of the right stud of the 2x4 tile. Then place a cracked white egg on top of the left stud of the 2x4 tile.

13. Place a light grey velociraptor baby next to the build! Now put everything away while we build the campfire.

#### Group 19 - Campfire

1. Place a green 6x6 round plate in front of you.

2. Place 2 brown 2x2 plates with 2 side studs, 1 in front of the other, on the 2 rightmost columns so the side studs face front and back. They should each overhang 1 stud to the right.

3. Place a brown 2x2 plate on top of the 2 previous plates so it is centered vertically on them.

4. Vertically place a brown 1x2 brick on the front right corner of the previous 2x2 plates so there is no overhang.

5. Vertically place a brown 1x2 sloped curved brick to the left of the previous brick so it slopes to the left. Then vertically place another 1 behind it so it slopes to the left. Then vertically place 1 to the right so it slopes to the right.

6. Place a brown 2x2 round tile with a stud upright onto the front-facing and back-facing studs so the curve aligns with the sloped curved bricks.

7.1. Place a tan 2x2 round tile with a sticker upright onto the front-facing stud so it is centered.

7.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 8 on the tan 2x2 round tile. It is a sticker of a black circle with 2 yellow eyes. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

8.1. Place a tan 2x2 round tile with a sticker upright onto the back-facing side stud so it is centered.

8.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 7 on the tan 2x2 round tile. It is a sticker of a black circle. Make sure the sticker is placed on correctly and is oriented on

the build correctly, ask a sighted person to check.

9. Place a brown 1x1 brick with a clip on the back row to the left of your previous tile so the clip faces the back. Then place a dark grey 1x1 slope tile in front of it so it slopes to the front.

10. Horizontally place a dark green 1x1 leaf plate to the left of the previous brick so the leaf faces the left.

11. Horizontally place a dark brown 1x1 tile connected to a 1x1 slope tile on top of the previous brick and leaf plate so it slopes to the left.

12. Place a brown 2x2 round tile with a stud on the front two studs of the 2 leftmost columns. It should overhang 1 stud in the front left corner.

13.1. Let's make a part! Place a black 1x1 brick with 4 side studs in front of you. Then place a dark brown 1x1 round brick upright onto the front-facing side stud.

13.2. Place 3 more dark brown 1x1 round bricks upright, 1 onto each of the left-facing, right-facing, and back-facing side studs.

13.3. Insert a transparent orange flame into the top-facing stud so the flame faces the front.

13.4. Now place your part on top of the previous 2x2 round tile with a stud so the flame faces the front.

Now put your build away while we build the tree hideout!

Building Instructions (Bag 4, Book 2):

Group 20 - Tree Hideout

1. Place a green 6x6 quarter circle plate in front of you so the curve faces the front right corner. Vertically place a dark grey 1x2 plate with a bar on the long side in the back right corner so the bar faces the right.

2. Place a dark green 2x2 sloped curved tile on top so it slopes to the left.

3. Horizontally place a dark tan 1x2 plate on the back row to the left of the previous tile. Then horizontally place a brown 2x4 plate on the back 2 rows to the left of the previous plate so it overhangs 2 columns to the left.

4. Place a green 6x6 quarter-circle plate underneath the overhang so it sits in the back right corner of the 6x6 plate and the curve faces the front left.

5. Horizontally place a dark tan 1x2 plate on the back row to the left of the 2x4 plate. Then vertically place a dark grey 1x2 plate with a bar on the long side on the back left corner so the bar faces the left.

6. Place a dark green 2x2 sloped curved tile on top of the previous 1x2 plate with a bar so it slopes to the right.



7. Horizontally place a dark tan 1x2x2 slope brick in front of the left 1x2 plate so it slopes to the left. Then repeat symmetrically to the right.
8. Horizontally place a brown 2x4 plate in front of the previous 2x4 plate. Then place a dark grey 1x1 slope tile on the leftmost column in front of the 2x2 sloped curved tile so it slopes to the front. Then repeat symmetrically to the right.
9. Horizontally place a brown 1x2 slope tile on the front row so it is centered horizontally and slopes to the front. Place a tan 1x1 round plate to the right. Then place a tan 1x1 cone brick to the right.
10. Place a dark brown 1x1 round tile on top of the previous 1x1 round plate and 1x1 cone brick.
- 11.1. Place a tall brown 3x3 tree base behind the left column of the front 1x2 slope tile so surrounds the left side of the 2x4 plate in the back. Then place another 1 with a sticker to the right so it surrounds the right side of the 2x4 plate.
- 11.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 5 on the tall brown 3x3 tree base. It is a sticker of a dark brown heart. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
12. Horizontally place a brown 2x6 plate with a rounded side on the top of the tree bases so it curves to the front and there is no overhang.
13. Horizontally place a dark tan 1x2 plate on the 2nd row from the front on top of the branch of the tree base so there is no overhang.

#### Group 21 - Tree Hideout

14. Place 2 orange 1x1 round plates with 3 leaves next to each other in front of the previous plate so the leaves face the front left and front right.
15. Place a brown 2x2 tile with a stud on top of the previous leaf plates and 1x2 plate so there is no overhang.

#### Group 22 - Tree Hideout

16. Rotate your build 180 degrees so the back is now facing the front. Place a green 1x1 round plate with 3 leaves on the leftmost stud of the branch of the tree base so the leaves face the left. Then repeat symmetrically to the right.
17. Horizontally place a green 1x2 sloped curved tile on top of the previous left leaf plate so it slopes to the right and there is no overhang. Then repeat symmetrically to the right.
18. Horizontally place a brown 1x4 arch brick on top of the tree bases so it is centered horizontally in front of the 2x6 plate with a rounded side.
19. Place a brown 1x1 brick with a side stud on top of each of the 1x2x2 slope bricks that are in the 2nd row from the front so the side stud faces the front. Now insert the bar of a brown 1x1 round plate into each of the front-facing side studs of the previous bricks so the studs face upward.

20.1. Let's make a part! Horizontally place a brown 1x3x3 arch in front of you so it slopes to the right. Then place a green 1x1 round plate with 3 leaves on the rightmost stud so the leaves face the right. Then place a green 1x2 sloped curved tile on top of the previous leaf plate so it slopes to the left and does not overhang. Now repeat again so you have 2 parts in total.

20.2. Now vertically place one on the previous right 1x1 brick with a side stud so it slopes to the right. Then repeat symmetrically to the left.

21. Vertically place a dark tan 1x2x2 slope brick on the leftmost column of the previous right 1x3 arch so it slopes to the front and there is no overhang. Then repeat symmetrically to the left.

### Group 23 - Tree Hideout

22. Place an orange 1x1 round plate with 3 leaves on top of the 1x1 round plates that have a bar. The leaves of the left one should face the front left and the right one should face the front right.

23. Rotate your build 180 degrees, so that the the vertical 1x2 plate with bar on long side will be in the back left corner, its bar to the left. Horizontally place a dark brown 1x6 plate in front of the previous 1x2x2 slope bricks so it is centered horizontally. Then horizontally place a brown 1x4 plate on top so it is also centered horizontally.

24. Horizontally place a black 1x2 plate with a bar on the long side behind the previous 1x4 plate so it is centered horizontally and the bar faces the back. Now place 2 dark brown 2x2 corner plates in front of the previous plate. They should surround the plate and there should be no overhang.

25. Horizontally place a brown 2x4 plate on top of the previous plates so there is no overhang.

26. Horizontally place a dark grey 1x2 grill tile on the back row of the previous 2x4 plate so it is centered horizontally. Then horizontally place a green 1x2 sloped curved tile to the left and right so they slope inwards.

27. Horizontally place a dark brown 1x2 log brick in front of the previous 2x4 plate so it is centered horizontally.

28.1. Let's make a part! Horizontally place a leaf plate with 6 studs in front of you so the end stud with the long bar faces the right. Now place an orange 1x1 round plate with 3 leaves on the rightmost stud so the leaves face the right. Now repeat again so you have 2 parts in total!

28.2. Place 1 part diagonally to the right of the previous 1x2 log brick so the plate with 3 leaves faces the front right. Then repeat symmetrically to the left.

29. Horizontally place a dark brown 1x1 slope tile connected to a 1x1 tile on top of the right stud of the 1x2 log brick so it slopes to the right onto the leaves. Then repeat symmetrically to the left.

30. Place a dark green 2x2 corner plate with a cutoff corner behind the previous right tile so the cutoff corner faces the front right. The front of the corner plate should sit on top of the 1x1 tile. Then repeat symmetrically to the left.

## Group 24 - Tree Hideout

31.1. Let's make a part! Horizontally place a leaf plate with 6 studs in front of you so the end stud with the long bar faces the right. Now place an yellow 1x1 round plate with 3 leaves on the rightmost stud so the leaves face the right. Now repeat again so you have 2 parts in total!

31.2. Horizontally place a brown 1x3 arch brick in front of you so it slopes to the right. Now horizontally place the leftmost stud of your previous part on top of the rightmost stud of the arch brick so it overhangs to the right.

31.3. Horizontally place a green 1x2 sloped curved tile on top of the leftmost stud of the leaf plate so it slopes to the left onto the arch brick. Now repeat the previous steps again so you end up with 2 parts in total.

31.4. Horizontally place 1 part to the right of the back row of the right 2x2 corner plate with a cutoff corner so it slopes to the right. Then repeat symmetrically to the left.

32. Horizontally place a dark brown 1x1 slope tile connected to a 1x1 tile on top of the leftmost stud of the previous right arch brick so it slopes to the left. Then repeat symmetrically to the left.

33. Horizontally place a light grey 1x2 tile connected to a rounded rectangular bar fence on the front row of the 2x2 corner plates with a cutoff corner.

34. Place a light brown squirrel on the front row so it sits on the 2x2 tile with a stud and the tail faces the right.

Thank you so much for building this set!

Visit [bricksfortheblind.org](http://bricksfortheblind.org) for more accessible instructions, sign up for our newsletter, and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We also love seeing your completed builds, so please tag our [Facebook](#) and [Instagram](#) accounts in any photos of your builds so we can share your accomplishments with our Bricks for the Blind community.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 4 LEGO Jurassic Theme kits:

76964 Dinosaur Fossils: T. rex Skull

76962 Baby Bumpy: Ankylosaurus

76960 Jurassic World Brachiosaurus Discovery

76966 Dinosaur Missions: Allosaurus Transport Truck

