

## **77051 Fly with Dodo Airlines**

Adapted by John Le and tested by Jolene Nemeth

This feature-packed building toy set lets kids play out stories of their own within this familiar Animal Crossing setting. Just like in the video game, the airport toy has a jetty leading to a beach, a control tower, and an opening orange gate. Once girls and boys have built the airplane toy, the ticket allows travelers on board. Kids spin the seaplane's toy propeller and imagine sending Wilbur the pilot and Tangy minifigures off to a new island destination.

Airport building toy set – The Fly with Dodo Airlines airport playset, which comes with a control tower and jetty model, lets kids aged 7 plus recreate scenes from the Animal Crossing™ video game.

Includes 2 familiar Animal Crossing™ characters – Kids invent creative stories in which Wilbur the pilot and Tangy the passenger minifigures embark on new adventures in the airplane toy.

Kids discover familiar features from the video game – Girls and boys pass through the recognizable opening gate with their ticket and board the seaplane with its spinnable propeller.

Measurements – This 292-piece airplane playset includes an airport toy measuring over 5 in. (13 cm) high, 10.5 in. (27 cm) wide and 3.5 in. (10 cm) deep.

The front of the box shows the airport on top of the water near the shore! Tangy has her ticket and is getting ready to board the plane! The plane is sitting on the water near the dock and Wilbur the pilot is waving for her to come!

The back of the box shows the back of the airport. It is open so you can play on the inside! There are a bunch of smaller pictures that show them on the plane, Wilbur handing a ticket to Tangy, Wilbur in the control tower, and Tangy walking to the plane!

The top of the box shows Wilbur and Tangy standing next to each other looking at a crab!

The build is 292 pieces in total and is for ages 7+.

Bag 1 includes the pieces for Wilbur and plane.

Bag 2 includes the pieces for Tangy and part of the Airport

Bag 3 includes the pieces for the rest of the airport

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.

- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/PPP: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/77051>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 3 bags labeled 1, 2, and 3, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Wilbur and Plane

Group 1 - Page 5.

Group 2 - Steps 1-5 and 1 red 2x6 plate from Step 10.

Group 3 - Steps 6-15.

Group 4 - Steps 16-24.

Group 5 - Steps 25-36.

Group 6 - Steps 37-44.

Bag 2 - Tangy and Airport

Group 7 - Page 33.

Group 8 - Steps 45-52.

Group 9 - Steps 53-63.

Group 10 - Steps 64-78.

Bag 3 - Airport

Group 11 - Steps 79-84.

Group 12 - Steps 85-90.

Group 13 - Steps 91-96.

Group 14 - Steps 97-98.

Group 15 - Steps 99-101.

Group 16 - Steps 102-103.

Group 17 - Steps 104-109.

Group 18 - Steps 110-115.

Group 19 - Steps 116-118.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Wilbur

Sub-build 1. Locate 1 short pair of legs printed with yellow toes, 1 white torso printed with a suit, red tie, a black belt, and rolled-up white sleeves exposing his blue arms, 1 yellow and blue head with a brown peak printed with sunglasses, and a mint headset. Assemble your minifigure and put him away while we build his plane!

Group 2 - Plane

1-2. Horizontally place a white 1x2 plate in front of you. Then horizontally place a white 1x4 inverted slope brick on the left stud so it overhangs 3 studs and slopes to the left. Then repeat symmetrically to the right.

3. Horizontally place a white 1x4 plate on top so it is centered horizontally.

4. Vertically place a light blue 4x6 plate on top so it is centered horizontally and overhangs 5 rows to the front.

5. Repeat steps 1-3 then place your part underneath the front row so it is centered horizontally.

You will have an extra red 2x6 plate. Save it for later.

Group 3 - Plane

6. Horizontally place a light blue 1x2 plate on the back row to the left and right of the 4x6 plate. Then repeat symmetrically to the front.

7. Horizontally place a light grey 1x8 tile on the back row so there is no overhang. Then horizontally place a 1x2 grill tile in front of it so it is centered horizontally. Now repeat both parts symmetrically at the front.
8. Let's make a part! Horizontally place a white 2x6 plate in front of you. Then place a white 4x4 plate with sloped sides so it is centered horizontally and the sloped sides face the front and back.
9. Place a white 4x4 plate with sloped angled sides to the right of your previous 4x4 plate so the short end faces the right. Then repeat symmetrically to the left.
10. Horizontally place a red 2x6 plate from group 2 on the 2 middle rows of your part so it is centered.
11. Place a light grey 2x2 plate on top of the leftmost column of the previous 2x6 plate and 4x4 sloped plate.
12. Horizontally place 2 white 1x3 jumper plates, 1 in front of the other, to the right of the previous 2x2 plate. Then repeat again to the right of these plates.
13. Vertically place a light grey 1x2 brick with a pin on the leftmost column so it is centered vertically and the pin faces the left.
14. Horizontally place 2 light blue 1x2 bricks with side studs, 1 in front of the other, to the right of the previous 1x2 brick with a pin so the side studs face the front and back.
15. Let's make a part! Place a light grey 1x1 round plate in front of you. Then place a light blue 1x3 sloped curved brick on top so it overhangs 2 studs and slopes to the left. Then repeat again so you have 2 parts in total. Now horizontally place 1 part upright on the 2 front-facing side studs so there is no overhang on the right and it slopes to the left. Then repeat symmetrically to the back.

#### Group 4 - Plane

16. Vertically place a yellow 1x2 plate on the 2nd column from the left so it is centered vertically. Then vertically place a light grey 1x2 plate with a clip on the long side to the right so the clip faces the right.
17. Place a light blue 2x2 angled sloped curved tile on the front left corner so the curve faces the front and the short end faces the left. Then repeat symmetrically to the back. There are 2 different orientations of this tile so make sure it is the right one!
18. Place a white 1x1 brick with a side stud on the front row so it sits to the right of the upright sloped curved brick and the side stud faces the front. Then repeat symmetrically to the back. Place a light blue 1x1 tile upright on the side studs of each of the previous bricks.
19. Place a white 1x1 plate on the front row to the right of the 1x1 brick with a side stud. Then repeat symmetrically to the back.
20. Place a white 1x2 plate with a 1x2 inverted curve brick on the front row to the right of the previous 1x1 plate so it slopes and overhangs 1 row to the front. Then horizontally place a white 1x2 plate with 2 side studs to the right so the side studs face the front. Now repeat both parts symmetrically to the back.

21. Horizontally place a white 1x4 plate on the front row on top of the previous plates so it sits to the right of the 1x1 brick with a side stud. Then place a white 1x1 plate to the right. Now repeat both parts symmetrically to the back.

22. Horizontally place a white 1x2 tile printed with DAL in light blue upright to the front-facing 2-side studs of the 1x2 plate. Then repeat symmetrically to the back.

23. Horizontally place a light blue 1x2 brick with 2 side studs on the front row of the rightmost column so the side studs face the front and there is no overhang. Then repeat symmetrically to the back.

24. Let's make a part! Place a light grey 1x1 round plate in front of you. Then place a light blue 1x3 sloped curved brick on top so it overhangs 2 studs and slopes to the right. Repeat again so you have 2 parts in total. Now horizontally place 1 upright onto the 2 front-facing side studs on the right side so it slopes to the right. There should be no overhang to the right. Then repeat symmetrically to the back.

#### Group 5 - Plane

25. Horizontally place a light blue 1x2 plate on the front row to the left of your previous part. Then repeat symmetrically to the back.

26. Let's make a part! Place a white 3x3 curved corner plate in front of you so the curved side faces the back right. Then place a light blue 1x2 curved tile in the back right corner so the curves align.

27. Horizontally place a light blue 1x3 tile on the back row so it overhangs 2 studs to the left.

28. Place a white 3x3 plate underneath the overhang so the front aligns with the previous plate.

29. Place a light blue 1x1 quarter-circle tile in front of the left column of the previous 1x2 curved tile so the curve faces the back right. Then horizontally place a light blue 1x3 tile to the left.

30. Place a transparent green 1x1 round tile in the front right corner. Then horizontally place a light blue 1x4 tile to the left.

31.1. Flip your build upside down so it is horizontal and the curve faces the front right corner. Now place a light grey 2x2 round tile with a smooth underside on the back 2 rows so it is centered horizontally and connects the 2 plates together.

31.2. Now vertically place your part on the back 2 rows so it sits to the left of the 1x2 plate and curved side faces the back left. The studs of your part should align with the studs of the 1x2 plate that is to the right.

32. Horizontally place a light blue 1x8 plate on the front row of your previous part so it is centered horizontally on the 1x6 set of studs.

33. Let's make a part! Place a white 3x3 curved corner plate in front of you so the curved side faces the back left. Then place a light blue 1x2 curved tile in the back left corner so the curves align.

34. Horizontally place a light blue 1x3 tile on the back row so it overhangs 2 studs to the right.

35. Place a white 3x3 plate underneath the overhang so the front aligns with the previous plate.

36. Place a light blue 1x1 quarter-circle tile in front of the right column of the previous 1x2 curved tile so the curve faces the back right. Then horizontally place a light blue 1x3 tile to the right.

#### Group 6 - Plane

37. Place a transparent red 1x1 round tile in the front right corner. Then horizontally place a light blue 1x4 tile to the left.

38.1. Flip your build upside down so it is horizontal and the curve faces the front left corner. Now place a light grey 2x2 round tile with a smooth underside on the back 2 rows so it is centered horizontally and connects the 2 plates together.

38.2. Now vertically place your part on the front 2 rows so it sits to the left of the 1x2 plate and the curved side faces the front left. The studs of your part should align with the studs of the 1x2 plate that is to the right.

39. Horizontally place a light blue 1x8 plate on the back row of your previous part so it is centered horizontally on the 1x6 set of studs.

40. Vertically attach the bottom bar of light grey handlebars to the right-facing clip on the left side so the handlebars face the right.

41. Vertically place a transparent light blue 2x4 windshield to the left of the handlebars so it slopes to the left.

42.1. Let's make a part! Horizontally place a light blue 2x6 plate with a rounded side in front of you so the rounded side faces the back. Then place a light blue 1x2 curved tile in the back right corner so the curves align.

42.2. Place a light blue 1x1 quarter-round tile in front of the previous curved tile so the curve faces the back right.

42.3. Horizontally place a light blue 1x2 tile on the back row to the left of your previous 1x2 curved tile. Then place a light blue 1x2 curved tile in the back left corner so the curves align.

42.4. Place a light blue 1x1 quarter-circle tile in front of the previous curved tile so the curve faces the back left. Then horizontally place a light blue 1x2 tile with a tail on the front row so the tail faces the front.

42.5. Now vertically place your part on the 2 rightmost columns of your build so it is centered vertically and the tail faces the right. It should overhang in the front and back.

43. Insert a black propeller into the pin that is on the left-facing side of the build.

44. Bring back your previous build and place it horizontally in front of you. Now place your plane on top of the middle 2 rows so it is centered on it!

Put your plane away while we build the Tangy and the airport!

Building Instructions (Bag 2, Book 1):

#### Group 7 - Tangy

Sub-build 2. Locate 1 short orange pair of legs, 1 orange tail, 1 light green torso printed with a white belt and orange arms, and 1 orange cat head printed with big eyes and a leaf on her forehead! Assemble your minifigures and make sure the tail is behind her and faces up!

#### Group 8 - Airport

45. Horizontally place a light blue 2x4 plate in front of you.

46. Place the right 2 columns of a tan 6x6 rounded plate on the left 2 columns so it is centered vertically.

47. Place a dark grey 2x2 slope brick to the left of the right 2 columns of the 2x4 plate so it slopes to the front.

48. Horizontally place a dark grey 1x2 slope brick on top of the previous 2x2 slope brick so it slopes to the left and there is no overhang.

49. Place a light blue 2x2 sloped curved tile on the front row so it is centered horizontally, and slopes and overhangs to the front.

50. Place 2 light blue 2x2 plates with cutoff corners next to each other underneath the overhang. The left plate's cutoff corner should face the front left and the right one should face the front right.

51. Place 2 white 1x1 quarter circle tiles on the front row in front of the previous 2x2 sloped curved tile so both of the curves face the front left corner.

52. Horizontally place a red crab on the 2nd stud from the back and 2nd column from the left so the claws face the front. Now put this build aside while we build more!

#### Group 9 - Airport

53. Horizontally place a white 2x12 plate in front of you. Then vertically place a tan 2x6 plate on top so it is centered and overhangs 2 rows to the front and back.

54. Place a light brown 2x2 round plate underneath the front and back overhang.

55. Horizontally place a red 2x3 tile to the left and right of the vertical 2x6 plate so there is no overhang.

56. Place the 2 right columns of a light blue 6x6 rounded plate on the 2 leftmost columns so it is centered vertically. Then repeat symmetrically to the right.

57. Vertically place a green 2x4 plate underneath back 2 rows of the left 6x6 rounded plate so it is centered horizontally and 2 rows are exposed to the back.
58. Place a dark grey 2x2 slope brick on the 2 leftmost columns so it is centered vertically to the 6x6 rounded plate and slopes to the front.
59. Place 2 white 1x1 quarter circle tiles in front of the previous 2x2 slope brick so both of the curves face the front left corner.
60. Horizontally place a light brown 4x8 plate to the right so the front is aligned with the previous 1x1 quarter circle tiles. Then horizontally place another 1 to the right.
61. Horizontally place a dark grey 1x2 slope brick on top of the previous 2x2 slope brick so it slopes to the right and does not overhang.
62. Horizontally place a light brown 8x16 plate in front of the 2 previous 4x8 plates so the left and right sides are aligned. This plate should overhang in the front.
63. Let's make a part! Stack 2 light brown 2x2 round plates together so there is no overhang. Then repeat 2 more times so you have 3 parts in total. Now place them 1 underneath the front right corner of the 8x16 plate so there is no overhang. Then repeat symmetrically to the left. Now place the last 1 underneath the front 2 rows so it is centered between the 2 previous parts!

#### Group 10 - Airport

64. Horizontally place a light blue 2x4 plate underneath the rightmost column so it is centered to the 6x6 rounded plate and 3 columns are exposed to the right. Now place a white 1x1 round plate on the back row so it sits to the right of the 6x6 rounded plate. Then place another 1 to the right.
65. Place the leftmost column of a light blue 6x6 rounded plate on the rightmost column so it is centered vertically.
66. Horizontally place a light brown 4x8 plate on top of your previous plate so it sits to the right of the previous 4x8 plate and the backs are aligned.
67. Place a light brown 4x4 plate in front of the 4 right columns of the previous 4x8 plate so it overhangs in the front.
68. Let's make a part! Stack 2 light brown 2x2 round plates together so there is no overhang. Then repeat again so you have 2 parts in total. Now place them next to each other underneath the front 2 rows of the previous 4x4 plate so there are no studs exposed.
69. Place a light brown 1x1 brick on the front right and front left corners of the 4x4 plate.
70. Place a light brown 1x1 brick on the front right corner of the 8x16 plate. Then place a white 2x2 tile with a lamp post behind it so there is no overhang. Then place a white 1x1 round plate behind it so it sits on the rightmost column of the 8x16 plate.



71. Horizontally place a tan 1x2 grill tile on the front row to the left of the previous 1x1 brick. Then horizontally place a light brown 1x2 brick with a side stud to the left so the side stud faces the front.

72. Horizontally place a tan 1x2 grill tile on the front row to the left of the previous 1x2 brick with a side stud. Then horizontally place a light brown 1x2 brick with a side stud to the left so the side stud faces the front. Repeat this step 1 more time, then horizontally place a tan 1x2 grill tile on the front row to the left of the 1x2 brick.

73. Vertically place a light brown 1x2 brick with a side stud in the front left corner of the 8x16 plate so there is no overhang and the side stud faces the left. Then vertically place a tan 1x2 grill tile behind it. Then vertically place another 1x2 brick with a side stud behind it so the side stud faces the left. Then vertically place a tan 1x2 grill tile behind it. Now place a light brown 1x1 brick behind it.

74. Place 8 tan 1x1 clips on the front row of the 8x16 plate so they sit on all the bricks. Make sure all the clip hands face the front and back.

75. Horizontally attach 4 bars to the clips that are on the front row. There should be no overhang to the left and right.

76. Place 4 tan 1x1 clips on the leftmost column of the 8x16 plate so they sit on the bricks. The clip hands should face the left and right.

77. Vertically attach 2 tan bars to the previous clips that are on the left side.

78. Attach an orange life ring buoy to the left and right front-facing studs so the studs are on the bottom.

Building Instructions (Bag 3, Book 1):

Group 11 - Airport

79. Rotate your build 180 degrees so the life ring buoys face the back. Horizontally place a light grey 1x6 brick on top of the leftmost column of the 8x16 plate so it sits in front of the 1x1 round plate and there is no overhang. Then vertically place a light grey 1x3 slope brick in front of the leftmost stud of the previous brick so it slopes to the front. Then place a light grey 1x1 brick to the right of the previous 1x6 brick.

80. Place a light grey 2x2 round brick to the right of the front 2 rows of the previous 1x3 slope brick. Then place a blue 2x2 round plate on top of the round brick so there is no overhang.

81. Place a white 1x1 round brick in front of the previous 1x1 brick from step 79. Then place a dark tan 1x1 round plate on top, then place a green 1x1 flower plate on top.

82.1. Let's make a part! Place a white 2x6 corner door frame in front of you so the flat side faces the front. Then attach a transparent light blue door to the front so it opens to the left.

82.2. Now place a white 1x1 round tile upright onto the front-facing stud of the door.

82.3. Now place your door frame to the right of the 1x1 brick and 1x1 round brick with a flower on top so the door opens to the back right corner. It should sit diagonally!

83. Vertically place a light grey 1x4 brick in front of the rightmost column of the previous door frame. It should align with the front row!

84. Horizontally place a light blue 1x6 brick to the left of the back row of the previous door frame. Then vertically place a light blue 1x2 brick to the left so there is no overhang.

#### Group 12 - Airport

85.1. Let's make a part! Horizontally place a white 1x2x3 window frame in front of you so there is a little hole in the floor in front of you. Now insert a transparent light blue glass pane into the front of the window. Repeat again so you have 2 parts in total!

85.2. Place a light blue 1x1x3 brick on the rightmost column of the previous 1x6 brick. Then horizontally place a 1x2 window frame to the left so the glass pane faces the back. Then place a light blue 1x1x3 brick to the left. Then horizontally place another 1x2 window frame to the left so the glass pane faces the back.

86. Stack 3 light blue 1x2 bricks together so there is no overhang, then vertically place them to the left of the previous 1x2x2 window frame so there is no overhang.

87. Place a light blue 1x1 brick on top of the front stud of the previous stack of 1x2 bricks. Then horizontally place a light blue 1x6 brick behind it so there is no overhang. Then place a light blue 1x1 brick to the right.

88. Vertically place a light blue 1x4 brick in front of the rightmost column of the door frame so it sits on the 1x4 brick.

89.1. Let's make a part! Horizontally place a white 1x2x3 window frame in front of you so there is a little hole in the floor in front of you. Now insert a transparent light blue glass pane into the front of the window.

89.2. Place a light blue 1x1x3 brick on the back stud of the previous 1x4 brick. Then vertically place your window frame in front of it so the glass faces the right. Then place another light blue 1x1x3 brick in front.

90. Vertically place a light blue 1x4 brick on top of the previous bricks and frame so there is no overhang.

#### Group 13 - Airport

91. Vertically place a white 1x4 brick on top of the previous 1x4 brick so there is no overhang. Then place a 1x4 corner brick behind it so it aligns with the door frame. Then horizontally place a white 1x4 brick to the left of the back stud of the previous 1x4 corner brick. Then horizontally place a white 1x2 brick to the left. Then vertically place a white 1x2 brick to the left so there is no overhang.

92. Place 3 white 1x1 bricks on top of the door frame so they sit in front of the previous 1x4 corner brick.

93. Horizontally place a white 2x8 plate on top of the previous vertical 1x2 brick so it attaches to the left column of the 1x4 corner brick and 1x1 brick. It should overhang 1x6 studs on the front row. Then place a white 2x2 round tile with a stud to the right of the front row of the previous 2x8 plate so it sits on top of the door frame! Then place a white 2x2 corner plate in front of it so there is no overhang. It should look like

the braille letter d. Now vertically place a white 1x3 plate in front of the previous 2x2 corner plate so there is no overhang.

94. Vertically place a tan 1x2 plate with 2x2 side studs on the back 2 studs of the previous 1x3 plate so the side studs face the left. Then place a white 2x2 tile printed with times of flights upright to the left-facing side studs.

95. Place a light grey 3x3 plate with a cutoff corner on top of the 3 leftmost columns of the 2x8 plate so it overhangs in the front and the cutoff corner faces the front left. Then place another 1 to the right so the cutoff corner faces the front right.

96. Horizontally place a light grey 1x6 plate on the back row of the 2 previous plates so there is no overhang. Then place a blue 2x2 round plate in front so it is centered horizontally and there is no overhang.

#### Group 14 - Airport

97. Horizontally place a light grey 1x2 brick behind the previous 2x2 round plate so it is centered horizontally. Then horizontally place a light grey 1x2 tile printed with speedometers on top of the previous 1x2 brick.

98. Place a transparent light blue 3x4 inverted slope windshield between the previous 1x2 brick so it slopes and overhangs to the back. Then vertically place a white 1x2x3 inverted slope brick to the left and right so they slope and overhang to the back.

#### Group 15 - Airport

99. Vertically place a white 1x2 brick on top of each of the previous 1x2x3 inverted slope bricks so there is no overhang.

100. Horizontally place a light blue 1x6 plate on the front row of the previous 1x2 bricks and 3x4 inverted slope windshield. Then horizontally place a light blue 2x6 plate with a rounded side behind it so the rounded side faces the back.

101. Place a light grey 1x1 antenna on the previous 2x6 plate with a rounded side on the front row and 2nd stud from the left.

#### Group 16 - Airport

102. Let's make a part! Horizontally place a dark grey 2x3 plate in front of you. Then vertically place a light blue 1x2 brick on the left column so there is no overhang.

103. Then vertically place 2 light blue 1x2 bricks, 1 to the right of the other, to the right of the previous 1x2 brick.

#### Group 17 - Airport

104. Horizontally place a white 2x3 plate on top so there is no overhang.

105. Horizontally place a white 1x2 tile printed with a keyboard in the front left corner so there is no overhang.

106.1. Let's make a part! Horizontally place a light grey 1x2 rotator panel in front of you so the clip hands face the front. Then attach a light grey 2x2 plate with a bar underneath it to the previous panel so the studs overhang to the back. Then attach a white 2x2 tile printed with a treasure map with x marks the spot to the 2x2 set of studs.

106.2. Now place your part behind the 1x2 tile printed with a keyboard so the map faces the front. Make sure to turn the screen so the tile faces the front.

107. Place a yellow mug to the right of the 1x2 tile with a keyboard so the handle faces the front.

108. Vertically place your part to the right of the 2x2 round plate on top of a 2x2 round brick that is in the middle on the 5th and 6th rows so there is a 1 column gap in between the 2 parts and the 2x2 tile side faces the left.

109.1. Place a white 1x1 round brick in front of you then place a dark tan 1x1 round plate on top. Then place a green 1x1 plate with 3 leaves on top so the leaves face the left.

109.2. Place a dark tan 1x1 round plate on top, then place a green 1x1 plate with 3 leaves on top so the leaves face the left.

109.3. Place 2 dark tan 1x1 round plates on top, then place a green 1x1 plate with 3 leaves on top so the leaves face the left.

109.4. Now place your part on the front row so it sits to the left of the bricks that are in the 6th column from the right.

#### Group 18 - Airport

110.1. Let's make a part! Horizontally place a dark grey 1x2 plate in front of you then horizontally place a white 1x2 brick on top so there is no overhang. Now horizontally place a light grey 1x2 plate with a clip on the short side on top so the clip faces the left. Repeat again so you have 2 parts in total.

110.2. Horizontally place 1 part on the front row so there are 3 free studs free to the right in between this part and the leaves. Then horizontally place another part behind it so there is a free 2x2 set of studs in between them. Make sure the clips face the left!

111. Vertically attach the bar of an orange 1x2 plate upright to the front left-facing clip of your previous parts so the plate is in the back and the studs face the right. Then repeat symmetrically to the back.

112. Vertically place a white 1x2 tile printed with a light blue and white ticket to the right of the yellow mug that is behind the previous upright plates so there is no overhang.

113.1. Let's make a part! Horizontally place a white 1x2 plate with 2x2 side studs above the plate in front of you so the side studs face the front. Then horizontally place a white 2x6 tile printed with Dodo Airlines on it so it is centered horizontally.

113.2. Rotate your build 180 degrees so the door faces the front left. Now horizontally and diagonally place your part on top of the 2x2 round tile with a stud so the tile faces the front left.

114.1. Let's make a part! Place a white pole in front of you. Then attach the clip on the long side of a white 1x2 plate to the middle of the bar so the studs are on the right and face the front. Then place a white 2x2 inverted sloped curved plate with a smooth underside behind it so overhangs to the right and creates a 2x2 stud area.

114.2. Place your part on top of the white pole that has a 2x2 tile that is on the rightmost column of the 8x16 plate so the plates are on the right and face the front.

115.1. Let's make a flag to attach to the pole! Place a white 4x4 plate in front of you. Then place a white 2x2 tile printed with a green acorn in the center of the plate.

115.2. Then place a green 1x2 curved tile in the back left and front right corners so they surround the 2x2 round tile.

115.3. Place a green 1x1 quarter round tile on the back right stud so the curve face the front left. Then place 1 in front so the curve faces the back left. Then place 1 on the back row to the left of the previous quarter round tile so the curve faces the front right.

115.4. Repeat the previous step on the front left corner of the 4x4 plate.

#### Group 19 - Airport

116.1. Let's make another flag! Horizontally place a white 4x4 plate in front of you. Then place a yellow 1x1 quarter round tile in the back left corner so the curve faces the front right corner.

116.2. Place a purple 1x2 curved tile in the back left corner so it surrounds the previous tile.

116.3. Replicate the 2 previous tiles in the back right corner. It should look exactly the same!

116.4. Now place a yellow 1x1 quarter round tile in the front right corner so the curve faces the back left corner. Then place a purple 1x2 curved tile in the front right corner so it surrounds the previous tile. Then replicate the 2 previous tiles to the left. It should look exactly the same!

117. Now you can attach either flag to the 2x2 studs that are connected to the pole! It should connect to the 2 middle rows of the 2 left columns!

118. Now bring back your previous part with the crab! Place the overhang 2x2 set of studs underneath the 6x6 rounded plate on the left-facing side! The quarter tiles and 2x2 sloped curved tile of this part should face the front!

Thank you so much for building this set!

Visit [bricksfortheblind.org](http://bricksfortheblind.org) for more accessible instructions, sign up for our newsletter, and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We also love seeing your completed builds, so please tag our [Facebook](#) and [Instagram](#) accounts in any photos of your builds so we can share your accomplishments with our Bricks for the Blind community.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 5 LEGO Animal Crossing Theme kits:

77052 K.K.'s Concert at the Plaza

77051 Fly with Dodo Airlines

77047 Bunnie's Outdoor Activities

77049 Isabelle's House Visit

77050 Nook's Cranny & Rosie's House