

60374 Fire Command Truck

Adapted by John Le and tested by Natalie Charbonneau

Add a spark to kids' firefighting play with the LEGO® City Fire Command Truck (60374). This feature-rich toy fire engine comes with a detachable control center, fire drone, and land drone. Kids can launch different elements from the truck and fire drone to depict water and foam firefighting action. Just add the forest and city fire settings and 3 minifigures for hours of action-packed firefighting fun!

Multifeature firefighter playset – The LEGO® City Fire Command Truck (60374) toy building set is loaded with features for kids who love action-packed role-play.

What's in the box? – All kids need to build a toy firefighting vehicle with a fire drone, land drone, and control center, plus city and forest fire settings, 3 minifigures, and a rabbit figure.

Features and functions – The firetruck has a working winch and kids can use its extinguisher and the fire drone to launch darts for fun firefighting action.

Toys for play and display – The fire command truck measures over 4.5 in. (12 cm) high, 10 in. (26 cm) long and 2 in. (6 cm) wide.

Includes LEGO® minifigure accessories – This toy firefighter playset comes with lots of fun accessories for imaginative play, including a radio, fire axe, circular saw, spanner, and a cup.

The front of the box shows the fire command truck shooting water at a tree and an electrical fire! Hopefully, the firefighters can save the habitat because there is a rabbit running away from it! There is also a drone that they control that can also shoot water!

The back of the box shows the fire command truck parked on the street. A firefighter is offloading the robot off the truck and another 1 is getting water from the back to put out a fire!

The top of the box shows all the minifigures together using a robot with a saw!

The build is 502 pieces in total and is for ages 7+.

Bag 1 includes the pieces for the firefighter, Drone, and Rabbit Habitat

Bag 2 includes the pieces for the construction worker, robot, ladder, and Electrical Fire!

Bag 3 includes the pieces for a firefighter and a fire command truck.

Bags 4 and 5 include the pieces for the fire command truck.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.

- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- “Anti-stud” is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/60374>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 5 bags labeled 1 to 5, 3 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Firefighter, Drone, and Rabbit Habitat

Group 1 - Steps 1-6.

Group 2 - Steps 1-8 and 1 yellow 2x2 sloped curved tile printed with a fire shield emblem. from Step 9.

Group 3 - Rest of Step 9 and Steps 10-11.

Group 4 - Steps 1-13.

Bag 2 - Robot, Ladder, and Electrical Fire

Group 5 - Page 3.

Group 6 - Steps 1-5.

Group 7 - Steps 1-5 and 1 transparent green 1x1 round brick from Step 6.

Group 8 - Rest of Step 6 and Steps 7-12.

Group 9 - Steps 1-10.

Group 10 - Steps 11-21.

Bag 3 - Firefighter and Fire Command Truck

Group 11 - Page 2

Group 12 - Steps 1-17.

Group 13 - Steps 18-24.

Group 14 - Steps 25-28.

Group 15 - Steps 29-34.

Bag 4 - Fire Command Truck

Group 16 - Steps 35-46.

Group 17 - Steps 47-53.

Group 18 - Steps 54-59 and 2 transparent blue 1x1 round tiles from Step 60.

Group 19 - Rest of Step 60 and Steps 61-68.

Group 20 - Steps 69-71.

Bag 5 - Fire Command Truck

Group 21 - Steps 72-78.

Group 22 - Steps 79-81.

Group 23 - Steps 82, 2 yellow 2x2 triangle tiles from Steps 83-84, and 1 red 2x4 tile from Step 85.

Group 24 - Rest of Steps 83.

Group 25 - Rest of Steps 84-85 and Steps 86-88.

Group 26 - Steps 89-95 and 1 transparent red 1x1 round tile from Step 96.

Group 27 - Rest of Step 96, Step 97, and 1 transparent 2x6 curved windshield from Step 98.

Group 28 - Rest of Step 98, Step 99, and 2 yellow 2x2 triangle tiles from Step 100-101.

Group 29 - Rest of Step 100.

Group 30 - Rest of Step 101 and 1 red 2x4 tile from Step 102.

Group 31 - Rest of Step 102, Steps 103-112, 1 transparent red 1x1 round tile from Step 113.

Group 32 - Rest of Step 113, Steps 114-118, and 1 black 2L pin from Step 119.

Group 33 - Rest of Step 119 and Steps 120-123, and 1 transparent light blue bolt from Step 124.

Group 34 - Rest of Step 124.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Firefighter

1. Place a silver torso printed with a black belt and walkie-talkie on top of a silver pair of legs.
2. Place a blue air tank on top of the torso so it faces the back.

3. Place a dark grey air tube mask on top so the bar faces the front. Then place a yellow head with sweat on his face on top so the print faces the front!
4. Place a white firefighter helmet on top of the head.
5. Attach a transparent face shield to the front underneath the helmet so it attaches to the mask.
6. Attach a light grey 1x2 tile printed with buttons on top of a black walkie-talkie so there is no overhang. Then attach it to your minifigure's hand!

Group 2 - Drone

1. Horizontally place a red 2x6 plate with inverted slope sides in front of you.
2. Vertically place a light grey 1x2 log brick on the 2nd column from the left. Then repeat symmetrically to the right.
3. Horizontally place a dark grey 1x2 rounded brick with a gap on the front row in between the log bricks. Then place a white 2x2 inverted slope brick behind it so it slopes to the back.
4. Vertically place a red 1x2 panel on the leftmost column so the wall faces the left. Then repeat symmetrically to the right.
- 5.1. Let's make a part! Horizontally place a red 1x6 tile upside down in front of you. Then horizontally place a light grey 1x2 plate with a pin on the 2 rightmost columns so the pin faces the back. Then repeat symmetrically to the left.
- 5.2. Horizontally place a yellow 1x2 plate in between the previous 1x2 plates with a pin.
- 5.3. Turn your part on its side so it is horizontal, the pins face up, and the tile faces the back. Now attach the side studs of a 2x2 red plate with 2 side studs to the front-facing anti-studs on the 2nd and 3rd columns from the right, with the top studs facing up. Then attach another 1 to the left.
- 5.4. Rotate your main build so it is vertical and slopes to the right. Then horizontally place your part on the back 2 rows so it overhangs 1 stud to the left. The 1x6 tile should sit in the back.
6. Repeat step 5 then symmetrically place it on the front 2 rows.
7. Place a green 2x2 plate on the top so it is centered horizontally and vertically.
- 8.1. Let's make a part! Horizontally place a white 2x4 plate with inverted slope sides in front of you.
- 8.2. Vertically place 2 light grey 1x4 stud shooters, 1 to the right of the other, on the 2 middle columns so they overhang 2 studs to the front. The 1x1 plate parts should be in the back!
- 8.3. Place 2 blue 1x1 plates with a clip, 1 to the right of the other, on the back studs of the previous stud shooters so the clips face the back.

8.4. Place a white 2x2 corner tile in the back right corner so there is no overhang. Then repeat symmetrically to the left.

8.5. Insert 2 dark grey rounded parts with 3 rounded tips into the top of the stud shooters. Now attach the back-facing clips of your part to the gap of the 1x2 rounded brick underneath the left-facing overhang.

9.1. Place a yellow 2x2 sloped curved tile printed with a fire shield emblem on top of the left column of the previous 2x2 plate so it slopes to the left.

Group 3 - Drone

9.2. Place a yellow 2x2 sloped curved tile to the right of the previous sloped curved tile so it slopes to the right.

10. Attach a black propeller to each of the top-facing pins.

11. Locate 4 transparent 1x1 round plates and 4 transparent light blue 1x1 round tiles. Insert them into stud shooters and shoot them out onto the fires! Put everything away now while we make the rabbit habitat!

Group 4 - Rabbit Habitat

1. Horizontally place a green 6x8 plate in front of you.

2. Place a green 2x2 slope brick in the back left corner so it slopes to the left.

3. Vertically place a brown 1x3 brick to the right of the previous 2x2 slope brick. Then place another green 2x2 slope brick on the back 2 rows on the 2nd and 3rd columns from the right so it slopes to the right.

4. Place a green 1x1 plate with 3 leaves in the back right corner so the leaves face the front right. Then place a light orange 1x1 round flower plate on top.

5. Place a black 1x1 brick with a hole in front of the 1x3 brick so the hole faces the front. Then vertically place a brown 1x2 sloped curved brick in front of the left column of the right 2x2 slope brick so it slopes to the front.

6. Insert a tan 2L pin axle into the hole of the previous 1x1 brick. Then attach a black 2L pin axle connector to the front-facing axle so the hole is on top and faces left and right. Then push it to the left so the hole faces up.

7. Horizontally place a green 1x2 slope tile on the front row on the 2nd and 3rd columns from the left so it slopes to the front. Now vertically place a light brown rabbit to the left of the front stud of the right 2x2 slope brick and 1x2 sloped curved brick so it faces the front.

8. Place a brown 2x2 brick on top of the left 2x2 slope brick and 1x3 brick so there is no overhang. Then place a brown 1x2 sloped curved brick in front on top of the 1x3 brick and 1x1 brick so it slopes to the front. Now vertically place a brown 1x3 brick on top of the right 2x2 slope brick and 1x2 sloped curved brick.

9. Place a green 2x2 slope brick on top of the previous 2x2 brick so it slopes to the left. Then vertically place a green 1x2 brick on the back 2 studs of the previous 1x3 brick.

10. Horizontally place the right column of a brown 1x2 sloped curved brick with a plate part in front of the previous 1x2 brick so the plate faces the left. Then horizontally place another 1 to the left so it sits on the 1x2 sloped curved brick and the plate part faces the right.

11. Horizontally place a green 2x4 tile on top of the back 2 rows on top of the 2x2 slope brick and 1x2 brick. Then horizontally place a green 1x2 slope tile in front on top of the 1x2 sloped curved bricks with a plate part so it slopes to the front.

12. Insert a thick brown bar with a pin into the front left hole so it overhangs to the left. Then insert a dark grey bar with a stop into the top of the thick bar. Now place a large dark green leaf plate on top of the bar so it is centered and the part with 5 studs faces the back.

13. Horizontally place a transparent orange 1x4 curved fire with 2 studs on the back row of the 2x4 tile. It should not connect to any studs! Put everything away while we make another minifigure!

Building Instructions (Bag 2, Book 2):

Group 5 - Construction Worker

Sub-build 1. Locate 1 light blue pair of legs, 1 torso printed with a teal long sleeve and yellow vest with a walkie-talkie, 1 yellow head printed with a mustache and a beard, a white construction hat with brown hair, and a silver wrench. Assemble your minifigure then attach the wrench to his hand!

Group 6 - Ladder

1. Vertically place a long white ladder with 3 2x2 set of studs in front of you.

2. Horizontally place a light grey 1x2 plate with a bar on the long side on the front row so the bar faces the front.

3. Place a white 2x2 sloped curved tile on top of the previous 1x2 plate with a bar so it slopes to the back.

4. Attach the clips of a light grey ladder to the front-facing bar.

5. Orient it so the short ladder is flat on your surface and the long ladder is upright and slightly bent. Now attach your minifigure to the top of the ladder so he can fix stuff!

Group 7 - Electrical Fire

1. Horizontally place a green 6x8 plate in front of you.

2. Horizontally place a dark grey 1x2 grill tile in the back right corner. Then vertically place a black 1x6 plate to the left.

3. Place a dark tan 1x1 round tile with an upward bar on the back row to the left of the previous 1x6 plate. Then vertically place a black 1x6 plate to the left.

4. Vertically place a brown 1x2 plate on the back 2 studs of the right 1x6 plate. Then vertically place a light grey 1x2x2 brick with 2x2 side studs on top so the side studs face the right. Now place a yellow 2x2 tile printed with an electrical sign upright on the right-facing side studs.

5. Vertically place a light grey 1x2x2 brick on the back 2 studs of the left 1x6 plate.

6.1. Place a transparent green 1x1 round brick on the back stud of the previous 1x2x2 brick.

Group 8 - Electrical Fire

6.2. Place a transparent red 1x1 round brick on the back stud of the 1x2x2 brick with 2x2 side studs.

7.1. Horizontally place a dark grey 1x4 brick with 3 holes in front of you.

7.2. Insert the long side of a 3L pin with a stop into the left hole so the pin faces the front and back.

7.3. Insert a light grey 1x1 brick with a hole into the front-facing and back-facing pins.

7.4. Horizontally place a dark grey 1x2 grill tile on the 2 rightmost columns. Then horizontally place the 1x2 plate part of a long light grey bar with a 1x1 round plate to the left so the bar faces the left.

7.5. Insert a dark grey bar with a stud on each side into the left-facing bar. This feels like a dumbbell.

7.6. Vertically place the 2 1x1 bricks with a hole in front of the 2 previous 1x1 round bricks so the long bar faces the back.

8. Vertically place a light grey 1x4 panel in front of the left 1x1 brick with a hole so the wall faces the right. Then repeat symmetrically to the right.

9. Vertically place a dark grey 1x6 tile on top of the left 1x4 panel and bricks so there is no overhang. Then repeat symmetrically to the right.

10. Vertically place a transparent orange 1x4 curved fire with 2 studs on top of the 1x2 plate of the bar and grill tile.

11. Now rotate your part upright so the bar faces up.

12.1. Let's make a part! Horizontally place a white 1x3 plate with a smooth underside in front of you. Then place a black 1x1 clip on the left and right studs so the clip hands face front and back. Now repeat again so you have 2 parts in total.

12.2. Vertically attach the clips of 1 part upright to the top of the bar with a stud on each side and a long bar so the tile faces the back. Then vertically attach the clips of 1 part upright underneath the previous part so the tile faces the front right. These are panels so the worker can fix them! Now put this away while we make a robot!

Group 9 - Robot

1. Horizontally place a black 2x6 plate in front of you.
2. Place a light grey 2x2 plate with 2 pins on the 2 leftmost columns so the pins face front and back. Then repeat symmetrically to the right.
3. Horizontally place a red 1x2 plate with 2x2 side studs on the front row in between the 2x2 plates with 2 pins so the 2x2 side studs face the front. Then repeat symmetrically to the back.
4. Horizontally place a black 2x6 plate on top so it is centered horizontally.
5. Place a dark grey 2x2 brick on the 2 rightmost columns. Then place a green 2x2 plate to the left. Now vertically place a red 2x2 plate with sloped curved sides to the left so it slopes to the left.
6. Horizontally place a light grey 2x3 plate to the left of the previous 2x2 brick.
7. Place a yellow 2x2 sloped curved tile printed with a fire shield emblem on the 2 leftmost columns so it slopes to the left. Then place a yellow 2x2 tile to the right. Now horizontally place 2 light grey 1x2 plates with a slope tile and stud, 1 in front of the other, on top of the 2x2 brick so they slope to the right.
8. Vertically place a dark grey 1x2 rounded brick with a gap on top of the previous 1x2 plates with a slope tile and stud.
9. Place a black 1x1 plate with 2 side studs on the front stud of the previous 1x2 rounded brick so the side studs face the front. Then repeat symmetrically to the back.
10. Place a transparent blue 1x1 round tile upright on the top front-facing side stud of the previous 2 side studs of the 1x1 plate. Then place a red 2x2 corner tile with a cutoff corner upright underneath the previous 1x1 round tile so it also attaches to the top right front-facing stud of the 2x2 set of studs. The cutoff corner should face the bottom right. Now place another transparent blue 1x1 round tile upright on the top left front-facing side stud of the 2x2 set of studs.

Group 10 - Robot

11. Place a red 2x2 sloped curved tile upright on the front-facing side studs so it slopes down and sits on top of the 1x1 round tile and 2x2 corner tile.
12. Rotate your build 180 degrees. Now repeat step 10 symmetrically on the front-facing side studs.
13. Repeat step 11 symmetrically on the front-facing side studs. Then vertically place a dark grey 1x2 grill tile on top of the 1x1 plates with 1x2 side studs.
14. Insert 4 black wheels into 4 black tires. Now attach them to the front-facing and back-facing pins so the ridged sides face outwards.
15. Let's make a part! Horizontally place a light grey 1x4 plate in front of you.

16. Horizontally place a dark grey 1x2 plate with a socket on top so it is centered horizontally and the socket faces the front.

17. Place 2 blue 1x1 plates with a clip, 1 to the right of the other, on top of the 1x2 plate with a socket so the clips face the back.

18. Horizontally place a white 1x1 slope tile with a 1x1 tile on the 2 right studs so it slopes to the right. Then repeat symmetrically to the left.

19. Attach the ball of a light grey axle to the front-facing socket so the axle faces the front. Then attach a white axle pin connector to it so the hole is in the front and faces left and right. Then insert a black 2L pin into the left-facing hole.

20.1. Let's make a part! Place a white axle pin connector in front of you so the axle connector faces the left. Then insert a blue 2L pin axle into the left-facing connector.

20.2. Attach a white 1L pin connector to the left-facing pin.

20.3. Insert a black claw into the left-facing pin so the claw hands face up and down.

20.4. Now attach the front-facing pin hole into the left-facing pin of your previous part so the claw faces the front.

21. Attach the back-facing clips of your part to the left-facing bars in the gap of the 1x2 rounded brick so the claw faces the left. Now put everything away while we make another minifigure and the fire command truck!

Building Instructions (Bag 3, Book 3):

Group 11 - Firefighter

Sub-build 2. Locate 1 black pair of legs printed with green neon knees, 1 black torso printed with a dark tan belt, green neon stripe, and a red collar, 1 yellow head printed with a cute smile and eyelashes, 1 black and yellow helmet, and 1 transparent face shield. Assemble your minifigure, put the helmet on her head, then attach the face shield to her face!

Group 12 - Fire Command Truck

1. Horizontally place a black 2x12 plate in front of you. Then vertically place a brown 1x2 plate on the rightmost column.

2. Vertically place a light grey 2x4 plate with 2 pins to the left of the previous 1x2 plate so it is centered vertically and the pins face front and back. Then place a green 2x2 plate to the left. Now vertically place a light grey 2x4 plate with 2 pins to the left so it is centered vertically and the pins face front and back.

3. Horizontally place a light grey 2x10 plate to the left of the previous 2x4 plate with 2 pins so it overhangs 5 columns to the left.

4. Horizontally place a black 2x12 plate underneath the overhang so 7 columns are exposed to the left.
5. Horizontally place a brown 2x4 plate to the left of the previous 2x10 plate. Vertically place a light grey 2x4 plate with 2 pins to the left so it is centered vertically and the pins face the front and back. Now vertically place a brown 1x2 plate to the left so it sits on the leftmost column.
6. Horizontally place a light grey 1x2 log brick on the front row of the rightmost 2x4 plate with 2 pins. Then repeat symmetrically to the back. Now horizontally place another 1 on the front row of the 2x4 plate with 2 pins that is on the 6th and 7th columns from the right. Then repeat symmetrically to the back.
7. Horizontally place a dark grey 1x2 rounded brick with a gap on the back row of the leftmost column. Then horizontally place a black 1x16 brick to the right.
8. Repeat the previous step symmetrically to the front.
9. Horizontally place a black 2x4 brick to the right of the previous 1x16 bricks. Then vertically place a light grey 1x2 log brick to the right.
10. Horizontally place a black 2x3 inverted slope brick on the rightmost column so it slopes and overhangs to the right.
11. Horizontally place a black 2x10 brick on the back row of the previous 2x3 inverted slope brick so it overhangs to the back.
12. Repeat the previous step symmetrically to the front.
- 13.1. Let's make a part! Vertically place a black 4x6 plate in front of you.
- 13.2. Vertically place a dark grey 1x2 plate with a clip in the back left corner so the clip faces the back. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the front.
- 13.3. Horizontally place a dark brown 2x4 plate in between the previous 1x2 plates with a clip so there is no overhang.
- 13.4. Place a light grey 4x4 plate with a 2x2 gap on top so it is centered.
- 13.5. Vertically place your part to the left of the previous 2x10 bricks so it is centered vertically.
14. Vertically place a black 2x4 brick to the left of the previous part so it is centered vertically. Then horizontally place a light grey 2x10 plate to the left so it is centered vertically.
- 15.1. Let's make a part! Horizontally place a dark grey 1x4 plate with inverted slope sides in front of you. Then horizontally place a light grey 1x4 plate on top so it is centered horizontally. Now repeat again so you have 2 parts in total.
- 15.2. Horizontally place 1 part on the front row of the leftmost 2x4 plate with 2 pins so it is centered horizontally. Then repeat symmetrically to the back.

16. Horizontally place a tan 1x2 plate with 2x2 side studs hanging down on the front row to the right of the previous part so the side studs face the front. Then repeat symmetrically to the back. Now place a blue 2x2 tile to the right. Then horizontally place a tan 1x2 plate with 2x2 side studs on the front row to the right so the side studs face the front. Then repeat symmetrically to the back.

17. Horizontally place a black 4x6 plate on top of the previous 1x2 plates with 2x2 side studs so it is centered vertically.

Group 13 - Fire Command Truck

18.1. Let's make a part! Horizontally place a white 4x6 plate in front of you. Then horizontally place a black 1x6 plate on the back row. Now place a short tan 2x2 ridged brick in front so it is centered horizontally.

18.2. Vertically place your part on the 4 leftmost columns so it is centered vertically so the 1x6 plate faces the right.

19. Place a white 2x2 plate with an arch in front of the previous short tan 2x2 ridged brick so the arch faces the front. Then repeat symmetrically to the back. Now vertically place a brown 1x2 plate on the leftmost column so it is centered vertically.

20.1. Let's make a part! Horizontally place a light grey 2x6 brick in front of you. Then horizontally place a dark tan 1x2 panel with 3 walls in the back left and back right corners so the long walls face the back. Then horizontally place another 1 in the front left and front right corners so the long walls face the back. Now place a black 2x2 sloped curved brick with 2 studs in between them so it slopes to the front. Now repeat again so you have 2 parts in total.

20.2. Horizontally place 1 part upright on the front-facing 2 sets of 2x2 studs underneath the overhang of the 4x6 plate so it slopes up. Now repeat symmetrically to the back.

21. Horizontally place a brown 2x4 plate to the right of the short 2x2 ridged brick so it is centered vertically. Now horizontally place a yellow 2x6 plate in front of the 2x2 ridged brick and previous 2x4 plate. Then repeat symmetrically to the back. The leftmost column should be free.

22. Vertically place a yellow 2x6 plate to the right of the previous plates so it is centered vertically. Then vertically place another 1 to the right.

23. Place a green 2x2 plate to the right of the previous 2x6 plate so it is centered vertically. Then vertically place a light grey 2x4 tile to the right so it is centered vertically. Then horizontally place a brown 2x4 plate to the right so it is centered vertically.

24. Place a white 2x2 sloped curved tile in front of the previous 2x2 plate so it slopes to the front onto the plate with a clip. Then repeat symmetrically to the back. Now place another 1 in front of the left 2 columns of the previous 2x4 plate so it slopes to the front onto the plate with a clip. Then repeat symmetrically to the back.

Group 14 - Fire Command Truck

25. Place a white 2x2 plate with an arch to the right of the previous 2x2 sloped curved tile in front of the 2 right columns of the 2x4 plate so it overhangs and arches to the front. Then repeat symmetrically to the back. Now vertically place a white 2x6 plate to the right of the previous plate with arches so it is centered vertically.

26. Place a white 2x2 plate with an arch on the front row to the right of the previous 2x6 plate so it overhangs and arches to the front. Then repeat symmetrically to the back. Now place a green 2x2 plate in between them.

27. Vertically place a white 4x6 plate to the right of the previous plates so it is centered vertically and overhangs on 3 sides.

28. Horizontally place a red 2x3 tile with 2 clips on the front right corner of the previous 4x6 plate so the clips face the right. Then repeat symmetrically to the back.

Group 15 - Fire Command Truck

29. Horizontally place a red 1x6 tile on the front row to the left of the previous 2x3 tile with 2 clips. Then repeat symmetrically to the back. Now horizontally place 2 blue 2x6 plates, 1 in front of the other, between the previous 1x6 tiles.

30. Vertically place a blue 2x6 plate to the left of the pieces from the previous step so it is centered vertically. Then horizontally place a brown 2x4 plate on the 3 rightmost columns in between the 2x3 tiles with clips so it overhangs 1 column to the right.

31. Vertically place a white 1x2 plate with 1x4 side studs on the front 2 rows on the leftmost column so the side studs face the left. Then repeat symmetrically to the back.

32. Rotate your build so it is vertical and the left-facing side studs face the front. Now horizontally place a light grey 1x4 plate upright on the front-facing side studs so it is centered horizontally. Then horizontally place a transparent 1x2 plate upright to the left and right.

33. Horizontally place a yellow 2x6 plate with a rounded side on the front row so it is centered horizontally and the rounded side faces the front.

34. Horizontally place a white 1x4 tile with 2 studs upright on the front-facing side studs so it is centered horizontally. Then horizontally place a white 1x2 grill tile upright to the left and right.

Building Instructions (Bag 4, Book 3):

Group 16 - Fire Command Truck

35. Rotate your build so it is horizontal and the 4 clips on the short end face the right. Vertically place a brown 2x4 plate on the left column of the 2x2 plate that has a 2x2 sloped curved tile in front and behind it so it is centered vertically.

36. Horizontally place a blue 1x3 tile to the left of the front and back rows of the previous 2x4 plate. Horizontally place a red 1x10 plate on the front row so the 2 rightmost studs are in the same columns as the previous 2x4 plate. Then repeat symmetrically to the back.

37. Vertically place a brown 2x4 plate to the left of the previous 1x3 tiles so it is centered vertically. Now vertically place a brown 1x2 plate to the right in between the 1x3 tiles. Then horizontally place a blue 1x3 tile to the left of the front and back rows of the previous 2x4 plate.

38. Vertically place a red 1x6 brick on top of the right column of the 2x4 plate that is on top of the 2x2 plate and 2x2 sloped curved tiles so it is centered vertically. Now vertically place a blue 1x2 tile with an overhead bar to the left so it is centered vertically and the bar faces the right.

39. Horizontally place a red 1x3x1 door on the front row to the left of the 1x6 brick so the stud is on the right and the door opens to the front. Then repeat symmetrically to the back.

40. Horizontally place a red 1x2x2 brick on the front row on top of the 1x3x1 door and 1x6 brick. Then repeat symmetrically to the back. Now vertically place a dark grey 1x4x2 panel in between the right column of the previous bricks so the wall faces the right.

41. Vertically place a brown 1x2 plate on top of the previous 1x4x2 panel so it is centered vertically. Then place a red 2x2 corner plate in front so it looks like the braille letter j and there is no overhang. Then repeat symmetrically to the back.

42. Place a black 1x1 plate with a tooth on the front left stud of the previous 2x2 corner plate you placed in the front so the tooth faces the left. Then repeat symmetrically to the back.

43. Place a red 1x1 brick with a side stud to the right of the previous 1x1 plate with a tooth on the back row so the side stud faces the back. Then place a transparent blue 1x1 round tile upright on the side stud.

44. Horizontally place a light grey 1x2 inverted slope brick in front of the previous 1x1 brick with a side stud so it overhangs and slopes to the left. Then vertically place a black 1x2 ridged brick in front so it sits on top of the 1x2 plate. Then horizontally place a light grey 1x2 inverted slope brick in front so it slopes and overhangs to the left.

45. Place a red 1x1 brick with a side stud to the right of the previous 1x1 plate with a tooth on the front row so the side stud faces the front. Then place a transparent blue 1x1 round tile upright on the side stud.

46. Place a red 1x1 slope tile on the front 1x1 plate with a tooth so it slopes to the front. Then repeat symmetrically to the back. Now vertically place a red 1x6 brick to the left of the 1x3x1 doors so it is centered vertically.

Group 17 - Fire Command Truck

47. Place a yellow mug on the front stud of the previous 1x6 brick so the handle faces the right. Then vertically place a white 1x2 tile printed with a keyboard on top of the previous 1x6 brick so it is centered vertically.

48. Horizontally place a red 1x2x2 brick on the back row to the left of the previous 1x6 brick. Then horizontally place a red 1x3x1 door to the left so the stud is on the left and it opens to the back.

49. Vertically place a black 1x4x3 window frame in front of the right stud of the previous 1x2x2 brick. Then vertically place a blue 1x2 tile with an overhead bar to the left so it is centered vertically and the bar is on

the right. Now vertically place a blue 1x2 steering wheel to the left, in between the leftmost column of the 1x3 tiles, so the wheel faces the right.

50. Vertically place a tan 1x2 plate with 2x2 side studs on top of the previous 1x4x3 window frame so it is centered vertically and the side studs face the right. Then place a white 2x2 tile printed with a green computer screen on the 2x2 side studs.

51. Horizontally place a red 1x2x2 brick on the front row to the left of the mug. Then horizontally place a red 1x3x1 door to the left so the stud is on the left and it opens to the front.

52. Horizontally place a red 1x2 brick with a clip on top of the previous 1x2x2 brick on the front row so the clip faces the front. Then repeat symmetrically to the back.

53. Place a red 2x2 corner plate in front of the previous 1x2 plate with 2x2 side studs on top of the front 2x2 corner plate so there is no overhang. It should look like the braille letter j. Then repeat symmetrically to the back.

Group 18 - Fire Command Truck

54. Horizontally place a dark grey 1x2 grill tile on the front row on top of the previous 2x2 corner plate so there is no overhang. Then repeat symmetrically to the back. Now vertically place a light grey 1x4 tile in between the right column of the previous grill tiles.

55. Rotate your build 90 degrees counterclockwise so the front end of the truck faces the front. This is the side with the steering wheel! Now horizontally place a light grey 2x4 brick on the 2nd and 3rd rows from the front so it is centered horizontally. Then place a red 1x1 brick with a side stud on the rightmost column to the right of the back row of the previous 2x4 brick so the side stud faces the right. Then place a black 1x1 brick with a bar on the leftmost column to the left of the back row of the 2x4 brick so the bar faces the left.

56. Place a red 1x1 brick with a side stud to the right of the front row of the previous 2x4 brick so the side stud faces the front. Then repeat symmetrically to the left.

57. Horizontally place a red 2x6 plate on top of the 2x4 brick and 1x1 bricks so it is centered horizontally.

58. Horizontally place 2 black 1x2 ridged bricks, 1 to the right of the other, on the front row so together they are centered horizontally and the horizontal ridges face the front. Then place a red 1x1 slope tile upright to the right of the previous ridged bricks so it slopes to the right. Then repeat symmetrically to the left.

59. Horizontally place a black 1x6 plate on the back row of the previous 2x6 plate so it is centered horizontally. Then place a black 1x1 plate with 2 studs behind the rightmost column of the 1x6 plate so the side studs face the right. Then repeat symmetrically to the left.

You will have 2 extra transparent blue 1x1 round tiles. Save them for later.

Group 19 - Fire Command Truck

60. Horizontally place a transparent light blue 2x6 windshield on top of the previous 1x6 plate and 1x1 plates with side studs so it slopes to the front. Then place a transparent blue 1x1 round tile from group 18 on the leftmost and rightmost studs of the windshield. Then horizontally place 2 black 1x2 plates with 2 side studs, 1 to the right of the other, in between the previous round tiles so the side studs face the front. Now place 4 transparent 1x1 round tiles upright on the front-facing side studs of the 1x2 plates.

61.1. Horizontally place a yellow 2x2 sloped curved tile printed with a fire shield emblem on the front 2 rows so it is centered horizontally and slopes to the front.

61.2. Vertically place a yellow 1x2 sloped curved tile to the right of the previous 2x2 sloped curved tile so it slopes to the front. Then vertically place a red 1x2 angled sloped curved tile to the right so the angled side faces the right and slopes to the front. Now repeat both parts symmetrically to the left.

62. Horizontally place the lower 2 studs of a rectangular bar with 4 studs upright on the front-facing side studs of the 1x4 tile. Then place a transparent 1x1 round tile upright on the upper 2 front-facing side studs of the rectangular bar.

63. Rotate your build 90 degrees clockwise so the front end of the truck faces the left. Now vertically place a black 1x2 slope tile upright on the 2 front-facing side studs in front of the windshield so it slopes to the left. Then attach the handle of a red and grey fire axe to the clip that is to the right so the pointy tip faces the left.

64. Rotate your build 180 degrees so the front end of the truck faces the right. Now vertically place a black 1x2 slope tile upright on the 2 front-facing side studs in front of the windshield so it slopes to the right. Then attach the handle of a light grey saw to the clip that is to the left so the circular blade faces down.

65.1. Let's make a part! Place a black candle stick in front of you so the bar faces up. Then place another 1 on top. Now place a black 1x1 round plate upside down on top.

65.2. Attach the bottom-facing bar hole to the top-facing bar in front of the windshield.

66.1. Let's make a part! Vertically place a red 4x6 car hood upside down in front of you so it slopes to the right.

66.2. Place 2 blue 2x2 round plates with a smooth underside on the leftmost column so together they are centered vertically and overhang to the left.

66.3. Vertically place a red 4x6 plate with sloped sides upside down underneath the overhang so it is centered vertically.

66.4. Flip your part over so it is upright, horizontal, and slopes to the right. Now place a green 2x2 plate on the 2 rightmost columns so it is centered vertically.

66.5. Horizontally place a black 1x6 plate in front of the previous 2x2 plate so it overhangs 1 column to the left. Then repeat symmetrically to the back.

66.6. Horizontally place your part on top of the windshield so it is centered vertically and attaches to the 1x2 inverted slope bricks that are to the left.

67. Place a light grey 4x4 tile with a ridged circle on top of the previous 1x6 plates so it is centered horizontally on them.

68. Vertically place a light grey 1x4 tile to the left of the previous 4x4 tile with a ridged circle so it is centered vertically. Then place a white 4x4 round plate on top of the ridged circle so it can freely spin.

Group 20 - Fire Command Truck

69.1. Let's make a part! Vertically place a black rectangular bar with 4 studs in front of you. Then place 2 transparent blue 1x1 round tiles on the 2 right studs. Now vertically place a light grey 2x4 tile on the 2 left studs so it overhangs 1 column to the left.

69.2. Vertically attach the overhang of your part to the right of the previous 4x4 round plate so it is centered vertically.

70.1. Let's make a part! Horizontally place a white 1x2 brick with an axle hole in front of you. Then insert a blue 2L pin axle into the front-facing hole.

70.2. Horizontally attach the hole of a black 2x4 plate to the front-facing pin.

70.3. Insert a blue 2L pin axle into the front-facing hole. Then horizontally attach a white 1x2 brick with an axle hole to the front-facing axle.

70.4. Place your part on top of the previous 4x4 round plate so the 1x2 bricks face the front and back.

71. Let's make a part! Horizontally place a dark grey and grey 2x6 bar shooter brick in front of you so the part that sticks out faces the left. Vertically place 2 dark grey 1x2 grill tiles on the 2 rightmost columns. Then horizontally place a light grey 2x4 tile to the left. Now horizontally place your part on top of the previous 2x4 plate with a hole so it is centered horizontally.

Building Instructions (Bag 5, Book 3):

Group 21 - Fire Command Truck

72. Vertically place a black 2x6 brick on top of the vertical 2x6 plate that is to the right of 1x6 tiles and 2x6 plates so it is centered vertically. Then horizontally place 2 light grey 2x4 slope bricks, 1 to the right of the other, to the left of the 2nd and 3rd rows from the front of the previous 2x6 brick so they slope to the front. Then repeat symmetrically to the back.

73. Vertically place a black 2x6 brick on top of the previous 2x6 brick so it is centered vertically. Then horizontally place 2 white 2x4 bricks, 1 to the right of the other, to the left so they sit on the 2x4 slope bricks and do not overhang. Place a red 2x2x2 cabinet to the left so it is centered vertically and the opening faces the left. Now attach a light grey cabinet door to it so it opens to the left.

74. Vertically place a brown 1x2 plate on the leftmost column of the previous 2x2x2 cabinet. Then horizontally place a light grey 6x10 plate to the right so it is centered vertically. Then vertically place a black 1x6 brick to the right so it is centered vertically.

75. Place a mint green 1x1 plate with a clip in the front right corner of the previous 6x10 plate so the clip faces the front. This clip has hands that face up and down. Then horizontally place a white 1x2 plate with a slope tile and stud to the left so it slopes to the left. Now repeat both parts symmetrically to the back.

76.1. Horizontally place a brown 1x2 plate on the front row on top of the previous 1x1 plate with a clip and 1x2 plate with a slope tile and a stud. Then repeat symmetrically to the back.

76.2. Vertically place a brown 1x2 plate on the front left corner. Then place a mint green 1x1 plate with a clip on the front row to the right so the clip faces the front. This clip has hands that face up and down. Then horizontally place a white 1x2 plate with a slope tile and stud behind it so it slopes to the right. Now repeat all parts symmetrically to the back.

77. Place a black 2x2 slope brick on the front left corner of the 6x10 plate on top of the previous plates so it slopes to the left. Then horizontally place a black 1x3 slope brick on the front row on top of the 1x6 brick that is to the right so it slopes to the left. Now repeat both parts symmetrically to the back.

78. Vertically place a light grey 1x2 log brick on top of the previous 2x2 slope brick that is in the front left corner. Then repeat symmetrically to the back. Now vertically place 2 light grey 1x2 log bricks, 1 in front of the other, in between the rightmost column of the previous 1x3 slope bricks.

Group 22 - Fire Command Truck

79.1. Let's make a part! Place a red 2x2x2 cabinet in front of you so the opening faces the left. Then attach a light grey cabinet door to the leftside of the cabinet, so that it opens to the left.

79.2. Horizontally place the 2 leftmost columns of the higher part of a blue 2x5 stair plate on top of the cabinet so the stair plate faces the right.

79.3. Horizontally place a light grey 2x3 plate on top of the 2x3 part of the stair plate.

79.4. Place a white 2x2 tile with a stud on the 2 left columns of the previous 2x3 plate.

79.5. Horizontally place your part on top of the 2 leftmost columns of the main build in between the 2x2 slope bricks so the cabinet door opens to the left.

80. Vertically place a white 1x4 sloped curved tile to the right of the leftmost 2x2 tile with a stud so it is centered vertically. Then place a white 2x2 tile with a stud to the right of the previous 2x5 stair plate. Now vertically place a black 1x6 plate to the right so it sits on the 1x3 slope bricks and 1x2 log bricks and is centered vertically.

81.1. Let's make a part! Place a black 6x6 plate in front of you.

81.2. Horizontally place a red 1x6 tile on the front row. Then repeat symmetrically to the back. Now place 2 white 1x2 plates with a slope tile and stud on the 2 rightmost columns so together they are centered vertically and slope to the right. Then vertically place a brown 1x2 plate to the left.

81.3. Place a white 2x2 tile with a stud on top of the previous 1x2 plate and 1x2 plates with a slope tile and a stud.

81.4. Place the leftmost column of your part on top of the previous 1x6 plate so it is centered vertically and the rightmost column attaches to a column of studs.

Group 23 - Fire Command Truck

82. Let's make a part! Horizontally place a dark grey 4x6 plate with 2 bars in front of you so the bars face the right. Then vertically place a black 1x2 ingot tile on the rightmost column in between the bars.

You will have 2 extra yellow 2x2 triangle tiles and 1 red 2x4 tile. Save them for later.

Group 24 - Fire Command Truck

83. Place a black 2x2 triangle tile in the front right corner so the long side faces the back left. Then place a yellow 2x2 triangle from group 23 on the back right corner so the long side faces the back left.

Group 25 - Fire Command Truck

84. Place a red 2x2 triangle tile to the back left of the previous triangle tile in the back right corner so the long side faces the front right. Then place a yellow 2x2 triangle tile from group 23 to the back left of the triangle tile in the front right corner so the long side faces the front right.

85.1. Horizontally place a red 2x4 tile from group 23 on the back 2 rows so it overhangs 1 column to the left. Then horizontally place a yellow 2x4 tile with a sticker on the front 2 rows so it overhangs 1 column to the left.

85.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the yellow 2x4 tile. This sticker has a fire shield emblem on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

86. Flip your part upside down so it is horizontal and the bars face the right. Then vertically place 2 dark grey 1x2 plates with a rail, 1 in front of the other, on the leftmost column so the rails face the left.

87. Place 2 black 2x2 round plates with a smooth underside, 1 in front of the other, on the 2 leftmost columns.

88. Attach the bars of your part to the front-facing clips underneath the 2x2 sloped curved tiles under your previous part so it sits upright and the tiles face the front.

Group 26 - Fire Command Truck

89. Let's make a part! Horizontally place a black 1x6 plate in front of you.

90. Horizontally place a red 1x3 brick on the 3 leftmost columns. Then horizontally place a light grey 1x2 brick with a bar on the 2 rightmost columns so the bar faces the left.

91. Horizontally place a black 1x6 plate on top.

92. Horizontally place a red 1x6x5 panel with grooves so the wall faces the front. Then horizontally place a black 1x6 plate on top.

93. Horizontally place a red 1x3 brick on the 3 leftmost columns. Then horizontally place a light grey 1x2 brick with a bar on the 2 rightmost columns so the bar faces the left.

94. Horizontally place a red 1x6 brick on top.

95. Horizontally place a yellow 1x2 plate on the 2 leftmost columns. Then horizontally place a light grey 1x4 tile to the right.

96.1. Place a transparent red 1x1 round tile on the leftmost stud.

Group 27 - Fire Command Truck

96.2. Place a transparent orange 1x1 round tile to the right of the previous 1x1 round tile.

97. Flip your part on its side so it is horizontal and the grooves of the 1x6x5 panel face the front and the 1x1 round tiles face the left. Now attach the bars of your part to the front-facing clips that are to the left of your previous part.

98.1. Attach the bar of a transparent 2x6 curved windshield with a sticker to the front left-facing clips on the leftmost column behind your part so it is upright and the curved side faces the left.

98.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the transparent 2x6 curved windshield. This sticker has an electrical sign with a cloud next to it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Group 28 - Fire Command Truck

98.3. Attach the bar of a transparent light blue 2x6 curved windshield with a sticker to the back left-facing clips on the leftmost column so it is upright and the curved side faces the left.

98.4. Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the transparent 2x6 curved windshield. This sticker has a fire emblem and water emblem on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

99. Let's make a part! Horizontally place a dark grey 4x6 plate with 2 bars in front of you so the bars face the left. Then vertically place a black 1x2 ingot tile on the leftmost column in between the bars.

You will have 2 extra yellow 2x2 triangle tiles. Save them for later.

Group 29 - Fire Command Truck

100. Place a black 2x2 triangle tile in the front left corner so the long side faces the back right. Then place a yellow 2x2 triangle from group 28 on the back left corner so the long side faces the back right.

Group 30 - Fire Command Truck

101. Place a red 2x2 triangle tile to the back right of the previous triangle tile in the back left corner so the long side faces the front left. Then place a yellow 2x2 triangle tile from group 23 to the back right of the triangle tile in the front left corner so the long side faces the front left.

You will have an extra red 2x4 tile. Save it for later.

Group 31 - Fire Command Truck

102.1. Horizontally place a red 2x4 tile from group 30 on the back 2 rows so it overhangs 1 column to the right. Then horizontally place a yellow 2x4 tile with a sticker on the front 2 rows so it overhangs 1 column to the right.

102.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the yellow 2x4 tile. This sticker has a fire shield emblem on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

103. Flip your part upside down so it is horizontal and the bars face the left. Then vertically place 2 dark grey 1x2 plates with a rail, 1 in front of the other, on the rightmost column so the rails face the right.

104. Place 2 black 2x2 round plates with a smooth underside, 1 in front of the other, on the 2 rightmost columns.

105. Rotate your main build 180 degrees so the front end faces the left. Now vertically attach the bars of your part to the front-facing clips to the left of the arches so it is upright and tiles face the front.

106. Let's make a part! Horizontally place a black 1x6 plate in front of you.

107. Horizontally place a red 1x3 brick on the 3 rightmost columns. Then horizontally place a light grey 1x2 brick with a bar on the 2 leftmost columns so the bar faces the right.

108. Horizontally place a black 1x6 plate on top so there is no overhang.

109. Horizontally place a red 1x6x5 panel with grooves so the wall faces the front. Then horizontally place a black 1x6 plate on top.

110. Horizontally place a red 1x3 brick on the 3 rightmost columns. Then horizontally place a light grey 1x2 brick with a bar on the 2 leftmost columns so the bar faces the right.

111. Horizontally place a red 1x6 brick on top.

112. Horizontally place a yellow 1x2 plate on the 2 rightmost columns. Then horizontally place a light grey 1x4 tile to the left.

113.1. Place a transparent red 1x1 round tile on the rightmost stud.

Group 32 - Fire Command Truck

113.2. Place a transparent orange 1x1 round tile to the left of the previous round tile.

114. Turn your part on its side so it is horizontal the ridges face the front and the 1x1 round tiles face the right. Now attach the bars of your part to the front-facing clips to the right of your previous part.

115. Place a light grey 4x4 plate with a 2x2 gap in front of you.

116. Place 2 white 2x2 corner plates, 1 to the right of the other, on the back row so there is no overhang.

117. Place 2 blue 1x1 plates with a clip, 1 to the right of the other, on the back row so together they are centered horizontally and the clips face the back.

118. Horizontally place a white 1x4 sloped curved tile on top of the back row so it is centered horizontally. Then vertically place a white 1x2 plate with a slope tile and a stud in the front left corner so it slopes to the front. Then repeat symmetrically to the right.

You will have an extra black 2L pin. Save it for later.

Group 33 - Fire Command Truck

119.1. Let's make a part! Vertically place a light grey 1x2 plate with a hole and a stud in front of you so the hole is in the front. Then attach a yellow 2L pin into the right-facing hole.

119.2. Attach a light grey cylinder with a stud and gears on the sides to the right-facing pin. Then insert a black 2L pin with friction ridges from group 32 into the right-facing hole.

119.3. Vertically attach the hole of a light grey 1x2 plate so the plate side faces the back.

120. Place a black 1x1 round plate with a rope on the stud of the previous cylinder. Now attach the 1x1 round plate on the other side of the rope to the stud of a dark grey hook and ball.

121. Now spin the cylinder to roll up the rope!

122. Now attach the back-facing clips of your part to the gap of the 1x2 rounded brick that is underneath the rectangular bar and on the left-facing side of the build.

123. Insert 6 black wheels into 6 black tires. Now insert them into the front-facing and back-facing pins underneath the arches.

124.1. Locate 1 transparent light blue bolt. Insert it into the 2x6 bolt shooter that is on top of the build! You can press down on the back of it to shoot it out!

Group 34 - Fire Command Truck

124.2. Locate 1 transparent bolt. Insert it into the 2x6 bolt shooter that is on top of the build! You can press down on the back of it to shoot it out!

Thank you so much for building this set!

Visit bricksfortheblind.org for more accessible instructions, sign up for our newsletter, and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We also love seeing your completed builds, so please tag our [Facebook](#) and [Instagram](#) accounts in any photos of your builds so we can share your accomplishments with our Bricks for the Blind community.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 10 LEGO CITY Theme kits:

60389 Custom Car Garage

60387 Off-Roader Adventures

60383 Electric Sports Car

60384 Penguin Slushy Van

60385 Construction Digger

60372 Police Training Academy

60374 Fire Command Truck

60369 Mobile Police Dog Training

60373 Fire Rescue Boat

60370 Police Station Chase