

60426 Jungle Explorer Off-Road Truck

Adapted by John Le and tested by Jolene Nemeth

This cool toy truck with rugged tires and a movable camera boom will whisk your young explorer to the heart of the jungle for epic tiger-safari adventures. The set also includes a jungle cave setting, a toy drone, 3 explorer minifigures, and a tiger figure for storytelling and imaginative play.

Jungle-themed toy truck playset – Surprise your young wildlife enthusiast with this LEGO® City Jungle Explorer Off-Road Truck playset for boys and girls aged 6 and up.

What's in the box? – This LEGO® jungle explorer toy playset has everything kids need to build an off-road truck, jungle cave setting, 3 adventurer minifigures, and a LEGO tiger toy figure.

A building toy for creative play – Kids enjoy a fun build before joining the explorer for imaginative tiger-safari adventures aboard the jungle truck.

Nature toy with fun accessories – This kids' playset comes with LEGO® minifigure accessories for pretend play, including a toy map, binoculars, a camera, and a walkie-talkie.

Dimensions – The truck in this 314-piece LEGO® City set measures over 4 in. (11 cm) high, 6 in. (15 cm) long and 2.5 in. (6 cm) wide.

The front of the box shows the explorer truck in the back that is equipped with cameras to record the tiger in the jungle! There are 3 minifigures on the truck with cameras, maps, and radio to traverse the jungle and take pictures!

The back of the box shows the truck parked in the middle of the jungle! The jungle habitat is across a river to the left and an explorer is looking at a bone! The tiger is on a fallen tree over the river looking to eat the explorer!

The top of the box shows all the minifigures next to the tiger!

The build is 314 pieces in total and is for ages 6+.

Bag 1 includes the pieces for the tiger, jungle habitat, and a minifigure.

Bags 2 and 3 include the pieces for 2 minifigures and the truck.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.

- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/PPP: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/60426>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 3 bags labeled 1, 2, and 3, 2 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Tiger, Explorer, and Jungle Habitat

Group 1 - Page 5.

Group 2 - Steps 1-19.

Group 3 - Steps 20-41.

Bag 2 - 2 Minifigures and Explorer Truck

Group 4 - Page 2.

Group 5 - Left Minifigure and pieces on Page 3.

Group 6 - Steps 1-18.

Group 7 - Steps 19-26 and 2 orange 1x4 plates from Step 27.

Group 8 - Rest of Step 27, Steps 28-34, and 2 transparent orange 1x1 slope tiles from Step 35.

Group 9 - Rest of Step 35 and Steps 36-37.

Bag 3 - Explorer Truck

Group 10 - Steps 38-43 and 2 white 2x2 triangle tile from Steps 44-45.

Group 11 - 2 orange 2x2 triangle tile from Steps 44-45.

Group 12 - Rest of Steps 44-45 and Steps 46-58.

Group 13 - Steps 59-61.

Group 14 - Steps 62-72.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Explorer and Tiger

Sub-build 1. Locate 1 dark tan pair of legs printed with pockets, 1 torso printed with a white shirt and light blue sleeveless jacket, 1 yellow head printed with a black beard, 1 black hair, 1 black walkie-talkie, and 1 orange tiger with black stripes. Assemble your minifigure, put the walkie-talkie in his hand, then place the tiger next to him!

Sub-build 2. Place a black gun with side studs and a handle in front of you so the handle is on the left and faces up. Then insert the bar of a black 1x1 round tile into the right-facing stud. Then attach a transparent 1x1 round plate to it. Now place a black steering wheel on top. This is a camera! Attach it to your minifigure's hand! Now put everything away while we build the jungle habitat.

Group 2 - Jungle Habitat

1. Place a dark green 6x6 quarter plate in front of you so the curved side faces the front right. Then horizontally place an olive green 1x2 masonry brick in the back left corner so the brick grooves face the back.
2. Vertically place a light grey 2x4 brick on the back row to the right of the previous masonry brick so there is no overhang. Then horizontally place a light grey 1x2 brick with a bar on the back row to the right so the bar faces the right.
3. Horizontally place an olive green 1x2 masonry brick in front of the previous 1x2 brick with a bar so the brick grooves face the front.
4. Place a dark grey 2x2 angled slope brick on the 2 rightmost columns in front of the previous 1x2 masonry brick so it slopes to the front right.
5. Horizontally place a light blue 2x4 tile on the 2 leftmost columns in front of the 1x2 masonry brick so it overhangs 2 columns to the left.

6. Vertically place a dark green 4x6 plate underneath the overhang so the front row is aligned with the front row of the 6x6 quarter plate.
7. Vertically place a light grey 2x3 slope brick on the back row behind the 2 left columns of the 2x4 tile so it slopes and overhangs to the back. Then horizontally place the 2 rightmost columns of a light grey 2x6 plate underneath the overhang.
8. Vertically place a light grey 2x3 slope brick to the left of the previous 2x3 slope brick so it slopes to the back. Then vertically place another 1 to the left so it overhangs 1 row to the front and slopes to the back.
9. Place a dark green 6x6 quarter plate underneath the overhang so the curved side faces the front left.
10. Horizontally place a light blue 2x4 tile to the left of the previous 2x4 tile.
11. Vertically place a light grey 2x4 brick on the back row to the left of the previous 2x4 tile so there is no overhang. Then horizontally place a light grey 1x8 brick in front of the previous 2x4 tiles.
12. Place a light grey 1x1 brick with a clip in the back left corner so the clip faces the left. Then place a dark tan 2x2 corner brick around it. It should look like the braille letter j.
13. Place a dark grey 2x2 angled slope brick in front of the previous corner brick so it slopes to the front left.
14. Place a green 4x4 quarter plate in the back left corner so the curved side faces the front left. Then place a green 4x4 plate to the right so there is no overhang on the sides. Place another green 4x4 plate to the right. Now place a green 4x4 quarter plate to the right so the curved side faces the front right.
15. Horizontally place a light grey 1x2 jumper plate with a curved side on the 2 leftmost studs in front of the left 4x4 quarter plate so the rounded side faces the front. Then repeat symmetrically to the right.
16. Place a dark grey 2x2 angled slope brick on the front 2 rows to the right of the previous 1x2 jumper plate with a curved side so it slopes to the front left. Then horizontally place a dark grey angled 2x4 slope brick to the right so it slopes to the front. Then place another dark grey 2x2 angled slope brick to the right so it slopes to the front left. Now place 1 more to the right so it slopes to the front right.
17. Place a dark grey 2x2 angled slope brick in the back right corner so it slopes to the front right. Then horizontally place a light grey 2x4 brick on the back 2 rows to the left.
18. Place an olive green 1x1 slope tile on the back row to the left of the previous 2x4 brick so it slopes to the left. Now horizontally place 2 brown 1x2 sloped curved bricks in front of the previous 2x4 brick so they slope outwards. Then place an olive green 1x1 slope tile in front of the stud of the left 1x2 sloped curved brick so it slopes to the front.
19. Let's make a part! Place a light orange 1x1 round flower plate on top of a green 1x1 plate with 3 leaves. Then repeat again so you have 2 parts in total. Place 1 part on the right 1x2 jumper plate with a curved side so the leaves face the front right. Then place another part on the rightmost stud that is to the right of the 1x2 sloped curved brick so the leaves face the front right.

Group 3 - Jungle Habitat

20. Horizontally place a dark tan 2x4 plate on the 2x4 brick that is on the back right corner. Then place an olive green 1x1 slope tile to the right on top of the 2x2 angled slope brick so it slopes to the right. Now horizontally place a sand green 1x2 rounded plate in front of the previous 2x4 plate so it sits on top of the 2 brown 1x2 sloped curved bricks.

21. Vertically place a light grey 1x2x2 slope brick on the right column of the previous 2x4 plate so it slopes to the front. Then place an olive green 1x1 slope tile on top so it slopes to the right.

22. Horizontally place a tan 1x2x3 brick on the back row to the left of the previous 1x1 slope tile.

23. Vertically place 2 brown 1x2x3 slope bricks, 1 to the right of the other, in front of the previous 1x2x3 brick so they slope to the front. Now vertically place a sand green 1x2 rounded plate to the left so it sits on the left column of the previous 2x4 plate.

24. Place an olive green 2x2 plate on top of the 1x2x3 brick and 1x2x3 slope bricks.

25. Horizontally place a light grey 1x3 brick on the back row so there is only 1 stud to the left. Then place an olive green 1x1 slope tile to the right so it slopes to the right.

26. Place a dark grey 2x2 angled slope brick in front of the 2 left studs of the previous 1x3 brick so it slopes to the front left. Then place another 1 to the right so it slopes to the front right.

27. Let's make a part! Place a light orange 1x1 round flower plate on top of a green 1x1 plate with 3 leaves. Then repeat again so you have 2 parts in total. Place 1 part on the back left stud so the leaves face the front left. Then place another part on the front left 1x2 jumper plate with a curved side so the leaves face the front left.

28. Let's make a part! Attach a white bone to a dark green 1x1 clip. Then repeat again so you have 2 parts in total. Now place 1 part on the 2nd stud from the front and 2nd stud from the left so the ends of the bone face the back left and front right. Then place your other part to the left of the 1x2 sloped curved brick that is underneath the 1x2x3 slope brick so there is 1 stud in between. Make sure the ends of the bone face the front left and back right.

29. Place an olive green 1x1 slope tile on the back left corner so it sits on the leftmost stud of the 1x3 brick and slopes to the right. Then place an olive green 2x2 plate to the right so there is no overhang.

30. Vertically place a light grey 1x2x2 slope brick on the left column of the previous 2x2 plate so it slopes to the front. Then vertically place a sand green 1x2 rounded plate to the right.

31. Horizontally place 2 dark grey 1x4 half arches, 1 in front of the other, on top of the previous 1x2 rounded plate so they slope to the right. Then repeat symmetrically to the right. Make sure the half arches touch each other!

32. Horizontally place a dark tan 2x4 plate on top of the 4 arches so it is centered horizontally and there is no overhang. Then place a green 1x1 plate with 3 leaves to the left so it sits on the 1x2x2 slope brick and the leaves face the left.

33. Place a dark grey 2x2 angled slope brick on top of the previous 1x1 plate with 3 leaves so it slopes to the front left and there is no overhang. Then vertically place a dark tan 1x2 slope brick on top of the rightmost column of the right 1x4 arches so it slopes to the front.

34. Horizontally place a sand green 1x2 rounded plate to the right of the previous 1x2 slope brick so it sits on the front row of the 2x2 plate. Then horizontally place a brown 1x3 plate behind it so there is no overhang. Now horizontally place a light grey 2x6 plate to the left so there is no overhang.

35. Place an olive green 2x2 plate on top of the previous 1x2 rounded plate and 1x3 plate. Then horizontally place a sand green 1x2 rounded plate to the left of the back row of the 2x2 plate.

36. Place an olive green 1x1 slope tile in front of the left stud of the previous 1x2 rounded plate so it slopes to the front. Then place a dark grey 2x4 angled slope brick to the left so there is no overhang, and the angled side faces the front and slopes to the left. Then horizontally place a dark grey 1x2 sloped curved tile on the back row to the left so it slopes to the left onto the 2x2 angled slope brick.

37. Let's make a part! Place a light orange 1x1 round flower plate on top of a green 1x1 plate with 3 leaves. Now place your part in front of the right column of the previous 1x2 sloped curved brick so the leaves face the front left. Then place a light green frog on top of the 2x4 angled slope brick so it faces the front left.

38. Horizontally place a light grey 1x2x2 slope brick to the right of the previous frog so it slopes to the left. Then stack 2 brown 1x2 log bricks together so there is no overhang, then horizontally place them to the right of the previous 1x2x2 slope brick.

39.1. Let's make a part! Horizontally place a large dark green leaf plate in front of you so the branch with 5 studs faces the right.

39.2. Place a green 1x1 plate with 3 leaves on the rightmost stud so the leaves face the right. Then place 1 on the front left corner so the leaves face the front. Then place another 1 on the single back stud attached to a bar so the leaves face the back.

39.3. Horizontally place a brown 1x5 arch brick in front of you so it arches to the right. Then place the middle stud of your leaf plate so the branch with 5 studs faces the right. Now horizontally place a brown 1x3 plate on top of the arch brick and middle stud.

39.4. Horizontally place your part in front of the left stud of the log brick so the leaf plate faces the left.

40. Repeat step 39 then horizontally place it to the right of your previous part so the leaf plate faces the front.

41. Rotate your build 180 degrees so the leaf plates face the back and right. Then place an olive green 2x2 plate on top of the 1x2 log bricks and 1x5 arches so there is no overhang. Then place a dark grey 1x2 sloped curved tile on the front right stud of the previous 2x2 plate so it slopes to the right.

Building Instructions (Bag 2, Book 2):

Group 4 - Cowboy-hat-wearing explorer Minifigure

Sub-build 3. Locate 1 dark brown pair of legs, 1 tan uniform with a brown belt and brown strap over the shoulder, 1 yellow head printed with a mustache and side burns, and 1 dark brown cowboy hat. Assemble your minifigure then put it in front of you.

Group 5 - Grandmotherly Explorer Minifigure

Sub-build 4. Locate 1 dark tan pair of legs with pockets, 1 torso printed with a tan shirt and light blue long sleeve, 1 yellow head printed with an old grandma face, 1 black hair, 1 black camera, and 1 transparent 1x1 round plate. Assemble your minifigure, then place the round plate on the camera. Now attach the camera to your minifigure's hand.

Sub-build 5. Place a blue 1x1 round tile printed with an upward bar on top of a 1x1 transparent blue round brick. Then place it in your cowboy's hand then attach a white 2x2 tile printed with a map to his other hand!

Group 6 - Explorer Truck

1. Horizontally place a dark grey 2x16 plate in front of you. Then horizontally place another dark grey 2x16 plate in front of it so they are aligned. They should be touching but not connected.
2. Vertically place a black 1x6 plate with inverted slope sides on the rightmost column so it is centered vertically.
3. Vertically place 2 tan 2x4 tiles, 1 to the right of the other, to the left of the previous 1x6 plate with inverted slope sides so they are centered vertically. Then vertically place another black 1x6 plate with inverted slope sides to the left so it is centered vertically.
4. Horizontally place a tan 2x4 tile to the left of the previous 1x6 plate with inverted slope sides so it is centered horizontally. Then vertically place another black 1x6 plate with inverted slope sides to the left so it is centered vertically.
5. Vertically place 2 tan 2x4 tiles, 1 to the right of the other, to the left of the previous 1x6 plate with inverted slope sides so they are centered vertically. Then vertically place another black 1x6 plate with inverted slope sides to the left so it is centered vertically.
6. Horizontally place a dark grey 2x16 plate on top of the 2 middle rows so it is centered.
7. Horizontally place a brown 1x4 brick with 4 side studs in front of the previous 2x16 plate so it sits in between the 1x6 plates with inverted slope sides so the side studs face the front. Then repeat symmetrically to the back.
8. Horizontally place a dark grey 1x6 plate to the left and right of the front 1x4 brick with 4 side studs. Then repeat symmetrically to the back.
9. Flip your build upside down so it is horizontal. Now vertically place a light grey 2x2 round plate with a smooth underside on the 2 leftmost columns so it is centered vertically. Then vertically place a dark grey

2x4 plate with 2 pins to the right so it is centered vertically. Now repeat both parts symmetrically to the right.

10. Flip your build over so it's upright and horizontal. Then vertically place a light grey 1x4 plate with 2 hinges on the rightmost column so it is centered vertically and the hinges face the right. Then vertically place a black 1x4 tile to the right of the 1x4 bricks with 4 side studs so it sits in between the inverted sloped sides of the 1x6 plate.

11. Place 2 dark blue 2x2 sloped curved tiles, 1 in front of the other, on the rightmost column so they slope to the left.

12. Horizontally place an orange 1x6 stair plate with an arch on the front right corner on top of the inverted sloped sides of the 1x6 plates so the arch faces the front. Then repeat symmetrically to the back.

13. Place a transparent red 1x1 round plate on the front right corner. Then repeat symmetrically to the back.

14. Horizontally place an orange 1x2 plate on the front right corner. Then repeat symmetrically to the back.

15. Attach the 2 hinge connectors of a dark grey 2x4 ridged panel to the right-facing hinges so the ridged side faces down. Then flip it upright so the ridged side faces the right.

16. Vertically place a dark grey 1x2x2 brick to the left of the vertical 1x4 tile so it is centered vertically. Then vertically place an orange 1x2 plate to the left. Now place a light brown 2x2 tile with 2 studs to the left so the studs are on the right. Then vertically place a black 1x4 tile to the left so it is centered vertically.

17. Let's make a part! Horizontally place a dark grey 2x4 chest bottom in front of you so the shorter side faces the back. Then horizontally attach a dark grey 2x4 chest top on top so it opens to the back. Then insert a yellow banana inside then close it. Now horizontally place it on the front-facing 4 side studs so it hangs down and opens from up to down.

18. Let's make a part! Horizontally place a dark grey 2x4 chest bottom in front of you so the shorter side faces the back. Then horizontally attach a dark grey 2x4 chest top on top so it opens to the back. Then place a dark grey pair of binoculars inside then close it. Now horizontally place it on the back-facing 4 side studs so it hangs down and opens from up to down.

Group 7 - Explorer Truck

19. Horizontally place a light grey 2x4 plate on top of the front 1x4 brick with 4 side studs and chest so it is centered horizontally. Then repeat symmetrically to the back.

20. Horizontally place a dark grey 1x3 slope brick on the back right corner of the front 2x4 plate so it slopes to the left. Then place a black 1x1 round tile with an upward bar to the left. Now repeat both parts symmetrically to the back.

21. Vertically place an orange 1x4 plate to the left of the left vertical 1x4 tile so it is centered vertically. Then place a light brown 2x2 tile with 2 studs to the left so it is centered vertically and the studs face the right.

22. Vertically place a light grey 1x2 steering wheel to the left of the previous 2x2 tile with 2 studs so the wheel faces the right. Then vertically place an orange 1x4 plate on the leftmost column so it is centered vertically.

23. Horizontally place a light grey 1x3 panel on the front row to the right of the front stud of the previous 1x4 plate so the wall faces the front. Then repeat symmetrically to the back.

24. Vertically place a light grey 1x4 brick to the right of the previous 1x3 panels so it is centered vertically.

25. Horizontally place a dark blue 1x6 stair plate with an arch on the front left corner on top of the inverted sloped sides of the 1x6 plates so the arch faces the front. Then repeat symmetrically to the back.

26. Place a black 2x2 angled plate with 2 studs on the right stud of the previous 1x6 stair plate with an arch that is in the front left corner so the angled side faces the front and the short side faces the left. Then place a black 2x2 plate to the right. Then place another 2x2 angled plate with 2 studs to the right so the angled side faces the front and the short end faces the right. Now repeat all parts symmetrically to the back.

You will have 2 extra orange 1x4 plates. Save them for later!

Group 8 - Explorer Truck

27. Horizontally place a dark blue 1x4 plate on the front row on the 5th column from the left so it sits on the 2x2 plate and 2x2 angled plate. Then horizontally place an orange 1x4 plate from group 7 to the right. Now repeat both parts symmetrically to the back.

28. Place a transparent red 1x1 round plate in the back left corner. Then repeat symmetrically to the front.

29. Horizontally place a dark grey 1x2 plate with a hinge on the long side on the front left corner so the hinge faces the front. Then repeat symmetrically to the back. Then vertically place a brown 1x4 brick with 4 side studs on the leftmost column so the side studs face the left and it is centered vertically.

30. Let's make a part! Horizontally place a black 2x6 plate with 4 side studs in front of you so the side studs face the back.

31. Horizontally place 2 dark grey 1x2 grill tiles, 1 to the right of the other, on the back row so together they are centered horizontally.

32. Place 2 olive green 2x2 plates on the front row in front of the grill tiles so they overhang to the front.

33. Horizontally place a dark blue 1x4 plate underneath the overhang.

34. Place a light grey 1x1 round tile on the back right corner of the right 2x2 plate. Then vertically place a black 1x2 plate with a clip and a stud to the left so the clip faces the back. Now repeat both parts symmetrically to the left.

35.1. Place a transparent orange 1x1 slope tile on the front right corner of the 2x6 plate so it slopes to the right. Then repeat symmetrically to the left.

Group 9 - Explorer Truck

35.2. Place a transparent 1x1 slope tile on the back right corner of the 2x6 plate so it slopes to the right. Then repeat symmetrically to the left.

36. Horizontally place a dark grey 1x2 ingot tile on the front row so it is centered horizontally. Then horizontally place a dark grey 1x2 angled slope tile to the right so the angled part is in the front and it slopes to the right. Then repeat symmetrically to the left.

37. Horizontally place your part upright onto the left-facing side studs so the 1x4 side studs face upwards and are aligned with the studs to the right.

Building Instructions (Bag 3, Book 2):

Group 10 - Explorer Truck

38. Place an olive green 2x2 plate in the front left corner so it sits on top of the upright 1x1 slope tile. Then horizontally place an olive green 1x3 plate on the front row to the right. Then repeat both parts symmetrically to the back.

39. Vertically place a light grey 1x2 rounded plate on the leftmost column in between the previous 2x2 plates so it is centered vertically. Then vertically place a dark blue 1x2 jumper plate to the right.

40. Horizontally place an olive green 1x6 tile to the right of the previous 1x3 plate you placed on the front row. Then repeat symmetrically to the back.

41.1. Let's make a part! Horizontally place a dark grey 1x4 plate in front of you.

41.2. Horizontally place a light grey 1x2 plate with 2x2 side studs on top so it is centered horizontally and the side studs face the back. Then place a light brown 1x1 plate with 2 side studs to the right so the side studs face the right. Then repeat symmetrically to the left.

41.3. Horizontally place a dark blue 1x4 tile on top.

41.4. Rotate your part 180 degrees so the 2x2 side studs face the front. Then horizontally place a white 2x4 tile with a sticker upright onto the front-facing side studs so it is centered horizontally.

41.5. Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the white 2x4 tile. This sticker is a display of an orange tiger in his natural habitat. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

41.6. Vertically place your part in between the leftmost columns of the 1x6 tiles that are on the front and back rows so the sticker faces the right.

42. Place a light brown 1x1 plate with 2 side studs behind the rightmost column of the previous 1x6 tile in the front so the side studs face the front. Then repeat symmetrically to the back.

43. Vertically place a dark grey 1x4 brick with 3 holes on top of the previous 1x1 plates with 2 side studs. Now insert a black ball with a pin to the middle right-facing hole. Then vertically place 2 dark blue 1x2 jumper plates, 1 in front of the other, on top of the 1x4 brick with 3 holes.

You will have 2 extra white 2x2 triangle tiles. Save them for later.

Group 11 - Explorer Truck

There are no steps in this group!

You will have 2 extra orange 2x2 triangle tiles. Save them for later.

Group 12 - Explorer Truck

44.1. Let's make a part! Horizontally place a light grey 2x6 plate in front of you. Then place a white 2x2 triangle tile from group 10 in the back left corner so the long side faces the front right. Then place a dark blue 2x2 triangle tile in front of it so the long side faces the back left.

44.2. Horizontally place a dark blue 2x2 tile with a sticker to the right of the previous tiles.

44.3. Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the dark blue 2x2 tile. This sticker has a light blue and dark blue planet with a ring around it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

44.4. Place an orange 2x2 triangle tile from group 11 in the front right corner so the long side faces the back left. Then place a dark blue 2x2 triangle tile behind it so the long side faces the front right.

44.5. Horizontally place your part upright on the front-facing side studs of 1x1 plates.

45.1. Let's make a part! Horizontally place a light grey 2x6 plate in front of you. Then place an orange 2x2 triangle tile from group 11 in the back right corner so the long side faces the front left. Then place a dark blue 2x2 triangle tile in front of it so the long side faces the back right.

45.2. Horizontally place a dark blue 2x2 tile with a sticker to the left of the previous tiles.

45.3. Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the dark blue 2x2 tile. This sticker has a light blue and dark blue planet with a ring around it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

45.4. Place a white 2x2 triangle tile from group 10 in the front left corner so the long side faces the back right. Then place a dark blue 2x2 triangle tile behind it so the long side faces the front left.

- 45.5. Horizontally place your part upright on the back-facing side studs of 1x1 plates.
46. Place an olive green 1x1 clip in the front right corner so the clip hands face front and back. Then horizontally place 2 olive green 1x2 tiles on the front row to the left. Then place another olive green 1x1 clip to the left. Now repeat all parts symmetrically to the back.
47. Horizontally attach a black bar with a stop to the previous front 1x1 clips so the stop is on the left. Then repeat symmetrically to the back.
48. Horizontally place a white 1x3 tile on the front row to the left of the previous part you placed upright. Then repeat symmetrically to the back. Now place a gold 1x1 round tile printed with a dark blue compass on the 1x2 jumper plate on the 2nd column from the left.
49. Let's make a part! Place a black 1x1 round tile with an upward bar in front of you. Then place a black candle stick with a bar on top. Then attach a black axle connector with a hinge connector to the top of the bar. Now attach the hinge connector to the back-facing hinge on the left side. so the anti-stud faces upward.
50. Vertically place a transparent 2x6 windshield on the 2 leftmost columns so it slopes to the left.
51. Let's make a part! Attach a black 1x2 ingot tile to a dark grey 1x2 plate with a hinge connector so there is no overhang. Then attach the hinge connector to the front-facing hinge on the left side so the tile is upright and faces the front.
52. Let's make a part! Vertically place a rectangular bar with 4 studs in front of you. Then place a transparent 1x1 round plate on each of the left studs. Now vertically attach the left-facing bar of your part to the left-facing clips so it is centered horizontally and the 1x1 round plates face the left.
53. Let's make a part! Horizontally place a dark grey 1x2 plate with a ball in front of you so the ball faces the right. Then horizontally place a black 1x2 brick with 5 side studs and a side anti-stud on top so the anti-stud overhangs to the left.
54. Attach a transparent 1x1 round plate to the left-facing anti-stud.
55. Horizontally place a black 1x2 ingot tile on the front-facing and back-facing side studs.
56. Insert a dark grey claw into the left stud so the claw hands face the front and back. Then attach a light grey microphone to the claw so the mic faces the left. This is a camera!
- 57.1. Let's make another part! Horizontally place a dark grey 1x4 plate in front of you. Then horizontally place a light grey 1x2 plate with a socket on the right 2 studs so the socket faces the right. Then repeat symmetrically to the left. Now horizontally place a dark blue 1x4 tile on top so there is no overhang.
- 57.2. Flip your part upside down so the sockets face the left and right. Then attach the ball of your previous part to the left-facing socket so the 1x1 round plate faces the left.
58. Attach the right-facing socket of your part to the right-facing ball that is attached to a 1x4 brick with 3 holes so the 1x4 tile is upright and faces the left and the camera faces the left.

Group 13 - Explorer Truck

59. Let's make a part! Place a white 1x2 tile printed with a light blue snowflake on top of a white 1x2 plate with a bar so there is no overhang. This is a medkit! Now horizontally place your medkit to the left of the 2 1x2 jumper plates that are on the 1x4 brick with 3 holes so it sits in between the slope bricks, the bar faces up, and the tile faces the left.

60. Let's make a part! Vertically place a white 4x6 car hood upside down in front of you so the studs are on the left.

61. Horizontally place a black 1x8 plate on the 2nd row from the front to the left of the rightmost column so it overhangs 5 studs to the left. Then repeat symmetrically to the back.

Group 14 - Explorer Truck

62. Vertically place a light green 2x4 plate upside down underneath the overhang of the 1x8 plates so it sits to the left of the 4x6 car hood. Then vertically place a dark blue 4x6 car hood upside down underneath the overhang so the studs are on the right. The leftmost column of this car hood should be free.

63. Place a light grey 2x2 sloped curved plate with a smooth underside on the front 1x8 plate so it slopes to the back onto the 2x4 plate. Then repeat symmetrically to the back.

64. Vertically place 2 black 1x3 rounded plates, 1 in front of the other, upside down on the leftmost column so together they are centered vertically.

65. Horizontally place a black 1x8 plate upside down on the front row to the right of the previous 1x3 rounded plate. Then repeat symmetrically to the back.

66. Flip your part over so it is horizontal and the 1x3 rounded plates are on the right. Then vertically place 2 white 1x1 slope tiles with a 1x1 tile, 1 to the right of the other, on the front row of the 2x4 plate so they slope to the front onto the 1x8 plate. Then repeat symmetrically to the back.

67. Horizontally place a white 2x4 tile in between the previous slope tiles with a tiles so it is centered horizontally.

68. Place a black 1x1 clip in front of the right column of the previous 2x4 tile so the clip hands face front and back. Then repeat symmetrically to the back.

69. Place a black 1x1 rounded brick with a side stud in front of the leftmost column of the 2x4 tile so the side stud faces the left. Then place a transparent 1x1 round plate upright on the left-facing side stud. Now repeat both parts symmetrically to the back.

70. Vertically attach a ladder to the top-facing clips. It should attach to the right end of the horizontal bars.

71. Horizontally place your part on top of the car so the 1x3 rounded plates on the right connect to the 1x2 jumper plates and is centered vertically.

72. Insert 4 black wheels into 4 black tires. Now attach them to the front-facing and back-facing pins underneath the arches so the pinholes face outwards.

Thank you so much for building this set!

Visit bricksfortheblind.org for more accessible instructions, sign up for our newsletter, and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We also love seeing your completed builds, so please tag our [Facebook](#) and [Instagram](#) accounts in any photos of your builds so we can share your accomplishments with our Bricks for the Blind community.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 8 LEGO CITY Theme kits:

60424 Jungle Explorer ATV Red Panda Mission

60437 Jungle Explorer Helicopter at Base Camp

60425 Jungle Explorer Water Plane

60426 Jungle Explorer Off-Road Truck

60407 Red Double-Decker Sightseeing Bus

60409 Yellow Mobile Construction Crane

60408 Car Transporter Truck with Sports Cars

60420 Yellow Construction Excavator