

### **10339 Santa's Post Office**

Set adapted by Alex Charbonneau and tested by Natalie Charbonneau.

Embark on a magical journey with the LEGO® Icons Santa's Post Office (10339) holiday home decor building kit. This delightful addition to the Winter Village Collection is packed with enchanting details and offers builds suitable for both kids and adults, making it an ideal choice for a memorable family building project.

The snow-topped post office houses Santa's study complete with a cozy log fire, a postal sorting area, an entrance hall with a coffee machine and a second-floor writing area with a letter chute. Other builds include a hot-air balloon with an illuminating burner, a 2-way letter sorter, an ice-fishing scene, Christmas tree, signpost, mailbox and sled, plus a Santa minifigure and 4 elf figures.

This LEGO Icons building set is designed for solo or group participation and a digital version of the building instructions is available in the LEGO Builder app. Discover a space for relaxation with the inspiring range of LEGO creative building projects for adults and families.

A festive family building project:

- Spend quality time crafting all the details of the LEGO® Icons Santa's Post Office.

What's in the box?

- Models include Santa's Post Office, a hot-air balloon, letter sorter, ice-fishing scene, Christmas tree, signpost, mailbox and sled, plus a Santa minifigure and 4 elf figures.

Features and functions:

- Press the top of the hot-air balloon to illuminate its burner, send letters down the chute to the sorter and use the lever to deliver them to the green or red sorting carts.

Holiday home decor:

- Capture the magic of the holiday season with this seasonal building set for display and imaginative play.

Christmas-themed gift for adults and families:

- Give this building set as a holiday or any-other-day gift for fans of LEGO® building sets and the LEGO Icons Winter Village collection.

A mindful LEGO® project:

- This LEGO Icons building set is part of the Winter Village Collection, an advanced model range for adults, families and friends.

Dimensions:

- The post office in this 1,440-piece building set measures over 8 in. (21 cm) high, 11 in. (28 cm) wide and 4 in. (10 cm) deep.

The box is black, with a few white snowflakes falling in the background. The LEGO logo is in the upper left corner of the front of the box. This is the word LEGO in white letters, inside of a red square. The image on the front is of Santa's post office. The post office is a flurry of activity! On the left, there is a red mailbox, next to a signpost with a number of signs showing where to find certain things at the North Pole! Santa's elves are busy as can be! One rides a sleigh with letters on it. Another pushes a cart full of mail! A third uses a fishing pole to pull up a frozen letter! Another elf in a gold and green hot air balloon delivers more mail through a slide on the top of the post office! Santa oversees all this from the front door of the post office. The post office itself is a blue and brown building with snow-covered roofs and Christmas decorations. There is a fireplace with a chimney on one building.

The top of the box shows a life-sized image of the Santa Claus minifigure.

The back of the box shows a rear image of the post office, as well as five inset images, a dimensioned front view, and an image of a light brick. The back view shows what's going on inside the post office! Santa has a small office to read mail. There is a system of chutes which allows the hot air balloon to drop mail off from the roof! The mail is then channeled down into a yellow and blue mail sorting machine! There is a small room at the top of the post office with a desk for Santa to write letters back to kids. This room even has its own mail chute! The inset images, clockwise from the top left, are an image of the hot air balloon showing transparent orange bricks representing flames from the burner and a crate of mail, Santa's upstairs writing room, Santa reading mail in one of the rooms on the bottom floor, elves working the mail sorting machine and moving carts of mail, and elves relaxing with cups of cocoa after a long day sorting the mail! The dimensioned front view is a line drawing in white ink so it stands out against the black background. It shows that the model is 28 cm or 11 in. wide and 21 cm or 8 in. tall.

The build is 1440 pieces, and 335 building steps.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of the piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner who may want to follow along with the printed visual instructions that come with each kit, PDF versions are always online at LEGO.com: (<https://www.lego.com/en-us/service/buildinginstructions/10339>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2 and 3, and put them in one container.

This LEGO set comes with ten bags labeled 1-10, a sticker sheet, and an instruction booklet. Sort the pieces into groups as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split across two groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 (8 groups of bricks)

Minifigure group 1 contains the piece for the elf minifigure on page 7.

Sub-build 1: Ice Fishing for Letters!

Group 1 contains the pieces for steps 1-3 of the ice fishing scene.

Group 2 contains the pieces for steps 4-6

Sub-build 2: The North Pole Mailbox

Group 3 contains the pieces for steps 1-11 of the mailbox scene. Include one brown 2x3 pentagonal tile from step 12 in this group.

Group 4 contains the pieces for steps 12-13. Place the stickers for step 12 for this group.

Sub-build 3: Christmas Tree

Group 5 contains the pieces for steps 1-4 of the Christmas tree. To help the builder differentiate colors, make the following stacks:

- Stack the two yellow 1x1 round plates with flower petals. Leave the light purple ones unstacked.

- Stack the three 1x2 plates in this order, from top to bottom: dark purple, light purple, green.

- Stack the two 1x2 jumper plates in this order, from top to bottom: dark purple, teal.

Group 6 contains the pieces for steps 5-9.

Group 7 contains the pieces for steps 10-18.

Bag 2 (8 groups of bricks)

Minifigure group 2 contains the piece for the elf minifigure on page 29.

Sub-build 4: Present Delivery Sled

Group 8 contains the pieces for steps 1-6 of the sled. Include the dark red 1x2 plate from step 8.

Group 9 contains the pieces for steps 7-9. Stack the three 1x2 plates from this group in order from top to bottom: light purple, teal, dark red.

Sub-build 5: Mail Sorting Machine

Group 10 contains the pieces for steps 1-6 of the mail sorting machine. Include one transparent green bar with a light bulb from step 7 in this group.

Group 11 contains the pieces for steps 7-19.

Group 12 contains the pieces for steps 20-25.

Sub-build 6: Red Mail Cart

Group 13 contains the pieces for steps 1-10 of the red mail cart.

Sub-build 7: Red Mail Cart

Group 14 contains the pieces for steps 1-10 of the green mail cart.

Bag 3 (5 groups of bricks)

Main-build: Post Office

Group 15 contains the pieces for steps 1-10 of the post office.

Group 16 contains the pieces for steps 11-14. Stack the two dark blue 1x1 plates in this group, and leave the light gray 1x1 plate loose.

Group 17 contains the pieces for steps 15-19. Include a dark brown 2x4 plate from step 20.

Group 18 contains the pieces for steps 20-21. Include a teal 1x2 tile from step 22.  
Group 19 contains the pieces for step 22.

#### Bag 4 (11 groups of bricks)

Minifigure group 3 contains the pieces to build the Santa Claus minifigure on page 21.

Group 20 contains the pieces for steps 23-25. Stack the two dark gray 1x1 plates from step 25. Include the teal 1x2 plate from step 26.

Group 21 contains the pieces for steps 26-27. Include two light blue 1x1 bricks from steps 28 and 29.

Group 22 contains the pieces for steps 28-30. Include a brown 1x1 round plate from step 31.

Group 23 contains the pieces for steps 31-34. Include a light brown 1x1 brick from step 35.

Group 24 contains the pieces for steps 35-36.

Group 25 contains the pieces for steps 37-41. Include the light brown 1x2 tile from step 42.

Group 26 contains the pieces for steps 42-48. Include a yellow 1x1 slope tile from step 49.

Group 27 contains the pieces for step 49. Include a green 1x1 slope tile from step 50.

Group 28 contains the pieces for steps 50-52.

Group 29 contains the pieces for steps 53-56.

#### Bag 5 (8 groups of bricks)

Group 30 contains the pieces for steps 57-61.

Group 31 contains the pieces for steps 62-65. Include a light blue 1x1 brick from step 66.

Group 32 contains the pieces for steps 66-68. Include a light brown 1x1 brick, and two dark blue 1x4 plates from step 69. Stack the two light brown 1x1 plates from step 68.

Group 33 contains the pieces for steps 69-73. Include three light blue 1x1 bricks from step 74.

Group 34 contains the pieces for steps 74-76.

Group 35 contains the pieces for steps 77-78.

Group 36 contains the pieces for steps 79-81. Include a dark blue 1x2 plate from step 83.

Group 37 contains the pieces for steps 82-85. Include the light brown 1x1 plate from step 86.

Group 38 contains the pieces for steps 86-89. Stack the two light brown 1x1 bricks in this group, and leave the light blue 1x1 brick loose. Stack the dark blue 1x4 plate from step 86 on top of the light blue 1x4 plate from step 88.

#### Bag 6 (10 groups of bricks)

Group 39 contains the pieces for steps 90-98.

Group 40 contains the pieces for steps 99-103. Include two tan 1x4 plates from step 104.

Group 41 contains the pieces for steps 104-105.

Group 42 contains the pieces for step 106. Include a dark blue 1x1 plate from step 107.

Group 43 contains the pieces for steps 107-108. Stack the three light brown 1x1 plates in this group, and leave the light blue 1x1 plate loose.

Group 44 contains the pieces for steps 109-111.

Group 45 contains the pieces for steps 112-114.

Group 46 contains the pieces for steps 115-116.

Group 47 contains the pieces for steps 117-119.

Group 48 contains the pieces for steps 120-121. Stack the two dark blue 1x4 plates in this group, and leave the yellow 1x4 plate loose.

#### Bag 7 (8 groups of bricks)

Group 49 contains the pieces for steps 122-125. Stack the two light blue 1x1 bricks in this group, and the four light blue 1x2 bricks. Leave the light brown 1x1 and 1x2 bricks loose.

Group 50 contains the pieces for steps 126-131. Include a white 1x2 tile with a letter pattern from step 132.

Group 51 contains the pieces for step 132.

Group 52 contains the pieces for steps 133-134.

Group 53 contains the pieces for steps 135-140.  
Group 54 contains the pieces for steps 141-142.  
Group 55 contains the pieces for steps 143-151. Stack the two dark gray 2x4 plates from this group. Leave the white 2x4 plate loose.  
Group 56 contains the pieces for steps 152-154.

#### Bag 8 (7 groups of bricks)

Group 57 contains the pieces for steps 155-157. Stack the four green 1x1 round plates from this group, then stack the four red 1x1 round plates on top of them. Leave the black 1x1 round plate loose.  
Group 58 contains the pieces for steps 158-159. Include two yellow 1x2 slope tiles from step 160.  
Group 59 contains the pieces for step 160.  
Group 60 contains the pieces for steps 161-167. Stack the white 1x1 plates from this group. Leave the light brown 1x1 plates loose.  
Group 61 contains the pieces for steps 168-169. Include the dark gray 2x4 plate from step 170.  
Group 62 contains the pieces for steps 170-172. Include the two white 1x1 round bricks from step 173.  
Group 63 contains the pieces for step 173. Stack the four red 1x1 round bricks. Leave the transparent yellow 1x1 round bricks loose.

#### Bag 9 (9 groups of bricks)

Group 64 contains the pieces for steps 174-181. Include a yellow 1x2 plate from step 182.  
Group 65 contains the pieces for step 182. Include a black 1x2 inverted curved slope tile from step 184.  
Group 66 contains the pieces for steps 183-186. Include two white 1x2 plates from steps 187 and 189.  
Group 67 contains the pieces for steps 187-198.  
Group 68 contains the pieces for steps 199-207.  
Group 69 contains the pieces for steps 208-212 and for the white letter for step 213.  
Group 70 contains the pieces for the tan and white letter for step 213.  
Group 71 contains the pieces for the green package, and the red coffee mug for step 213  
Group 72 contains the pieces for step 214. Place the sticker for step 214 in this group.

#### Bag 10 (9 groups of bricks)

Minifigure group 4 contains the pieces to build the elf pilot minifigure on page 168.  
Minifigure group 5 contains the pieces to build the elf ground crew member on page 168.

#### Sub-built 8: Hot Air Balloon

Group 73 contains the pieces for steps 215-222.  
Group 74 contains the pieces for steps 223-225.  
Group 75 contains the pieces for steps 226-230. Include a white 2x2 round plate from step 231.  
Group 76 contains the pieces for steps 231-236. Include a transparent orange 2x2 round brick from step 237.  
Group 77 contains the pieces for steps 237-244, not including the curved panels which make up the sides of the hot air balloon.  
Group 78 contains the four gold 4x4x11 curved panels with a clip on one end.  
Group 79 contains the four green 4x4x11 curved panels with a clip on one end.

#### Building Instructions:

Open bag 1.

Open minifigure group 1: Elf

Assemble an elf minifigure by putting the torso on the legs, the head on the torso, and the hat on the head.

Sub-build 1: Ice Fishing for Letters!

Open group 1.

1.1. The first thing we'll build is an ice fishing scene! Place a white 8x8 plate with one rounded corner, with the rounded corner at the front left, in front of you.

1.2. Place a white 1x2 plate with rounded ends, vertically, on the back two studs on the rightmost column of the previous piece.

2.1. Place the right column of a white 4x4 hollow round plate in front of the previous piece. The front of this piece should be even with the front of the 8x8 plate with a rounded corner.

2.2. Place a white 2x2 round tile with a single stud on the back two studs of the leftmost two columns of the 8x8 plate with a rounded corner.

3. Find the hole of the 4x4 hollow round plate. Place four transparent blue 1x1 quarter circle tiles, arranged in a circle, on the four studs in this hole.

Open group 2.

4.1. Place a white 1x1 slope tile, with the thick side at the back, on the right stud on the front row of the 4x4 hollow round plate.

4.2. Place a white 1x1 quarter circle tile, with the flat sides on the right and back, to the left of the previous piece.

4.3. Place another white 1x1 quarter circle tile, with the flat sides on the right and back, on the front stud of the left column of the 4x4 hollow round plate.

4.4. Place the right stud of a white 1x2 curved slope tile, horizontally with the slope on the left, behind the previous piece.

4.5. Place a transparent clear 1x1 tile with a short bar on top, on the back right corner stud. This is on the 1x2 plate with rounded ends from step 1.2.

5.1. Place the mouth of a light green fish, standing upright with the tail in the air, on the bar of the previous piece.

5.2. Push the handle of a black whip into the hollow stud in front of the previous piece. This is a fishing rod.

5.3. Place a white seal on the stud of the 2x2 round tile with a single stud on the back left side of the build.

6.1. Now we'll make a frozen letter that the elves pulled out of the water! Place a transparent clear 1x1 plate with a vertical clip on one side, with the clip on the right, in front of you.

6.2. Place the right stud of 1x2 tile with a letter pattern, horizontally, on the previous piece.

6.3. Place a transparent clear 1x1 plate on the left anti-stud of the previous piece.

6.5. Find the short bar on the end of the fishing pole. Clip the clip on the right of the letter onto this bar so the letter hangs over on the left. This completes the ice fishing diorama. Set it aside for now.

Sub-build 2: The North Pole Mailbox

Open group 3.

1.1. Next, we'll build the mailbox at the North Pole where Santa gets his mail! Place a white 8x8 plate with one rounded corner, with the rounded corner at the front left, in front of you.

1.2. Place a white 1x1 slope tile, with the thick side on the left, on the back right corner of the previous piece.

2.1. Place a white 1x3 plate, horizontally, to the left of the previous piece.

2.2. Place a white 1x2 plate, horizontally, in front of the right two studs of the previous piece.

2.3. Place a light gray 1x2 plate with a click hinge finger on one side, horizontally with the click finger on the right, to the left of the previous piece.

2.4. Place the left stud of a white 1x2 plate, horizontally, in front of the click finger of the previous piece.

3.1. Place a white 1x4 double curved slope, horizontally and centered horizontally, on the previous piece.

3.2. Place the right stud of a white 1x2 curved slope tile, horizontally with the slope on the left, on the left stud of the 1x2 plate with a click finger from step 2.3.

3.3. Place a white 1x2 curved slope tile, horizontally with the slope on the left, on the second and third studs from the left on the back row of the build.

4.1. Now we'll build the mailbox itself. Place a white 2x2 plate in front of you.

4.2. Place a red 2x2x2 box, with the hinge at the front, on the previous piece.

4.3. Find the door of the box. This is a rectangle with no studs. One end is slightly rounded, and the other end has a slot. One side is smooth and flat, and the other is hollow. With the flat side down and the slot at the front, clip the rounded end onto the hinge sticking out of the bottom of the box. You should be able to rotate the door up to close the mailbox.

4.4. Place a white 1x2 plate, vertically, on the left column on top of the mailbox.

4.5. Place a white 1x2 curve slope tile, horizontally with the slope on the right, on the front row of the mailbox. Place another behind the first. This is a little drift of snow that's piled up on top of the mailbox.

4.6. Place the 8x8 plate with a rounded corner in front of you with the rounded corner at the front left. Place the mailbox, with the door at the front, on the second and third studs from the right on the back two rows of the build.

5.1. Next we'll build the North Pole signpost! Set the plate with the mailbox on it aside for now. Find a red axle and pin connector #2. This piece has two 1L axle connectors on opposite sides, and a perpendicular pin hole between them. Place this piece, with the axle connectors at the left and right, and the pin hole facing up and down, in front of you.

5.2. Push a red 2L axle, from the right, into the right axle hole of the previous piece. Repeat symmetrically on the right side

6. Push the axle hole of a white ball onto the right piece from the previous step.

7.1. Find a white axle and pin connector #4. This piece has two 1L axle connectors which are almost flat, and a perpendicular pin hole between them. Push the right axle connector of this piece, with the pin hole facing up, one axle connector facing right and the other facing to the left and angled slightly towards you, onto the left axle.

7.2. Push a red 2L axle into the left axle hole of the previous piece.

8.1. Push a red axle and pin connector #2, with the axle connectors at the left and right, and the pin hole facing up and down, onto the previous piece.

8.2. Push a red 2L axle into the left axle hole of the previous piece.

9. Push the axle side of a white axle connector with two click fingers on one end, with the click fingers on the left, with the space between them horizontal not up and down, onto the previous piece.

10. Find the three pin holes on the top side of the sign post. Push a dark gray 1L pin with a stud on one side, with the stud on top, from the top into each of these holes.

11. Place the plate with a mailbox back in front of you, with the mailbox in the back right. Find the click finger to the left of the mailbox. Rotate the signpost so it stands upright with the ball on top, and the studs of the three pieces from the previous step at the front. Click the click fingers from the sign post onto the click finger to the left of the mailbox. Use the click hinges to rotate the signpost so the top part is straight up and down. The bottom part will be at a slight angle up and to the left.

You will have one brown 2x3 pentagonal tile with a sticker leftover when you finish this group. We'll use that in the next step.

Open group 4.

12.1. Place the left center anti-stud of the leftover pentagonal tile, with the pointed side at the left, onto the bottom stud on the front of the sign post. This sign says "Workshop" in green script.

12.2. Place the right center anti-stud of a tan 2x3 pentagonal tile with a sticker, with the pointed side at the right, onto the middle stud on the front of the sign post. This sign says "Club House" in white script.

12.3. Place the center anti-stud of a gold 3x3 round tile with a sticker onto the top stud on the sign post. This sign says "Post" at the top and "North Pole" at the bottom, and it has a picture of a french horn on a green shield with a red background. This sign does not have any tactile references, so you may ask a sighted person to help you orient the letters right side up.

13. Finish the mailbox build by sliding a white 1x2 tile with a letter pattern through the mailbox door!

Sub-build 3: Christmas Tree.

Open group 5. There are two 1x1 round plates with flower petals stacked together, and two loose. The stacked ones are yellow and the loose ones are light purple. There are three 1x2 plates stacked together, they are, in order from top to bottom: dark purple, light purple, and green. There are two 1x2 jumper plates stacked together. The top one is dark purple and the bottom one is teal.

1.1. Now we'll build a Christmas tree on some snow. Place a white 6x6 plate with one rounded corner, with the rounded corner at the front right, in front of you. This is the snow the tree is on.

1.2. Place a red 2x2 round plate, centered vertically and horizontally, on the previous piece.

2. Find a red 2x2 rounded corner tile. This tile is cut out so it looks like a macaroni noodle, I'll call it a "2x2 macaroni tile" from now on. Place the right anti-stud of this piece, with the flat sides at the right and the back, in front of the left column of the previous piece. The curve of this piece should match the curve of the round plate below it. Place three more, in a circle around the 2x2 round plate. These make the skirt which goes around the tree.



- 3.1. Now we'll make some presents. Place a purple 1x1 brick on the back right corner of the snow.
- 3.2. Put a bow on the first present by placing a light purple 1x1 round plate with flower petals on the previous piece.
- 3.3. Place a blue 1x1 tall tile on the second stud from the back on the rightmost column of the snow.
- 3.4. Place a yellow 1x1 round plate with flower petals on the previous piece.
- 4.1. Now we'll make another present. Place a dark purple 1x2 plate, horizontally, on the left two studs on the front row of the snow.
- 4.2. Place a light purple 1x2 plate, horizontally, on the previous piece.
- 4.3. Place a dark purple 1x2 jumper plate, horizontally, on the previous piece.
- 4.4. Place a light purple 1x1 round plate with flower petals on the previous piece.
- 4.5. Place a green 1x2 plate, vertically and centered vertically, on the leftmost column of the snow.
- 4.6. Place a teal 1x2 jumper plate, vertically, on the previous piece.
- 4.7. Place a yellow 1x1 round plate with flower petals on the previous piece.

Open group 6.

- 5.1. Now we'll start building the tree. We'll start with the trunk. Place a brown 2x2 round brick on the 2x2 round plate in the middle of the tree skirt.
- 5.2. Place a green 2x2 plate on the previous piece.
- 5.3. Place the front stud of a green 1x3 curved slope brick, vertically with the stud at the front, on the back right stud of the previous piece.
- 5.4. Place the left stud of a green 1x3 curved slope brick, horizontally with the stud on the left, in front of the previous piece.
- 5.5. Place the back stud of a green 1x3 curved slope brick, vertically with the stud at the back, to the left of the previous piece.
- 5.6. Place the right stud of a green 1x3 curved slope brick, horizontally with the stud on the right, behind the previous piece.
6. Place a pale yellow 1x1 round plate on the anti-stud at the sloped end of a green 1x3 curved slope brick, then place the front stud of the curved slope brick, vertically with the stud at the front, on the back left stud on the tree.
7. Place a pale blue 1x1 round plate on the anti-stud at the sloped end of a green 1x3 curved slope brick, then place the curved slope brick, horizontally with the stud at the left, to the right of the curved slope from the previous step.
8. Place a light blue 1x1 round plate on the anti-stud at the sloped end of a green 1x3 curved slope brick, then place the curved slope brick, vertically with the stud at the back, in front of the curved slope from the previous step.

9. Place a dark blue 1x1 round plate on the anti-stud at the sloped end of a green 1x3 curved slope brick, then place the curved slope brick, horizontally with the stud at the right, to the left of the curved slope from the previous step.

Open group 7.

10. Now we'll make the tree a bit taller. Stack two green 2x2 plates.

11.1. Place the front stud of a green 1x3 curved slope brick, vertically with the stud at the front, on the back right stud of the previous piece.

11.2. Place the left stud of a green 1x3 curved slope brick, horizontally with the stud on the left, in front of the previous piece.

11.3. Place the back stud of a green 1x3 curved slope brick, vertically with the stud at the back, to the left of the previous piece.

11.4. Place the right stud of a green 1x3 curved slope brick, horizontally with the stud on the right, behind the previous piece.

12. Place a light blue 1x1 round plate on the anti-stud at the sloped end of a green 1x2 curved slope brick, then place the left stud of the curved slope brick, horizontally with the stud at the left, on the back right stud on the tree.

13. Place a pale blue 1x1 round plate on the anti-stud at the sloped end of a green 1x2 curved slope brick, then place the front stud of the curved slope brick, vertically with the stud at the front, to the left of the curved slope from the previous step.

14. Place a dark blue 1x1 round plate on the anti-stud at the sloped end of a green 1x2 curved slope brick, then place the curved slope brick, vertically with the stud at the back, in front of the right 1x2 curved slope brick from step 12.

15. Place a pale yellow 1x1 round plate on the anti-stud at the sloped end of a green 1x2 curved slope brick, then place the curved slope brick, horizontally with the stud at the right, to the left of the curved slope from the previous step.

16. Place the assembly we just made on top of the rest of the Christmas tree.

17. Place a green 2x2x2 dome on the previous piece.

18.1. Now we'll add the star to the top of the tree! Push the bar of a gold 1x1 round plate with a bar on one side, with the bar on the bottom and the stud at the front, down into the hollow stud of the previous piece.

18.2. Place a gold star on the stud of the previous piece. This completes the Christmas tree! Set it aside for now.

Open bag 2.

Open minifigure group 2: Elf

Assemble another elf minifigure by putting the torso on the legs, the head on the torso, and the hat on the head. This is exactly like the first elf.

Sub-build 4: Present Delivery Sled

Open group 8.

- 1.1. Place a black 2x2 inverted curve slope tile, with the slope at the back, in front of you.
- 1.2. Place the back stud of a 1x2 plate with two vertical clips on one side, vertically with the clips on the right, on the front right stud of the previous piece.
2. Place the back right stud of a black 2x2 inverted tile on the front anti-stud of the previous piece.
3. Place a 1x2 plate with two vertical clips on one side, vertically with the clips on the left, centered vertically on the left column
4. Place a dark red 1x2 plate, horizontally, on the front row.
5. Place a red 2x4 plate, vertically, on top of the sled.
6. Place a white 1x2 tile with a flower pattern, horizontally, on the back row of the previous piece.

You will have a dark red 1x2 plate leftover when you finish this group. We'll use that in a bit.

Open group 9. There are three 1x2 plates stacked together in this group. They are in order, from top to bottom: light purple, teal, dark red. This is the order in which we'll use them.

- 7.1. Now we'll make a present! Place a teal 1x2 plate, horizontally, in front of the previous piece.
- 7.2. Place a light pink 1x2 plate, horizontally, on the previous piece. This is the top plate from the stack of 1x2 plates.
- 7.3. Place a teal 1x2 jumper plate, horizontally, on the previous piece. This is the middle plate from the stack of 1x2 plates.
- 7.4. Place a pink 1x1 round plate with flower petals on the previous piece.
- 8.1. Place a dark red 1x2 plate, horizontally, in front of the present. This is the last 1x2 plate.
- 8.2. Place a dark red 1x2 tile with a sloping bar on top, horizontally with the slope at the front, on the previous piece.

9. All that's left for the sled is to make the runners which let it slide on the snow! Clip a black hockey stick, centered vertically with the bent part of the stick at the back and pointing up, on the left clips on the sled. Repeat symmetrically on the right side. This completes the sled. An elf can stand on the front row, facing away from you. Set the sled aside.

Sub-build 5: Mail Sorting Machine

Open group 10.

- 1.1. Next we'll build the mail sorting machine for Santa's post office! Place a blue 4x6 plate horizontally in front of you.
- 1.2. Place a pale blue 1x2 brick with two studs on one long side, vertically with the side studs on the left, on the back two studs on the leftmost column.
- 2.1. Place a pale blue 1x1 brick to the right of the back stud of the previous piece. Place another in front of the 1x2 brick with two side studs from the previous step.

2.2. Place the left stud of a pale blue 1x2 brick with two studs on one long side, horizontally with the side studs on the front, in front of the previous piece.

3.1. Place a pale blue 1x4 brick, vertically, on the rightmost column of the 4x6 plate.

3.2. Place a blue 2x4 tile, vertically, to the left of the previous piece.

3.3. Place a pale blue 1x4 brick, vertically, to the left of the previous piece.

4.1. Place a pale blue 1x3 brick, horizontally, on the left three studs on the back row of the sorting machine.

4.2. Place a pale blue 1x2 plate, vertically, on the leftmost column in front of the previous piece.

5.1. Place a pale blue 1x2 brick with two studs on one long side, vertically with the side studs on the left, on the previous piece.

5.2. Place the leftmost stud of a pale blue 1x3 brick, horizontally, in front of the previous piece.

6. Place a pale blue 1x4 double curved slope tile, vertically and centered vertically, on the leftmost column.

You will have a transparent green bar with a light bulb leftover from this group. We'll use it in the next step. The light bulb looks kind of like a small cylinder with rounded ends.

Open group 11.

7.1. We're going to add some controls to the sorting machine! Find the four side studs on the left side of the sorting machine. Push the bar of the leftover bar with a lightbulb, from the left, into the hollow stud of the top front side stud.

7.2. Push the bar of a red bar with a light bulb into the hollow stud behind the previous piece.

7.3. Place a red 1x1 round tile on the front side stud on the bottom row of side studs. This is below the previous two pieces.

8.1. Place a black steering wheel, with the anti-stud on the right, on the remaining side-stud on the left side of the sorting machine.

8.2. Place a blue 1x2 grille tile, horizontally, on the front two side studs on the sorting machine.

9. Place a yellow 1x1 slope tile, with the thick side at the front, on the front stud to the right of the 1x4 double curved slope tile on the left side of the sorting machine. Repeat symmetrically on the back side.

10.1. Now we'll make the sorting mechanism! This has a large lever that the elves can pull to send the mail to different places. Set the rest of the sorting machine aside. Place a red 2x4 double inverted slope horizontally in front of you.

10.2. Place a light gray 1x2 brick with an axle hole, horizontally and centered horizontally, on the back row of the previous piece. Place another in front of the first.

11. Place a blue 1x2 plate, vertically, on the left and right columns of the sorting mechanism.

12. Place a blue 2x4 tile, horizontally, on the mechanism.

13.1. Now we'll make the mounting bracket to put the mechanism on the sorting machine. Place a blue 1x2 brick with a hole on the long sides, horizontally, in front of you.

13.2. Slide a brown 5L axle with a stop at one end, with the stop at the back, from the back through the hole of the previous piece. Next, slide the axle, from the back, through the axle holes on the sorting mechanism. The 1x2 brick with a hole should spin freely and the axle should extend 2L to the front.

15. Slide the hole of a blue 1x2 brick with a hole on the long sides, horizontally, from the front onto the axle.

15. Push the bottom axle hole of a red 4L thin liftarm, standing upright with the holes facing the front and back, from the front onto the axle. Push another on after the first so the axle is completely covered. This is the lever the elves move to sort the mail.

16.1. Now we'll make the handle! Push a red 2L axle, from the front, into the top axle hole on the pieces from the previous step. It should extend 1L to the front.

16.2. Push a red ball, from the front, onto the front side of the previous piece. Now, rotate the mechanism so the handle is on the left and the 2x4 tile on top of the mechanism is vertical. The 1x2 bricks with holes on the long sides should be vertical as well.

17. Place the rest of the sorting machine in front of you, horizontally with the lights and control wheel on the left. Place the two 1x2 bricks with holes on the long sides, vertically and centered vertically, on the rightmost, and fourth from the right columns on the sorting machine. The sorting lever should be just to the right of the wall which has the lights and control wheel on it.

18. Place a pale blue 1x1 brick on both the back right and front right corners of the sorting machine.

19. Place a pale blue 1x4 brick, vertically on both the rightmost and fourth from the right columns.

Open group 11.

20.1. Place a yellow 1x4 arch brick, horizontally, on the front studs of the pieces from the previous step. Repeat on the back side.

20.2. Place a yellow 1x2 brick, vertically, between the leftmost studs of the pieces from the previous step. Repeat symmetrically on the right side. The last four pieces form the walls of the chute for the sorting machine.

21.1. Place a yellow 1x2 slope tile, vertically with the thick side on the right, on the front two studs on the rightmost column of the sorting machine. Place another behind the first.

21.2. Place a yellow 1x2 slope tile, horizontally with the thick side at the front, on the front row to the left of the front piece from the previous step. Repeat symmetrically on the back side.

21.3. Place a yellow 1x4 curved slope brick, vertically with the thick side on the left, to the left of the pieces from the previous step.

22. Rotate the sorting machine so the studs face the back, with the controls on top. Place a blue 2x4 brick, horizontally and centered vertically, on the anti-stud of the sorting machine. This is on the 4x6 plate which is now at the front.

23.1. Place a pale blue 1x4 brick, horizontally, on the anti-stud below the previous piece.

23.2. Place a pale blue 1x2 brick with two studs on one long side, horizontally with the side studs on top on the left two anti-stud columns above the 2x4 brick. Place another to the right of the first.

24. Place a yellow 1x4 tile with diagonal black caution lines, horizontally, on the side studs of the pieces from the previous step.

25. Rotate the sorting machine so the studs are on top again with the controls at the front. Move the lever from side to side and make sure the sorting mechanism tilts from side to side. Now the sorting machine is complete! Set it aside for now.

#### Sub-build 6: Red Mail Cart

Open group 13.

1.1. Now we need to make a cart to move mail around! Place a red 1x2 plate with a 2x2 of studs sticking up from one side, horizontally with the side studs at the back, in front of you.

1.2. Place the back stud of a dark red 1x2 wall panel, vertically with the panel on the right, on the right stud of the previous piece.

2. Place the right stud of a red 1x2 plate with a 2x2 of studs sticking up from one side, horizontally with the side studs at the front, on the front anti-stud of the previous piece.

3. Place a dark red 2x2 tile to the left of the 1x2 wall panel from step 1.2.

4. Place the right stud of a red 1x2 plate with a 2x2 of studs sticking up from one side, horizontally with the side studs at the front, on the front anti-stud of the previous piece. Repeat symmetrically on the back side.

5. Place a dark red 1x2 plate with two side studs sticking up from one long side, horizontally with the side studs on the left, to the left of the 2x2 tile from step 3.

6. Place a red 2x4 tile, horizontally, on the front two rows of side studs. Repeat symmetrically on the back side.

7. Find the two side studs on the left side of the cart. Keeping these on the left, flip the cart over so it is upside down with the anti-stud on top. Place a light gray 2x2 round plate with two clips on the bottom, upside down with the clips at the front and back, on the left two anti-stud columns of the cart. Place another, in the same orientation, to the right of the first.

8. Clip a set of black wheels into the clips of both pieces from the previous step. The axles of the wheels should be vertical.

9. Keeping the two side studs on the left, flip the cart rightside up so it sits on the wheels. Make the handle by placing a red 1x2 plate with a bar on one long side, with the bar on top and the studs on the left, on the left two side studs on the cart.

10. Place a tan 1x2 tile with a package print into the cart. Now the red cart is complete! Set it aside for now.

#### Sub-build 7: Green Mail Cart

Open group 14.

1.1. Since this is a Christmas shop, we can't have a red cart without a green one to go with it! Place a green 1x2 plate with a 2x2 of studs sticking up from one side, horizontally with the side studs at the back, in front of you.

- 1.2. Place the back stud of a green 1x2 wall panel, vertically with the panel on the right, on the right stud of the previous piece.
2. Place the right stud of a green 1x2 plate with a 2x2 of studs sticking up from one side, horizontally with the side studs at the front, on the front anti-stud of the previous piece.
3. Place a green 2x2 tile to the left of the 1x2 wall panel from step 1.2.
4. Place the right stud of a green 1x2 plate with a 2x2 of studs sticking up from one side, horizontally with the side studs at the front, on the front anti-stud of the previous piece. Repeat symmetrically on the back side.
5. Place a green 1x2 plate with two side studs sticking up from one long side, horizontally with the side studs on the left, to the left of the 2x2 tile from step 3.
6. Place a green 2x4 tile, horizontally, on the front two rows of side studs. Repeat symmetrically on the back side.
7. Find the two side studs on the left side of the cart. Keeping these on the left, flip the cart over so it is upside down with the anti-stud on top. Place a light gray 2x2 round plate with two clips on the bottom, upside down with the clips at the front and back, on the left two anti-stud columns of the cart. Place another, in the same orientation, to the right of the first.
8. Clip a set of black wheels into the clips of both pieces from the previous step. The axles of the wheels should be vertical.
9. Keeping the two side studs on the left, flip the cart rightside up so it sits on the wheels. Make the handle by placing a green 1x2 plate with a bar on one long side, with the bar on top and the studs on the left, on the left two side studs on the cart.
10. Place a white 1x2 tile with a letter print into the cart. Now the green cart is complete! Set it aside for now. This completes most of the side builds for Santa's post office! The last one is the hot air balloon, which we'll build after we make the post office.

Open bag 3.

Main Build: Santa's Post Office

Open group 15.

- 1.1. We'll start by building the floor of the post office, but we'll build it upside down at first! The floors will all be tan. Place a tan 6x8 plate, upside down and vertically, in front of you. We'll be building upside down until step 11. To save space, I won't tell you to put things upside down. I'll remind you to switch when we get to step 11!
- 1.2. Place a white 1x3 plate, horizontally, on the left three anti-stud of the back row of the previous piece. The white pieces will be the snow around the floor of the post office.
- 2.1. Place a white 1x3 plate, vertically, on the left row in front of the previous piece.
- 2.2. Place the left stud of a white 2x2 left wedge plate, with the row of anti-studs at the back and the thick side on the left, in front of the previous piece.
3. Place a white 1x10 plate, horizontally, to the right of the 1x3 plate on the back row. It should overhang seven studs to the right.

4.1. Place the back anti-stud row of a tan 6x8 plate, vertically, on the previous piece to the right of the first 6x8 plate.

4.2. Place the back left anti-stud of a tan 6x8 plate, vertically, on the rightmost stud of the 1x10 plate from step 3.

5. Place a white 1x10 plate, horizontally, to the right of the other 1x10 plate on the back row. It should overhang five studs to the right.

6. Place the back anti-stud row of a tan 6x8 plate, vertically, on the previous piece to the right of the rightmost 6x8 plate. The rightmost column of this piece should underhang the second 1x10 plate.

7. Place a white 1x10 plate, horizontally, to the right of the rightmost 1x10 plate on the back row. It should overhang nine studs to the right.

8.1. Place the back anti-stud row of a tan 6x8 plate, vertically, on the previous piece to the right of the rightmost 6x8 plate.

8.2. Place the back anti-stud row of a tan 2x8 plate, vertically, on the rightmost 1x10 plate, to the right of the previous piece. The 1x10 plate should overhang this piece by one stud.

9.1. Place the left column of a white 2x6 plate, vertically, on the right anti-stud column of the previous piece, in front of the 1x10 plate. There should be one free anti-stud in front of this piece.

9.2. If you look at what we have, you'll see that there are five 6x8 plates, and one 2x8 plate, all tenuously held together by 1x10 plates. We'll fix that by placing a dark gray 2x4 plate, vertically, on the right anti-stud column of one plate, and the left anti-stud column of the plate next to it, leaving two free anti-stud rows in front of the 2x4 plate. We'll place five 2x4 plates this way. The first should be directly to the left of the 2x6 plate from the previous step, then there should be a gap of four anti-stud rows between each pair of 2x4 plates.

10.1. Now we'll make some snow which extends out past the door of the post office, which we haven't made yet of course. Place the right two anti-stud columns of a white 6x6 plate with one rounded corner, with the rounded corner at the front right, in front of the 2x6 plate from step 9.1. Place another symmetrically immediately to the left of the first.

10.2. Place a white 2x12 plate, horizontally, to the left of the back two anti-stud rows of the left piece from the previous step.

10.3. Place the back two anti-stud rows of a 6x6 plate with one rounded corner, with the rounded corner at the front right, to the left of the previous piece.

10.4. Place a white 4x8 half circle plate, vertically with the flat side on the right, to the left of the previous piece. The front of this piece should be even with the previous piece.

Open group 16. There are two 1x2 plates stacked together in this group. These are dark blue. The loose 1x2 plate is light gray.

11.1. Keeping the white plates with rounded corners at the front, flip the floor over so it's rightside up and horizontal. We won't be building upside down anymore.

11.2. Leaving two free studs behind it, place a dark blue 1x4 plate, vertically, on the rightmost column.

11.3. Place the right column of a dark blue 2x2 corner brick, with the corner at the front right so it's oriented like a braille letter J, in front of the previous piece. The front row of this piece should be on the front row of the tan 6x8 plates which make up the floor of the post office.



11.4. Place the rightmost column of a dark gray 3x3 plate with one rounded corner, with the corner at the front right, in front of the left stud of the previous piece. Place another symmetrically immediately to the left of the first. These will be the base of the outdoor fireplace!

11.5. Place a dark blue 1x1 brick to the left of the front row of the 2x2 corner brick from step 11.3.

11.6. Place a red 1x2 brick, horizontally, to the left of the previous piece.

11.7. Place a dark blue 1x1 brick to the left of the previous piece.

11.8. Place a dark blue 1x4 brick, horizontally, to the left of the previous piece.

12.1. We're going to stack some plates together now. Place a dark blue 1x3 plate, horizontally, in front of you.

12.2. Place a dark blue 1x2 plate, horizontally, on the right two studs of the previous piece. This is one of the stacked plates.

12.3. Place a dark blue 1x6 plate, horizontally, to the left of the previous piece. It will overhang four studs to the left.

12.4. Place the right four studs of a dark blue 1x6 plate, horizontally, on the left four anti-stud of the previous piece.

12.5. Place the right stud of a dark blue 1x3 plate, horizontally, on the leftmost stud of the previous piece.

12.6. Place a dark blue 1x2 plate, horizontally, on the left two anti-stud of the previous piece.

12.7. Place this assembly, horizontally, to the left of the 1x4 brick from step 11.8.

13.1. Now we'll add some more parts of the outdoor fireplace. Find the two dark gray 3x3 plates with a rounded corner from step 11.4. These are on the right side of the build, in front of the wall of bricks we've started. Place a white 1x1 quarter circle tile, with the corner at the back left, on the back right stud of the right 3x3 plate with a rounded corner.

13.2. Place the back row of a dark gray 2x4 plate, horizontally, to the left of the previous piece.

13.3. Place a white 1x1 quarter circle tile, with the corner at the back left, in front of the rightmost column of the previous piece.

13.4. Place the back stud of a white 1x2 curved slope tile, vertically with the slope at the front, to the left of the previous piece.

13.5. Place a white 1x1 quarter circle tile, with the corner at the back right, to the left of the back row of the 2x4 plate from step 13.2.

14.1. Now we'll start building the wall on the left side of the post office. Leaving two free studs behind it, place a dark blue 1x4 brick, vertically, on the second column from the left on the post office. This will be on the leftmost tan 6x8 plate.

14.2. Place the left column of a dark blue 2x2 corner brick, with the corner at the front left so it's oriented like a braille letter H, in front of the previous piece. The corner of this piece should be even with the corner of the 6x8 plate below it.

14.3. Place a dark blue 1x1 brick to the right of the previous piece.

14.4. Skip four studs to the right and place a dark blue 1x4 brick, horizontally. It should be to the left of the stack of two plates we made in step 12.1-12.7. This will be the space where the front door to the post office goes!

14.5. Place the right column of a light gray 2x6 plate, horizontally, in front of the left stud of the previous piece.

14.6. Place a light gray 1x2 plate, horizontally, in front of the center two columns of the previous piece. This is the 1x2 plate that was loose.

14.7. Place the 1x2 cut out of a light gray 3x6 half circle plate with a 1x2 cut out, horizontally with the flat side at the back, around the previous piece. This piece should extend all the way to the front of the build.

Open group 17.

15.1. Place the right stud of a white 1x2 curved slope tile, horizontally with the slope on the left, on the back left stud of the 2x6 plate from step 14.5. Repeat symmetrically on the right side of the 2x6 plate.

15.2. Place a brown 1x1 round plate to the left of the left piece from the previous step. Repeat symmetrically with the right piece from the previous step.

15.3. Make two little mounds of snow. Place a white 1x2 plate, horizontally, in front of you.

15.4. Place the right stud of a white 1x3 curved slope tile, horizontally with the slope on the left, on the left stud of the previous piece. Repeat symmetrically on the right side.

15.5. Repeat steps 15.3 and 15.4.

15.6. Place one stack of snow, vertically, on the leftmost column of the build, with the back even with the back of the build.

15.7. Find the two white 8x8 plates with one rounded corners on the right side of the build. Place the other pile of snow, horizontally, in front of the wall to the left of the left 8x8 with a rounded corner on the right side of the build.

16.1. Now we'll make two very small stacks of snow. Place a white 1x1 plate in front of you.

16.2. Place a white 1x2 curved slope tile, horizontally with the slope on the right, on the previous piece.

16.3. Repeat steps 16.1-16.2.

16.4. Place one small mound, vertically with the slope at the back, on the leftmost column in front of the large mound of snow.

16.5. Place another small mound, horizontally with the slope at the right, to the left of the front large mound of snow.

16.4. Place a white 1x1 slope tile, with the thick side on the right, to the left of the snow assembly from the previous step.

17.1. We'll make another small pile of snow. Place a white 1x2 plate horizontally in front of you.

17.2. Place a white 1x4 double curved slope tile, horizontally and centered horizontally, on the previous piece.

17.3. Place the snow mound, horizontally, to the left of the 1x1 slope tile at the front of the school building

17.4. Place a green 1x1 cone to the left of the last snow mound. Place another in front of the first.

17.5. Place a white unicorn horn, with the point up, into the hollow studs on top of both pieces from the previous step.

18.1. Place a white 1x1 quarter circle tile, with the corner at the back left, in front of the front cone from step 17.4.

18.2. Place a dark blue 1x1 brick to the left of the front cone from step 17.4.

18.3. Place a white 1x1 quarter circle tile, with the corner at the back right, to the left of the previous piece. There should be another quarter circle tile behind this piece, place another white 1x1 quarter circle tile, with the corner at the back right, to the left of this piece.

18.4. Find the 1x2 curved slope tile which is on the third and fourth studs from the left, in front of the wall. The right side of this piece should be even with the left side of the door opening. Place a white 1x1 quarter circle tile, with the corner at the back left, to the right of the 1x2 curved slope tile.

18.5. Place a white 1x1 slope tile, with the thick side on the left, in front of the right stud of the 1x2 curved slope tile.

18.6. Place a white 1x1 quarter circle tile, with the corner at the back right, in front of the previous piece.

18.7. Place a white 1x1 quarter circle tile, with the corner at the front left, to the right of the previous piece.

18.8. Place a white 1x1 quarter circle tile, with the corner at the back right, in front of the previous piece.

19.1. Find the small mound of snow in front of the large mound of snow on the leftmost column of the post office. Place a white 1x1 slope tile, with the thick side at the back, in front of the small mound.

19.2. Place a green 1x1 cone to the right of the previous piece. Place another in front of the first.

19.3. Place a white unicorn horn, with the point up, into the hollow studs on top of both pieces from the previous step.

19.4. Place a dark blue 1x1 brick to the right of the front 1x1 cone from step 19.2.

19.5. Place a white 1x1 slope tile, with the thick side on the right, in front of the front 1x1 cone from step 19.2.

When you are done with this group, you will have a dark brown 2x4 plate leftover. We'll use this piece in the next step.

Open group 18.

20.1. Rotate the post office 180 degrees so the front doorway is at the back right, and the outdoor fireplace is at the back left. Leaving three free rows in front of it, place the leftover brown 2x4 plate, vertically, on the twelfth and thirteenth columns from the left. This should be in front of the left two studs of the low part of the back wall.

20.2. Place a dark red 2x4 tile, horizontally, in front of the 1x4 gap in the wall that makes up the front doorway. There should be two free rows between this piece and the right wall.

20.3. Leaving one free column between it and the left wall, place a dark gray 2x4 plate, horizontally, in front of the back wall. This should be even with the 2x4 plate behind the wall.

21.1. Now we'll build a nice big rug in the room with the fireplace, which will eventually be Santa's reading room. Place the right stud of a teal 2x2 angled corner tile, with the angled corner at the back left, in front of the left column of the previous piece.

21.2. Place a teal 1x1 tile in front of the left stud of the previous piece.

21.3. Place the left stud of a teal 2x2 angled corner tile, with the angled corner at the front left, in front of the previous piece.

21.4. Place a teal 1x2 tile, horizontally, to the right of the front row of the previous piece.

21.5. Place a teal 1x2 jumper plate, horizontally, to the right of the previous piece.

21.6. Place the front stud of a teal 2x2 angled corner tile, with the angled corner at the front right, to the right of the previous piece.

21.7. Place a teal 1x1 tile behind the right stud of the previous piece.

21.8. Place the right stud of a teal 2x2 angled corner tile, with the angled corner at the back right, behind the previous piece.

21.9. Place two teal 1x2 tiles, horizontally, in a row to the left of the back row of the previous piece. These should complete the outer border of the rug and should be to the right of the back row of the 2x2 angled corner tile from step 21.1.

When you're done with this group, you'll have a teal 1x2 tile leftover. Set it aside, we'll use it in a bit.

Open group 19.

22.1. Place the right two studs of a dark green 1x3 tile, horizontally, in front of the left piece from the previous step.

22.2. Place a dark green 1x2 jumper plate, vertically, in front of the leftmost stud of the previous piece.

22.3. Place a dark green 1x1 tile to the right of the front stud of the previous piece.

22.4. Place a dark green 1x3 tile, horizontally, to the right of the previous piece.

22.5. Place the front stud of a dark green 1x3 tile, vertically, to the right of the previous piece.

22.6. Assemble a 2x2 turntable by pushing the peg of a light gray 2x2 turntable plate, with the studs on top, down into the peg hole of a 2x2 turntable base, with the anti-stud on the bottom. Push the turntable plate down until it clicks and spins freely.

22.7. Place the turntable to the left of the back two studs of the last 1x3 tile from step 22.5.

22.8. Place the leftover teal 1x2 tile, horizontally, to the left of the front row of the previous piece.

Open bag 4.

Open minifigure group 3: Santa Clause

Assemble the Santa minifigure by putting the torso on the legs, the beard on the torso, the head on the torso, and the hat on the head.

Open group 20. There are two 1x1 plates stacked in this group. These are dark gray ones from step 25. The loose one is transparent red.

23.1. Now we'll work on building up the walls, starting with the left wall. Place a light brown 1x1 brick on the front stud on the left wall.

23.2. Place a light blue 1x4 brick, vertically, behind the previous piece.

23.3. Place a light brown 1x1 brick behind the previous piece.

23.4. Place a light blue 1x2 brick, horizontally, to the right of the previous piece.

23.5. Now we'll make some fire! Place a transparent orange 1x1 slope tile, with the thick side at the front, to the right of the previous piece.

23.6. Place the loose transparent red 1x1 plate to the right of the previous piece.

23.7. Place a transparent orange 1x1 slope tile, with the thick side on the left, on the previous piece.

24.1. Place a light blue 1x4 brick, horizontally, to the right of the previous piece.

24.2. Place a light brown 1x1 brick to the right of the previous piece.

24.3. Place a brown 1x2 half cylinder tile, horizontally, in front of the two transparent 1x1 slope tiles which make up the fire from steps 23.5 and 23.7. This is a log!

24.4. Place a dark gray 1x1 round brick to the left of the previous piece, and another to the right of it.

25.1. Place a dark gray 1x1 plate in front of both pieces from the previous step. These are the two stacked 1x1 plates.

25.2. Place the left stud of a dark gray 1x2 curved slope tile, horizontally with the slope on the right, on the left piece from the previous step. Repeat symmetrically on the right.

25.3. Now we'll go back to the walls! Place a light brown 1x1x2 tall brick with two studs on one side, with the side studs at the back, to the right of the 1x1 brick from step 24.2. This is right in front of the left column of the dark brown 2x4 plate from step 20.1.

25.4. Place a light brown 1x2 tile standing upright, on the side studs of the previous piece.

You will have a teal 1x2 plate leftover when you finish this group.

Open group 21.

26.1. Now we'll build a bookshelf which is in the elves' breakroom! Place a dark red 1x1x2 tall brick with two studs on one side, with the side studs on the left, in front of you.

26.2. Now we'll add some multi-colored books! Place the leftover teal 1x2 plate, standing up right with the studs on the left, on the side studs of the previous piece.

26.3. Place a pink 1x2 plate on the previous piece.

26.4. Place a green 1x2 ingot tile on the previous piece.

26.5. Place a light brown 1x4 tile with two studs horizontally in front of you. Place the dark red 1x1x2 tall brick with side studs with the books on the left, on the right stud of the previous piece.

26.6. Place a dark red 1x1x2 tall brick with two studs on one side, with the side studs on the right, in front of you.

26.7. Place a tan 1x2 plate with a rail on one side, standing upright with the rail at the front, on the side studs of the previous piece.

26.8. Place a green 1x2 tile on the previous piece.

26.9. Place the 1x1x2 tall brick with side studs, with the books on the right, on the left stud on the 1x4 tile with two studs from step 26.5. The right side of these books should touch the left side of the first set of books.

26.10. Rotate the bookshelf so it's vertical, with the rail of the 1x2 with a rail at the left. Place the bookshelf to the left of the dark brown 2x4 plate from step 20.1.

27.1. Place the left stud of a light brown 1x2x2 tall brick, horizontally, in front of the bookshelf.

27.2. Place the front row of a dark blue 2x2 corner plate, with the corner at the front left so it's oriented like a braille letter H, on the previous piece. The back stud should attach to the front stud of the bookshelf.

27.3. Place the front stud of a dark blue 2x2 corner plate, with the corner at the back right so it's oriented like a braille letter D, on the back stud of the bookshelf. The back row of this piece will attach to the back wall.

27.4. Place a dark blue 1x6 plate, horizontally, to the left of the back row of the previous piece.

27.5. Place the back row of a dark blue 2x2 corner plate, with the corner at the back left, to the left of the previous piece.

When you are done with this group you will have two light blue 1x1 bricks leftover. We'll use one in the next step. Set the other aside for now, we'll use it later.

Open group 22.

28.1. Place one leftover light blue 1x1 brick on the front stud of the previous piece.

28.2. Place a light brown 1x1 brick behind the previous piece.

28.3. Place a light blue 1x4 brick, horizontally, to the right of the previous piece.

28.4. Place a light blue 1x4 brick, horizontally to the right of the previous piece.

28.5. Place a light brown 1x2 brick, horizontally, to the right of the previous piece.

28.6. Find the two 1x1 round bricks from step 24.4. Place a dark gray 1x4 arch brick, horizontally, on the two 1x1 round bricks we just found.

28.7. Place the back row of a dark gray 2x4 triple slope brick, with the slopes at the left, front, and right, on the previous piece.

29.1. Place a light blue 1x1 brick on the second stud from the back on the left wall.

29.2. Place a light brown 1x1 brick behind the previous piece.

29.3. Place a light blue 1x2 brick, horizontally, to the right of the previous piece.

29.4. Skip two studs to the right and place a light blue 1x4 brick, horizontally.

29.5. Place a light brown 1x1 brick to the right of the previous piece.

30.1. Now we'll build an end table with a globe on it. Place a dark brown 2x2 ribbed round brick in front of the wall and to the right of the fireplace. It should be just to the left of the bookshelf.

30.2. Place a brown 2x2 round tile with a single stud on the previous piece.

30.3. Place a gold 1x1 short cone on the previous piece.

30.4. Place a tan minifigure head with a globe pattern on the previous piece. This isn't actually a head! It's used as a stand-in for a globe.

30.5. Place a gold 1x1 round tile with a short bar on top, on the previous piece.

30.6. Place the table with the globe in front of the back wall, between the bookshelf and the fireplace.

30.7. Find the jumper plate on the front row of the rug from step 21.5. Place the left stud of a tan 1x2 jumper plate, horizontally, on this piece.

When you're done with this group, you will have a brown 1x1 round plate leftover. We'll use that in the next step.

Open group 23.

31.1. Now we'll make the next level of the bookshelf. This one has a bottle of something on it too. Start by making the bottle. Place the leftover brown 1x1 round plate in front of you.

31.2. Place a green 1x1 cone on the previous piece.

31.3. Place a gold 1x1 round plate on the previous piece.

31.4. Place a light brown 1x4 plate horizontally in front of you, then put the bottle on the rightmost stud.

31.5. Place a dark red 1x1x2 tall brick with two studs on one side, with the side studs at the front, to the left of the bottle.

31.6. Place a dark green 1x2 ingot tile on the side studs of the previous piece.

31.7. Place a yellow 1x1 plate to the left of the dark red 1x1x2 tall brick with side studs from step 31.5.

31.8. Place a dark yellow 1x1 brick on the previous piece.

31.9. Place a yellow 1x1 plate on the previous piece.

31.10. Place a dark red 1x1x2 tall brick with two studs on one side, with the side studs at the front, to the left of the three previous pieces.

31.11. Place a red 1x2 tile on the side studs of the previous piece.

31.12. Place a dark blue 1x2 plate, horizontally and centered horizontally, on the anti-stud of the 1x4 plate.

31.13. Place this shelf, vertically with the bottle at the front, above the first bookshelf.

32.1. Now we'll build Santa's comfy reading chair! Place a dark red 2x2 round plate in front of you.

32.2. Place a dark red 1x2 plate with two studs sticking up from one side, vertically with the side studs on the left, on the left column of the previous piece. Repeat symmetrically on the right side.

32.3. Place a red 1x2 tile, horizontally, on the front row of the chair.

32.4. Place a dark red 1x2 plate with a 2x2 of anti-stud on one side, with the anti-stud at the back, behind the previous piece.

32.5. Place a gold 1x2 plate with an arched bar on one long side, with the arched bar on the top, on the top row of anti-stud on the previous piece.

32.6. Make the arms of the chair by placing a gold 1x2 plate with a straight bar on one long side, with the bar on top, on two side studs on the left side of the chair, and repeating it symmetrically on the right side of the chair.

32.7. Now place the chair on the 2x2 turntable on the rug in the left room, with the back of the chair at the back right.

33.1. Find the two studs in front of the top shelf of the bookshelf. Place a light brown 1x2 brick, horizontally, on these studs.

33.2. Stack two light brown 1x1 bricks on each other and place them on the right stud of the previous piece.

33.3. Place a light brown 1x3x3 half arch, with the arch on the left, to the left of the pieces from the previous step.

33.4. Place the left stud of a dark blue 1x2 plate, horizontally, on the right stud of the previous piece.

34.1. Assemble a window by attaching a transparent clear 1x2x2 window pane into a dark brown 1x2x2 window frame. Find the lip in the window frame and rotate the window so that it is at the front, then push a window pane in from the front until it clicks. Rotate the window 90 degrees clockwise so the window pane is on the left.

34.2. Place the window on the right column of a dark blue 2x2 plate.

34.3. Place a white 1x1 plate with a triangle hanging down, with the triangle on the left, on the front left stud of the previous piece.

34.4. Place the front stud of a white 1x2 curved slope tile, vertically with the slope at the back, on the previous piece.

34.5. Place the right column of the window assembly on the third and fourth studs from the front on the left wall. Since there are two free studs in front of the wall, the window will go on the fifth and sixth studs from the front of the floor.

You will have a light brown 1x1 brick leftover when you finish this group. We'll use it in the next couple of steps.



Open group 24.

35.1. Place a dark blue 1x2 plate, vertically, on the wall in front of the window.

35.2. Place the leftover light brown 1x1 brick on the front stud of the previous piece.

35.3. Stack two light blue 1x1 bricks on each other and place them behind the previous piece.

35.4. Place a light brown 1x3x3 half arch, with the arch on the right, in front of the top piece from the previous step.

35.5. Place a white 1x1 plate with a triangle hanging down, with the triangle on the left, on the leftmost stud of the previous piece.

36.1. Now we'll build a small reading table. Place a dark brown 2x2 ribbed round brick in front of you.

36.2. Place a brown 2x2 tile with two studs, with the studs on the left, on the previous piece.

36.3. Place the left stud of a white 1x2 tile with a letter print on the back stud of the previous piece.

36.4. Now we'll make a lamp for Santa to read by! Place a gold 1x1 plate with a bar on one side and a rounded end on the other, with the bar at the front right, in front of the previous piece.

36.5. Place a white 1x1 round plate with a hollow stud on the previous piece.

36.6. Place a white star on the previous piece.

36.7. Push the bar of a transparent orange flame, with the bar on the bottom, down through the small hole in the center of the previous piece.

36.8. Find the tan 1x2 jumper plate in front of Santa's chair. This represents a letter. Stack a white 1x2 tile with a letter pattern on it. Put this piece on at a slight angle so it looks like a haphazard stack of mail.

Open group 25.

37.1. Now rotate the post office 180 degrees so the front doorway is at the front left, and the outdoor fireplace is at the front right. Place a dark brown 1x1 round plate in front of the right corner of the wall.

37.2. Place a green 1x1 cone on the previous piece.

37.3. Place a white unicorn horn, with the point up, into the hollow stud on top of the previous piece.

37.4. Skip over the 1x1 quarter circle tile to the left of the previous piece, and place a dark gray 1x1 round brick.

37.5. Place a brown 1x2 half cylinder tile, horizontally, to the left of the previous piece. This piece should be in front of the transparent 1x1 slope tile which make up the fire. This is another log.

37.6. Place a dark gray 1x1 round brick to the left of the previous piece.

38.1. Place a dark gray 1x1 plate in front of the previous piece. Place another in front of the 1x1 round brick from step 37.4.

38.2. Place the left stud of a dark gray 1x2 curved slope tile, horizontally with the slope on the right, on the left piece from the previous step. Repeat symmetrically on the right.

38.3. Place a brown 1x2 half cylinder tile, horizontally, in front of the left piece from the previous step. Place another, offset one stud to the left, in front of the first.

38.4. Place a green 1x1 cone, to the right of the 1x1 cone that's in front of the right corner of the wall.

38.5. Place a white unicorn horn, with the point up, into the hollow stud on top of the previous piece.

39.1. Find the two 1x1 round bricks from steps 37.4 and 37.6. Place a dark gray 1x4 arch brick, horizontally, on the two 1x1 round bricks we just found.

39.2. Place the back row of a dark gray 2x4 triple slope brick, with the slopes at the left, front, and right, on the previous piece.

40.1. Place the front row of a light gray 2x3 plate, vertically, on the previous piece.

40.2. Find a dark gray 1x2 masonry brick. A masonry brick has a brick wall pattern on one side, and horizontal grooves on the other side. Place this, horizontally with the brick pattern at the front, on the front row of the previous piece.

40.3. Place a dark gray 2x2 slope brick, with the slope at the back, behind the previous piece.

40.4. Place the front row of a dark blue 3x3 corner plate, with the corner at the front right, to the right of the front row of the previous piece.

40.5. Place a dark blue 1x2 plate, vertically, behind the right column of the previous piece.

40.6. Place a dark blue 1x3 plate, to the left of the front row of the 2x2 slope brick from step 40.3.

40.7. Place the front row of a dark blue 2x2 corner plate, with the corner at the front left so it's oriented like a braille letter H, to the left of the previous piece.

40.8. Place a dark blue 1x3 plate, vertically, behind the left column of the previous piece.

41.1. Place a light blue 1x1 brick on the back stud of the previous piece. Repeat on the right wall.

41.2. Place a light blue 1x3 slope brick, vertically with the slope at the front, in front of both pieces from the previous step.

You will have a light brown 1x2 tile leftover when you finish this group.

Open group 26.

42.1. Place the front stud of a light brown 1x3 slope brick, vertically with the slope at the front, on both of the pieces from the previous step. The back studs of these pieces should attach to the two 1x3x3 half arches on the back of Santa's writing room.

42.2. Place a light brown 1x4 tile, horizontally, on the left four studs on the front wall.

42.3. Place a light brown 1x1 tile to the right of the previous piece.

42.4. Place the back stud of a dark gray 1x2 jumper plate, vertically, to the right of the previous piece. Place another to the right of the first.

42.5. Place a light brown 1x1 tile to the right of the back stud of the previous piece.

42.6. Place the leftover light brown 1x2 tile, horizontally, to the right of the previous piece.

43.1. Place a light brown 1x4 plate horizontally in front of you.

43.2. Place a light brown 1x8 plate, horizontally and centered horizontally, on the previous piece.

43.3. Place this assembly, horizontally, on the two 1x3x3 half arches between the two 1x3 slope bricks from step 42.1.

44. There is now a row of ten studs over the back of Santa's writing room. Place five dark blue 1x2 slope tiles, horizontally with the thick sides at the back, on this row of studs so they completely cover it.

45.1. Now we'll build a mail sorter. Set the rest of the post office aside for now. Place a blue 4x6 plate horizontally in front of you.

45.2. Place a brown 2x2 tile with two studs, with the studs on the right, on the back two studs of the rightmost two columns of the previous piece. Place another in front of the first.

46. Place a brown 1x2 tile, vertically, to the left of both pieces from the previous step.

47. Place a red 1x2 plate with a 2x2 of anti-stud on one side, with the anti-stud at the right, on each of the 2x2 tiles with two studs from step 45.2.

48. Place a brown 1x4 wall panel, vertically with the wall on the left, on the third column from the left.

You'll have a yellow 1x1 slope tile leftover when you finish this group.

Open group 27.

49.1. Place a brown 1x1 wall panel with two walls, with the walls at the front and the left, on the front row to the left of the previous piece. Place another behind the first. These make empty mail slots.

49.2. Place a white 1x1 plate behind the back piece from the previous step.

49.3. Place the leftover 1x1 slope tile, with the thick side on the right, on the previous piece. This is a piece of mail stuffed into a mail slot. We'll make a couple more of these.

49.4. Place a brown 1x1 wall panel with two walls, with the walls at the front and the left, behind the previous piece.

You'll have a green 1x1 slope tile leftover when you finish this group.

Open group 26.

50.1. Place a white 1x1 plate to the left of the previous piece.

50.2. Place the leftover 1x1 slope tile, with the thick side on the right, on the previous piece.

50.3. Place a brown 1x1 wall panel with two walls, with the walls at the front and the left, in front of the previous piece.

50.4. Place a white 1x1 plate in front of the previous piece.

50.5. Place whiter 1x1 slope tile, with the thick side on the right, on the previous piece.

50.6. Place a brown 1x1 wall panel with two walls, with the walls at the front and the left, in front of the previous piece.

51.1. Now we'll make some larger mail slots. Rotate the assembly 90 degrees counterclockwise so the two 2x2s of anti-stud are at the back. Place a red 1x2 plate with a 2x2 of studs sticking up from one side, horizontally with the side studs at the front, on the left two studs on the back row. This is on a red 1x2 plate with a 2x2 of anti-stud on one side.

51.2. Place a red 1x2 wall panel, standing up with the wall on the left, on the left column of side studs of the previous piece. Place another to the right of the first.

52.1. Place a red 1x2 plate with a 2x2 of studs sticking up from one side, horizontally with the side studs at the front, to the right of the first one from step 51.1.

52.2. Place a red 1x2 wall panel, standing up with the wall on the left, on the left column of side studs of the previous piece. Place another symmetrically to the right of the first.

Open group 29.

53.1. Find the back row of studs on the mail sorter. This is in front of the anti-stud facing to the back. Place a red 1x1 slope tile, with the thick side at the front, on the right stud of the two red 1x2 plates with 2x2s of side studs from step 51.1 and 52.1. Place a red 1x1 slope tile, with the thick side at the front, on the left and right studs of this row.

53.2. Place a red 1x2 tile, horizontally, between the previous two pieces.

54. Place the rest of the post office in front of you with the front doorway at the front left, and the outdoor fireplace at the front right. Find the 2x4 plate which is oriented vertically to the left of the left wall of Santa's reading room. Rotate the mail sorter so the 4x6 plate is standing up on the right and the two rows of anti-stud are at the bottom. The mail slots should be on the left. Place the two rows of anti-stud on the 2x4 plate we just found.

55.1. Stack two light brown 1x1 plates on top of each other and place them in front of the mail sorter.

55.2. Place a light brown 1x1x2 tall brick with two studs on one side, with the side studs at the front, on the top piece from the previous step.

56.1. Place the top two anti-stud of a light brown 1x4 tile with two studs on the side studs of the previous piece. It should hang down until it touches a 1x2 tile.

56.2. Place the front stud of a light brown 1x6 brick, vertically, on the 1x1x2 tall brick with side studs from step 55.2.

56.3. Place a dark blue 1x6 plate, vertically, on the previous piece.

Open bag 5.

Open group 30.

57.1. Now we will make the wall in the middle of the post office taller. Place a dark blue 1x2 plate, horizontally, on the low wall to the left of the Santa's reading room.

57.2. Skip a stud to the left and place a dark blue 1x3 plate horizontally.

57.3. Skip a stud to the left and place a dark blue 1x2 plate horizontally.

57.4. Place a light blue 1x2 brick, horizontally, on the two 1x2 plates we just placed, and on the right two studs of the 1x3 plate.

57.5. Place a light blue 1x1 brick to the left of the 1x2 brick on the 1x3 plate.

58.1. Place three light brown 1x2 tiles on the side studs of three light brown 1x1x2 tall bricks with two studs on one side.

58.2. There are two gaps on the front wall now. Place one of the assemblies from the previous step, with the tile at the front, into each gap. Place the last assembly, with the tile at the front, to the left of the left 1x2 brick from step 57.4.

59.1. Assemble a tall window by attaching a transparent clear 1x2x3 window pane into a dark brown 1x2x3 window frame. Find the lip in the window frame and rotate the window so that it is at the front, then push a window pane in from the front until it clicks.

59.2. Place the window, with the pane at the front, on the back row of a dark blue 2x2 plate.

59.3. Place a white 1x1 plate with a triangle hanging down, with the triangle at the front, on the front right stud of the previous piece.

59.4. Place the right stud of a white 1x2 curved slope tile, horizontally with the slope on the left, on the previous piece.

59.5. Place the back row of the window assembly on the wall to the left of Santa's reading room.

60.1. Assemble a wide window by attaching a transparent clear 1x3x3 window pane into a dark brown 1x3x3 window frame. Find the lip in the window frame and rotate the window so that it is at the front, then push a window pane in from the front until it clicks.

60.2. Place the window, with the pane at the front, on the back row of a horizontal dark blue 2x3 plate.

60.3. Place a white 1x1 plate with a triangle hanging down, with the triangle at the front, on the middle stud on the front row of the previous piece.

60.4. Place the right stud of a white 1x2 curved slope tile, horizontally with the slope on the left, on the previous piece.

60.5. Place a white 1x1 slope tile, with the thick side on the left, to the right of the previous piece.

60.5. Skipping one stud to the left of the tall window, place the back row of the window assembly on the wall.

61.1. Assemble a tall window by attaching a transparent clear 1x2x3 window pane into a dark brown 1x2x3 window frame. Find the lip in the window frame and rotate the window so that it is at the front, then push a window pane in from the front until it clicks.

61.2. Place the window, with the pane at the front, on the back row of a dark blue 2x2 plate.

61.3. Place a white 1x1 plate on the front right stud of the previous piece.

61.4. Place the right stud of a white 1x2 curved slope tile, horizontally with the slope on the left, on the previous piece.

61.5. Skipping one stud to the left of the wide window, place the back row of the window assembly on the wall.

Open group 31.

62.1. Stack two light brown 1x1x2 tall bricks with two studs on one side, with the side studs at the front. Repeat.

62.2. Place a light brown 1x1 tile with two studs on the side studs of both stacks from the previous step.

62.3. Place one assembly from the previous step, with the 1x4 tile with two studs at the front, into each gap between the windows.

63. Place a brown 1x1 plate with a bar on one side and a rounded end on the other, with the bar at the front, on every stud on top of the windows. There are a total of seven of these pieces.

64.1. Place a light blue 1x3 plate, horizontally, on the left three studs on the wall we've just made. Place two more, horizontally, on the wall to the right of the first.

64.2. Place a light blue 1x4 brick, horizontally, on the left four studs of the pieces from the previous step.

64.3. Place a light blue 1x1 brick to the right of the previous piece.

64.4. Place a light blue 1x4 brick, horizontally, to the right of the previous piece.

65.1. Place the left three studs of a dark blue 1x4 plate, horizontally, on the right three studs of the previous piece.

65.2. Place a dark blue 1x4 plate, vertically, behind the rightmost stud of the previous piece.

65.3. Place a light brown 1x1 plate behind the previous piece.

You will have a light blue 1x1 brick leftover when you're done with this group.

Open group 32.

66.1. Now we'll work on the walls of the left room. Place a light brown 1x1 brick on the back stud of the leftmost wall. This wall is only one brick high so far, and is on the second column from the left of the build.

66.2. Place a light blue 1x4 brick, vertically, in front of the previous piece.

66.3. Place a light brown 1x1 brick in front of the previous piece.

66.4. Place a light blue 1x2 brick, horizontally, to the right of the previous piece.

66.5. Skip four studs to the right, over the front doorway, and place the leftover light blue 1x1 brick on the left stud of the low wall you'll find there.

66.6. Place a light blue 1x2 brick, horizontally, to the right of the previous piece.

66.7. Place a light brown 1x1 brick to the right of the previous piece.

67.1. Place the right stud of a dark blue 1x4 plate, horizontally, on the previous piece.

67.2. Skip four studs to the left over the front doorway, and place a dark blue 1x1 plate on the right stud of the wall there.

67.3. Place the front row of a dark blue 2x2 corner plate, with the corner at the front left so it's oriented like a braille letter H, to the left of the previous piece.

67.4. Find the four 1x1 cones with unicorn horns sticking up from them which are in front of the wall on either side of the doorway. There is a 1x1 brick to the right of the front left cone, and to the left of the front right cone. Place a dark brown 1x1 brick with a recessed stud on one side, with the side stud at the front, in front of both of these 1x1 bricks.

68.1. Place the front stud of a light brown 1x2x2 tall brick, on both the pieces from the previous step.

68.2. Place a light brown 1x1 plate on the wall behind both of the pieces from the previous step.

You will have a light brown 1x1 brick and two dark blue 1x4 plates leftover when you're done with this group.

Open group 33. There are two light brown 1x1 plates stacked together. These are light brown. The loose 1x1 plate is light blue.

69.1. Stack one of the leftover dark blue 1x4 plates on a light brown 1x4 plate. Repeat.

69.2. Place the front two studs of one of the stacks of plates from the previous step, vertically, on each of the 1x2x2 tall bricks from step 68.1.

69.3. Place a light blue 1x1 brick to the right of the back stud of both stacks from the previous step. Place another to the left of the back stud of the right stack from the previous step.

69.4. Place a light brown 1x1x3 tall brick to the right of the right piece from the previous step.

69.5. Place a light brown 1x1x2 tall brick with two studs on one side, with the side studs at the front, to the right of the previous piece.

69.6. Unstack a light brown 1x1 plate and place it on the previous piece.

69.7. Place the leftover light brown 1x1 brick on the previous piece.

70.1. Place a light blue 1x1 brick to the left of the 1x1x3 tall brick from step 69.4.

70.2. Place a light blue 1x2 brick, horizontally, to the left of the previous piece.

70.3. Skip four studs to the left, over the front doorway, and place a light blue 1x2 brick, horizontally, on the wall there.

71.1. Place a light blue 1x2 brick, horizontally, to the left of the 1x1x3 tall brick from step 69.4.

71.2. Place a light blue 1x1 brick to the left of the previous piece.

71.3. Skip four studs to the left, over the front doorway, and place a light blue 1x2 brick, horizontally, on the wall there.

71.4. Place a light brown 1x1x3 tall brick to the left of the previous piece. This is on the front left corner of the wall.

71.5. Stack three light blue 1x1 bricks and place the stack behind the previous piece.

72.1. Assemble the front door by attaching a brown 1x4x6 door into a dark brown 1x4x6 door frame. Find the lip in the door frame and rotate the frame so the lip is at the front. Rotate the door so the handle is at the right. Push the door into the frame from the front until it clicks. The left side of the door has very small pegs at the top and bottom which attach it to the frame. When it's in place, the door should be able to swing open.

72.2. Place a gold star on the front stud on the right side of the door to make the doorknob.

72.3. Place the door, horizontally with the handle at the front, in the four stud gap on the wall.

73.1. Assemble a tall window by attaching a transparent clear 1x2x3 window pane into a dark brown 1x2x3 window frame. Find the lip in the window frame and rotate the window so that it is at the front, then push a window pane in from the front until it clicks. Rotate the window 90 degrees clockwise so the window pane is on the left.

73.2. Place the window on the right column of a dark blue 2x2 plate.

73.3. Place a white 1x1 plate with a triangle hanging down, with the triangle on the left, on the back left stud of the previous piece.

73.4. Place the back stud of a white 1x2 curved slope tile, vertically with the slope at the front, on the previous piece.

73.5. Place the right column of the window assembly on the left wall behind the stack of three 1x1 bricks.

You will have three light blue 1x1 bricks leftover when you finish this group.

Open group 34.

74.1. Rotate the post office 180 degrees so the front door of the post office is now at the back right. Place a dark blue 1x2 plate, vertically, on the wall in front of the window assembly.

74.2. Stack three light blue 1x1 bricks and place the stack on the back stud of the previous piece.

74.3. Place a light brown 1x1 brick in front of the stack from the previous step.

74.4. Place a light brown 1x3x3 half arch, with the arch on the left, on the previous piece.

74.5. Place a light brown 1x1 plate on the second stud from the left of the previous piece.

75.1. Place the front stud of a dark blue 1x3 plate, vertically, to the right the previous piece.

75.2. Place the right column of a dark blue 3x3 corner plate, with the corner at the back right, behind the previous piece.

75.3. Place a dark blue 1x3 plate, horizontally, on the wall to the left of the front door.

76.1. Now we'll make a stack of boxes, which include a cookie Santa has hidden away for stressful days! Find the dark red 2x4 tile in front of the front door. Place a light green 2x2 brick to the right of this piece.

76.2. Place a dark yellow 2x2 box on the previous piece. This piece looks like a brick that's hollow and has no studs.

76.3. Place a 1x1 round tile with a cookie pattern in the previous piece.

76.4. Place a yellow 2x2 tile with a stud on top on the dark yellow box from step 76.2.

76.5. Place a tan 1x2 jumper plate, vertically, centered vertically on the previous piece.

76.6. Place a white 1x2 tile with a letter pattern on the previous piece.



Open group 35.

77.1. Place a red 2x2 brick in front of the stack of 2x2 bricks we just made.

77.2. Place a dark red 2x2 tile with a stud on top of the previous piece.

77.3. Place a light brown bag on the previous piece.

77.4. Place a yellow 1x2 jumper plate, horizontally, in front of the red 2x2 brick from step 77.1.

78.1. Place the right stud of a tan 1x2 tile with a package pattern, horizontally, on the previous piece.

78.2. Next, we'll make a small corner table, starting with the legs. Place a dark brown 1x2 brick with a log pattern, horizontally, to the left of the back row of the 2x4 tile in front of the front door.

78.3. Place the back row of dark brown 2x2 ribbed round brick to the left of the previous piece.

78.4. Place a dark brown 1x2 brick with a log pattern, vertically, in front of the left row of the previous piece.

Open group 36.

79.1. Now we'll build the top of the table. Place a brown 4x4 angled corner plate, with the corner at the back left, in front of you.

79.2. Place a brown 1x2 jumper plate, horizontally, on the right two studs on the back row of the previous piece.

79.3. Place the back row of a brown 2x2 angled corner tile, with the angled corner at the back left, to the left of the previous piece.

79.4. Place a light blue 1x1 plate to the right of the front stud of the previous piece.

79.5. Place the front stud of a brown 2x2 angled corner tile, with the angled corner at the front right, in front of the previous piece.

79.6. Place a brown 1x2 jumper plate, vertically, on the last two free studs on the 4x4 angled corner plate from step 33.

79.7. Place a red mug on the previous piece. I bet this has hot cocoa in it!

79.8. Place a transparent red 1x1 cone on the back right jumper plate.

79.9. Place a white 1x1 round tile with a short bar on top, on the previous piece.

79.10. Place the table top, with the corner at the back left, on the 2x2 ribbed round brick and the two 1x2 bricks with a log pattern from steps 78.2-78.4.

80.1. Now we'll make a coffee machine! Or maybe it's a hot cocoa machine? Place a dark gray 2x2 tile with two studs, with the studs at the back, in front of you.

80.2. Place a light gray 1x2 brick with a groove on one side, horizontally with the groove at the front, on the previous piece.

80.3. Place a light gray 1x1 tall plate on the left stud of the previous piece.

80.4. Place a light gray 1x1 plate with a horizontal clip on one side, with the clip at the front, on the previous piece.

80.5. Place a light gray 1x1 half cylinder tile, with the flat sides at the front and back, on the previous piece.

80.6. Place a dark brown 1x1 round brick to the right of the previous piece.

80.7. Place a dark brown 1x1 round plate on the previous piece.

80.8. Clip a light gray 2L bar with a stop in the middle, standing upright and the stop above the clip, in the clip from step 80.4.

80.9. Rotate the coffee maker 45 degrees counterclockwise so the flat part of the tile is at the front right. Place the center anti-stud on the one free stud which is on the corner table.

81.1. Now we'll make a book holder. Place a dark brown 2x4 plate vertically in front of you.

81.2. Place a dark brown 1x2 brick with a log pattern, horizontally, on the front and back anti-stud rows of the previous piece.

81.3. Place a dark red 1x2 tile, horizontally, on the front and back rows of the 2x4 plate from step 81.1.

81.4. Place a red 1x2 slope tile, vertically with the thick side on the right, on the left row between the previous two pieces.

81.5. Place a red 1x2 hinge base, vertically with the flat side on the right, to the right of the previous piece.

81.6. Clip the clips of a light gray 2x2 hinge plate, with the clips on the right, into the previous piece. Rotate the hinge plate counterclockwise as far as it will go. It should rest on the 1x2 slope tile from step 81.4.

81.7. Place a red 1x4 wall panel, vertically with the wall on the left, centered vertically on the left column of the previous piece.

81.8. Place a red 1x4 tile, vertically, to the right of the previous piece.

81.9. Place the book holder, vertically, to the left of the angled table with the coffee maker.

You will have a dark blue 1x2 plate leftover when you finish this group.

Open group 37.

82.1. Next we'll make a little stool. Place two gold 1x1 round plates on the anti-studs of a brown 1x2 tile.

82.2. Skip one row to the left of the book holder and place this stool, vertically and centered vertically on the sorting table.

83.1. Place the left stud of a light brown 1x2x2 tall brick, in front of the right stud of the book holder. There should be nine free studs to the left of this piece.

83.2. Place the leftover dark blue 1x2 plate, horizontally, on the previous piece.

83.3. Place a light brown 1x2 brick, horizontally, on the previous piece.

83.4. Stack two light brown 1x1 bricks together and place them on the left stud of the previous piece.

83.5. Place a light brown 1x3x3 half arch, with the arch on the right, to the right of the stack from the previous step.

84.1. Now we'll make the top of the left wall of the entry-way. Place a dark blue 2x6 plate vertically in front of you.

84.2. Place a light brown 1x6 brick, vertically, on the right column of the previous piece.

84.3. Place a light brown 1x1 brick, to the left of the back stud from the previous piece.

84.4. Place a light brown 1x2 plate, vertically, in front of the previous piece.

84.5. Place a tan 1x2 brick with a hole, vertically, on the previous piece. Place another in front of the first. We will use these to mount the system of chutes to deliver the mail.

84.6. Place a light brown 1x1 brick in front of the previous piece.

84.7. Place the front stud of a dark blue 1x3 plate, vertically, on the previous piece.

84.8. Place a light brown 1x1 plate on the back left stud of the assembly we just made.

84.9. Find the left two studs on the column with the half arch we placed in steps 83.1-83.5. Place the front row of the assembly we just made on these two studs. The assembly should connect to the wall at the back.

85.1. Place a light brown 1x8 plate horizontally in front of you.

85.2. Place a light brown 1x1 plate on the second anti-stud from the right on the previous piece.

85.3. Place a light brown 1x4 plate, horizontally, on the anti-stud of the 1x8 plate to the left of the previous piece.

85.4. Place the left two studs of the 1x8 plate on the right two studs of the 1x3x3 half arch from step 83.5 to connect the right wall of the post office to the left wall of the entry-way.

You will have a light brown 1x1 plate leftover when you finish this group.

Open group 38. There are two 1x1 bricks stacked together in this group. These are light brown. The loose brick is light blue. There are two 1x4 plates stacked together, the top one is dark blue and the bottom one is light blue.

86.1. Place the leftover light brown 1x1 plate on the front left stud of the left wall of the entry-way with the door.

86.2. Place a light brown 1x4 tile, vertically, behind the previous piece.

86.3. Take the top 1x4 plate off the stack, this is the dark blue one. Place the rightmost stud of the dark blue 1x4 plate, horizontally, behind the previous piece.

87.1. Now we'll make another small rug. Place the right stud of a yellow 2x2 angled corner tile, with the angled corner at the back right, on the front row in front of the left stud of the left wall of the entry-way. There should be eleven free studs and a curved slope tile to the right of this piece.

87.2. Place a blue 1x3 jumper plate, horizontally, on the front row to the left of the previous piece.

87.3. Place the left stud of a yellow 2x2 angled corner tile, with the angled corner at the back left, to the left of the previous piece.

87.4. Place a yellow 1x1 tile to the right of the back stud of the previous piece.

88.1. Now, rotate the post office 180 degrees so the front door is at the front on the left side and the fireplace is at the front on the right. Take one of the light brown 1x1 bricks from the stack and place it on the back stud on the left wall of the post office.

88.2. Place a light blue 1x4 brick, vertically, in front of the previous piece.

88.3. Place the last light brown 1x1 brick in front of the previous piece.

88.4. Place a light blue 1x2 brick, horizontally, to the right of the previous piece.

88.5. Place a light blue 1x4 plate, horizontally, to the right of the previous piece.

88.6. Place a light blue 1x1 plate on the left and right studs of the previous piece.

88.7. Place the front row of a light gray 2x3 plate, vertically, between the pieces from the previous step.

88.8. Place a light blue 1x2 brick, horizontally, to the right of the right 1x1 plate from step 88.6.

88.9. Place a light blue 1x1 brick to the right of the previous piece.

89.1. Place a white 1x6 plate, vertically, on the leftmost column of the wall.

89.2. Place a white 6x10 plate, horizontally, to the right of the previous piece.

89.3. Find the two side studs to the left of the leftmost window on the front of the post office. Place the bottom two studs of a light brown 1x4 tile with two studs on these side studs.

Open bag 6.

Open group 39.

90.1. Now we'll make a couple small piles of snow which go on the roof. Place a white 1x4 double curved slope tile horizontally in front of you.

90.2. Place a white 1x2 plate, horizontally, on the middle anti-stud of the previous piece.

90.3. Repeat steps 90.1-90.2.

90.4. Place one small pile of snow, horizontally, on the left four studs on the front row of the left roof of the post office. Repeat on the back row.

90.5. Next we make a couple of big piles of snow. Place a white 1x2 plate horizontally in front of you.

90.6. Place the right stud of a white 1x3 curved slope tile, horizontally, on the left stud of the previous piece. Repeat symmetrically on the right side.

90.7. Repeat steps 90.5-90.6.

90.8. Skip one stud to the right of the small piles from step 90.4 and place the big piles horizontally.

91. Now we'll build the landing platform for the hot air balloon. Set the rest of the post office aside for now. Stack two white 2x4 plates and place them horizontally in front of you.

92.1. Find a white 2x5x3 bracket. This looks like two 2x3 plates connected by a tall brick. Place this, horizontally with the low side at the left, on the right three columns of the stack from the previous step.

92.2. Place a white 1x1 plate with a curved slope on one side, with the curved slope on the left side, on the front row to the left of the previous piece. Place another behind the first.

93. Place a white 1x3x3 curve slope brick, horizontally with the slope on the left, to the right of both pieces from the previous step. This will be the support for the landing platform, and it kind of looks like a foot.

94.1. Find the four columns of studs on top of the support foot. Place the right four anti-stud columns of a white 6x6 plate, centered vertically, on these. The foot should be on the left and the 6x6 plate should overhang the foot to the left

94.2. Place a white 2x2 tile with two studs, with the studs on the left, centered vertically on the right two columns of the previous piece.

94.3. Cover the rest of the studs on the 6x6 plate with eight white 2x2 tiles.

95. Keeping the 2x2 tile with two studs from step 94.2 on the right, flip the landing platform upside down. Place a light brown 1x2 brick, upside down and horizontally, centered horizontally on the second anti-stud row from the front on the 6x6 plate. Repeat symmetrically on the back side.

96. Place the right stud of a light brown 1x3x3 half arch, upside down with the arch on the left, on the left anti-stud of both pieces from the previous step. Repeat symmetrically on the right side.

97. Place the post office back in front of you so the front door is at the front on the left and the fireplace is on the right at the front. Flip the landing platform back upright and rotate it so the foot of the support is on the right. Place the landing platform, centered vertically, so the left side of the support is even with the left side of the left roof. There should be six columns of free studs to the right of the foot.

98.1. Now, find the one stud gap between the two piles of snow on the front row of the roof. Place a white 1x1 slope tile, with the thick side on the right, behind this free stud. This should be in front of the rightmost row of the support foot.

98.2. Skip four studs to the right, and place another white 1x1 slope tile, with the thick side on the left.

98.3. Place a white 1x1 slope tile, with the thick side on the right, to the right of the previous piece.

98.4. Repeat steps 98.1-98.4 symmetrically on the back. These slope tiles go in front of the snow piles on the back of the roof.

Open group 40.

99.1. Now we'll start building the chute that goes from the hot air balloon platform to the middle room of the post office! Set the post office aside for now. Place a green 2x6 plate, upside down and horizontally, in front of you.

99.2. Place the left column of a green 1x2 plate with a 1x2 inverted curved slope on one side, upside down with the curved slope on the right, on the rightmost anti-stud column of the previous piece.

100. Place a green 2x2 plate, upside down, to the left of the previous piece. Place another to the left of the first.

101.1. Place the left column of a green 2x2 plate, upside down, on the right anti-stud column of the left piece from the previous step.

101.2. Place a black 2x2 plate with two holes, upside down with the holes at the front and back, to the right of the previous piece.

102. Push a black 2L pin, from the front, into the front hole of the previous piece. Repeat symmetrically on the back side. This will be the pivot mechanism that gives the chute the slope it needs.

103.1. Now we'll make the sides of the chute which funnel the mail down. Place a dark green 2x8 plate vertically in front of you.

103.2. Place a green 1x8 plate, vertically, on the left column of the previous piece.

103.3. Place four 2x2 curve slope tiles, with the slopes on the right, in a column on the previous two pieces.

103.4. Repeat steps 103.1-103.3.

103.5. Flip one chute side so it is upside down, horizontal, with the thick side at the back. Keeping the right sides even, place the back row of the pivoting chute assembly on the front anti-stud row of the chute side. Repeat symmetrically on the front.

You will have two tan 1x4 plates leftover when you are done with this group.

Open group 41.

104.1. Next, we'll make the supports for the chute. Place one of the leftover tan 1x4 plates horizontally in front of you.

104.2. Place a white 1x4 plate on the previous piece.

104.3. Place a white 1x2 plate with a hole, horizontally with the hole on the right, on the right two studs of the previous piece.

104.4. Place the right stud of a white 1x3 curve slope tile, horizontally, on the previous piece.

104.5. Repeat steps 104.1-104.4.

104.6. Rotate one of the supports so it is upside down, with the hole on the right and the curved slope tile on the left. Push the hole, from the front, onto the front 2L pin from step 102. Repeat symmetrically on the back side with the other support.

105. Place the post office back in front of you, with the front door at the back right and the fireplace at the back left. Find the three 1x1 slope tiles on the row behind the front two snow piles. There should be four free studs between these slope tiles. This is also true for the slope tiles on the back of the roof. Rotate the chute so it is rightside up, with the curved slope tiles on the 1x4 supports at the left. Place the two 1x4 supports on the studs between the slope tiles. Angle the chute so it is highest on the right at the landing platform, and so the left side touches the roof.

Open group 42.

106.1. Next we'll build a small chute that delivers mail to the mail sorting machine from Side-build 5. Place a dark green 3x3 plate in front of you.

106.2. Place the left three studs of a green 1x6 tile, horizontally, on the middle row of the previous piece.

106.3. Place the middle row of a dark green 3x3 plate on the right three anti-studs of the previous piece.

106.4. Place a green 1x4 tile, horizontally, on the left four tiles on the back row of the small chute.

106.5. Keeping it horizontal, flip the small chute upside down. The 1x4 plate should be on the front row now. Place a green 2x2 plate, upside down, on the front left corner of the chute.

106.6. Place a black 2x2 plate with two holes, with the holes facing the front and back, on the anti-stud of the previous piece. Place another, in the same orientation, to the right of the first.

106.7. Push a blue 3L pin, with the stop at the front, from the front into the holes of the pieces from the previous step. Push them all the way in so they extend 1L to the front.

106.8. Keeping it horizontal, flip the small chute right side up. The pins from the previous step should extend to the back. Place a green 1x2 slope tile, horizontally with the thick side at the front, on the left two studs on the front row of the chute.

106.9. Place a green 1x2 wall panel, horizontally with the wall at the front, to the right of the previous piece. Place another, in the same orientation, to the right of the first. Place a third symmetrically on the right two studs of the back row.

106.10. Now we will place the small chute. There are two holes, facing to the left, on the wall to the left of the large chute. Keeping the tiles on top, rotate the small chute so the pins extend to the right. Push the pins, from the left, into the two holes we just found. The chute should be lower at the front than the back.

You will have one dark blue 1x1 plate leftover when you finish this group.

Open group 43. There are two 1x1 plates stuck together in this group. These are light brown. The loose one is light blue.

107.1. Rotate the post office 180 degrees so the front door is at the front left and the fireplace is at the front right. Place a light brown 1x3x3 half arch, with the arch on the left, on the leftmost stud of the back right wall. This wall has an entire row of 1x2 slope tiles on it. You'll place the half arch to the left of these.

107.2. Place the leftover dark blue 1x1 plate on the right stud of the previous piece.

107.3. Place a light brown 1x1 brick on the previous piece.

107.4. Take one of the light brown 1x1 plates off of the stack and place it on the half arch to the left of the previous piece.

108.1. Place the remaining two 1x1 plates, still stacked together, on the wall in front of the half arch.

108.2. Place a light brown 1x1 brick with a stud on one side, with the side stud on the right, on the stack from the previous step.

108.3. Place a light brown 1x1 tile with a rounded end, with the rounded end on the bottom, on the side stud of the previous piece.

108.4. Place a light brown 1x1x2 tall brick with two studs on one side, with the side studs on the right, on the 1x1 brick with a side stud from step 108.2.

108.5. Place a light brown 1x2 curve slope brick, with the slope at the bottom, on the side studs of the previous piece.

108.6. Place a light brown 1x1 tile with a rounded end, with the rounded end on the bottom, on the previous piece.

108.7. Place a light blue 1x2 brick, vertically, on the wall in front of the assembly we just made.

108.8. Place a light blue 1x2 plate, vertically, on the previous piece.

108.9. Place a light blue 1x1 plate on the back stud of the previous piece.

108.10. Place a light blue 1x1 slope tile, with the thick side on the right, in front of the previous piece.

Open group 44.

109.1. Now we'll build one more small chute. Place a dark green 3x3 plate in front of you.

109.2. Place the left three studs of a green 1x6 tile, horizontally, on the middle row of the previous piece.

109.3. Place the middle row of a dark green 3x3 plate on the right three anti-studs of the previous piece.

109.4. Place a green 1x2 wall panel, horizontally with the wall at the front, on the left two studs on the front row of the chute. Place two more, in the same orientation, to the right of the first. Repeat symmetrically on the back side.

109.5. Keeping it horizontal, flip the chute upside down. Place a black 1x2 plate with a hole, upside down and horizontally with the hole at the left, on the left two anti-stud on the front row of the chute. Repeat symmetrically on the back side.

109.6. Place a light gray 1x3 plate with a hole, upside and horizontally with the hole at the left, between the pieces from the previous step so that it extends one stud past them to the left.

109.7. Place the front left stud of a black 2x2 inverted curved slope tile, upside down with the slope on the right, on the right anti-stud of the previous piece.

109.8. Place a black 1x2 inverted curved slope tile, upside down and horizontally with the slope on the right, in front of the previous piece.

109.9. Push a black 2L pin, from the back, into the middle of the three holes on the left side of the chute.

109.10. Push the hole of a light gray 1x1 brick, upside down with the hole facing the front, onto the pin from the previous step.

109.11. Find the 1x2 brick with the 1x1 slope tile on it which is on the right wall in front of the tallest half arch. Flip the small chute rightside up so it is horizontal and the plates with the holes are on the right side. Place the light gray 1x1 brick with a hole, which is now on the right side of the chute, on the 1x2 brick behind the 1x1 slope tile. The small chute should slope down to the left towards the other two chutes.

110.1. Place the back stud of a light blue 1x2 plate, vertically, on the 1x1 brick with a hole we used to connect the small chute to the post office.

110.2. Place a white 1x1 plate with a triangle hanging down from one side, with the triangle on the right, on the front stud of the previous piece.

110.3. Place a white 1x1 plate with a horizontal clip on one side, with the clip on the right, behind the previous piece.



110.4. Clip the bar of a white unicorn horn, with the pointy end at the bottom, into the clip of the previous piece so it hangs down. This is an icicle!

111.1. Stack two light brown 1x1 plates and place them on the wall in front of the chute.

111.2. Place a light brown 1x1 brick with a stud on one side, with the side stud on the right, on the stack from the previous step.

111.3. Place a light brown 1x1 tile with a rounded end, with the rounded end on the bottom, on the side stud of the previous piece.

111.4. Place a light brown 1x1x2 tall brick with two studs on one side, with the side studs on the right, on the 1x1 brick with a side stud from step 111.2.

111.5. Place a light brown 1x2 curve slope brick, with the slope at the bottom, on the side studs of the previous piece.

111.6. Place a light brown 1x1 tile with a rounded end, with the rounded end on the bottom, on the previous piece.

Open group 45.

112.1. Stack two light brown 1x1x2 tall bricks with two studs on one side, with the side studs at the front. Place this stack on the wall in front of the pieces from steps 111.1-111.6.

112.2. Stack three light blue 1x2 bricks and place this stack, horizontally, to the left of the pieces from the previous step.

112.3. Place a white 1x1 plate on the left stud of the stack from the previous step.

112.4. Place a white 1x1 plate with a horizontal clip on one side, with the clip at the front, to the right of the previous piece.

112.5. Clip the bar of a white unicorn horn, with the pointy end at the bottom, into the clip of the previous piece so it hangs down. This is another icicle!

112.6. Stack two light brown 1x1x2 tall bricks with two studs on one side, with the side studs at the front. Place this stack on the wall to the left of the stack of 1x2 bricks from step 112.2.

113.1. Assemble a wide window by attaching a transparent clear 1x3x3 window pane into a dark brown 1x3x3 window frame. Find the lip in the window frame and rotate the window so that it is at the front, then push a window pane in from the front until it clicks.

113.2. Place the window, with the pane at the front, on the back row of a horizontal dark blue 2x3 plate.

113.3. Place a white 1x1 plate with a triangle hanging down, with the triangle at the front, on the right stud on the front row of the previous piece.

113.4. Place the right stud of a white 1x3 curved slope tile, horizontally with the slope on the left, on the previous piece.

113.5. Place a white 1x1 plate with a triangle hanging down, with the triangle at the front, on the right stud on top of the window.

113.6. Place a white 1x1 plate to the left of the previous piece.

113.7. Place a white 1x1 plate with a horizontal clip on one side, with the clip at the front, to the left of the previous piece.

113.8. Clip the bar of a white unicorn horn, with the pointy end at the bottom, into the clip of the previous piece so it hangs down. You guessed it, another icicle!

113.9. Place the back row of the window assembly, horizontally with the window on the back row, on the wall to the left of the left stack of 1x1x2 tall brick with side studs from step 112.6.

114.1. Stack two light brown 1x1x2 tall bricks with two studs on one side, with the side studs at the front. Place this stack on the wall to the left of the window assembly.

114.2. Place a light blue 1x2 brick with two studs on one long side, horizontally with the side studs at the back, in front of you.

114.3. Place the left two anti-stud of a dark green 1x3 tile, horizontally, on the side studs of the previous piece. It will overhang to the right.

114.4. Place the 1x2 bricks with two side studs, horizontally with the tile at the back, on the wall to the left of the stack of tall brick with side studs from step 114.1. The tile from the previous step will overhang to the right behind a stack of 1x1x2 tall bricks with two studs on one side.

114.5. Stack two light blue 1x2 bricks, horizontally, and place them on the previous piece.

114.6. Place a white 1x1 plate on the left stud of the stack from the previous step.

114.7. Place a white 1x1 plate with a horizontal clip on one side, with the clip at the front, to the right of the previous piece.

114.8. Clip the bar of a white unicorn horn, with the pointy end at the bottom, into the clip of the previous piece so it hangs down. I think you know what these are by now!

Open group 46.

115.1. Place a light brown 1x1x2 tall brick with two studs on one side, with the side studs at the front, on the wall to the left of the stack of 1x2 bricks from step 114.5.

115.2. Place a light brown 1x1 plate on the previous piece.

115.3. Place a light brown 1x3x3 half arch, with the arch on the right, on the back stud of the same column that the previous two pieces are on.

116.1. Now we'll make an arch to go between the half arch and the front wall. Place a dark blue 1x4 plate vertically in front of you.

116.2. Place the back stud of a dark blue 1x1 plate with a 1x1 inverted slope on one side, vertically with the slope at the back, on the front anti-stud of the previous piece. Repeat symmetrically on the back side.

116.3. Place a light brown 1x1 brick with a stud on one side, with the side stud at the front, on the front stud of the front piece from the previous step.

116.3. Place a light brown 1x1 brick on the back stud of the arch.

116.4. Place the back stud of the arch we just made, keeping the side stud at the front, on the leftmost stud of the 1x3x3 half arch from step 115.7.

Open group 47.

117.1. Now we'll extend the back wall of the middle room. Place a light brown 1x4 plate horizontally in front of you.

117.2. Place a light brown 1x8 plate, horizontally and centered horizontally, on the previous piece.

117.3. Place a light brown 1x1 plate on the second anti-stud from the right on the previous piece.

117.4. Place the left two studs of this assembly on the right two studs of the 1x3x3 half arch from step 115.3.

A note to sighted builders, steps 118 and 119 are built in a different order than the visual instructions!

118.1. Place a light brown 2x6 plate, horizontally, on the back row of the middle room so it overhangs one stud to the left and is even with the back of the wall. Skip one stud to the right and place another. It should overhang the wall by one stud to the right.

118.2. Place a dark blue 2x3 plate, vertically, in front of the left two columns of the left piece from the previous step. Repeat symmetrically on the right side.

119.1. Place the left two columns of a dark blue 2x6 plate, horizontally, in front of the left piece from the previous step. This piece should overhang the front of the wall by one stud. Repeat symmetrically on the right.

119.2. Place a dark blue 1x2 plate, vertically, between the two 2x6 plates from step 118.1 and also from step 119.1.

Open group 48. There are two 1x4 plates stacked together in this group. These are dark blue. The loose plate is yellow.

120.1. Place a dark blue 1x3 plate, vertically, on the back three studs on the left and right columns of the middle roof.

120.2. Unstack the two dark blue 1x4 plates and place them, vertically, in front of the pieces from the previous step.

120.3. Place a light brown 1x6 plate, vertically, to the right of the left pieces from the previous two steps so that it's even with the back side of the roof.

120.4. Place a light brown 6x6 plate to the right of the previous piece.

120.5. Place a yellow 1x4 plate, horizontally, to the right of the front row of the previous piece.

120.6. Place a light brown 2x4 plate, horizontally, to the right of the back two rows of the 6x6 plate from step 120.4.

121.1. There are four columns of side studs on the front of the post office under the roof. All of them have four side studs except the leftmost one, which only has three. Place the top two studs of a light brown 1x4 tile with two studs on the bottom two side studs of each column of side studs.

121.2. Place a light brown 1x2 curved slope brick, with the slope at the bottom, on the side studs above each of the pieces from the previous step.

121.3. Place a light brown 1x1 tile with a rounded end, with the rounded end at the bottom, on each of the pieces from the previous step.

Open bag 7.

Open group 49. There are two 1x1 bricks, and four 1x2 bricks stacked together in this group. These are light blue. The loose ones are light brown.

122.1. Place a dark blue 1x3 plate, centered horizontally, on the front row of the middle roof. There should be five free studs to the left and right of this piece.

122.2. Place a dark blue 1x4 plate, horizontally, to the left and right of the previous piece.

122.3. Place a dark blue 1x1 plate centered horizontally on the front row of the middle roof.

122.4. Place a dark blue 1x1 brick with a recessed side stud, with the side stud at the front, on the previous piece.

122.3. Place a dark blue 1x1 brick with a recessed side stud, with the side stud at the front, to the left and right of the previous piece.

123.1. Place a light brown 1x1 brick to the left of the left piece from the previous step. Repeat symmetrically on the right side.

123.2. Unstack one of the light blue 1x2 bricks and place it, horizontally, to the left of the previous piece. Repeat symmetrically on the right side.

123.3. Place a light brown 1x1 brick to the left of the previous piece. Repeat symmetrically on the right side.

123.4. Unstack a light blue 1x1 brick and place it to the left of the previous piece. Repeat symmetrically on the right side.

123.5. Place a light brown 1x2 brick, vertically, behind both of the pieces from the previous step.

123.6. Unstack a light blue 1x2 brick and place it, vertically, behind both of the pieces from the previous step.

123.7. Place a light brown 1x2 brick, vertically, behind both pieces from the previous step.

124.1. Place a dark blue 1x3 plate, vertically, on the back three studs on the left and right walls of the middle room.

124.2. Place a dark blue 1x2 plate, vertically, in front of both pieces from the previous step.

124.3. Place the left column of a dark blue 2x2 corner plate, with the corner at the front left so it's oriented like a braille letter H, in front of the left piece from the previous step. Repeat symmetrically on the right side.

124.4. Place a dark blue 1x4 plate, horizontally, to the right of the front row of the previous piece. Repeat symmetrically on the right side.

125.1. Place a dark blue 1x3 plate, horizontally and centered horizontally, on the front wall on the middle roof.

125.2. Place a dark blue 1x2 plate, horizontally, to the left of the previous piece. Repeat symmetrically on the right side.

125.3. Place a dark blue 1x3 plate horizontally, to the left of the previous piece. Repeat symmetrically on the right side.

125.4. Place a dark blue 1x6 plate, vertically, behind the leftmost stud of the left piece from the previous step. Repeat symmetrically on the right side.

Open group 50.

126.1. Now we'll start building the room on top of the middle roof! There will be a writing desk here, as well as a chute for letters to get sent to the sorting machine! Rotate the post office 180 degrees so the hot air balloon platform is on the right and the fireplace is on the back left. Place a yellow 1x4 plate, horizontally, on the front row of the middle roof to the right of the left wall.

126.2. Place a yellow 1x1 plate behind the left and right studs of the previous piece.

126.3. Place a yellow 1x4 plate, horizontally, on the middle roof to the right of the left wall and in front of the back wall. There is a hole in front of this piece which leads to a chute. That's where Santa can drop off the letters he writes to be sent out to good little children!

126.4. Place the back stud of a tan 1x2 jumper plate, vertically, to the right of the previous piece.

126.5. Place a white 1x2 tile with a letter pattern, vertically, in front of the previous piece.

127.1. Place the back stud of a white 1x2 tile with a letter pattern, vertically, on the jumper plate from step 126.4.

127.2. Place a yellow 1x6 plate, vertically, to the left of the previous piece.

127.3. Place a yellow 1x1 plate to the left of the back stud of the previous piece.

127.4. Place a yellow 1x2 plate, horizontally, to the left of the previous piece.

127.5. Place a yellow 2x2 curved slope tile, with the slope at the back, to the left of the front two studs of the 1x6 plate from step 127.2.

127.6. Place a yellow 1x2 plate, vertically, to the left of the previous piece.

128.1. Place a yellow 2x3 tile, upside down and vertically in front of you.

128.2. Place the side studs of a light blue 1x2 brick with two studs on one long side, vertically with the anti-stud on the left, on the back two anti-stud on the right column of the previous piece.

128.3. Place the side stud of a light brown 1x1 brick with a stud on one side, with anti-stud on the left, in front of the previous piece.

128.4. Rotate this assembly so the tile is on the right, and the studs of the last two pieces are right side up and make a column. Place this assembly behind the 1x2 plate from step 127.6.

129.1. Place three yellow 1x2 slope tiles, vertically with the thick side on the right, on the 1x6 plate from step 127.2. Repeat symmetrically on the column to the right of the left wall.

129.2. Place a yellow 1x2 slope tile, horizontally with the thick side at the back, on the row in front of the back wall, between the two rows of slope tiles from the previous step.

130.1. Next we'll start building an L-shaped writing table. Place a dark brown 2x2 ribbed round brick in the back right corner of the writing room.

130.2. Place a dark brown 1x2 brick with a log pattern, horizontally, in front of the previous piece. Skip two rows to the front and place another. The second one should be even with the front wall of the writing room.

130.3. Place a dark brown 1x2 brick with a log pattern, vertically, to the left of the 2x2 ribbed round brick from step 130.1. Skip two rows to the left and place another. The second one should be to the right of a stack of 1x2 tiles with letter patterns.

131.1. Next we'll build a circular rug. Skip one column to the right of the stack of letters which is to the right of the yellow chute, and place a light blue 2x2 round tile with a stud, leaving one free row of studs in front of it.

131.2. Find a blue 2x2 rounded corner tile. This tile is cut out so it looks like a macaroni noodle, I'll call it a "2x2 macaroni tile" from now on. Place the right anti-stud of this piece, with the flat sides at the right and the back, in front of the 2x2 round tile. Repeat all the way around the round tile.

You will have a white 1x2 tile with a letter pattern leftover from this group.

Open group 51.

132.1. Now we'll build the tops of the L-shaped desk, starting with the left side. Place a dark brown 2x4 plate, horizontally in front of you.

132.2. Place a brown 1x2 tile, vertically, on the rightmost column of the previous piece.

132.3. Place a brown 1x2 jumper plate, horizontally, on the front row to the left of the previous piece. Place another behind the first.

132.4. Place a brown 1x4 jumper plate, vertically, to the left of the pieces from the previous step.

132.5. Now we'll build another little lamp like we did for Santa's reading room. Place a gold 1x1 plate with a bar on one side and a rounded end on the other, with the bar at the front left, on the previous piece.

132.6. Place a white 1x1 round plate with a hollow stud on the previous piece.

132.7. Place a white star on the previous piece.

132.8. Push the bar of a transparent orange flame, with the bar on the bottom, down through the small hole in the center of the previous piece.

132.9. Place the leftover white 1x2 tile with a letter pattern, horizontally, to the right of the lamp on the front horizontal jumper plate.

132.10. Place a gold 1x1 round tile with a short bar on top, on the stud behind the previous piece.

132.11. Place the left side of the desk on the left two 1x2 bricks with a log pattern.

Open group 52.

133.1. Now we'll build the right leg of the L-shaped desk. Place a red 2x2 plate in front of you.

133.2. Place the back two rows of a brown 2x4 tile with two studs, vertically, on the previous piece.

133.3. Place the back two rows of a dark brown 2x4 plate, vertically, on the front two anti-stud rows of the previous piece.

133.4. Place a brown 1x2 tile, horizontally, on the second row from the front of the previous piece.

133.5. Place a brown 1x2 jumper plate, horizontally, in front of the previous piece.

133.6. Make an inkpot by placing a black 1x1 round tile with a short bar on top, on the previous piece.

133.7. Push the short bar of a white feather down into the hollow bar of the previous piece to make a quill pen.

133.8. Next we'll make Santa's wax seal so he can stamp all of his letters and envelopes! All of the letter tiles we've placed so far have Santa's red seal on them! Place a gold 1x1 round plate with a bar on one side, with the bar at the left, on the back stud.

133.9. Place a red 1x1 round tile on the previous piece. This is the same red wax Santa uses!

133.10. Santa has a letter he's writing sitting on his desk. Place a white 2x2 tile with a letter pattern, centered horizontally, on the remaining stud. This letter has a big red wax stamp at the bottom.

133.11. Place the right leg of the desk to the right of the left leg. The front of the desk should be even with the front of the room

134. Place three dark blue 1x2 slope tiles, vertically with the thick side at the right, on the front six studs on the left wall of the writing room. Repeat symmetrically on the right wall.

Open group 53.

135.1. Next, we'll build the gable of the middle roof. This is the triangular part of a wall that the roof attaches to. Rotate the post office 180 degrees so the front door is on the front left, and the fireplace is on the front right. Place a light blue 1x1 brick, centered horizontally, on the front wall of the writing room.

135.2. Place a light blue 1x2 brick, horizontally, to the left of the previous piece. Repeat symmetrically on the right side.

135.3. Place a light blue 1x1 brick to the left of the left piece from the previous step. Repeat symmetrically on the right side.

135.4. Place a light brown 1x1 brick with a stud on one side, with the side stud at the front, to the left of the left piece from the previous step. Repeat symmetrically on the right side.

135.5. Place a light blue 1x2 slope brick, horizontally with the slope on the left, to the left of the left piece from the previous step.

136.1. Place the left stud of a light blue 1x1 plate with a 1x1 slope tile on one side, horizontally with the slope tile on the left, on the previous piece. Repeat symmetrically on the right side.

136.2. Place a light blue 1x2 plate, horizontally, to the right of the left piece from the previous step. Repeat symmetrically on the right side.

136.3. Place a light blue 1x3 plate, horizontally, between the pieces from the previous step.

137.1. Place a light blue 1x4 plate, horizontally, to the right of the slope of the left 1x1 plate with a 1x1 slope tile on one side from step 136.1. Repeat symmetrically on the right side.

137.2. Place a light blue 1x2 brick, horizontally, on the right two studs of the left piece from the previous step. Repeat symmetrically on the right side.

137.3. Place a light blue 1x2 slope brick, horizontally with the slope on the left, to the left of the left piece from the previous step. Repeat symmetrically on the right side.

137.4. Place the left stud of a light blue 1x1 plate with a 1x1 slope tile on one side, horizontally with the slope tile on the left, on the previous piece. Repeat symmetrically on the right side.

137.5. Place a light blue 1x1 plate to the right of the left piece from the previous step. Repeat symmetrically on the right side.

137.6. Place the right stud of a light blue 1x2 plate, horizontally, on the left piece from the previous step. Repeat symmetrically on the right side.

137.7. Place a light blue 1x2 slope brick, horizontally with the slope on the left, on the previous piece. Repeat symmetrically on the right side.

138.1. There should now be two triangles with a gap between them. Place a light brown 1x1 brick with a stud on one side, with the side stud at the front, in the gap.

138.2. Place a light brown 1x1x2 tall brick with two studs on one side, with the side studs at the front, on the previous piece.

138.3. Place a light blue 1x1 plate on the previous piece.

139.1. Place the right stud of a light blue 1x1 plate with a 1x1 slope tile on one side, horizontally with the slope tile on the left, on the previous piece.

139.2. Place a light blue 1x1 plate on the previous piece.

139.3. Place the left stud of a light blue 1x1 tile with a 1x1 slope tile hanging down, horizontally with the slope at the right, on the previous piece.

140.1. Place a dark blue 1x3 plate horizontally in front of you.

140.2. Place a dark blue 1x1 tile with a rounded end, with the rounded end on the right, on the leftmost stud of the previous piece. Repeat symmetrically on the right side of the 1x3 plate.

140.3. Rotate the piece so it stands upright with the studs at the front. Place it on the three side studs near the top of the front wall of the building. This completes the gable, Next we'll make the decorative trim that goes onto it.

Open group 54.

141.1. Set the post office aside for now. Place a dark blue 3x3 corner plate, with the corner at the back right, in front of you.

141.2. Place a light brown 1x1 tile on the back right corner of the previous piece.

141.3. Place a light brown 1x4 tile, vertically, in front of the previous piece. Place another, horizontally, to the left of the 1x1 tile from the previous step.

141.4. Place a dark blue 1x1 plate on the second anti-stud from the front of the vertical piece from the previous step, and another on the second anti-stud from the left of the horizontal piece from the previous step. These pieces should touch the 3x3 corner plate from step 141.1.



141.5. Place the right column of a dark blue 2x2 plate in front of the front piece from the previous step. Place the back row of another dark blue 2x2 plate to the left of the left piece from the previous step.

141.6. Place the back stud of a light brown 1x4 tile, vertically, in front of the front 1x4 tile from step 141.3. Place another, horizontally, to the left of the left 1x4 tile from step 141.3.

141.7. Place a dark blue 1x3 plate, vertically, on the front three anti-stud of the front piece from the previous step. Place another dark blue 1x3 plate, horizontally, on the left three anti-stud of the left piece from the previous step.

141.8. There should now be four studs on the gable trim, a column of two studs on the front leg, and a row of two studs on the left leg. Place a dark blue 1x1 quarter circle tile, with the flat sides at the left and the back on the front stud of the front column of studs, and another in the same orientation on the left stud of the left row of studs.

141.9. Place the right stud of a dark blue 4x4 macaroni tile, with the flat sides at the front and the left, behind the front piece from the previous step, The left side of this piece should connect the left piece from the previous step.

141.10. Place the post office in front of you, with the front door at the front on the left and the fireplace on the front at the right. There are three free studs on the gable, one on the left, one on the right, and one is on a 1x3 plate which is standing upright and centered horizontally on the gable. Rotate the gable trim so the tiles are at the front, and so it makes a point at the top. Place the middle anti-stud of macaroni tile on the trim onto the middle stud on the gable. The angle of the trim should match the angle of the gable behind it.

142.1. Place a dark brown 1x1 round plate in front of you.

142.2. Place a light brown 1x1 tile with a rounded end on the previous piece.

142.3. Repeat steps 142.1-142.2.

142.4. Place one of the stacks we made, with the flat side matching the angle of the trim, on the two other side studs on the gable. The trim should rest on these pieces.

Open group 55. There are two 2x4 plates stacked together in this group. They are dark gray. The loose one is white.

143.1. Now we'll build the snow-covered roof for the rightmost room. Set the post office aside for now. Place a white 4x8 plate upside down and horizontally in front of you.

143.2. Place the front stud of a white 1x1 plate with a curved slope on one side, upside down with the curved slope at the back, on the back right anti-stud of the previous piece.

144. Place a white 1x4 plate with a curved slope on one long side, upside down and horizontally with the curved slope at the back, to the left of the previous piece. Place another to the left of the first.

145. Place the back right anti-stud of a white 2x4 plate, upside down and vertically, on the leftmost stud of the left piece from the previous step. This is the loose 2x4 plate.

146.1. Place a white 1x1 plate with curved slopes on two sides, upside down with the stud at the front right, on the back left anti-stud of the previous piece.

146.2. Place a white 1x1 plate with a curved slope on one side, upside down with the curved slope on the left, in front of the previous piece.

146.2. Place a white 1x4 plate with a curved slope on one long side, upside down and vertically with the curved slope at the left, in front of the previous piece.

147.1. Place the leftmost anti-stud of a white 1x10 plate, upside down and horizontally, on the second stud from the front of the previous piece.

147.2. Place a white 2x3 plate, upside down and horizontally, in front of the left three studs of the previous piece.

148.1. Place a white 1x1 plate with curved slopes on two sides, upside down with the stud at the back right, on the front left anti-stud of the previous piece.

148.2. Place a white 1x1 plate with a curved slope on one side, upside down with the curved slope at the front, to the right of the previous piece. Place another, in the same orientation, to the right of first.

149.1. Place a dark gray 2x4 plate, upside down and vertically, behind the two pieces from the previous step.

149.2. Place a tan 1x2 plate, upside down and horizontally, behind the previous piece.

149.3. Place a tan 1x2 plate, upside down and horizontally, on the fourth anti-studs from the front on the right two anti-stud columns.

150.1. Place a dark gray 2x4 plate, upside down and vertically, in front of the previous piece. This is one of the stacked ones.

150.2. Place the back right two anti-stud of a white 2x3 plate, upside down and horizontally, on the front two studs of the previous piece.

150.3. Place the front right stud of a tan 3x3 angled corner plate, upside down with the corner at the front right, on the back left anti-stud of the previous piece.

150.4. Place the back anti-stud row of a white 2x2 plate, upside down, on the front left two studs of the previous piece.

150.5. Place the left two studs of a white 1x4 plate with a curved slope on one long side, upside down and horizontally with the curved slope at the front, on the front two anti-stud of the previous piece.

150.6. Place a white 1x1 plate with a curved slope on one side, upside down with the curved slope at the front, to the right of the previous piece.

151.1. Leaving one free anti-stud row in front of it, place a tan 3x3 angled corner plate, upside down with the corner at the front right, on the rightmost three anti-stud columns of the roof. Repeat symmetrically on the back side. There should be one free anti-stud between these two pieces.

151.2. Place a tan 1x2 plate, upside down and horizontally, to the left of the front anti-stud row of the front piece from the previous step.

151.3. Place a tan 1x1 plate, upside down, on the rightmost anti-stud column between the two 3x3 angled corner plates from step 151.1.

151.4. Place a tan 1x4 plate, upside down and horizontally, to the left of the back anti-stud row of the back 3x3 angled corner plate from step 151.1.

151.5. Place the back row of a 3x3 angled corner plate, upside down with the corner at the back left, to the left of the previous piece. Repeat symmetrically on the front. There should be one free anti-stud between these two pieces.

151.6. Place a tan 1x1 plate, upside down, between the left anti-stud columns of the pieces from the previous step.

Open group 56.

152.1. Now we'll make a little bit of snow that will hang down from the roof. Leaving two free anti-stud in front of it, place a white 1x2 plate, upside down and vertically, on the leftmost anti-stud column of the roof.

152.2. Place the back stud of a white 1x2 inverted curved slope tile, vertically with the slope at the front, on the front anti-stud of the previous piece. Place another symmetrically behind the first.

153.1. Now flip the roof so it is right side up. There are curved slopes on three sides, rotate it so the curved slopes are on the front, back, and right sides. There should be a two row gap on the front half of the roof. The chimney will go in this gap. Now place the post office in front of you, with the fireplace at the front on the left and the fireplace on the front at the right.

153.2. We will be setting the roof onto the right side of the building, it won't actually connect. Find the row of 1x2 slope tiles which are on top of the back wall on the right side of the post office. Place the back row of the roof behind this row of studs so the slope tiles catch the roof and prevent it from moving forwards. Lower the front of the roof down until it sets on the front wall. The gap in the roof should go around the top of the fireplace.

154.1. Now we'll build the chimney up. Place a dark gray 1x2 masonry brick, horizontally with the brick pattern at the front, in front of you.

154.2. Place a dark gray 1x2 brick with a stud on one side, horizontally with the side stud at the front, on the previous piece.

154.3. Stack two dark gray 1x2 masonry bricks and place them, horizontally with the brick patterns at the front, on the previous piece.

154.4. Place two light gray 1x1 cones on the top piece of the stack from the previous step.

154.5. Place a dark gray 1x2 tile, horizontally, on the pieces from the previous step.

154.6. Next we'll place a bow on the chimney. Place a gold star on the side stud from step 154.2.

154.6. Push the bar of a small red bow, with the bow horizontal, into the small hole in the center of the previous piece.

154.7. Now place the chimney, with the bow at the front, on the two studs on top of the fireplace.

Open bag 8.

Open group 57. There is a stack of eight 1x1 round plates. The top four are red and the bottom four are green. The loose 1x1 round plate is black.

155.1. Next up, we'll start decorating the post office a little bit! First we'll make a small outdoor table which holds a lantern and some mistletoe. Place a dark brown 2x2 ribbed round brick in front of you.

155.2. Place a brown 1x2 plate with rounded ends, vertically, on the right column of the previous piece.

155.3. Place a brown 1x2 jumper plate, vertically, to the left of the previous piece.

155.4. Take the top four 1x1 round plates off of the stack and set it aside for now. Take a green 1x1 round plate with a hollow stud from the stack and place it on the back right stud of the table.

155.5. Push the bar of a red pair of cherries, with the cherries on the right, down through the hollow stud of the previous piece. These are the mistletoe berries.

155.6. Push the bar of a green set of three claws, with the claws at the front, down through the front right hollow stud of the table. These are the leaves of the mistletoe!

155.7. Next we'll make a lantern. Place a black 1x1 round plate with a hollow stud in front of you.

155.8. Place a transparent yellow 1x1 round brick on the previous piece.

155.9. Push the previous two pieces, from the bottom, into the bottom of a black lantern frame with the handle on the top.

155.10. Place the lantern on the left stud of the table.

155.11. This completes the table. Place it on the back two studs on the left two columns of studs which are on the right side of the build. These are the left two columns of a 8x8 plate with a rounded corner.

156.1. The next decoration is a snowman! Find the rightmost two cones with unicorn horns sticking up from them. Skip a stud in front of the left one of these two and place a white 2x2 sphere with a single stud.

156.2. Place a white 1x1 ball on the previous piece. This poor snowman doesn't have a face! Maybe they've been too busy to make one for it yet.

156.3. Next we'll make holly leaves to place over the windows. Place a green 1x1 round plate with three leaves, with the leaves on the left, in front of you.

156.4. Now, find the stack of red 1x1 round plates we set aside earlier. Place a red 1x1 round plate with a hollow stud on the previous piece.

156.5. Push the bar of a red 1L bar with a clip on the bottom with the clip oriented like an upside down letter U when viewed from the side, through the bottom of the hollow studs of the previous two pieces.

156.5. Repeat steps 156.3-156.5 three more times.

156.6. Find the short bars which are above the bottom row of windows on the front of the post office. There are a total of seven of these bars. Clip the first holly leaf, with the leaves on the left, onto the left bar above the left window. Clip the second, with the leaves on the left, onto the left bar above the middle window. Place the last two holly leaves symmetrically on the right bar of the middle window and the right bar of the right window.

157.1. Now we'll make some more holly leaves. Place a green 1x1 round plate with three leaves, with the leaves on the left, in front of you.

157.4. Place a green 1x1 round plate with a hollow stud on the previous piece.

157.5. Push the bar of a red 1L bar with a clip on the bottom with the clip oriented like an upside down letter U when viewed from the front, through the bottom of the hollow studs of the previous two pieces. Note that this clip is mounted perpendicular to the clips from the first four holly leaves.

157.6. Clip these holly leaves, with the leaves facing down, onto the remaining bars above the windows. You may need to rotate the leaves on the first set of holly leaves a little bit to make them fit.

Open group 58.

158.1. Next, we'll build a decorative horn which goes under the gables of the main roof. There are three free recessed side studs directly above the top window below the gable. Push the bar of a gold 1L bar with a clip, with the clip oriented so it looks like a letter C when viewed from the side, into the left and right hollow studs, leaving the middle one free for now.

158.2. Push a gold hot dog into the hollow stud of a gold 1x1 round plate with a hollow stud. Only push it in until the hotdog starts to come out the bottom of the round plate.

158.3. Repeat the previous step.

158.4. Place a gold 1x1 short cone onto the anti-stud of the 1x1 round plate on one hot dog assembly.

158.5. Clip the hot dog with the cone, with the cone on the right, onto the right 1L bar with a clip from step 158.1. This will be the bell of the horn.

158.6. Clip the hot dog without the cone, with the cone on the left, onto the left 1L bar with a clip from step 158.1. This will be the mouthpiece of the horn.

158.7. Adjust the two hot dogs in the clips so they both curve upwards, kind of like a smile, and so the two tips meet in the middle.

159.1. Now we'll make the loop of the horn. Place a gold ring with a stud, with the stud on top, in front of you.

159.2. Push a black 2L pin with a stop ring, from the bottom, through the hollow stud of the previous piece.

159.3. Push the bar of a small red bow, with the bow horizontal, into the top hollow bar of the previous piece.

159.4. Push the 2L bar, with the ring at the top, through the remaining recessed stud which is above the other parts of the horn. The ring should be at the top, and the bow should be horizontal.

159.5. Now we'll work on the front entryway. Find the front door on the left side of the post office. There is a raised column of three studs to the left and right of the door. Place a white 1x1 slope tile, with the thick side at the back, on the back stud of both columns.

You will have two yellow 1x2 slope tiles leftover when you finish this group.

Open group 59.

160.1. Now we'll build the top of the entry arch. Place a dark blue 2x6 plate, horizontally, in front of you.

160.2. Place a leftover yellow 1x2 slope tile, vertically with the thick side at the left, on the leftmost column of the previous piece. Repeat symmetrically on the right side.

160.3. Place two light blue 2x2 plates between the pieces from the previous step.

160.4. Place a light blue 2x2 plate, centered horizontally, on the pieces from the previous step.

160.5. Place two tan 1x2 jumper plates, horizontally, on the previous piece.

160.6. Place a black 1x1 tile with a clip on top, oriented so the clip looks like a letter U when viewed from the front, on each of the pieces from the previous step.

160.7. Now we'll build the sides of the arch. Place a light brown 1x2 plate, vertically, in front of you.

160.8. Place a light brown 1x3x3 half arch, with the arch on the right, on the front stud of the previous piece. Place another behind the first.

160.9. Place a light brown 1x2 plate, vertically, on the leftmost column of the pieces from the previous step.

160.10. Place a dark blue 1x2 slope tile, with the thick side on the right, on the previous piece.

160.11. Repeat steps 160.7-160.10.

160.12. Place the right two columns of one arch side, with the arch on the right, on the left two anti-stud columns of the arch top. Repeat symmetrically on the right side.

160.13. Place a light brown 1x2 plate, horizontally centered horizontally, on the front anti-stud row of the arch top.

160.14. Place the arch, horizontally, on the two raised columns to the left and right of the front door.

Open group 60. There are two white 1x1 plates stacked in this group. These are white. The loose ones are light brown.

161.1. Now we'll build the snow-covered roof which goes over the front doorway. Set the rest of the post office aside for now. Place a white 2x6 plate, upside down and horizontally in front of you.

161.2. Place a white 1x4 plate with a curved slope on one long side, upside down and horizontally with the curved slope at the front, on the left four anti-stud on the front row of the previous piece. Repeat symmetrically on the back side.

162. Place a white 1x1 plate with a curved slope on one side, upside down with the curved slope at the front, to the right of the front piece from the previous step. Repeat symmetrically on the back side.

163. Place a white 1x1 plate with curved slopes on two sides, upside down with the stud at the back left, to the right of the front piece from the previous step. Repeat symmetrically on the back side.

164.1. Place a light blue 2x2 plate, upside down and centered vertically, on the left two anti-stud columns of the roof.

164.2. Place a dark gray 2x4 plate, upside down and horizontally, to the right of the previous step.

165.1. Take a white 1x1 plate off the stack and place it, upside down, on the fifth anti-stud from the left on the front and back rows of the roof.

165.2. Place the left stud of a white 1x2 inverted curved slope tile, upside down and horizontally with the slope on the right, on both pieces from the previous step.

166.1. Now we'll make the part of the roof which will connect this to the rest of the roof. Place a light brown 1x1x2 tall brick with two studs on one side, with the side studs on the left, in front of you.

166.2. Place a blue 1x1 thick plate on the previous piece.

166.3. Place a dark gray 1x1 brick with studs on four sides, on the previous piece.

166.4. Place a white 1x4 plate, standing upright, on the three side studs on the left side of the assembly.

166.5. Rotate the assembly so the 1x4 plate is upside down and horizontally at the bottom, and the 1x1 brick with four side studs is on the left. Place this on the back row of the roof, to the left of the 1x2 inverted curved slope from step 165.2.

167.1. Now we'll make a similar assembly for the front of the roof. Stack two light brown 1x1 plates together.

167.2. Place a tan 1x1 brick with studs on two adjacent sides, with the side studs at the left and the front, on the stack from the previous step.

167.3. Place a blue 1x1 thick plate on the previous piece.

167.4. Place a dark gray 1x1 brick with studs on four sides, on the previous piece.

167.5. Place a white 1x4 plate, standing upright, on the two side studs on the left side of the assembly.

167.6. Push a transparent green 4L bar, from the front, through the top hollow side stud on the assembly. Only push it until it pops out a little past the back side.

167.7. Rotate the assembly so the 1x4 plate is upside down and horizontally at the bottom, and the 1x1 brick with four side studs is on the left. Place this on the front row of the roof, to the left of the 1x2 inverted curved slope from step 165.2.

167.8. Push the transparent green bar all the way back. It will go into the hollow studs of the back 1x1 brick with four side studs from step 166.3.

Open group 61.

168.1. There should now only be two studs on the top of the roof assembly, both on the left column, one on the front row and the other on the back row. Place a light brown 1x1x2 tall brick with two studs on one side, with the side studs on the left, on the back stud on top of the roof.

168.2. Place a light brown 1x1 plate on the previous piece.

168.3. Place a light brown 1x1 tile on the previous piece.

169.1. Place a light gray 1x1 thick plate on the last stud on top of the roof. This is on the front 1x1 brick with four side studs.

169.2. Place a tan 1x1 brick with studs on two adjacent sides, with the side studs at the left and the front, on the previous piece.

169.3. Place a light brown 1x1 plate on the previous piece.

169.4. Place a light brown 1x1 tile on the previous piece.

You will have a dark gray 2x4 plate leftover when you finish this group.

Open group 62.

170.1. Now we'll build the other half of the front entry roof. Set the rest of the entry roof aside for now. Place a white 2x4 plate, upside down and horizontally, in front of you.

170.2. Place a white 1x1 plate with curved slopes on two sides, upside down with the stud at the back left, on the front right anti-stud of the previous piece. Repeat symmetrically on the back side.

170.3. Place a white 1x1 plate with a curved slope on one side, upside down with the curved slope at the front, to the left of the front piece from the previous step. Repeat symmetrically on the back side.

170.4. Place a white 1x4 plate with a curved slope on one long side, upside down and horizontally with the curved slope at the front, to the left of the front piece from the previous step. Repeat symmetrically on the back side.

170.5. Letting it overhang one column to the left, place the leftover dark gray 2x4 plate, upside down and horizontally, centered vertically on the roof.

170.6. Place a light gray 2x3 plate, upside down and horizontally, to the right of the previous piece.

170.7. Place a white 1x1 plate with curved slopes on two sides, upside down with the stud at the back right, on the front anti-stud on the leftmost column of the roof. This goes on the bottom of the overhanging portion of the 2x4 plate from step 170.5. Repeat symmetrically on the back side.

170.8. Keeping the piece from the previous step on the left, flip the roof 180 degrees so it's right side up and horizontal. Find the 2x4 plate on the top of the roof. Place a white 1x2 plate, vertically, to the left of it.

170.9. Place a white 2x2 tile with two studs, with the studs on the right, to the left of the previous piece.

170.10. Keeping the previous piece on the left, flip the roof 180 degrees so it's upside down and horizontal. Place a white 2x2 corner plate with a rounded corner, upside down with the corner at the front left, on the front left two anti-stud of the roof. This piece should match the curve below it. Repeat symmetrically on the back side.

170.11. Place a white 1x4 plate, horizontally, on the front and back rows to the right of the pieces from the previous step.

170.12. Place a white 1x1 plate, upside down, to the right of both pieces from the previous step.

170.13 Place the left stud of a white 1x2 inverted curved slope tile, upside down and horizontally with the slope on the right, on both pieces from the previous step.

170.14. Place the first half of the entry roof in front of you so it is horizontal, with the 2x6 plate upside down at the bottom. The flat side of the roof should be on the left, and the curved side should be on the right. There should be five side studs on the left side. Rotate the second half of the roof so the studs are on the left, and the two 1x2 inverted curved slope tiles from the previous step are at the top. Attach the second half of the roof to the side studs on the left side of the first half. The curve on the bottom of the second half should match the curve on the bottom of the first half.

171.1. Next we'll build the decorative trim for the corner of this roof. Place a light brown 3x3 corner plate, with the corner at the back right in front of you.

171.2. Place a dark blue 1x1 quarter circle tile, with the flat sides at the front and left, on the back right corner stud of the previous piece.

171.3. Place a light brown 1x1 tile with a rounded end, with the rounded end at the back, on the front column in front of the piece from the previous step. Place another, with the rounded end on the right, on the left column to the left of the piece from the previous step.



171.4. Place a light brown 1x2 curved slope tile, vertically with the slope at the front, in front of the front piece from the previous step. Place another, horizontally with the slope on the left, to the left of the left piece from the previous step.

171.5. Find the three side studs on the front of the roof we just made. Rotate the trim so the tiles are at the front, and the corner is at the bottom left. Place the bottom left corner of the trim onto the bottom left side stud of the roof.

172. Place the post office in front of you, with the front door at the front on the left and the fireplace on the front at the right. Keeping the trim at the front, rotate the entry roof so the point is at the top. Find the bar under the point of the roof, and the clips on top of the entry arch. Push the bar down onto these clips until it makes a click sound.

You will have two white 1x1 round bricks leftover when you are done with this group.

Open group 63. There are four 1x1 round bricks stacked together. These are red. The loose ones are transparent yellow.

173.1. Next, we'll make the light poles which go outside of the entry arch. These have red and white stripes with a light on top. Place a black 5L bar with a perpendicular short bar on one side horizontally in front of you, with the short bar on the right.

173.2. Take one red 1x1 round brick off of the stack of bricks and push the hollow stud, with the stud on the right, from the left onto the long side of the previous piece. Push it all the way until it touches the short bar.

173.3. Push the hollow stud of one of the leftover white 1x1 round bricks, with the stud on the right, from the left onto the long bar. Push it all the way until it connects to the previous piece.

173.4. Take one red 1x1 round brick off of the stack of bricks and push the hollow stud, with the stud on the right, from the left onto the long bar. Push it all the way until it connects to the previous piece.

173.4. Push the hollow stud of a black 1x1 round plate with a hollow stud, with the stud on the right, from the left onto the long bar. Push it all the way until it connects to the previous piece.

173.4. Push the hollow stud of a transparent yellow 1x1 round brick, with the stud on the right, from the left onto the long bar. Push it all the way until it connects to the previous piece.

173.5. Place a black 1x1 round plate with a hollow stud, with the stud on the right, onto the anti-stud of the previous piece.

173.6. Repeat steps 173.1-173.5.

173.7. Find the recessed side studs on the front of the entry arch at the very bottom. There is one on both legs of the arch. Rotate one of the red and white poles we just made so the short bar is at the bottom, pointing to the back. Push the short bar, from the front, into the hollow side studs we just found. Repeat on the other side of the entry arch. Rotate the poles out so they point at the overhanging corners of the small roof.

Open bag 9.

Open group 64.

174. Now we'll build the middle roof. Set the rest of the post office aside for now. Place a dark gray 2x6 plate, horizontally, in front of you.

175.1. Place the front row of a white 2x2 tile with two studs, with the studs at the front, on the second and third studs from the left on the previous piece. Place another to the left of the first so it overhangs one column to the left.

175.2. Repeat the previous step symmetrically on the right side.

176. Place a white 4x8 plate, horizontally, in front of the previous four pieces.

177. Place the back three rows of a dark gray 2x6 plate, vertically and centered horizontally, on the front three anti-stud rows of the previous piece.

178. Place a white 4x8 plate, horizontally, in front of the 4x8 plate from step 176.

179.1. Keeping the row of 2x2 tiles with two studs at the back, flip the roof upside down.

179.2. Place a white 1x1 plate with curved slopes on two sides, upside down with the stud at the back right, on the front left anti-stud of the previous piece.

179.3. Place a white 1x4 plate with a curved slope on one long side, upside down and vertically with the curved slope at the left, behind the previous piece. Place another behind the first.

180.1. Place a white 1x1 plate with curved slopes on two sides, upside down with the stud at the front right, behind the back piece from the previous step.

180.2. Place a white 1x1 plate with a curved slope on one side, upside down with the curved slope at the back, to the right of the previous piece. Repeat symmetrically on the front side.

180.3. Place a white 1x4 plate with a curved slope on one long side, upside down and horizontally with the curved slope at the front, to the right of the front piece from the previous step. Repeat symmetrically on the back side.

180.4. Place a white 1x1 plate with a curved slope on one side, upside down with the curved slope at the front, to the right of the front piece from the previous step. Place another to the right of the first. Repeat these two pieces symmetrically on the back side.

181. Place a white 1x4 plate, vertically, behind the front right piece from the previous step. Place another behind the first.

You will have a yellow 1x2 plate leftover when you finish this group.

Open group 65.

182.1. Place a tan 1x4 plate, upside down and vertically, centered vertically on the rightmost column of the roof.

182.2. Place the right column of a tan 3x3 angled corner plate, upside down with the corner at the front right, in front of the previous piece. Repeat symmetrically on the back side.

182.3. Place a tan 1x2 plate, upside down and horizontally, to the left of the front row of the front piece from the previous step.

182.4. Place the front row of a tan 3x3 angled corner plate, upside down with the corner at the front left, to the left of the previous piece.

182.5. Place a tan 1x4 plate, upside down and vertically, behind the leftmost column of the previous piece.

182.6. Place the left column of a tan 3x3 angled corner plate, upside down with the corner at the back left, behind the previous piece.

182.7. Place a yellow 1x2 plate, upside down and horizontally, to the right of the back row of the previous piece.

182.8. Place two yellow 1x6 plates, upside down and vertically, in front of the previous piece.

You will have a black 1x2 inverted curved slope tile leftover when you finish this group.

Open group 66.

183.1. Place a white 1x4 plate, upside down and horizontally, on the right four anti-stud of the back row of the roof.

183.2. Place a white 1x3 plate, upside down and horizontally, to the left of the previous piece.

183.3. Place the back row of a white 2x2 corner plate with a rounded corner, upside down with the corner at the back left, to the left of the previous piece.

184.1. Now we'll make a little bit of snow hanging off the roof. Skip one anti-stud in front of the left row of the previous piece and place a white 1x2 plate, upside down and vertically.

184.2. Place the back stud of a white 1x2 inverted curved slope tile, upside down and vertically, on the front anti-stud of the previous piece. Repeat symmetrically behind the first piece.

184.3. Place a tan 1x1 plate with a stud hanging down from one side, upside down with the side stud at the right, on the second anti-stud from the back on the rightmost column of the roof.

184.4. Place the right stud of the leftover black 1x2 inverted curved slope tile, upside down and horizontally, on the previous piece.

185.1. Next we'll make the internal structure of the roof. Set the rest of the roof aside for now. Place a tan 1x2 plate with a 2x2 of studs sticking up from one side, horizontally with the side studs at the back, in front of you.

185.2. Place a white 1x2 plate, horizontally, on the previous piece.

186. Place a yellow 1x2x2 tall brick with studs on three sides, horizontally with the side studs on the left, front, and right sides, on the previous piece.

You will have two white 1x2 plates leftover when you finish this group.

Open group 67.

187.1. Place one of the leftover white 1x2 plates, horizontally, on the previous piece.

187.2. Place a yellow 1x2 plate, horizontally, on the previous piece.

188. Place a dark gray 1x2 plate with a 2x2 of studs hanging down from one side, horizontally with the side studs at the back, on the previous piece.

189.1. Place a tan 1x2 plate with a 2x2 of studs sticking up from one side, horizontally with the side studs at the back, on the previous piece.

189.2. Place the other leftover white 1x2 plate, horizontally, on the previous piece.

190. Place a yellow 1x2x2 tall brick with studs on three sides, horizontally with the side studs on the left, front, and right sides, on the previous piece. Rotate the assembly so the anti-stud are on the left, and the side with eight side studs is at the front.

191.1. Stack three 1x2x2 tall bricks with studs on three sides, horizontally with the side studs on the left, front, and right sides.

191.2. Place a yellow 1x2 slope tile, horizontally with the thick side at the front, on the previous piece.

191.3. Rotate this assembly so the slope tile is at the front, and the side with no studs is at the left. Attach the anti-stud of the second assembly to the rightmost side studs of the first assembly. These two assemblies should make a ninety degree angle. The horizontal leg should have four studs on top, and the vertical leg should have seven studs.

192.1. Place a tan 1x6 plate, vertically, on the back six studs on the vertical leg.

192.2. Place a tan 1x6 plate, horizontally, to the left of the back stud of the previous piece.

192.3. Place a white 1x1 plate in front of the vertical 1x6 plate from step 192.1.

193.1. Place the front anti-stud of a tan 1x6 tile, vertically, on the previous piece.

193.2. Place the rightmost anti-stud of a tan 1x6 tile, horizontally, behind the previous piece.

193.3. Place a tan 1x1 tile to the left of the previous piece.

194.1. Keeping the vertical leg vertical at the front, flip the assembly over so the tiles are at the bottom. The horizontal leg should be on the right side now. Place a tan 1x1 plate on the front stud of the vertical leg.

194.2. Place a tan 1x6 plate, vertically behind the previous piece.

194.3. Place a tan 1x6 plate, horizontally, to the right of the back stud of the previous piece.

195.1. Place a tan 1x1 plate on the rightmost stud of the previous piece.

195.2. Place a tan 1x6 plate, horizontally, to the left of the previous piece.

195.3. Place a tan 1x6 plate, vertically, in front of the leftmost stud of the previous piece.

196.1. Place a tan 1x1 tile on the front stud of the previous piece.

196.2. Place a tan 1x6 tile, vertically, behind the previous piece.

196.3. Place a tan 1x6 tile, horizontally, on the back row to the right of the previous piece.

197.1. The vertical leg of the assembly should have a 1x2 slope tile at the front. Rotate the assembly, with the slope tile at the front, so the horizontal leg now stands upright at the back. There should be six side studs on the leg that is now upright. Place a yellow 2x4 tile, vertically, on the bottom four side studs.

197.2. Place a yellow 2x2 triangular corner tile, with the corner at the bottom right, on the left stud above the previous piece. Place another symmetrically to the right of the first.

198. Place the first part of this roof, upside down with the curved sides on the front, left, and back sides, in front of you. Leaving one free row behind it, place the right angle assembly we just made, with the 1x2 slope tile at the front and the back leg standing upright, on the third and fourth anti-stud columns from the right. The right angle assembly will go on the two vertical 1x6 plates on the roof.

Open group 68.

199. Set the roof with the angled assembly aside for now. Place a dark gray 2x6 plate horizontally in front of you.

200. Place a white 1x4 plate, horizontally, on the back row of the previous piece so it overhangs one stud to the left. Repeat symmetrically on the right side.

201. Place a white 4x8 plate, horizontally, in front of the previous two pieces.

202. Place the back three rows of a dark gray 2x6 plate, vertically and centered horizontally, on the front three anti-stud rows of the previous piece.

203. Place a white 4x8 plate, horizontally, in front of the 4x8 plate from step 201.

204.1. Keeping the back row at the back, flip the roof upside down. Place a white 1x4 plate with a curved slope on one long side, upside down and vertically with the curved slope at the right, on the back four anti-stud on the right anti-stud column of the roof. Place another in front of the first.

204.2. Place a white 1x1 plate with curved slopes on two sides, upside down with the stud at the back left, in front of the previous piece.

205.1. Place a white 1x1 plate with a curved slope on one side, upside down with the curved slope at the front, to the left of the previous piece.

205.2. Place a white 1x4 plate with a curved slope on one long side, upside down and horizontally with the curved slope at the front, to the left of the previous piece.

206.1. Place a white 1x1 plate with a curved slope on one side, upside down with the curved slope at the front, to the left of the previous piece. Place another to the left of the first.

206.2. Place a white 1x4 plate, upside down and vertically, behind the previous piece. Place another behind the first.

207.1. Place a tan 1x6 plate, upside down and vertically, on the back six anti-stud of the leftmost anti-stud column of the roof.

207.2. Place the left column of a tan 3x3 angled corner plate, with the corner at the front left, in front of the previous piece.

207.3. Place a tan 1x2 plate, upside down and horizontally, to the right of the front row of the previous piece.

207.4. Place the front row of a tan 3x3 angled corner plate, with the corner at the front right, to the right of the previous piece.

207.5. Place a tan 1x6 plate, upside down and vertically, behind the rightmost column of the previous piece.

Open group 69.

208.1. Leaving five free anti-stud behind it, place a white 1x2 plate, upside down and vertically, on the rightmost anti-stud column of the roof.

208.2. Place the back stud of a white 1x2 inverted curved slope tile, upside down and vertically, on the front anti-stud of the previous piece. Repeat symmetrically behind the first piece.

209.1. Flip the roof over so it's right side up, with the curved slope sides at the front and the left. Place a white 1x2 plate with rounded ends, vertically, on the fourth and fifth studs from the front on the third column of studs from the left on the roof.

209.2. Place the back anti-stud of a white 1x2 curve slope tile, vertically with the slope at the front, on the front stud of the previous piece.

210. Place the part of the roof which has the right angle assembly on top, with the studs on the bottom with the right angle assembly on top and the curved slope sides at the front, left, and back, in front of you. Rotate the last roof assembly we just made so the studs are on the back and the curved slope sides are at the left and the top. Place this assembly on the back studs of the upright portion of the right angle assembly. The left and right sides of the roof assemblies should be even.

211.1. Rotate the roof so the studs are on top and the curved slope sides are at the left, back, and right. The left and right sides of the roof will be angled. Find the one stud on the front side of the roof, right under the peak. Place a gold star on this stud.

211.2. Push the bar of a small red bow, with the bow horizontal, into the small hole in the center of the previous piece.

211.3. Find the 1x2 curved slope tile attached to a 1x2 plate with rounded ends on the left side of the roof, about midway up. Push the bar of a light gray 1x1 round plate with an angled bar on it, into the hollow stud above the 1x2 curved slope tile noted above. Rotate the stud of this piece so it points up.

211.4. Place a light gray 1x1 round plate with a 4L bar on top of the previous piece.

211.5. Stack two red wavy flags and push them down over the bar of the previous piece.

212. Place the post office in front of you, with the front door at the front on the left and the fireplace on the front at the right. Keeping the peak of the roof on top, rotate the roof 180 degrees so the curved slope sides are at the left, front, and right sides. Place the roof onto the middle room of the room. It will not attach to anything, but it should rest securely.

213.1. Next we'll be making some letters and a package to put in the letter sorters! Rotate the post office 180 degrees so the front door and fireplace are at the back. Assemble a letter by placing a white 1x2 tile with a stamped letter pattern on it on a tan 1x2 plate with a rail on one side.

213.2. Place the letter we just made on the farthest bag cubby in the sorter, which is in the middle room on the bottom floor just to the left of the chute.

Open group 70.

213.3. Make another letter by placing a white 1x2 tile with a letter pattern on a white 1x2 plate.

213.4. Place this letter in the cubby in front of the last letter.

Open group 71.

213.5. Make a small green package by placing a green 1x2 tile on a green 1x2 plate.

213.6. Place this package in the front cubby on the sorter.

213.6. Now find the coffee machine on the corner table which is inside the right room, just to the left of the front door. Place a red coffee mug on the free stud on the coffee maker.

Open group 72.

214.1. Next we'll assemble a book. Place the brown book back in front of you with the spine on the left. This piece of the book has the studs on it and they should point up.

214.2. Place a white 1x2 tile with a sticker on it, vertically, on the previous piece.

214.3. Attach the other side of the book, which has the cover pattern on a sticker, to the first part of the book. This completes the book.

214.4. Find the book holder we made in step 81. It is in the middle room to the right of the chute. Open the book and place it on the table. Now the post office is done! We just have to make the hot air balloon which delivers the letters! Set the post office aside for now.

Open bag 10.

Open minifigure group 4: Elf Pilot

Assemble the elf pilot minifigure by putting the torso on the legs, the head on the torso, and the helmet on the head. Clip the flying goggles onto the helmet.

Open minifigure group 5: Elf Ground Crew

Assemble the elf pilot minifigure by putting the torso on the legs, the scarf on the stud on the torso, the head on the torso, and the hat on the head. Place two transparent red cones in this elf's hands so he can safely guide the balloon in for a landing!

Sub-build 8: Hot Air Balloon.

Open group 73.

215.1. We'll start by building the basket of the hot air balloon. Place a red 6x6 plate in front of you. This will be the floor of the basket.

215.2. Place a dark red 1x6 plate, horizontally, on the back row of the previous piece. Place another symmetrically on the front row.

216.1. Place a dark red 1x4 tile, vertically and centered vertically, on the rightmost column.

216.2. Place a black 4x4 plate to the left of the previous piece.

217.1. Place a red 1x1 brick with an axle hole, with the axle hole at the front, on the front right corner of the basket.

217.2. Push a red 2L axle, from the front, into the axle hole of the previous piece. Only push it in until it extends 1L to the front.

218.1. Now we'll make the mechanism for dropping mail from the hot air balloon! Place a tan 2x4 plate, vertically, in front of you.

218.2. Place a red 2x2 plate, centered vertically, on the anti-stud of the previous piece.

218.3. Place a red 1x2 plate with a hole on the bottom, horizontally with the hole at the right, on the anti-stud in front of the previous piece. Repeat symmetrically on the back side.

218.4. Place a red 1x1 brick with a round hole, with the hole at the front, in front of you.

218.5. Push a dark gray 3L axle/pin combo, with a 2L pin side and a 1L axle side, with the axle side at the back, from the back into the previous piece. Push it all the way in so it extends 1L to the front and back.

218.6. Push the pin side of the previous piece, from the back, into the hole of the back 1x2 plate with a hole from step 218.3.

218.7. Push a dark gray axle connector with four bars, from the back, onto the axle on the back side of the assembly. This piece looks kind of like a letter X.

218.8. Keeping the 2x4 plate at the front, place the 1x1 brick with a round hole on the back right stud of the basket.

218.9. Find the axle on the front right corner of the basket. Push it in as far as it will go. It should go into the hole of the front 1x2 plate with a hole from step 218.3. The 2x4 plate should be free to rock left and right.

219. Place a red 1x1 round brick, on the second stud from the right on both the front and back rows of the basket.

220. Place the left stud of a dark red 1x2 plate, horizontally, on both of the pieces from the previous step.

221.1. Leaving two free columns to the left of it, place a brown 2x2 round brick, centered vertically, on the basket.

221.2. Place the right column of a dark red 2x2 angled corner plate, with the corner at the back right so the studs are oriented like a braille letter D, on the second and third studs from the front on the leftmost column of the basket. The left stud of this piece should overhang to the left. Repeat symmetrically behind it.

222. Place a red 2x2 brick with a decorative horn sticker, with the sticker at the front, in front of the 2x2 round brick from step 221.1. Repeat symmetrically on the back side.

Open group 74.

223.1. Place two yellow 1x2 jumper plates, horizontally, to the left of the 2x2 round brick from step 221.1.

223.2. Find the 2x4 plate which rocks on the rightmost two columns of the basket. Place a tan 1x2 wall panel with walls on three sides, with walls at the left, front, and right, on the front column of the 2x4 plate. Repeat symmetrically on the back side.

223.3. Place a tan 1x2 wall panel, vertically with the wall on the left, on the left column of the 2x4 plate between the pieces from the previous step. Place another symmetrically to the right of the first.

223.4. Place a green 2x6 plate, vertically, to the left of the 2x4 plate. This piece should attach over the 2x2 round brick from step 221.1.

224.1. Place a yellow 1x2 plate, horizontally, on the second row from the back of the previous piece.

224.2. Place a white 1x2 tile with a letter pattern, horizontally, on the previous piece. Place another on the second row from the front of the 2x6 plate from step 223.4.



225.1. Place a red 1x1 round brick on each of the left two studs on the front row of the basket. Repeat on the back side.

225.2. Place the right stud of a red 2x2 angled corner brick, with the angled corner at the front left, behind the front left piece from the previous step. Repeat symmetrically on the back side.

Open group 75.

226.1. Place a red 1x2 jumper plate, vertically and centered vertically, on the pieces from the previous step.

226.2. Place the front row of a dark red 2x2 corner plate, with the corner at the front left so it's oriented like a braille letter H, on the left two studs of the front row of the basket. Repeat symmetrically on the back side.

227.1. Find two dark red 1x2 curve slope wedge tiles, one left and one right. These look like 1x2 curve slopes, but they come to a point. Place them both in front of you, horizontally with the points at the left. One will have the longer side at the front, and the other will have the longer side at the back. Place the right stud of the one with the longer side at the back, horizontally with the point at the left, on the back stud of the front piece from the previous step. Repeat symmetrically on the back side with the other piece.

227.2. Place a red 1x1 round plate in front of the right stud of the front piece from the previous step. Repeat symmetrically on the back side.

227.3. Place a red 1x2 plate with rounded ends, horizontally, to the right of both pieces from the previous step. Place another to the right of both of the first ones.

227.4. Place a red 1x1 round plate to the right of both right pieces from the previous step. These pieces should be on the front right and back right corners of the basket.

228.1. Place a red 1x2 plate with rounded ends, horizontally, on the leftmost two studs on both the front and back rows of the basket.

228.2. Place a dark red 1x1 slope tile, with the thick side at the left, to the right of both pieces from the previous step. Place another, with the thick side at the right, to the right of the first two.

228.2. Place a red 1x2 plate with rounded ends, horizontally, to the right of the right pieces from the previous step.

229.1. Place a dark red 1x1 tile with a rounded end, with the rounded end on the right, on the left stud of both pieces from the previous step. Repeat symmetrically on the left side of the basket.

229.2. Place a black 1x1 lever, centered vertically, on the leftmost column of the basket.

229.3. Find the four free studs which are on the third and fourth columns from the right. Find a red bushing. This looks like a cylinder with an axle hole through it. It has a round flange at one end, and a cross shaped flange at the other end. Place this piece, with the cross shaped flange at the bottom, in between the four studs. The cross shaped flange will fit between the studs and hole the bushing in place.

230.1. Place a yellow 5L axle horizontally in front of you.

230.2. Push a red bushing, with the cross shaped flange at the right, from the right over the previous piece. Push it until the axle extends 1L past the right side of the bushing.

230.3. Push a white thin bushing, from the left, over the axle until it touches the previous piece.

230.4. Rotate the axle so it stands upright, with the larger, red bushing at the bottom. Push the bottom of the bushing, from the top, into the bushing you placed in the basket in step 229.3.

You will have a white 2x2 round plate leftover when you finish this group.

Open group 76.

231.1. Stack a black 2x2 round plate on the leftover white 2x2 round plate.

231.2. Push the center axle hole of the stack you just made, with the studs on top, from the top onto the axle in the center of the basket.

232.1. Place a 2x3 light brick, horizontally with the axle hole at the left, in front of you. The axle hole is also a button which you can push in. Feel under this piece for a little tab, pull that tab off of the piece.

232.2. Push a red 4L axle, from the left, into the axle hole of the previous piece.

233. Push the anti-stud of a light gray 1x1 cone, with the stud at the left, from the left onto the previous piece.

234.1. Place a light gray 2x2 plate with a 2x2 of anti-stud hanging down from one side, with the 2x2 of anti-stud hanging down on the right, on the right two columns of the light brick.

234.2. Place a black 2x2 round plate, with the studs pointing to the left, on the side anti-stud of the previous piece.

234.3. Place a gold 2x2 round plate which is surrounded by short bars, with the studs pointing to the left, on the anti-stud of the previous piece.

235. Place the left column of a yellow 2x2 slope tile, with the slope on the left, on the left column of the 2x3 light brick.

236.1. Rotate the assembly with the light brick so the anti-stud of the light brick is at the front, and the 2x2 round plate surrounded by short bars is at the bottom. Push the short bar of a white candle, from the top, into the hollow stud of 1x1 cone on top of the assembly.

236.2. Push the handle of a silver rapier, with the point on top, from the top into the hollow top side of the previous piece.

You will have a transparent orange 2x2 round brick leftover when you finish this group

Open group 77.

237.1. Place a black 2x2 round plate in front of you.

237.2. Place the leftover transparent orange 2x2 round brick on the previous piece.

237.3. Place a transparent clear 2x2 round brick on the previous piece.

237.4. Push a clear 4L bar, from the top, down through the axle hole in the center of the previous three pieces. Push it all the way down until it extends about 1L above the previous piece.

237.5. Place the assembly with the light brick, keeping the rapier on top, on the assembly we just made.

238. Place the rest of the basket in front of you, with the black lever on the left side. Place the combined assembly we just made, with the rapier pointing up and the anti-stud of the light brick at the front, on the 2x2 round bricks sticking up from the middle of the basket.

You won't be done with group 77 yet, but open group 78 and 79. Group 78 has four gold 4x4x11 curved panels with a clip on one end. Group 79 has four of the same piece in green.

239.1. Now we'll start building the envelope of the hot air balloon. The envelope is the big part that holds the hot air! We'll build it in segments, kind of like an orange. Place a gold 4x4x11 curved panel horizontally in front of you, with the clips at the bottom. One side of this piece has a stud, place the stud on the left, facing up.

239.2. Place a green 1x1 round plate with three leaves, with the leaves pointing to the right, on the stud of the previous piece.

239.3. Place a gold star on the previous piece.

239.4. Push the bar of a small red bow, with the bow vertical, into the small hole in the center of the previous piece.

239.5. Repeat steps 239.1-239.4.

239.6. Find the round 2x2 round plate surrounded by short bars above the basket. Rotate one of the envelope segments so the stud with the bow is at the bottom at the front. Clip the bottom clip on the front short bar surrounding the 2x2 round plate. The top clip of the envelope segment should be up by the rapier at the top of the balloon. Repeat symmetrically on the back side.

240.1. Place a gold 2x2 round plate surrounded by short bars in front of you.

240.2. Place a red 2x2 round tile with a stud on the previous piece.

240.3. Slide the center hole of the stack of pieces we just made, down over the top of the rapier and clip the front and back bars onto the top clips on the two envelope segments.

240.4. Now, if you push down on the rapier, it should turn on the light brick and light up the inside of the balloon!

241. Next, we'll finish the envelope. We'll do this by clipping the 4x4x11 curved panels onto the two 2x2 round plates surrounded by short bars, like we did with the first one. Moving clockwise from the front segment we already placed, first place a green one, then a gold one, then a green one. Then repeat symmetrically on the right side.

242.1. Finally, we'll attach the envelope of the balloon to the basket by making four ropes. Place a gold 1x1 plate with one rounded end and a short bar on the opposite side in front of you, with the short bar at the left.

242.2. Clip the clip of a black bar holder with a clip on one side, with the bar holder on the left, onto the bar of the previous piece.

242.3. Push a black 2L bar with a stop in the middle into the bar hole on the left side of the previous piece.

242.4. Push the bar hole of a black bar holder with a short bar on one side onto the previous piece.

242.5. Clip the clip of a gold 1L bar with a clip, with the bar on the left, to the short bar on the left side of the previous piece.

242.6. Repeat steps 242.1-242.5 three more times.

243. Find the free hollow studs which are at the corners of the basket. Push the bar on the left side of one of the rope assemblies we just made, from the top, into the front left hollow stud. Hinge the rest of the rope up and attach the 1x1 plate with one rounded end and a short bar to the stud on the envelope segment to the left of the bow on the front segment. You may need to slip the parts of the rope around to get this to work just right. Repeat with the other three ropes.

244.1. Place a white 1x2 tile with a letter pattern, and a tan 1x2 tile with a package pattern, into the mail dropping mechanism on the right side of the balloon.

244.2. You can now place the balloon on the post office! Place the post office in front of you, with the front door at the front left and the fireplace at the front left. Place the hot air balloon on the platform on the roof above the leftmost roof.

Congratulations! Now Santa's Post office is complete!

Thank you so much for building this set!

Visit [bricksfortheblind.org](http://bricksfortheblind.org) for more accessible instructions, signup for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We also love seeing your completed builds, so please tag our [Facebook](#) and [Instagram](#) accounts in any photos of your builds so we can share your accomplishments with our Bricks for the Blind community.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

There are no pages of ads after the instructions end.