### 40755 Imperial Dropship vs. Rebel Scout Speeder

Adapted by John Le and tested by Jolene Nemeth.

Power into Imperial Dropship vs. Rebel Scout Speeder battles with this buildable LEGO® Star Wars™ vehicle toy playset for kids (40755). Each vehicle has 2 stud shooters and is packed with playful features, including the dropship's detachable troop transport platform and the speeder's detachable rotating turret. A cool Star Wars gift set for ages 8+, it also includes 3 Stormtrooper and 3 Rebel Fleet Trooper LEGO minifigures, plus a LEGO Star Wars 25th anniversary QT-KT droid figure.

Buildable LEGO® Star Wars™ vehicle toy playset for kids – Build fleets of rival Star Wars troopers and play out dramatic Imperial Dropship vs. Rebel Scout Speeder battles.

6 LEGO® Star Wars™ minifigures – 3 Stormtroopers and 3 Rebel Fleet Troopers, each with blasters, plus a collectible LEGO Star Wars 25th anniversary QT-KT LEGO droid figure with a display stand.

Imperial Dropship – Features an opening LEGO® minifigure cockpit, 2 stud shooters, rotating engines and wings, plus a detachable troop transport platform with space for 2 LEGO minifigures.

Rebel Scout Speeder – Features a cockpit for 2 LEGO® minifigures and a detachable, rotating turret with 2 stud shooters, an elevating cannon and space for a LEGO minifigure.

Measurements – The dropship measures over 2 in. (6 cm) high, 5.5 in. (14 cm) long and 3 in. (8 cm) wide, and the speeder measures over 2.5 in. (7 cm) high, 6 in. (16 cm) long and 3 in. (8 cm) wide.

The front of the box shows the Imperial Dropship and Rebel Scout Speeder shooting at each other! The speeder has a mounted weapon and is shooting at the dropship! The dropship is flying and holding troops! It has to get closer to drop them!

The back of the box shows the dropship and scout speeder parked on the dirt! The rebels have their guns pointed at the troopers and are holding them hostage!

The top of the box shows a real size image of a rebel.

The build is 383 pieces in total and is for ages 8+.

Bags 1-3 include the pieces for the troopers and dropship.

Bags 4-6 include the pieces for the rebels and scout speeder.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.

- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<a href="https://www.lego.com/en-us/service/buildinginstructions/40755">https://www.lego.com/en-us/service/buildinginstructions/40755</a>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

#### Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 6 bags labeled 1 to 6, 2 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Trooper and Dropship Group 1 - Page 4. Group 2 - Steps 1-15. Group 3 - Steps 16-24.

Bag 2 - Trooper and Dropship Group 4 - Page 18.

Group 5 - Steps 25-36.

Group 6 - Steps 37-43.

Group 7 - Steps 44-45.

# Bag 3 - Trooper and Dropship

Group 8 - Page 39.

Group 9 - Steps 46-54.

Group 10 - Step 55.

Group 11 - Steps 56-58 and 1 brown 1x2 rounded plate from Step 59.

Group 12 - Rest of Step 59 and Steps 60-67.

#### Bag 4 - Rebel and Scout Speeder

Group 13 - Page 2.

Group 14 - Steps 1-3 and 2 dark red 2x2 tiles with 2 studs from Step 4.

Group 15 - Rest of Step 4 and Steps 5-15.

Group 16 - Steps 16-19.

Group 17 - Steps 20-29.

### Bag 5 - Rebels and Scout Speeder

Group 18 - Page 27.

Group 19 - Steps 30-40.

# Bag 6 - Droid and Scout Speeder

Group 20 - Steps 1-2.

Group 21 - Steps 41-58.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Trooper

Sub-build 1. Locate 1 white pair of legs printed with black and white armor, 1 white torso printed with armor, 1 tan head printed with eyes, eyebrows, and lips, 1 white helmet, and 1 black blaster. Assemble your minifigure and put the blaster in his hand! Also make sure the lower lip of the helmet faces the front! Now put your minifigure away while we make the dropship!

Group 2 - Dropship

- 1. Place a dark grey 4x4 plate in front of you. Then horizontally place a dark grey 1x4 tile with 2 studs on the back row.
- 2. Horizontally place a dark blue 1x2 tile in front of the 1x4 tile with 2 studs so it is centered horizontally. Then vertically place a dark grey 2x3 plate in front so it overhangs 1 row to the front.
- 3. Place a black 3x3 plate to the right of the 2x3 plate so it overhangs 2 columns to the right and 1 row to the front. Now horizontally place a dark blue 2x3 angled plate underneath the front row of the 3x3 plate so the short side is on the right and the angled side faces the front.

- 4. Repeat the previous step symmetrically to the left.
- 5. Flip your build upside down so it is horizontal and the angled plates face the front. Now place a brown 2x2 plate behind the 2 leftmost columns of the left 2x3 angled plate. Then repeat symmetrically to the right.
- 6. Flip your build back over so it is horizontal and the angled plates face the front. Now place a light grey 1x1 plate with 2 side studs above the plate in front of the leftmost column of the 1x4 tile with 2 studs so the side studs face the left. Then repeat symmetrically to the right.
- 7. Horizontally place a black 2x4 plate on the front 2 rows so it is centered horizontally.
- 8. Vertically place a black 1x4 brick with a horizontal gap behind the leftmost column of the previous 2x4 plate so the gap faces the right. Then repeat symmetrically to the right. They should overhang 1 row to the back!
- 9. Place a dark grey 2x2 corner plate on the front left corner of the previous 2x4 plate so it looks like the braille letter h. Then repeat symmetrically to the right. Now horizontally place a tan 1x2 plate with a hinge connector on the long side in between the back row of the 2x2 corner plates so the hinge connector faces the back.
- 10. Place a dark grey 2x2 corner plate on top of the back left corner of the plates from the previous step so it looks like the braille letter f. Then repeat symmetrically to the right.
- 11. Vertically place a brown 1x2 rounded plate on the front 2 rows on the 2nd column from the left. Then repeat symmetrically to the right.
- 12. Horizontally place 2 dark blue 1x1 sloped tiles with a 1x1 tile, 1 in front of the other, on top of the left 1x2 rounded plate and 2x2 corner plate so they slope to the left. Now repeat symmetrically to the right.
- 13. Place a dark grey 4x4 plate on the back 4 rows on top of the 2 1x4 bricks with a horizontal gap so it is centered horizontally. Then horizontally place a light grey 1x2 plate with a rail in between the back 2 1x1 slope tiles with a 1x1 tile so the rail faces the front.
- 14. Place the front row of a dark grey 4x4 plate on top of the previous 1x2 plate with a rail so it is centered horizontally. Then horizontally place a brown 1x2 rounded plate on the back row so it is centered horizontally.
- 15. Vertically place a dark grey 1x4 stud shooter on the leftmost column on the front rows so the shooter overhangs to the front. Then insert a dark grey rounded part with 3 tips into the top of the shooter. Now vertically place a black 1x2 sloped curved tile on the back stud of it so it slopes to the back. Now repeat everything symmetrically to the right.

#### Group 3 - Dropship

16. Let's make a part! Horizontally place a black 4x6 plate in front of you. Then horizontally place a brown 1x2 rounded plate on the back row so it is centered horizontally.

- 17. Place a light grey 1x1 plate with a clip on the back left corner so the clip faces the left. Then repeat symmetrically to the right. Now horizontally place a light grey 1x6 plate in front so it is centered horizontally.
- 18. Place a dark blue 2x2 tile with 2 studs on the front left corner so the studs are in the front. Then repeat symmetrically to the right. Then vertically place 2 black 1x2 plates with a bar on the short side, 1 to the right of the other, in between the previous 2 tiles with 2 studs so the bars face the front.
- 19. Horizontally place a brown 1x2 rounded plate on the 2 leftmost columns on the 2nd row from the back. Then repeat symmetrically to the right.
- 20.1. Let's make a part! Vertically place a black 2x4 plate in front of you. Then horizontally place a brown 1x2 plate with a clip on the long side on the back row so the clip faces the back.
- 20.2. Now vertically place a light grey 1x2 plate with a rail on the leftmost column in front of the 1x2 plate with a clip so the rail faces the left. Then repeat symmetrically to the right.
- 20.3. Vertically place a black 2x3 tile on the back 3 rows. Now vertically place your part on the back 2 rows so it is centered horizontally and it overhangs 2 rows to the back. The clip should face the back!
- 21. Horizontally place a light grey 1x6 plate in front of the 2x3 tile so it is centered horizontally.
- 22. Vertically place a dark blue 1x1 slope tile with a 1x1 tile on the leftmost column of the previous 1x6 plate so it slopes to the back onto the 1x1 plate with a clip. Then repeat symmetrically to the right.
- 23. Vertically place 2 dark blue 1x1 slope tiles with a 1x1 tile, 1 to the right of the other, on top of the 1x6 plate in front of the 2x3 tile so they slope to the front onto the 1x2 plates with a bar.
- 24. Now rotate your main build 180 degrees so the stud shooters face the back. Then attach the backfacing clip of your part to the hinge connector that is inside the front-facing side of the build. The back 3 rows of your part should be inside the build!

Building Instructions (Bag 2, Book 1):

Group 4 - Trooper

Sub-build 2. Locate 1 white pair of legs printed with black and white armor, 1 white torso printed with armor, 1 dark tan head printed with eyes, eyebrows, and red lips, 1 white helmet, and 1 black blaster. Assemble your minifigure and put the blaster in his hand! Make sure the lower lip of the helmet faces the front! Now put your minifigure away while we continue making the dropship!

Group 5 - Dropship

25. Rotate your build so it is horizontal and the stud shooters face the right. Now horizontally place a dark tan 1x2 log brick on the front right corner of the 4x4 plate. Then repeat symmetrically to the back. Now horizontally place the black 2x4 plate in between them so the rightmost column sits in between the left studs of the previous 1x2 log bricks.

- 26. Place a white 2x2 brick with a large ball on the 2 rightmost columns of the 2x4 plate from the previous step so the ball faces the right.
- 27. Horizontally place a dark grey 1x2 plate with 2x4 side studs hanging down on the front 1x2 log brick so the side studs face the front. Then repeat symmetrically to the back.
- 28. Vertically place a dark grey 1x4 tile with 2 studs upright on the leftmost column of front-facing 1x4 side studs. Then repeat symmetrically to the back.
- 29. Horizontally place a brown 1x2 plate with 2 side studs above the plate on top of the front 1x2 plate with 2x4 side studs so the side studs face the front. Then repeat symmetrically to the back.
- 30. Vertically place a brown 1x4 plate to the left of the plates from the previous step so it is centered vertically.
- 31.1. Let's make a part! Place a dark grey 4x4 plate in front of you. Then vertically place a brown 1x2 rounded plate on the leftmost column so it is centered vertically.
- 31.2. Horizontally place a dark blue 2x3 angled plate on the front right corner so the angled side faces the front and the short side is on the left. Then repeat symmetrically to the back.
- 31.3. Vertically place a light grey 2x4 trapezoid plate on the 2 rightmost columns so the short side faces the left.
- 31.4. Place the leftmost column of your part on top of the vertical 1x4 plate that is on top of the 2x2 brick with a ball.
- 32. Horizontally place the upper part of a black 2x5 stair plate to the left of the 2x4 trapezoid plate so it is centered vertically and the lower part of the stairs overhang 1 column to the left.
- 33.1. Let's make a part! Place a black 3x3 plate in front of you. Then place a light grey 2x2 double slope tile with sideways slope on the back right corner so the sideways slope overhangs to the right. Then vertically place a light grey 1x2 tri-slope tile to the left so it slopes to the left.
- 33.2. Place your part upright on the 8 front-facing side studs that are to the right of the 1x4 tile with 2 studs so the overhang of the inverted slope is at the top and faces the right.
- 34. Place a dark blue 2x2 corner tile with a cutoff corner upright on the front-facing side studs to the left of the 1x2 tri-slope tile so the cutoff corner faces the bottom right.
- 35. Rotate your build 180 degrees. Then repeat step 33 symmetrically on the front-facing side studs.
- 36. Place a dark blue 2x2 corner tile with a cutoff corner upright on the front-facing side studs to the right of the 1x2 tri-slope tile so the cutoff corner faces the bottom left.
- 37.1. Let's make a part! Place a brown 2x2 plate in front of you. Then horizontally place a light grey 1x2 ridged brick on the back row so the horizontal ridges face the back.

- 37.2. Place 2 light grey 1x1 bricks with a hole, 1 to the right of the other, on the front row so the holes face left and right.
- 37.3. Place a dark blue 2x2 tile with 2 studs on top so the studs face the front. Now attach the pin of a black 3L pin axle into the right-facing hole so the axle faces the right. Then repeat symmetrically to the left.
- 37.4. Vertically place your part on the 2 rightmost columns of the 2x5 stair plate so the studs are on the left.
- 38. Place a dark blue 2x2 sloped curved tile on top of the studs of your previous part and the stair plate so it slopes to the right.
- 39. Vertically attach the axle hole of a black 3L rounded technic plate with 2 axle holes and a pin hole to the front-facing axle so the other axle hole is on top. Now repeat symmetrically to the back. Make sure they are all the way through!
- 40. Rotate your build so the stud shooters face the front. Now attach 1 end of a light grey 5L axle into the right axle hole so it doesn't go through. Now attach the axle connector of an axle connector with an axle hole to the right-facing axle so the other axle hole faces the front. The hollow axle hole should be connected to the axle!
- 41. Hold a light grey 2L pin connector between the upper axle holes of the 3L rounded technic plates, then push the 5L axle all the way through so it holds the connector there!
- 42. Repeat step 40 with the axle connector with an axle hole symmetrically to the left-facing axle that you pushed through in the previous step.
- 43.1. Let's make 2 identical parts! Horizontally place a light grey 3L axle in front of you. Then attach a transparent light blue 1x1 cone brick to the right side. Now insert a dark grey 2x2 cylinder into the left side so it goes all the way through and the ridges face the right.
- 43.2. Now you should have 2 identical parts! Attach each axle of your parts to the front-facing axle holes so the cone bricks face the front!

## Group 7 - Dropship

- 44.1. Let's make 2 identical parts! Place a light grey 2x2 round ridged brick in front of you. Then place a dark grey 2x2 round plate on top.
- 44.2. Horizontally place a dark blue 2x3 angled plate on the back row so the angled side overhangs to the back and the short side overhangs 1 column to the left. Then repeat symmetrically to the front.
- 44.3. Horizontally place a light grey 1x2 plate with a clip and a stud on the front right corner so the clip is on the right. Then repeat symmetrically to the back.
- 44.4. Place a dark blue 2x2 sloped curved tile with a sticker on the 2 leftmost columns so it slopes to the left.

- 44.5. Skip this step if you have already placed your sticker! Ask a helper to place sticker 5 on the dark blue 2x2 sloped curved tile. This sticker is a dark blue circle with 6 bars all around it inside of a white circle and then surrounded by a dark blue border. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 44.6. Vertically attach the bar of a black 2x4 tile with slopes on the short sides to the 2 clips so it is centered vertically and slopes to the front and back.
- 44.7. Place the round ridged brick of your part upright into the left-facing axle so the short ends of the 2x3 angled plate face the back. Then repeat symmetrically to the right.
- 45.1. Rotate your part so the stud shooters face the left. Now place a black 3x4 sloped curved brick with a sticker on top of the 3 leftmost columns so it is centered vertically and slopes to the right.
- 45.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the black 3x4 sloped curved tile. This sticker is a black circle with 6 bars all around it inside of a white circle and then surrounded by a black border. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Building Instructions (Bag 3, Book 1):

Group 8 - Trooper

Sub-build 3. Locate 1 white pair of legs printed with black and white armor, 1 white torso printed with armor, 1 tan head printed with eyes, mean eyebrows, and red lips, 1 white helmet, and 1 black blaster. Assemble your minifigure and put the blaster in his hand! Make sure the lower lip of the helmet faces the front! Now put your minifigure away while we continue making the dropship!

Group 9 - Dropship

- 46. Let's make a part! Place a black 2x2 sloped curved plate with a smooth underside in front of you so the higher side is on the right. Then vertically place a brown 1x2 rounded plate on the right column.
- 47. Place a brown 2x2 plate on the left column so it overhangs 1 column to the left.
- 48. Horizontally place a black 1x1 inverted slope plate with a 1x1 plate part underneath the back left overhang so it slopes to the left. Then repeat symmetrically to the front.
- 49. Horizontally place a light grey 1x2 plate with 2x2 side studs above the plate on the front row so it is centered horizontally and the side studs face the front. Then repeat symmetrically to the back.
- 50. Vertically place a brown 1x2 rounded plate on the 2nd column from the left.
- 51. Horizontally place a dark grey 2x2 brick with a large socket on the 2 rightmost columns so the socket faces the right. Then place a brown 2x2 plate on top.
- 52. Put your part away while we make another part! Horizontally place a black 4x6 inverted slope plate in front of you so the short side faces the left. Now stack 2 brown 1x2 rounded plates together so there is no overhang, then vertically place them on the 3rd column from the left so they are centered vertically.

- 53. Horizontally place 2 dark blue 1x4 tiles with 2 studs, 1 in front of the other, to the right of the 1x2 rounded plates. so they overhang 1 column to the right.
- 54. Stack 2 black 2x2 plates with extended angled sides together so there is no overhang, then place them on the 2 leftmost columns so the extended angled sides face the right.

Group 10 - Dropship

55. Vertically place a dark grey 1x2 slope tile with buttons and 2 red screens on the 3rd column from the left so it is centered vertically and slopes to the right. Now horizontally place a dark grey 1x2 rounded plate on the back right corner. Then repeat symmetrically to the front.

Group 11 - Dropship

- 56. Vertically place a brown 1x2 rounded plate on the rightmost column.
- 57. Bring back your previous part and place it horizontally so the socket faces the right. Then horizontally place the right overhang of your part on top of the 2 leftmost columns of your previous part!
- 58. Place a dark blue 2x2 sloped curved tile on top of the 2nd and 3rd columns from the right so it slopes to the left.
- 59.1. Put your part away while we make another part! Horizontally place a dark grey 1x2 rounded plate in front of you. Then horizontally place a brown 1x2 plate with a rail on top so the rail faces the front.
- 59.2. Vertically place a black 1x1 inverted slope plate with a 1x1 plate part on the left column so it slopes to the back. Then repeat symmetrically to the right.
- 59.3. Horizontally place a brown 1x2 rounded plate on the front row.
- 59.4. Place a black 1x1 plate with 2 side studs hanging down on the front right corner so the side studs face the right. Then repeat symmetrically to the left.
- 59.5. Vertically place a light grey 1x2 plate with a stud and a clip on the left column so the clip faces the front. Then repeat symmetrically to the right. Then horizontally place a dark grey 1x2 ingot tile on the back row.
- 59.6. Bring back your previous part and horizontally place it in front of you so the short end faces the left. Now vertically place your part on the rightmost column so the 1x2 ingot tile is on the right.
- 60. Place a black 2x2 plate upright on the front-facing 2x2 side studs. Then vertically place a black 2x3 angled plate upright on the 2 front-facing side studs that are to the right so the angled side is on the right and the short end hangs 1 row down.
- 61. Place a black 2x2 corner tile with a cutoff corner upright on the front-facing 2x2 plate so the cutoff corner faces the bottom left. Now place another black 2x2 corner tile with a cutoff corner upright to the right so the cutoff corner faces the front right.

- 62. Rotate your build 180 degrees. Then repeat step 60 symmetrically on the front-facing side studs.
- 63. Repeat step 61 symmetrically on the front-facing side studs.
- 64. Horizontally place a dark blue 1x4 tile with 2 studs on the front row on top of the 1x2 rounded plate so it sits on the upright pieces. Then repeat symmetrically to the back.
- 65. Horizontally attach the bar of a transparent dark grey 4x8 sloped curved windshield to the bars that are on the left side so it slopes to the right.
- 66. Bring back your main build and orient it so the stud shooters face the left. Now attach the left-facing socket of your part to the ball that is inside the left-facing side of your build.
- 67. Locate 4 transparent light green 1x1 round plates. Use these to shoot out of the stud shooters! Now put your build away while we make the rebels and the speeder!

Building Instructions (Bag 4, Book 2):

Group 13 - Rebel

Sub-build 4. Locate 1 light grey pair of legs, 1 sand blue torso printed with a black jacket, 1 dark tan head printed with a chin strap, red lips, and eyes, 1 white helmet, 1 black visor, and 1 silver blaster. Assemble your minifigure and then attach the visor to the helmet so the visor faces the front. Then attach the blaster to her hand! Now put away your minifigure while we make the scout speeder!

Group 14 - Scout Speeder

- 1. Horizontally place a light grey 1x4 plate in front of you.
- 2. Vertically place a light grey 2x4 plate on top so it is centered horizontally and 3 rows overhang to the front.
- 3. Rotate your part so the overhang of the 2x4 plate faces the right. Now horizontally place a dark grey 2x8 plate underneath the front row of overhang so it touches the 1x4 plate. Then repeat symmetrically to the back.
- 4.1. Place a dark red 2x2 tile with 2 studs on the front left corner so it overhangs 1 row to the front and the studs face the back. Then repeat symmetrically to the back.

Group 15 - Scout Speeder

- 4.2. Place a black 2x2 tile with 2 studs on the front row to the right of the previous 2x2 tile with 2 studs so it overhangs 1 row to the front and the studs are in the back. Then repeat symmetrically to the back.
- 5. Horizontally place a dark grey 6x8 plate on the 5 rightmost columns so it is centered vertically. It should overhang in the front, back, and right.
- 6. Flip your part over so it is horizontal and the 2x2 tiles with 2 studs are on the left. Now horizontally place a dark tan 1x2 rounded plate on the front left corner. Then horizontally place a dark grey 2x8 plate

on the front row to the right so 1 row overhangs in the front. Then repeat both parts symmetrically to the back.

- 7. Horizontally place a dark grey 2x6 plate with a rounded side on the 3 rightmost columns on the 2nd and 3rd rows from the front so the rounded side faces the front and it overhangs 3 columns to the right. Then repeat symmetrically to the back.
- 8. Horizontally place a dark grey 2x3 angled plate on the front right corner to the right of the 2x8 plate so the angled side faces the front and the short end faces the right. Now repeat symmetrically to the back.
- 9. Flip your build over so it is upright, horizontal, and the rounded side faces the right. Then place a yellow 2x2 plate on the 2nd and 3rd columns from the right so it is centered vertically. Then horizontally place a light yellow 1x8 tile on the front row so there is no overhang. Then repeat symmetrically to the back.
- 10. Place a pink 2x2 brick on top of the 2x2 plate from the previous step. Now vertically place a lime green 1x4 brick to the left so it is centered vertically.
- 11. Place a yellow 2x2 plate on top of the 1x4 brick and 2x2 brick so it is centered vertically.
- 12. Place a white 1x1 plate in front of the 1x4 brick from step 10. Then vertically place a light grey 1x1 sloped curved brick with a 1x1 plate part on top so the plate sits on the 1x4 brick. Now repeat both parts symmetrically to the back.
- 13. Vertically place a dark tan 1x2 log brick on the 3rd column from the right in front of the 2x2 plate. Then repeat symmetrically to the back.
- 14. Vertically place a brown 1x2 brick with 2 side studs on the rightmost column so the side studs face the right. Then horizontally place a brown 1x2 brick with 2 side studs in front so the side studs face the front. Then repeat symmetrically to the back.
- 15.1. Let's make a part! Horizontally place a light grey 1x4 plate in front of you. Then horizontally place another light grey 1x4 plate on top.
- 15.2. Horizontally place a dark tan 1x2 rounded plate on top so it is centered horizontally.
- 15.3. Horizontally place a light grey 1x4 sloped curved tile on top so it is centered horizontally.
- 15.4. Horizontally place your part upright on the right-facing side studs so it is centered vertically.
- 16. Place a white 1x1 plate on the left front-facing side stud. Then horizontally place a light grey 1x3 sloped curved brick upright on the front-facing side studs so it slopes to the right. Then repeat both parts symmetrically to the back.
- 17.1. Horizontally place a light grey 2x4 sloped curved tile with a sticker on the 3 rightmost columns so it is centered vertically and slopes to the right.
- 17.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the light grey 2x4 sloped curved tile. This sticker has a dark red rectangle, a metal panel, and a red rounded

blade. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

- 18. Horizontally place a light grey 2x4 sloped angled brick in front of the previous 2x4 sloped curved tile so it slopes to the right and the angled side faces the front right. Then repeat symmetrically to the back.
- 19. Vertically place a dark tan 1x2 rounded plate on the 3rd column from the right so it is centered vertically. Now vertically place a brown 1x2 brick with 2 side studs on top so the side studs face the left.

## Group 17 - Scout Speeder

- 20. Vertically place a dark tan 1x2 log brick in front of the 1x2 brick with 2 side studs from the previous step. Then vertically place a black 1x2 rounded plate on top. Now repeat both parts symmetrically to the back.
- 21. Place a light grey 1x1 plate on the front stud of the front 1x2 rounded plate. Then place a light grey 2x2 plate with a cutoff corner behind it so the cutoff corner faces the back left. There should be no overhang. Now repeat both parts symmetrically to the back.
- 22. Horizontally place a light grey 1x4 plate upright on the left-facing side studs so it is centered horizontally. Now horizontally place a dark grey 1x2 tile with red buttons on the left-facing side studs so it is centered horizontally.
- 23. Horizontally place a black 1x2x2 brick with 2x2 side studs behind the 2 rightmost columns of the 1x8 tile that is on the front row so the side studs face the front. Then horizontally place a light grey 1x4 plate to the left. Now repeat both parts symmetrically to the back.
- 24. Place a dark grey 1x1 slope tile behind the leftmost column of the front 1x4 plate so it slopes to the back. Then horizontally place 2 light grey 1x2 slope tiles, 1 to the right of the other, to the right of the 1x1 slope tile so they slope to the back. Now repeat all parts symmetrically to the back.
- 25. Place a dark red 2x2 tile with 2 studs in between the 2 rightmost 1x2 slope tiles so the studs are on the right. Then vertically place a light grey 1x2 slope tile to the left so it slopes to the right. Now place another dark red 2x2 tile with 2 studs to the left so the studs are on the right.
- 26. Horizontally place a black 1x4 brick on the front 1x4 plate to the left of the 1x2x2 brick with 2x2 side studs. Then horizontally place a light grey 1x4 plate on top. Now repeat both parts symmetrically to the back.
- 27. Vertically place a dark tan 1x2 log brick on the 4th column from the left so it is centered vertically.
- 28. Horizontally place a black 1x2x2 brick with 2x2 side studs on the 3rd and 4th columns from the left in front of the 1x2 log brick so the side studs face the front. Then repeat symmetrically to the back.
- 29.1. Flip over your build so it is horizontal and the rounded side faces the right. Place a transparent 2x2 round plate with a smooth underside on the 2nd and 3rd rows from the front on the 3rd and 4th columns from the left. Then repeat symmetrically to the back.

- 29.2. Place a transparent 2x2 round plate with a smooth underside on the 2nd and 3rd rows from the front to the right of the previous 2x2 round plate with a smooth underside so there are 4 free columns in between. Then repeat symmetrically to the back.
- 29.3. Place a transparent 2x2 round plate with a smooth underside on the 2nd and 3rd columns from the right so it is centered vertically.

Building Instructions (Bag 5, Book 2):

Group 18 - Rebel

Sub-build 5. Locate 1 light grey pair of legs, 1 sand blue torso printed with a black jacket, 1 dark tan head printed with a chin strap, lips, and eyes, 1 white helmet, 1 black visor, and 1 silver blaster. Assemble your minifigure and then attach the visor to the helmet so the visor faces the front. Then attach the blaster to her hand! Now repeat again so you have 2 minifigures! Now put away your minifigures while we continue making the scout speeder!

Group 19 - Scout Speeder

- 30. Flip your build over so it is horizontal and the rounded side faces the right. Vertically place a dark grey 1x2x2 rounded window frame upright on the right front-facing column of the left 1x2x2 brick with 2x2 side studs. Then repeat symmetrically to the back.
- 31. Place the back row of a light grey 2x2 corner tile with a cutoff corner on the right stud of the front left 1x2x2 brick with 2x2 side studs that you placed the window frame on so the cutoff corner faces the front left. Then horizontally place 2 light grey 1x2 slope tiles, 1 to the right of the other, to the right of the front row of the 2x2 corner tile with a cutoff corner so they slope to the back. Now repeat everything symmetrically to the back.
- 32. Place a dark tan 2x2 corner plate on the 2 leftmost columns on the front 2 rows so it looks like the braille letter h. Then repeat symmetrically to the back.
- 33. Place a brown 1x1 brick on the right stud of the front 2x2 corner plate from the previous step. Then place a dark grey 1x1 slope tile on the back stud of the front 2x2 corner plate so it slopes to the back. Now repeat both parts symmetrically to the back.
- 34.1. Let's make 2 identical parts! Place a black 1x1 brick with a hole in front of you so the hole faces the left and right. Now insert a dark grey 4L axle with a stop into the right side so the axle goes all the way in and faces the left.
- 34.2. Now you should have 2 identical parts! Place your part on the front left corner of the front 2x2 corner plate from step 32 so the axle faces the left. Then repeat symmetrically to the back.
- 35. Horizontally place a dark tan 1x2 rounded plate on the front 1x1 brick with a hole and 1x1 brick from the previous step so there is no overhang. Then horizontally place a dark grey 1x3 tile with 2 studs on top so there is no overhang. Now repeat both parts symmetrically to the back.
- 36.1. Let's make 2 identical parts! Horizontally place a dark grey 2x3 plate in front of you. Then place a dark grey 2x2 slope brick on the 2 right columns so it slopes to the left.

- 36.2. Place a light grey 2x2 double slope brick with a sideways slope on the left column so the sideways zslope faces the right.
- 36.3. Now place a light grey 1x1 quarter sloped curved brick on the front right stud so it slopes to the front left. Then repeat symmetrically to the back.
- 36.4. Now you should have 2 identical parts. Horizontally place 1 part upright on the 2 front-facing side studs to the left of the window frame so the quarter sloped curved bricks are on the right. Then repeat symmetrically to the back.
- 37. Insert a light grey cylinder with ridges into the front left-facing axle so the ridges face the left. Then insert a light grey wheel into the axle. Now insert a transparent light blue 1x1 cone brick into it. Now repeat everything symmetrically to the back.
- 38.1. Let's make a part! Horizontally place a dark red 2x6 plate in front of you. Then place a light grey 2x2 corner slope brick on the 2 rightmost columns so it slopes to the front right.
- 38.2. Vertically place a dark grey 1x2 slope brick to the left of the 2x2 corner slope brick so it slopes to the front. Now horizontally place a light grey 2x6 angled sloped curved brick with a sticker to the left so the angled side faces the front and it slopes to the left. It should overhang 3 columns to the left.
- 38.3. Horizontally place a dark red 2x3 angled plate underneath the overhang so the angled side faces the front and the short end is on the left.
- 38.4. Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the light grey 2x6 angled sloped curved brick. This sticker is a dark red rectangle with metal on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 38.5. Now horizontally place your part upright on the front-facing 2x2 side studs so the 2x2 corner slope brick is on the left and touches the window frame.
- 39.1. Let's make a part! Horizontally place a dark red 2x6 plate in front of you. Then place a light grey 2x2 corner slope brick on the 2 leftmost columns so it slopes to the front left.
- 39.2. Vertically place a dark grey 1x2 slope brick to the right of the 2x2 corner slope brick so it slopes to the front. Now horizontally place a light grey 2x6 angled sloped curved brick with a sticker to the right so the angled side faces the front and it slopes to the right. It should overhang 3 columns to the right.
- 39.3. Horizontally place a dark red 2x3 angled plate underneath the overhang so the angled side faces the front and the short end is on the right.
- 39.4. Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the light grey 2x6 angled sloped curved brick. This sticker is a dark red rectangle with metal on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 39.5. Rotate your build 180 degrees. Then horizontally place your part upright on the front-facing 2x2 side studs so the 2x2 corner slope brick is on the right and touches the window frame.

40. Vertically place a transparent dark grey 3x6 sloped curved windshield on the 2nd column from the left so it is centered vertically and slopes to the left.

Building Instructions (Bag 6, Book 2):

Group 20 - Droid

- 1. Put your build aside for now while we make a droid! Place a pink 2x2x2 round brick in front of you so the pinholes face the left and right. Then attach a pink leg with a pin to each of the pin holes! Now place a pink 2x2 dome brick printed with an eye, hazard tape, and metal on top. Put it aside for now while we make the platform for it!
- 2. Horizontally place a black 4x6 tile with studs printed with the 25th star wars anniversary in front of you. Then horizontally place a black 1x6 arch brick underneath the front row. Then repeat symmetrically to the back. Now place your droid on top! Now put this away so we can get back to building the scout speeder!

Group 21 - Scout Speeder

- 41. Let's make a part! Horizontally place a dark grey 2x3 plate in front of you.
- 42. Vertically place a light grey 1x4 plate on the leftmost column so it is centered vertically. Now vertically place a light grey 2x4 plate to the right so it is centered vertically.
- 43. Horizontally place a light grey 1x2 slope brick on the front left corner so it slopes to the left. Then horizontally place a light grey 1x2 inverted slope brick to the right so the slope overhangs to the right. Now repeat symmetrically to the back.
- 44. Horizontally place a dark grey 1x2 plate with a 2x2 side ridges on the left 2 studs of the front row so the ridges face the front. Then repeat symmetrically to the back.
- 45. Vertically place a light grey 1x4 plate on the rightmost column so it is centered vertically.
- 46. Vertically place a light grey 1x4 plate on the 2nd column from the left. Then place a light grey 2x2 plate with a cutoff corner on the front right corner so the cutoff corner faces the front right. Then repeat symmetrically to the back.
- 47. Place a black 2x2 turntable plate on the 2nd and 3rd columns from the right so it is centered vertically. Then place a light grey 2x2 round turntable plate on top.
- 48. Place a dark grey 1x1 tile in front of the left column of the previous turntable plates. Then place a light grey 2x2 corner tile with a cutoff corner on the front right corner so the cutoff corner faces the right. There should be no overhang. Now repeat both parts symmetrically to the back.
- 49. Let's make a part! Horizontally place a dark grey 2x3 plate in front of you. Then vertically place a light grey 1x2 plate with a hinge connector on the long side on the leftmost column so the connector faces the left.
- 50. Place a dark tan 2x2 corner plate on the front right corner so it overhangs 1 stud to the front and it looks like the braille letter d. Then repeat symmetrically to the back.

- 51. Horizontally place a dark grey 1x2 plate with 2 side studs hanging down on the front left corner so the side studs face the front. Then repeat symmetrically to the back.
- 52. Vertically place a dark red 1x4 tile with 2 studs on the rightmost column so it is centered vertically.
- 53. Vertically place a light grey 1x2 plate with 2 sides of 1x3 sloped curved tiles on the leftmost column so it slopes to the right. Then vertically place a dark grey 1x2 slope tile on top of the leftmost column so it slopes to the right.
- 54. Horizontally place a light grey 1x4 stud shooter upright on the 2 front-facing side studs so the opening faces the left. Then insert a dark grey rounded part with 3 tips into the front-facing side. Now place a dark grey 1x1 slope tile upright on the front-facing side stud so it slopes to the right. Now repeat everything symmetrically to the back.
- 55.1. Let's make a part! Horizontally place a light grey 5L axle in front of you. Then insert a light grey round axle connector with a hinge into the right side so the hinge is vertical.
- 55.2. Insert 2 black 1L axle connectors into the left side so they go all the way in.
- 55.3. Insert a black wheel into the left side. Then insert a black 2L axle connector into the left side.
- 55.4. Insert a black spear tip into the left-facing side of the axle connector. Then attach the hinge of your part to the left-facing hinge connector of your previous part.
- 56. Now place the 2 leftmost columns of your part on top of the 2x2 turntable plate of your previous part.
- 57. Bring back your main build and orient it so it is horizontal and the rounded side faces the left. Now place the 2 leftmost columns of your part on top of the 4 studs of the 1x3 tiles with 2 studs that are on the right side.
- 58. Locate 4 red 1x1 round plates. Use these to shoot out of the stud shooters!

Thank you so much for building this set!

Visit <u>bricksfortheblind.org</u> for more accessible instructions, <u>sign up</u> for our newsletter and follow us on <u>Facebook</u> and <u>Instagram</u> to be the first to know when new instructions are available!

We also love seeing your completed builds, so please tag our <u>Facebook</u> and <u>Instagram</u> accounts in any photos of your builds so we can share your accomplishments with our Bricks for the Blind community.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets, there are no ads.