

76278 Rocket's Warbird vs. Ronan

Adapted by John Le and tested by Jolene Nemeth.

This Marvel Studios' Guardians of the Galaxy gift is perfect for movie lovers and fans of awesome aircraft and buildable Super Hero toys. The spaceship features an opening cockpit with room for a minifigure, 2 spring-shooters on top and a mega 6-stud shooter beneath each wing. There are 2 minifigures: Rocket carrying a blaster and Ronan the Accuser wearing a cape and carrying his powerful Cosmi-Rod hammer.

Buildable spaceship toy for kids – Boys and girls aged 8+ can recreate action from Marvel Studios' Guardians of the Galaxy and much more with LEGO® Marvel Rocket's Warbird vs. Ronan.

Marvel Studios' Guardians of the Galaxy gift – The kit includes 2 minifigures: Rocket carrying a blaster and Ronan the Accuser wearing a cape and carrying his Cosmi-Rod hammer.

Spaceship role play – This buildable stud-shooter toy inspires imaginative battle action with 2 spring-shooter missiles on top of the spacecraft and 2 mega 6-stud shooters beneath the wings.

Play and display – When the day's Super Hero action is over, this buildable Marvel Studios' Guardians of the Galaxy toy can be put on display for all to admire.

290-piece construction set – The buildable Warbird action toy measures over 3 in. (8 cm) high, 5.5 in. (15 cm) long and 9 in. (24 cm) wide.

The front of the box shows the warbird flying and shooting! It has a bunch of different weaponry and is shooting them all!

The back of the box shows the warbird parked on the gravel! Rocket is shooting his gun at Ronan but Ronan blocks it with his war hammer!

The top of the box shows a real size image of Ronan!

The build is 290 pieces in total and is for ages 8+.

Bag 1 includes the pieces for Rocket and the Warbird.

Bag 2 includes the pieces for the Warbird.

Bag 3 includes the pieces for Ronan and the Warbird

Bag 4 includes the pieces for the Warbird.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.

- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/PPP: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/76278>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 4 bags labeled 1 to 4, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Rocket and Warbird

Group 1 - Page 4.

Group 2 - Steps 1-12.

Group 3 - Steps 13-14.

Group 4 - Steps 15-18.

Group 5 - Steps 19-21.

Group 6 - Steps 22-24.

Group 7 - Steps 25-27.

Bag 2 - Warbird
Group 8 - Steps 28-36.
Group 9 - Steps 37-47.

Bag 3 - Ronan and Warbird
Group 10 - Page 48.
Group 11 - Steps 48-71.
Group 12 - Steps 72-75.

Bag 4 - Warbird
Group 13 - Steps 76-83.
Group 14 - Steps 84-89.
Group 15 - Steps 90-102.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Rocket

Sub-build 1. Locate 1 short dark red pair of legs, 1 brown tail, 1 dark grey torso with dark red armor and brown arms, 1 brown raccoon head, 1 dark grey blaster, and 1 light brown 1x1 round brick. Assemble your minifigure then put him in front of you. Make sure the tail faces up! Now attach the stud of the round brick to the top bar of the blaster, then attach the handle to his hand so the 1x1 round brick faces the front! Now put your minifigure away while we make the warbird!

Group 2 - Warbird

Note that there are a lot of triangle and angled pieces in this set, so make sure you have the right one! Also right angle means 90 degree corner!

1. Vertically place a light grey 6x8 plate with a 4x6 gap and 2 clips in front of you so the clips are in the front. Now horizontally place a dark grey 1x6 plate on the back row.

2. Let's make a part! Horizontally place a white 1x4 plate in front of you. Then horizontally place a dark blue 1x6 tile on top so it is centered horizontally. Now horizontally place your part on the 2nd row from the back so it is centered horizontally.

3. Vertically place an orange 1x2 plate on the leftmost column in front of the 1x6 tile. Then repeat symmetrically to the right.

4.1. Let's make a part! Horizontally place a white 3x6 trapezoid plate in front of you so the short side faces the front.

4.2. Place a white 2x2 sloped curved angled tile on the front row so it is centered horizontally and slopes and overhangs to the front.

4.3. Vertically place a white 2x3 plate behind the 2x2 sloped curved angled tile so it overhangs 1 row to the back. Then place a white 2x2 triangle tile to the left of the front row of the 2x3 plate so the long side faces the front left. Then repeat symmetrically to the right.

4.4. Horizontally place the overhang of your part on the front row of your build so it is centered horizontally.

5. Vertically place an orange 1x2 plate to the left of the back 2 rows of the previous 2x3 plate. Then repeat symmetrically to the right.

6. Place a white 3x3 triangle plate on the leftmost column behind the 2x2 triangle tile so the right angle is in the back right and it overhangs 2 columns to the left. Then repeat symmetrically to the right.

7. Place the front 2 rows of a dark blue 8x8 triangle plate underneath the left overhang so the right angle faces the back right. Then repeat symmetrically to the right.

8. Horizontally place a white 2x3 plate behind the left 3x3 triangle plate. Then repeat symmetrically to the right.

9. Vertically place a dark blue 1x8 plate behind the middle column of the right 2x3 plate from the previous step so it overhangs 4 rows to the back. Then vertically place a white 1x4 plate on the back 4 rows of the 8x8 triangle plate to the right. Now vertically place an orange 2x4 plate to the right. Then repeat everything symmetrically to the left.

10. Place the 4 leftmost columns of a dark blue 8x8 triangle plate on the 4 rightmost columns of the build so it overhangs 4 rows to the back and the right angle faces the back left. Then repeat symmetrically to the left.

11. Flip your build upside down so it is horizontal and the tip faces the back. Now place a light grey 1x1 round plate on the front row on top of each of the 1x8 plates.

12. Vertically place an orange 2x4 angled plate on the front 4 rows to the left of the left 1x1 round plate so the angled side overhangs 1 column to the right and the short end faces the front. Then repeat symmetrically to the right.

Group 3 - Warbird

13. Horizontally place a light grey 2x4 plate to the left of the back 2 rows of the left 2x4 angled plate from the previous step. Then place a light grey 1x1 round plate to the left of the front row of the 2x4 plate. Now repeat both parts symmetrically to the right.

14. Place a light blue 4x4 round plate in front of the left 2x4 plate from the previous step so it overhangs 2 rows to the front. Then vertically place a light grey 2x4 plate to the left so it overhangs 2 rows to the front. Now repeat both parts symmetrically to the right.

Group 4 - Warbird

15. Flip your build over so it is right side up, horizontal, and the tip faces the back. Now horizontally place a red 2x4 plate on the 2nd and 3rd stud rows from the back so it is centered horizontally.

16. Place a red 2x2 triangle tile to the left of the 2x4 plate from the previous step so the long side faces the back left. Then repeat symmetrically to the right. Now place a red 2x2 triangle tile behind the 2 leftmost columns of the 2x4 plate so the long side faces the back left. Then repeat symmetrically to the right.

17. Vertically place an orange 1x2 plate in front of the right column of the leftmost 2x2 triangle tile from the previous step. Then place a red 2x2 angled plate to the left so the angled side faces the left and the tip faces the front left. Now repeat both parts symmetrically to the right.

18. Place a dark blue 2x2 plate in front of the leftmost 2x2 angled plate from the previous step. Then place a dark blue 2x2 sloped curved tile to the left so it slopes to the back. Now repeat both parts symmetrically to the right.

Group 5 - Warbird

19. Place a dark blue 2x2 triangle tile behind the leftmost 2x2 sloped curved tile from the previous step so the long side faces the back left. Then repeat symmetrically to the right.

20. Horizontally place a dark blue 2x16 plate in front of the 2x2 plates and 2x2 sloped curved tiles from step 18 so it is centered horizontally.

21. Vertically place a dark blue 1x2 angled sloped curved tile behind the leftmost column of the 2x16 plate so the angled side is on the left and it slopes to the back. Then repeat symmetrically to the right.

Group 6 - Warbird

22. Place a white 2x2 triangle tile to the left of the leftmost 1x2 angled sloped curved tile from the previous step so the long side faces the back left. There should be no overhang! Then vertically place a white 2x4 triangle plate in front so the angled side is on the left and the tip faces the front right. It should sit to the left of the front row of the angled curved sloped tile! Now repeat both parts symmetrically to the right.

23. Vertically place a dark blue 2x3 angled plate on the front left corner so the angled side overhangs 1 column to the left and the short end overhangs 1 row to the front. Then horizontally place an orange 3x6 angled plate to the right so the angled side overhangs to the front and the short end overhangs to the right.

24. Horizontally place a dark blue 1x6 tile on the left side on the 5th row from the front so there is 1 free stud to the left.

Group 7 - Warbird

25. Vertically place an orange 2x4 angled plate on the front left corner so the angled side faces the left and the short side faces the front. There should be no overhang. Then place an orange 2x2 triangle tile behind it so the long side faces the back left.

26. Place a dark blue 2x2 plate in front of the 1x6 tile so it is centered horizontally to it. Then horizontally place the 2x2 gap of a 4x6 angled plate around it so the short side faces the front.

27. Vertically place a dark blue 2x3 angled plate in front of the 2 rightmost columns of the 2x16 plate so the angled side faces the left and the short end faces the front.

Building Instructions (Bag 2, Book 1):

Group 8 - Warbird

28. Vertically place a dark blue 2x3 angled plate in front of the 2 leftmost columns of the 2x16 plate so the angled side faces the right and the short end faces the front.

29. Place a light grey 1x1 round plate on the front row on top of the 1x8 plate. Then place the leftmost column of a black 4x4 triangle plate behind it so the long side faces the front right. Now repeat symmetrically to the right.

30. Vertically place a dark blue 2x3 angled plate on the front right corner so the angled side overhangs 1 column to the right and the short end overhangs 1 row to the front. Then horizontally place an orange 3x6 angled plate to the left so the angled side overhangs to the front and the short end overhangs to the left.

31. Horizontally place a dark blue 1x6 tile on the right side on the 5th row from the front so there is 1 free stud to the right.

32. Vertically place an orange 2x4 angled plate on the front right corner so the angled side faces the right and the short side faces the front. There should be no overhang. Then place an orange 2x2 triangle tile behind it so the long side faces the back right.

33. Place a dark blue 2x2 plate in front of the 1x6 tile so it is centered horizontally to it. Then horizontally place the 2x2 gap of a 4x6 angled plate around it so the short side faces the front.

34. Flip your build upside down so it is horizontal and the tip faces the front. Now place a transparent light blue 4x4 round plate with a round 2x2 gap on top of the back left 4x4 round plate. Then repeat symmetrically to the right.

35. Place a dark blue 3x3 triangle plate in front of the 3 leftmost columns of the left 4x4 round plate with a round 2x2 gap so the right angle faces the back right. Now repeat symmetrically to the right.

36. Horizontally place a dark blue 1x8 plate in between the front rows of the 3x3 triangle plates from the previous step so it is centered horizontally.

37. Keep your build oriented like this and put it aside while we make a part! Horizontally place a black 1x16 brick with holes in front of you. Then insert the 2L pin side of a blue 3L pin with a stop into the back side of the leftmost hole. Make sure it goes all the way through! Then repeat symmetrically to the right.

38. Insert the 2L pin side of a blue 3L pin with a stop into the back side of the hole to the right of the left 3L pin. Make sure it goes all the way through! Then repeat symmetrically to the right.

39. Insert a dark grey 1L pin with a stud into the front side of the hole to the right of the left 3L pins so the stud faces the front. Then place a transparent orange 1x1 round plate upright on it. Now repeat both parts symmetrically to the right.

40. Vertically attach the 2 rightmost holes of a light grey 5L technic L-shaped arm to the 2 leftmost pins so the corner hole faces the back left and the 5 holes face hang down to the left. Then repeat symmetrically to the right.

41.1. Let's make 2 identical parts! Place a light grey T-shaped 3L technic arm in front of you so the middle column faces up. Then insert the 2L pin side of a blue 3L pin with a stop into the back side of the top hole so it goes all the way through. Now attach the pin of a tan 2L pin axle to the back side of the hole below the previous pin so the axle faces the back.

41.2. Now you should have 2 identical parts! Now flip your previous part upside down so the 5L L-shaped technic arms are in the back and upright. Now attach the pin of 1 part to the top front-facing hole of the left L-shaped technic arm so the axle goes into the lower hole. Then repeat symmetrically to the right.

42. Vertically attach a light grey 5L L-shaped technic arm to the 3 left front-facing pins so it is oriented the same as the one in the back left. Then repeat symmetrically to the right.

43.1. Let's make 2 identical parts! Place a light grey cylinder with a large pin with a gap in front of you so the pin faces up. Now place a black hexagon-shaped 6 barrel shooter on top so the barrels face down. Now insert the 1L side of a blue 3L pin with a stop into each of the top-facing holes. There should be 2! Now place a light grey large cylinder with 7 holes and a hollow side on top so it is centered and the hollow side faces up.

43.2. Now you should have 2 identical parts! Attach the pins of 1 part to the left front-facing holes on the 2nd one from the top and 2nd one from the bottom so the 6 barrels face the front. Then repeat symmetrically to the right.

44. Insert a dark grey 8L axle with a stop into the left front-facing axle hole of the cylinder with a large pin. Make sure it goes all the way in! Then repeat symmetrically to the right.

45.1. Let's make 2 identical parts! Place a light grey 2x2 round ridged brick in front of you. Then place a light grey 2x2 half-cone brick on top.

45.2. Now you should have 2 identical parts! Place 1 upright on the left back-facing axle so the half cone brick faces the back. Make sure to insert it all the way in! Then repeat symmetrically to the right.

46. Bring back your build and make sure it is oriented the same way as before! It should be upside down and the tip should face the front! Now horizontally place your part in front of the 1x8 plate that you placed in step 36 so it is centered horizontally and the large cylinders face the front.

47. Horizontally place a dark grey 1x3 inverted slope brick in front of the 1x16 brick of your part to the right of the 1x4 gap so it slopes to the right. Then repeat symmetrically to the left.

Building Instructions (Bag 3, Book 1):

Group 10 - Ronan

Sub-build 2. Locate 1 black pair of legs, 1 1 black torso with dark grey armor, 1 black cape, 1 blue head printed with a black mask, 1 black hood. Assemble your minifigure and make sure the 2 holes of the cape go on the neck bar and the cape faces the back. Then place him aside while we make his weapon!

Sub-build 3. Place a dark grey 1x1 brick with a side stud in front of you so the side stud faces the left. Then insert the side of the bar with a stop of a dark grey bar with a stop on 1 side into the left-facing stud. Now place a dark grey 1x1 slope tile on top so it slopes to the left. Now attach your weapon to your minifigure's hand! Now put him aside while we continue making the warbird!

Group 11 - Warbird

48. Let's make a new build! Vertically place a dark grey 4x6 plate with inverted slope sides in front of you. Then place a teal 2x2 round plate on top so it is centered.

49. Vertically place 2 dark grey 1x2 plates with 2x2 side studs above the plate, 1 in front of the other, on the rightmost column so together they are centered vertically and the side studs face the right.

50.1. Let's make a part! Vertically place a dark grey 2x2 plate with 1x3 angled sides in front of you so the short side faces the left and the extended parts face the right. Now horizontally place a black 2x4 plate on top so it overhangs 2 columns to the right.

50.2. Attach the rightmost column of your part onto the leftmost column of your build so it is centered vertically.

51. Vertically place a teal 1x2 plate on the leftmost column so it is centered vertically. Then horizontally place a light grey 2x6 plate with holes to the right.

52. Rotate your part 90 degrees clockwise so the 2x4 side studs face the front. Now place a light grey 2x2 sloped curved brick with 2 studs upright on the front-facing side studs so it is centered horizontally and the studs are at the top.

53. Vertically place a dark grey 1x2 slope brick on the leftmost front-facing column so it slopes down. Then repeat symmetrically to the right.

54. Place 2 light grey 1x1 bricks with a side stud and a bottom lip, 1 to the right of the other, upright on the middle 2 front-facing side studs so the side stud faces the front and the bottom lip is still at the bottom.

55. Horizontally place a dark grey 1x4 sloped curved tile upright on the front-facing side studs so it is centered horizontally.

56. Rotate your part 90 degrees counterclockwise so the previous 1x4 sloped curved tile faces the right. Horizontally place a dark grey 1x2 brick on the front row on top of the inverted slope part of the 4x6 plate so it is centered horizontally. Then horizontally place a dark grey 1x3 inverted slope brick to the right so it slopes and overhangs to the right. Now repeat both parts symmetrically to the back.

57. Vertically place a dark grey 1x6 plate to the left of the 1x2 bricks from the previous step so it is centered vertically.

58. Place a dark grey 2x2 brick to the right of the 1x6 plate from the previous step so it is centered vertically. Now horizontally place 2 dark tan 1x2 jumper plates, 1 in front of the other, on top of the 2x2 brick.
59. Vertically place a white 4x6 trapezoidal plate with diagonal side studs on the 3 leftmost columns so the anti-studs face the left and it is centered vertically. The diagonal side studs should face the front left and back left.
60. Horizontally place a black 2x4 plate to the left of the 2 1x2 jumper plates so it is centered vertically. Now place a dark grey 2x2 corner plate in front of the 2 rightmost columns of the 2x4 plate so it looks like the braille letter d. Then repeat symmetrically to the back.
61. Place a light grey 1x1 round plate on the front row on top of the previous 2x2 corner plate you placed in the front. Then repeat symmetrically to the back.
62. Horizontally place a dark grey 1x2 brick on the front row on top of the 1x1 round plate and 1x2 brick. Then place a dark grey 2x2 inverted slope brick to the right so it slopes and overhangs to the front. Now repeat both parts symmetrically to the back.
63. Place a dark grey 2x2 brick on the 2 leftmost columns on top of the 2x4 plate. Then vertically place a light grey 2x4 brick to the right so it is centered vertically.
64. Vertically place a white 4x6 trapezoidal plate with diagonal side studs on the 3 leftmost columns on top of the previous bricks so the anti-studs face the left and it is centered vertically. The diagonal side studs should face the front left and back left.
65. Vertically place a black 1x3 plate with a smooth underside upright on the left-facing side so it is centered vertically.
66. Flip your build upside down so the previous 1x3 plate with a smooth underside faces the right. Now vertically place a teal 1x2 plate on top in the 1x2 gap.
67. Vertically place a teal 1x2 plate on the rightmost column so it is centered vertically. Then horizontally place a light grey 2x6 plate with holes to the left.
68. Vertically place a light grey 1x2 plate with 2 side studs on the leftmost column of the 2x6 plate from the previous step so the side studs face the left. Then place the 2x2 side studs of a light grey 1x2x2 brick with 2x2 side studs on the 2 rightmost columns so it is centered vertically and the 2 studs face the right.
69. Vertically place a dark grey 1x4 plate with inverted slope sides on top of the 1x2 plate with 2 side studs from the previous step so it is centered vertically.
70. Horizontally place a dark grey 1x2 ingot tile upright on the left-facing side studs so it is centered vertically.
71. Place a dark grey 2x2 double slope tile upright on the 2 right-facing side studs so it hangs down and slopes to the front and back.

72. Flip your build over so it is right-side-up, horizontal, and the 4x6 angled plates with diagonal side studs face the right. Now vertically place a dark grey 1x2 slope tile with red buttons to the right of the 1x2 jumper plates so it is centered vertically and it slopes to the left.

73.1. Let's make a part! Place a white 4x4 plate in front of you. Then vertically place a white 2x4 triangle tile with 2 studs on the front right corner so the angled side faces the left and the tip faces the back.

73.2. Vertically place a dark blue 1x2 tile on the back 2 rows on the 2nd column from the left. Then place a dark blue 2x2 angled plate to the right so the angled side faces the right and the tip faces the back right. Then place another 1 in front of the 1x2 tile and 2x2 angled plate so the angled side faces the right and the tip faces the back right.

73.3. Place a dark blue 4x4 corner slope brick on the leftmost column so it overhangs 3 columns to the left and it slopes to the back left. Now place a dark blue 3x3 angled plate underneath the 3 columns of overhang so the right angle faces the front right.

73.4. Rotate your build 180 degrees so it is horizontal and the diagonal studs are on the left. Now rotate your part 180 degrees, then horizontally place your part upright on the diagonal front-facing studs so that 1 column overhangs to the left. There should be no overhang at the top!

74.1. Let's make a part! Place a white 4x4 plate in front of you. Then vertically place a white 2x4 triangle tile with 2 studs on the front left corner so the angled side faces the right and the tip faces the back.

74.2. Vertically place a dark blue 1x2 tile on the back 2 rows on the 2nd column from the right. Then place a dark blue 2x2 angled plate to the left so the angled side faces the left and the tip faces the back left. Then place another 1 in front of the 1x2 tile and 2x2 angled plate so the angled side faces the left and the tip faces the back left .

74.3. Place a dark blue 4x4 corner slope brick on the rightmost column so it overhangs 3 columns to the right and it slopes to the back right. Now place a dark blue 3x3 angled plate underneath the 3 columns of overhang so the right angle faces the front left.

74.4. Rotate your build 180 degrees so it is horizontal and the diagonal studs are on the right. Now rotate your part 180 degrees, then horizontally place your part upright on the diagonal front-facing studs so that 1 column overhangs to the right. There should be no overhang at the top!

75. Bring back your main build and orient it so it is horizontal and the tip faces the back. Then flip your current build upside down so the upright parts you placed face the back. Now place your part on top so it is centered horizontally and the front stud row of your part attaches to the 1x16 brick with holes. The upright diagonal parts should face the back!

Building Instructions (Bag 4, Book 1):

Group 13 - Warbird

76. Flip your part over so it is upright and the tip faces the front. Now place a transparent light blue 4x4 dish in the center of a dark blue 2x2 plate that is centered horizontally behind a 1x6 tile in the back left corner. Then repeat symmetrically to the right.

77. Vertically place an orange 1x2 brick to the left of the 1x2 jumper plates that are in the middle gap. It should sit in front of a 1x2 plate and should not be in the hole. Then repeat symmetrically to the right. Now horizontally place a dark blue 4x6 angled plate with a 2x2 gap behind the previous 1x2 bricks so it is centered horizontally and the short end overhangs 1 row to the back.

78. Place a white 2x2 triangle tile to the right of the back 2 rows of the 4x6 angled plate with a 2x2 gap from the previous step so the right angle faces the back right. Then place another 1 behind it so the right angle faces the front right. Now repeat both parts symmetrically to the left.

79. Place 2 red 2x2 angled plates, 1 to the right of the other, on the back 2 rows of the 4x6 angled plate with a 2x2 gap from step 77 so there is no overhang. Then place a red 2x2 angled plate to the right of the 2x2 gap of the 4x6 angled plate with a 2x2 gap so the angled side faces the right and the tip faces the front right. Then repeat symmetrically to the left.

80. Place a light grey 2x2 sloped curved brick with 2 studs in the gap of the previous 4x6 angled plate with a gap so it slopes to the front.

81. Vertically place the front left corner of an orange 2x3 angled plate on the right stud of the 2x2 sloped curved brick with 2 studs from the previous step so the angled side faces the right and the short end faces the back. Now repeat symmetrically to the left.

82. Vertically place 2 dark grey 1x2 plates with a clip and a stud, 1 to the right of the other, on the front 2 rows of the 2x3 angled plates from the previous step so the clips are in the front.

83. Place an orange 2x2 sloped curved tile on the back row of the previous 1x2 plates with a clip and stud so it slopes to the back.

Group 14 - Warbird

84. Place an orange 2x2 triangle tile on the stud in front of the right clip from step 82 so the right angle faces the back right. It should align with the 2x4 angled plate that is behind it. Then repeat symmetrically to the left.

85. Place a white 1x1 quarter tile 3 columns to the right of the back row of the right 2x2 triangle tile from the previous step so the curve faces the front right. Then vertically place a white 1x2 sloped curved tile behind it so it slopes to the back. Now repeat both parts symmetrically to the left.

86. Place the right column of a red 2x2 corner tile with a cutoff corner in front of the right 1x1 quarter tile from the previous step so the cutoff corner faces the front right. Then repeat symmetrically to the left.

87. Let's make 2 identical parts! Horizontally place a white 1x8 plate in front of you. Then place a dark grey 1x1 brick with a hole on the rightmost column so the hole faces the left and right.

88. Horizontally place a dark blue 1x4 plate to the left of the 1x1 brick with a hole. Then vertically place a dark grey 1x2 jumper plate to the left so it is centered vertically!

89. Place a black 1x1 brick with a side stud on top of the 1x2 jumper plate so the side stud faces the left. Then horizontally place 2 black 1x2 bricks with 2 sets of 2 side studs, 1 to the right of the other, to the right.

Group 15 - Warbird

90. Horizontally place a dark grey 1x2 sloped curved tile on the 2 rightmost columns so it slopes to the right.

91. Insert a black 2L pin into the right-facing hole. Now attach a light grey cylinder with a ridged side to the pin so the ridged side faces the right.

92. Horizontally place a dark grey and light grey 1x4 bar shooter to the left of the 1x2 sloped curved tile so the hole faces the left. Then horizontally place a dark grey 1x2 ingot tile on the left 2 columns of the 1x4 bar shooter.

93. Place a dark grey 1x1 half-cone brick upright on the left-facing side stud.

94. Horizontally place the front row of a dark grey 3x6 angled plate upright on the front-facing side studs so the angled side is at the top and the short end faces the right. It should be centered horizontally on the 4 side studs! Then repeat symmetrically to the back.

95. Horizontally place a dark grey 2x4 trapezoid plate upright on the 3 leftmost columns so it overhangs 1 column to the left and the short side is on the bottom. Then repeat symmetrically to the back.

96. Now you should have 2 identical parts! Bring back your main build so it is horizontal and the tip faces the front. Then vertically place your part behind the left column of the right 2x2 corner tile with a cutoff corner so the back row of your part sits on top of the 1x1 round plate that is on the back row. There should be no overhang and the cylinder with ridges should face the back! Then repeat symmetrically to the left.

97. Horizontally place an orange 1x2 sloped curved tile on top of the front stud of the previous part you placed on the right so it slopes to the left and it sits on the 1x2 brick that is to the left. Then repeat symmetrically to the left.

98. Horizontally place an orange 1x2 angled sloped curved tile in front of the 1x2 sloped curved tile that you placed on the right in the previous step so the angled side faces the front and it slopes to the right. Then repeat symmetrically to the left.

99. Horizontally place an orange 6x8 sloped angled brick with a point in front of the previous 1x2 angled sloped curved tiles so it is centered horizontally and the tip faces the front.

100. Attach the bar of a transparent light blue oval dome windshield to the 2 clips that are behind the cockpit which is behind the brick you placed in the last step! Now flip it forward so it covers the cockpit! Make sure the rounded side faces up!

101. Locate 24 transparent orange 1x1 round plates! Attach the studs of 6 of them to the left 6 front-facing barrels that are underneath the wing! Then repeat symmetrically to the right. These are the guns that spin and shoot! You will have 12 extra! Save them for later!

102. Locate 3 red bars with a rounded tip! Insert 1 into the front side of the left 1x4 bar shooter that is to the back left of the dome windshield so the rounded tip faces the front! Then repeat symmetrically to the right. You will have 1 extra, save it for later!

Thank you so much for building this set!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets, there are no ads.