### 76290 The Avengers vs. The Leviathan

Adapted by John Le and tested by Jolene Nemeth.

The set includes 4 minifigures – Captain America with his shield, Black Widow holding a stud shooter, Loki with his cape and helmet, and a Chitauri warrior with a laser pistol – plus a large Hulk figure. The buildable Leviathan features 6 moveable fins, an opening mouth, a head that can be turned slightly sideways and 2 stud shooters. The Leviathan comes with transparent stands that enable the minifigures to 'fly' during play and make the display even more impressive.

The Avengers vs. The Leviathan playset – This collectible kids' Super Hero LEGO® set for boys and girls aged 7 and up recreates the final battle scene from Marvel Studios' Marvel: The Avengers.

Marvel characters – A Hulk figure and 4 minifigures: Captain America with his shield, Black Widow with a stud shooter, Loki with his cape and helmet, and a Chitauri warrior with a laser pistol.

Buildable Super Hero toy – When Loki and a Chitauri warrior attack the city with their Leviathan 'air whale', the LEGO® Marvel Avengers must save the day.

LEGO® Marvel action model – The buildable Leviathan 'air whale' features 6 moveable fins, an opening mouth, a head that can be turned slightly sideways, 2 stud shooters and transparent stands.

347-piece playset – The buildable Leviathan measures over 2.5 in. (7 cm) high, 10.5 in. (27 cm) long and 8.5 in. (21 cm) wide.

The front of the box shows the dark tan and gold leviathan in the back chasing after Hulk. He is also being attacked by Loki and a warrior! Luckily Widow and Captain America are there and helping to fight them off!

The back of the box shows the leviathan resting on the floor. Hulk is on top of it hitting its head with his fist! There is a warrior in the back running up the leviathan's spine to get him! And Widow and Captain America are in the front dragging Loki away in handcuffs!

The top of the box shows a real size image of Black Widow!

The build is 347 pieces in total and is for ages 7+.

Bag 1 includes the pieces for Hulk, Captain America, and the leviathan.

Bag 2 includes the pieces for Loki and the leviathan.

Bag 3 includes the pieces for Black Widow, the Chitauri warrior, and the leviathan.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.

- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<a href="https://www.lego.com/en-us/service/buildinginstructions/76290">https://www.lego.com/en-us/service/buildinginstructions/76290</a>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

### Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 3 bags labeled 1 to 3, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Hulk, Captain America, and Leviathan

Group 1 - Pages 4-5.

Group 2 - Page 6.

Group 3 - Steps 1-20.

```
Group 4 - Steps 21-29.
```

Group 5 - Steps 30-41.

Bag 2 - Loki and Leviathan

Group 6 - Page 25.

Group 7 - Steps 42-47.

Group 8 - Steps 48-56.

Group 9 - Steps 57-71.

Group 10 - Steps 72-74.

Bag 3 - Black Widow, Chitauri Warrior, and Leviathan

Group 11 - Page 48.

Group 12 - Page 49.

Group 13 - Steps 75-77.

Group 14 - Steps 78-79.

Group 15 - Steps 80-103.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Hulk

Sub-build 1.1. Horizontally place 1 large dark green Hulk body printed with grey shorts in front of you so the studs face the back. Then place a large dark green head printed with eyes and teeth on top of the pin. Now place black hair on top of the head!

Sub-build 1.2. Insert a blue 2L pin axle into the left-facing hole so the axle faces the left. Then repeat symmetrically to the right.

Sub-build 1.3. Attach a dark green arm to the left-facing axle so the pin hole faces the front. Then attach a dark green fist to the pin hole so the fingers face the right. Then repeat both parts symmetrically to the right. Now put him away while we make Captain America!

Group 2 - Captain America

Sub-build 2. Locate 1 dark blue pair of legs, 1 dark blue torso printed with a red white and blue flag with a star, 1 tan head printed with eyes, lips, and a dark blue mask, 1 dark blue mask, and 1 shield printed with red and white stripes with a star in the middle. Assemble your minifigure then attach the shield to his hand! Make sure the holes in the helmet face the front! Now put him away while we make the leviathan!

Group 3 - Leviathan

- 1. Place a dark grey 4x4 plate with inverted slope sides in front of you so it slopes to the front and back. Now place a lime green 2x2 brick on top so it is centered.
- 2. Vertically place a light grey 1x2 plate with a socket on the long side on the leftmost column so it is centered vertically and the socket faces the left. Then vertically place a transparent purple 1x2 plate on

- top. Now vertically place another light grey 1x2 plate with a socket on top so the socket faces the left. Now repeat everything symmetrically to the right.
- 3. Horizontally place a dark grey 1x2 plate with a bar on the long side on the front row so it is centered horizontally so the bar faces the front. Then place a gold 1x1 plate with a rounded side and a bar to the left and right so the bars face the front. Now repeat everything symmetrically to the back.
- 4. Vertically place a dark grey 2x4 plate on top so it is centered horizontally.
- 5. Vertically place 2 transparent purple 1x2 plates, 1 in front of the other, on the leftmost column. Then repeat symmetrically to the right.
- 6. Horizontally place a dark grey 2x4 plate on top so it is centered vertically. Now vertically place 4 gold 1x2 jumper plates, 1 to the right of the other, on top of the 2x4 plate.
- 7. Horizontally place 2 dark tan 1x2 slope tiles, 1 to the right of the other, on the front row so they slope to the front. Then repeat symmetrically to the back.
- 8. Attach 5 gold blades with clips to the front-facing bars so they face the front and slope down. Then repeat symmetrically to the back.
- 9. Horizontally place 2 dark tan 1x2 rounded plates, 1 to the right of the other, on top of the jumper plates so they are centered horizontally. Now horizontally place a dark tan 1x2 rounded plate on top so it is centered horizontally.
- 10. Place 4 dark tan fangs on top of the 1x2 rounded plates so they curve to the right.
- 11. Let's make a part! Place a dark grey 2x2 plate in front of you. Then vertically place a dark grey 1x2 plate with a ball on the long side on the right column so the ball faces the right.
- 12. Vertically place a dark grey 1x2 plate with a ball on the long side on the left column so the ball faces the left.
- 13. Vertically place 2 black 1x2 plates with bars on the short sides, 1 to the right of the other, on top so the bars face the front and back.
- 14. Vertically place a dark grey 1x2 plate with a ball on the long side on the left column so the ball faces the left. Then repeat symmetrically to the right.
- 15. Horizontally place a transparent purple 1x2 plate on the front row. Then repeat symmetrically to the back.
- 16. Horizontally place a dark grey 1x2 plate with a ball on the long side on the front row so the ball faces the front. Then repeat symmetrically to the back.
- 17. Vertically place a gold 1x2 jumper plate on the left column. Then repeat symmetrically to the right.
- 18. Horizontally place a dark tan 1x2 rounded plate on top so it is centered horizontally. Now place 2 dark tan fangs on top so they curve to the right.

- 19. Attach 2 gold blades with ridges and clips to the front-facing bars so they face the front and slope down. Then repeat symmetrically to the back.
- 20. Attach the left-facing balls of your part to the right-facing sockets of your main build!

#### Group 4 - Leviathan

- 21. Let's make a part! Place a dark grey 2x2 plate in front of you. Then vertically place a dark tan 1x2 rounded plate on the right column.
- 22. Vertically place a light grey 1x2 plate with a socket on the long side on the left column so the socket faces the left.
- 23. Horizontally place a transparent purple 1x2 plate on the front row. Then repeat symmetrically to the back.
- 24. Vertically place a light grey 1x2 plate with a socket on the long side on the left column so the socket faces the left. Then place a dark tan 2x2 plate with a hole underneath to the right so the hole faces the right.
- 25. Vertically place a transparent purple 1x2 plate on the rightmost column. Then vertically place 2 black 1x2 plates with bars on the short sides, 1 to the right of the other, to the left so the bars face the front and back.
- 26. Horizontally place a gold 2x3 sloped tile with a wing with 2 studs on top so the studs are on the left.
- 27. Attach a gold curved tail with a pin to the right-facing hole so it curves to the front right.
- 28. Attach 2 gold blades with clips to the front-facing bars so they face the front and slope down. Then repeat symmetrically to the back.
- 29. Attach the left-facing sockets of your part to the right-facing balls of your main build!

# Group 5 - Leviathan

- 30. Let's make a part! Place a dark grey 2x2 plate in front of you. Then vertically place a dark grey 1x2 plate with a ball on the long side on top of the right column so the ball faces the right.
- 31. Vertically place a dark grey 1x2 plate with a ball on the long side on top of the left column so the ball faces the left.
- 32. Vertically place 2 black 1x2 plates with bars on the short sides, 1 to the right of the other, on top so the bars face the front and back.
- 33. Vertically place a dark grey 1x2 plate with a ball on the long side on top of the left column so the ball faces the left. Then repeat symmetrically to the right.

- 34. Horizontally place a transparent purple 1x2 plate on the front row. Then repeat symmetrically to the back.
- 35. Place a dark grey 2x2 plate on top.
- 36. Place a dark tan 2x2 plate with a hole underneath on the front row so 1 row overhangs to the front and the hole faces the front. Then insert a black 1L pin with a ball into the front-facing hole. Then repeat both parts symmetrically to the back.
- 37. Place a dark grey 2x2 plate on top so it is centered vertically. Now vertically place 2 gold 1x2 jumper plates, 1 to the right of the other, on top of the 2x2 plate.
- 38. Horizontally place a dark tan 1x2 slope tile on the front row so it slopes to the front. Then repeat symmetrically to the back.
- 39. Horizontally place a dark tan 1x2 rounded plate on top so it is centered horizontally. Now place 2 dark tan fangs on top so they curve to the right.
- 40. Attach 2 gold blades with ridges and clips to the front-facing bars so they face the front and slope down. Then repeat symmetrically to the back.
- 41. Attach the right-facing balls of your part to the left-facing sockets of your main build.

Building Instructions (Bag 2, Book 1):

Group 6 - Loki

Sub-build 3. Locate 1 dark grey pair of legs with black and green threads, 1 dark tan torso printed with black and green threads, 1 green cape, 1 tan head printed with black eyes and a smile, 1 gold helmet, 1 transparent light blue cube, and 1 gold curved spear. Assemble your minifigure then attach the spear and cube to his hands! Make sure the horns on the helmet curve to the back!

### Group 7 - Leviathan

- 42. Place a dark grey 4x4 plate with inverted sloped sides in front of you so it slopes to the front and back. Now vertically place a light grey 1x2 plate with a socket on the long side on the rightmost column so it is centered vertically and the socket faces the right.
- 43. Vertically place a transparent purple 1x2 plate on the rightmost column so it is centered vertically. Now vertically place a light grey 1x2 plate with a socket on the long side on the rightmost column so it is centered vertically and the socket faces the right.
- 44. Horizontally place a dark grey 1x2 plate with a bar on the long side on the front row so it is centered horizontally and the bar faces the front. Then place a gold 1x1 plate with a rounded side and a bar to the left and right so the bars face the front. Now repeat everything symmetrically to the back.
- 45. Horizontally place a lime green 2x4 brick to the left of the 1x2 plate with a socket so it is centered vertically and overhangs 1 column to the left.

- 46. Vertically place a dark grey 2x6 plate with inverted slope sides underneath the overhang so it is centered vertically. Now horizontally place a dark grey 1x2 log brick on the 2 leftmost columns on the 2nd row from the back. Then repeat symmetrically to the front. Now vertically place another 1 on the leftmost column so it is centered vertically.
- 47. Horizontally place a black 1x2 plate with a bar on the long side on the front left corner so the bar faces the front. Then repeat symmetrically to the back.

## Group 8 - Leviathan

- 48. Horizontally place a dark grey 2x4 brick on the 4 rightmost columns so it is centered vertically. Now horizontally place 2 dark tan 1x2 log bricks, 1 to the right of the other, in front of the 2x4 brick. Then repeat symmetrically to the back.
- 49. Vertically place a dark grey 2x6 plate on the 2 leftmost columns so it is centered vertically. Now vertically place a dark grey 2x4 plate on top so it is centered vertically. Then vertically place a light grey 1x2 plate with a socket on the long side on the leftmost column so it is centered vertically and the socket faces the left. Then vertically place a transparent purple 1x2 plate to the right.
- 50. Horizontally place a dark grey 2x4 plate with inverted sloped sides on the front row of the 2 leftmost columns so 1 row overhangs to the front. Then vertically place a dark tan 2x3 plate on top so there is no overhang. Now repeat both parts symmetrically to the back.
- 51. Horizontally place 2 dark grey 2x6 plates, 1 in front of the other, in between the 2x4 plates with inverted sloped sides so there is no overhang.
- 52. Place a black 2x2 plate with a ball on the front 2 rows of the 2nd and 3rd columns from the left so the ball faces the front. Then repeat symmetrically to the back.
- 53. Let's make a part! Horizontally place a dark grey 1x3 plate in front of you. Then vertically place 3 dark tan 1x2 angled sloped curved tiles on top so they slope and overhang to the back and the angled side is on the right. Now horizontally place your part on the back right corner so it slopes to the back.
- 54. Repeat the previous step symmetrically to the front.
- 55. Vertically place a dark grey 2x4 brick to the left of the 1x2 angled sloped curved tiles so it is centered vertically.
- 56. Horizontally place the right 2 columns of a dark grey 1x3 plate in front of the 2x4 brick from the previous step. Then horizontally place a dark grey 1x4 plate in front so there is no overhang. Then repeat both parts symmetrically to the back.

### Group 9 - Leviathan

57. Horizontally place a dark tan 1x2 plate in front of the 2x4 brick from step 55. Then horizontally place a dark tan 1x2 angled sloped curved tile on top so the angled side faces the front and it slopes and overhangs to the right. Then repeat both parts symmetrically to the back.

- 58. Vertically place 2 dark grey 1x2 log bricks, 1 in front of the other, to the left of the 2x4 brick so they are centered vertically.
- 59. Let's make a part! Vertically place a dark grey 1x6 plate with an arch on top of the leftmost column so it is centered vertically and the arch faces the left. Now place a transparent purple 1x1 round plate on the 3rd row from the back of the leftmost column. Then repeat symmetrically to the front.
- 60. Place a gold 2x2 plate on top of the 2x4 brick that is to the left of the 1x2 angled sloped curved tiles so it is centered vertically. Now horizontally place a dark tan 1x2 slope tile in front so it slopes to the front. Then repeat symmetrically to the back.
- 61. Place a dark tan 2x2 corner plate on the 2 leftmost columns on the 3rd and 4th rows from the front so it looks like the braille letter j. Then repeat symmetrically to the back.
- 62. Vertically place a dark tan 1x2 plate on the 2nd column from the left so it is centered vertically.
- 63. Vertically place a gold 1x2 sloped curved tile with a wing on the leftmost column so it is centered vertically and the wing faces the left. Then horizontally place a dark tan 1x2 angled sloped tile in front so the angled side faces the back and it slopes and overhangs to the left. Then repeat symmetrically to the back.
- 64. Horizontally place a gold 1x4 stud shooter on the 2 leftmost columns on the 2nd row from the front so the barrel overhangs to the left. Then insert a dark grey rounded part with 3 tips into the top of it. Now repeat both parts symmetrically to the back.
- 65. Place a gold 2x2 plate on the front row so it is centered horizontally on the 1x4 studs and overhangs to the front. Then vertically place a dark tan 1x2 angled sloped curved tile to the left so the angled side faces the left and it slopes and overhangs to the front. Now repeat symmetrically to the right.
- 66. Repeat the previous step symmetrically to the back.
- 67. Rotate your build so the barrels of the stud shooters face the front. Now horizontally place a gold 2x3 sloped curved tile with 2 studs and a wing on the 3 leftmost columns so the studs are on the right. Then repeat symmetrically to the right.
- 68. Horizontally place 2 dark tan 1x3 sloped curved bricks, 1 to the right of the other, on the front stud row so they are centered horizontally and slope outwards to the left and right.
- 69. Rotate your build 90 degrees clockwise so the stud shooters face the left. Then attach 7 gold blades with clips to the front-facing bars so they face the front and slope down.
- 70. Repeat the previous step symmetrically to the back.
- 71. Make sure the stud shooters of your part face the left. Bring back your main build and horizontally place it in front of you so the tail faces the right. Then attach the right-facing sockets of your part to the left-facing balls of your main build!

- 72.1. Let's make a part! Horizontally place a dark grey 2x4 angled plate in front of you so the angled side faces the front and the short end faces the left. Now place a gold 2x2 corner tile with a cutoff corner on the right 2 columns so the cutoff corner faces the back right. There should be no overhang!
- 72.2. Place the back row of a gold 2x2 corner tile with a cutoff corner to the left of the previous gold 2x2 corner tile with a cutoff corner so the cutoff corner faces the front left. Now horizontally place a dark tan 1x2 angled sloped curved tile on the leftmost column so the angled side faces the back and it slopes and overhangs to the left.
- 72.3. Horizontally place a light grey 1x2 plate with a socket on the short side underneath the back right corner so the socket faces the right.
- 72.4. Vertically attach the socket of your part to the rightmost back-facing ball of your main build.
- 73.1. Let's make a part! Horizontally place a dark tan 2x6 angled plate in front of you so the angled side faces the front and the short end faces the left. Now place a gold 2x2 corner tile with a cutoff corner on the 2 rightmost columns so the cutoff corner faces the back right. There should be no overhang!
- 73.2. Place the back row of a gold 2x2 corner tile with a cutoff corner to the left of the previous gold 2x2 corner tile with a cutoff corner so the cutoff corner faces the front left. Now horizontally place a gold 1x2 grill tile to the left. Then horizontally place a dark tan 1x2 angled sloped curved tile on the leftmost column so the angled side faces the back and it slopes and overhangs to the left.
- 73.3. Horizontally place a light grey 1x2 plate with a socket on the short side underneath the back right corner so the socket faces the right.
- 73.4. Vertically attach the socket of your part to the rightmost back-facing ball.
- 74.1. Let's make a part! Horizontally place a dark grey 3x8 angled plate in front of you so the angled side faces the front and the short end faces the right. Then vertically place a light grey 1x2 plate with a socket on the long side on the back left corner so the socket faces the left.
- 74.2. Vertically place a dark tan 1x2 angled sloped curved tile in front of the 1x2 plate with a socket so the angled side faces the right and it slopes and overhangs to the front.
- 74.3. Vertically place a dark tan 1x2 angled sloped curved on the back left corner so the angled side faces the left and it slopes and overhangs to the back.
- 74.4. Horizontally place a dark tan 2x6 angled plate on the back row to the right of the 1x2 angled sloped curved tile so the angled side overhangs to the back and the short end faces the right. Now horizontally place a dark tan 1x2 angled sloped curved tile to the right so the angled side faces the front and it slopes and overhangs to the right.
- 74.5. Place a gold 2x2 corner tile with a cutoff corner on the front 2 rows on the 2nd and 3rd columns from the left so the cutoff corner faces the back left. Now place another 1 to the right so the cutoff corner faces the front right.

74.6. Horizontally place a gold 1x2 grill tile on the back row on the 2nd and 3rd stud columns from the right. Then horizontally place another 1 to the left. Then place a gold 2x2 corner tile with a cutoff corner to the left so the cutoff corner faces the front right.

74.7. Vertically attach the socket of your part to the left back-facing ball of your main build. These are the arms of the leviathan!

Building Instructions (Bag 3, Book 1):

Group 11 - Black Widow

Sub-build 4.1. Locate 1 black pair of legs printed with pockets, 1 black torso printed with a sweater, 1 tan head printed with black eyes and light pink lips, and 1 light brown hair. Assemble your minifigure then put her in front of you.

Sub-build 4.2. Insert a dark grey rounded part with 3 tips into the top of a dark grey stud shooter, then attach it to her hand! Now locate 3 transparent red 1x1 round plates! This is ammo for the gun!

Group 12 - Chitauri Warrior

Sub-build 5.1. Locate 1 dark grey pair of legs, 1 dark grey and light grey torso printed with a skeleton interior with green slime on the sides, 1 dark grey head printed with a skeleton face with green eyes and a gold headband. Assemble your minifigure then put it in front of you.

Sub-build 5.2. Attach a silver gun with 3 side studs to your minifigure's hand so the barrel faces the front. Now place a gold 1x1 plate with a rounded side and a bar upright on the right-facing side stud so the bar faces the back. Then repeat symmetrically to the back. Now place a gold 1x1 plate with a vertical tooth upright on the front-facing side stud so the tooth is on top. Then place a transparent purple 1x1 cone brick upright on the front-facing stud. Now put it away while we continue making the leviathan!

Group 13 - Leviathan

- 75.1. Let's make a part! Horizontally place a dark grey 2x4 angled plate in front of you so the angled side faces the front and the short end faces the right. Now place a gold 2x2 corner tile with a cutoff corner on the left 2 columns so the cutoff corner faces the back left. There should be no overhang!
- 75.2. Place the back row of a gold 2x2 corner tile with a cutoff corner to the right of the previous gold 2x2 corner tile with a cutoff corner so the cutoff corner faces the front right. Now horizontally place a dark tan 1x2 angled sloped curved tile on the rightmost column so the angled side faces the back and it slopes and overhangs to the right.
- 75.3. Horizontally place a light grey 1x2 plate with a socket on the short side underneath the back left corner so the socket faces the left.
- 75.4. Make sure the tail of your main build faces the right. Then vertically attach the socket of your part to the rightmost front-facing ball of your main build.

- 76.1. Let's make a part! Horizontally place a dark tan 2x6 angled plate in front of you so the angled side faces the front and the short end faces the right. Now place a gold 2x2 corner tile with a cutoff corner on the 2 leftmost columns so the cutoff corner faces the back left. There should be no overhang!
- 76.2. Place the back row of a gold 2x2 corner tile with a cutoff corner to the right of the previous gold 2x2 corner tile with a cutoff corner so the cutoff corner faces the front right. Now horizontally place a gold 1x2 grill tile to the right. Then horizontally place a dark tan 1x2 angled sloped curved tile on the rightmost column so the angled side faces the back and it slopes and overhangs to the right.
- 76.3. Horizontally place a light grey 1x2 plate with a socket on the short side underneath the back left corner so the socket faces the left.
- 76.4. Vertically attach the socket of your part to the right front-facing ball.
- 77.1. Let's make a part! Horizontally place a dark grey 3x8 angled plate in front of you so the angled side faces the front and the short end faces the left. Then vertically place a light grey 1x2 plate with a socket on the long side on the back right corner so the socket faces the right.
- 77.2. Vertically place a dark tan 1x2 angled sloped curved tile in front of the 1x2 plate with a socket so the angled side faces the left and it slopes and overhangs to the front.
- 77.3. Vertically place a dark tan 1x2 angled sloped curved tile on the back right corner so the angled side faces the right and it slopes and overhangs to the back.
- 77.4. Horizontally place a dark tan 2x6 angled plate on the back row to the left of the 1x2 angled sloped curved tile so the angled side overhangs to the back and the short end faces the left. Now horizontally place a dark tan 1x2 angled sloped curved tile to the left so the angled side faces the front and it slopes and overhangs to the left.
- 77.5. Place a gold 2x2 corner tile with a cutoff corner on the front 2 rows on the 2nd and 3rd columns from the right so the cutoff corner faces the back right. Now place another 1 to the left so the cutoff corner faces the front left.
- 77.6. Horizontally place a gold 1x2 grill tile on the back row on the 2nd and 3rd stud columns from the left. Then horizontally place another 1 to the right. Then place a gold 2x2 corner tile with a cutoff corner to the right so the cutoff corner faces the front left.
- 77.7. Vertically attach the socket of your part to the left front-facing ball of your main build. These are the arms of the leviathan!

#### Group 14 - Leviathan

- 78.1. Let's make 2 identical parts! Place a transparent 6x6 dome brick with a 2x2 round gap in front of you. Then place a transparent 2x2 round brick on top. Now insert a light grey 4L bar into the middle top-facing axle hole. Then place another transparent 2x2 round brick on top.
- 78.2. Now you should have 2 identical parts! Flip your part upside down so it is horizontal and the tail faces the right. Then place 1 part on the 2nd and 3rd columns from the left so it is centered vertically. Then place another 1 on the right 4x4 plate with inverted angled sides so it is centered on it.

79. Push all the blades in the back to the front so they curve to the front! Then repeat symmetrically to the front.

# Group 15 - Leviathan

- 80. Let's make a part! Horizontally place a light grey 2x3 plate with a hole in front of you so the hole is on the right and faces front and back. Then insert a black 2L pin into the back-facing hole.
- 81. Horizontally attach a black 2L double pin connector to the back-facing pin so the other hole is on the right. Now insert a black 2L pin into the front-facing hole.
- 82. Horizontally place a dark grey 2x4 plate on top so there is no overhang.
- 83. Vertically place a dark tan 1x2 plate on the rightmost column.
- 84.1. Let's make 2 identical parts! Horizontally place a brown 1x2 plate with 4 side studs hanging down in front of you so the side studs face the front. Then horizontally place 2 gold 1x2 plates with teeth, 1 to the right of the other, upright on the side studs so the teeth face down.
- 84.2. Horizontally place a dark tan 1x4 tile with 2 studs upright on the front-facing side studs.
- 84.3. Vertically place a dark tan 1x2 angled sloped curved tile upright on the left front-facing side stud so the angled side is on the right and it slopes and overhangs down. Then repeat symmetrically to the right.
- 84.4. Now you should have 2 identical parts! Horizontally place 1 on the front row so it is centered horizontally. Then repeat symmetrically to the back.
- 85. Place a black 2x2 plate with a ball on the 2 rightmost columns so the ball faces the right. Then vertically place a dark tan 1x2 plate on the rightmost column.
- 86.1. Let's make a part! Horizontally place a dark grey 1x2 plate with 2x2 side studs hanging down in front of you so the side studs face the front. Now horizontally place a red brown 1x2 plate with 2 side studs above the plate upright on the top front-facing row so the side studs face up. Then horizontally place a gold 1x2 plate with teeth upright below it so the teeth face down.
- 86.2. Place a gold 2x2 plate upright on the front-facing side studs. Now horizontally place a dark tan 1x1 tile with a 1x1 slope tile upright on the top left front-facing side stud so the slope overhangs to the left. Then repeat symmetrically to the right. Now horizontally place a dark tan 1x2 angled sloped curved tile upright on the bottom left front-facing side stud so the angled side faces down and it slopes and overhangs to the left. Then repeat symmetrically to the right.
- 86.3. Vertically place your part on top of the leftmost column so the tiles face the left.
- 87. Horizontally place a gold 4x4 angled sloped brick with ridges on the 4 right columns so it slopes to the left.
- 88. Vertically place a gold 1x2 slope tile with a wing on top of the leftmost column so the wing faces the right.

- 89. Let's make another part! Place a dark tan 2x2 inverted sloped curved plate with a smooth underside in front of you so it slopes to the right. Now horizontally place a red brown 1x2 plate with 2 side studs above the plate on the back left corner so it overhangs 1 column to the left and the side studs face the back.
- 90. Vertically place a red brown 1x2 plate with 2 side studs above the plate underneath the left overhang so 1 row is exposed to the front and the side studs face the left.
- 91. Horizontally place a red brown 1x2 plate with 2 side studs above the plate on the front left corner so the side studs face the front.
- 92. Vertically place a dark tan 1x2 plate on the leftmost column.
- 93. Place a dark tan 2x2 corner plate on the right 2 columns so it looks like the braille letter h. Then place a dark tan 1x1 slope tile in the back right corner so it slopes to the left.
- 94. Horizontally place a light grey 1x2 plate with a stud and a hole on top of the front right corner so the hole is on the right and faces the front. Then place a dark tan 2x2 corner plate on the back left corner so it looks like the braille letter f and there is no overhang.
- 95. Vertically place a dark grey 1x2 plate with 2 side studs hanging down on the leftmost column so the side studs face the left. Then vertically place a purple 1x2 tile to the right.
- 96. Horizontally place a gold 1x2 plate with teeth on the front-facing side studs so the teeth face up. Then vertically place a dark tan 1x2 sloped curved tile on the left front-facing column so the angled side is on the right and slopes and overhangs down. Then horizontally place 1 upright to the right so the angled side faces down and it slopes and overhangs to the right.
- 97. Repeat the previous step symmetrically to the back.
- 98. Place a gold 2x2 plate upright on the left-facing side studs.
- 99. Horizontally place a gold 1x2 plate with teeth upright on the top left-facing row so the teeth face up. Then horizontally place a gold 1x2 slope tile with a wing below it so the wing faces down.
- 100. Horizontally place a gold 1x2 ingot tile upright on the left-facing side studs.
- 101. Bring back your previous part so it is horizontal and the pin is on the right and faces the front. Now insert the front-facing pin into the back-facing hole of your current part. This is the head and jaw of the leviathan!
- 102. Bring back your main build so it is horizontal, right-side-up, and the tail faces the right. Now attach the right-facing ball of your part to the left-facing socket!
- 103. Locate 6 transparent purple 1x1 round plates! Use these to shoot out of the stud shooters on the leviathan!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our <u>Builders page</u>. It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please signup for our newsletter and follow us on <u>Facebook</u> and <u>Instagram</u> to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets, there are no ads.