

76292 Captain America vs. Red Hulk Battle

Adapted by John Le and tested by Jolene Nemeth.

This fighter jet buildable toy includes an impressive cast of minifigures: Captain America and Falcon (both with opening wings), Red Hulk and Ruth Bat-Seraph. Featuring a large opening cockpit with room inside for a minifigure pilot, the jet is easy for kids to hold and fly around while they launch attacks using the 2 attached stud shooters. A top section of the jet can be removed to reveal a hidden storage compartment in the rear with room for spare studs or mystery metals.

Fighter jet Super Hero fun – LEGO® Marvel Captain America vs. Red Hulk Battle is a buildable airplane for boys and girls aged 7+ that takes kids on endless high-flying action-adventures.

LEGO® Marvel Avengers minifigures – The buildable playset includes 4 minifigures: Captain America and Falcon (both with opening wings), Red Hulk and Ruth Bat-Seraph.

Jet plane action – The buildable model vehicle is easy for kids to hold and ‘fly’ and features an opening cockpit, 2 stud shooters and a removable storage compartment for studs and mystery metals.

Captain America accessories – This LEGO® Marvel Avengers buildable playset is the first to feature Captain America with his retractable wings and iconic shield.

Handheld fighter jet – The jet in this 223-piece kit measures over 1.5 in. (4 cm) high, 7.5 in. (19 cm) long and 7 in. (18 cm) wide.

The front of the box shows Ruth Bat-Seraph in her plane flying! Captain America and Falcon are flying close behind! In the front, Red Hulk is leaping and going to knock the plane down!

The back of the box shows Red Hulk punching the plane causing some pieces to break off! Luckily no one is inside, Falcon, Captain America, and Ruth are behind the plane trying to get Hulk to stop!

The top of the box shows a real size image of Captain America.

The build is 223 pieces in total and is for ages 8+.

Bag 1 includes the pieces for Falcon, Red Hulk and part of the plane.

Bag 2 includes the pieces for Ruth Bat-Seraph, Captain America, and the rest of the plane.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.

- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/PPP: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/76292>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 2 bags labeled 1 and 2, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Falcon, Red Hulk, and Plane

Group 1 - Steps 1-5.

Group 2 - Steps 1-3.

Group 3 - Steps 1-12.

Group 4 - Steps 13-23.

Group 5 - Steps 24-34.

Group 6 - Steps 35-40.

Group 7 - Step 41.

Bag 2 - Ruth Bat-Seraph, Captain America, and Plane

Group 8 - Page 40.

Group 9 - Steps 1-3.

Group 10 - Steps 1-3.

Group 11 - Steps 4-5.

Group 12 - Steps 42-52.

Group 13 - Steps 53-58.

Group 14 - Steps 59-67.

Group 15 - Steps 68-80.

Group 16 - Steps 81-86.

Let's get to building!

Building Instructions (Bag 1, Book 1):

There are a lot of angled pieces in this set, so make sure you have the one with the correct orientation!

Group 1 - Falcon

1. Horizontally place a brown pair of legs in front of you. Then horizontally place a dark green torso printed with dark blue and dark red armor on top so the arms face the front. Now place a transparent 1x2 rounded plate with a neck hole on top of the neck so the studs face the back.

2. Place a dark green head printed with transparent red glasses and a mouth piece on top so the print faces the front. Now place a dark grey helmet on top. Then attach a transparent visor to the front of the helmet!

3.1. Let's make a part! Horizontally place a black 1x2 plate with a bar on each of the short ends in front of you.

3.2. Place a dark grey 2x2 sloped curved tile with a sticker on top so it slopes and overhangs to the front.

3.3. Skip this step if you have already placed your stickers! Ask a helper to place sticker 10 on the dark grey 2x2 sloped curved tile. This sticker has dark grey metal and a dark red core. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

3.4. Horizontally place a light grey 1x2 rounded plate underneath the front row. Now horizontally attach the back row of your part to the back of your minifigure so the part hangs and slopes down.

4.1. Let's make a wing! Horizontally place a light grey 1x2 plate with a clip on the short side in front of you so the clip faces the left.

4.2. Horizontally place a dark green 2x3 angled plate on top so the angled side overhangs to the front and the short side overhangs to the right.

4.3. Horizontally place a dark green 2x3 tile with an angled side and a sticker on the left 2 columns so the angled side overhangs to the left over the clip. Then place a light grey 2x2 triangle tile to the right so the right angle faces the back left.

4.4. Skip this step if you have already placed your stickers! Ask a helper to place sticker 5 on the dark green 2x3 tile with an angled side. This sticker has a green stripe, a dark grey stripe, and a light grey stripe. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

4.5. Make sure your minifigure is facing the front. Then attach the clip of your part to the right-facing bar so the tile side faces the front.

5.1. Let's make a wing! Horizontally place a light grey 1x2 plate with a clip on the short side in front of you so the clip faces the right.

5.2. Horizontally place a dark green 2x3 angled plate on top so the angled side overhangs to the front and the short side overhangs to the left

5.3. Horizontally place a dark green 2x3 tile with an angled side and a sticker on the right 2 columns so the angled side overhangs to the right over the clip. Then place a light grey 2x2 triangle tile to the left so the right angle faces the back right.

5.4. Skip this step if you have already placed your stickers! Ask a helper to place sticker 5 on the dark green 2x3 tile with an angled side. This sticker has a green stripe, a dark grey stripe, and a light grey stripe. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

5.5. Make sure your minifigure is facing the front. Then attach the clip of your part to the left-facing bar so the tile side faces the front. Now put away your minifigure while we make Red Hulk!

Group 2 - Red Hulk

1. Horizontally place a red hulk body printed with black shorts in front of you so the studs face the back. Place a large red head printed with a mean grin and black and white eyes on top of the pin so the print faces the front. Then place black hair on top of his head!

2. Insert a blue 2L pin axle into the left-facing pin hole so the axle faces the left. Then attach a right red arm to it so the pinhole of the arm faces the front. Then attach a red fist with a pin into the hole of the arm so the thumb faces up and the fingers curl towards the body!

3. Repeat the previous step symmetrically to the right. Now put Red Hulk away while we make the plane!

Group 3 - Plane

1. Horizontally place a black 2x6 plate with inverted slope sides in front of you.

2. Vertically place a yellow 2x4 tile on the middle 2 columns so it is centered vertically. It should overhang 1 row to the front and back.

3. Horizontally place the back left corner of a black 2x5 stair plate underneath the front right overhang so the higher 2x3 part faces the right. Then repeat symmetrically to the left.

4. Horizontally place a red 1x2 brick with a hole on the front row so it is centered horizontally.
5. Rotate your build 180 degrees. Then horizontally place a black 4x6 plate with inverted sloped sides underneath the overhang so it is centered horizontally.
6. Horizontally place a white 1x2 log brick in front of the 2x4 tile. Then place a dark grey 2x2 slope brick in front so it slopes to the front.
7. Vertically place a dark grey 1x10 brick to the left of the previous 2x2 slope brick so it overhangs 2 studs to the front. Then repeat symmetrically to the right.
8. Place a black 6x6 angled plate with inverted sloped sides underneath the front overhang so the short side faces the front.
9. Horizontally place a light grey 2x4 plate on the 3rd and 4th rows from the front so it is centered horizontally. Then place 2 orange 2x2 round plates, 1 to the right of the other on top.
10. Vertically place a dark grey 3x8 angled plate on the leftmost column in front of the 2x3 plate that is in the back left corner so the angled side faces the left and the short side faces the front. It should overhang 2 columns to the left! Now repeat symmetrically to the right.
11. Flip your build over so it is vertical and the short end faces the back. Now vertically place a red 1x4 plate on the front 4 rows on the 2nd column from the right. Then repeat symmetrically to the left.
12. Flip your build over so it is vertical and the short end faces the front. Now horizontally place a light grey 1x8 plate on the back row so it is centered horizontally. Then vertically place a light grey 1x5 plate in front of the 3rd stud from the left of the 1x8 plate. Then repeat symmetrically to the right.

Group 4 - Plane

13. Vertically place 2 light grey 1x1 plates with a 1x1 slope tile, 1 to the right of the other, in between the front row of the previous 1x5 plates so they slope to the front. There should be no overhang.
14. Vertically place a black 1x6 tile in front of the 1x8 plate on the 3rd column from the left. Then place a black 1x1 tile in front. Now repeat both parts symmetrically to the right.
- 15.1. Vertically place a dark grey 1x2 slope tile with a sticker in front of the left 1x1 tile from the previous step so it slopes to the left.
- 15.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 2 on the dark grey 1x2 slope tile. This sticker has a dark grey triangle with a light grey triangle and a smaller red triangle. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 15.3. Vertically place a dark grey 1x2 slope tile with a sticker in front of the right 1x1 tile from the previous step so it slopes to the right.
- 15.4. Skip this step if you have already placed your stickers! Ask a helper to place sticker 1 on the dark grey 1x2 slope tile. This sticker has a dark grey triangle with a light grey triangle and a smaller red

triangle. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

16. Vertically place a light grey 1x4 panel to the right of the left 1x2 slope tile from the previous step so the wall faces the left and there is no overhang. Then repeat symmetrically to the right.

17.1. Place a dark grey 2x2 slope brick with a sticker on the 3rd and 4th rows from the front so it is centered horizontally and slopes to the back.

17.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 3 on the dark grey 2x2 slope brick. This sticker has a red screen with buttons. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

18. Horizontally place a tan 1x2x2 brick with 2x2 side studs on the front row so it is centered horizontally and the side studs face the front. Then vertically place a dark grey 2x4 angled slope brick to the right so the angled side faces the right and the short end faces the front. There should be no overhang. Now repeat symmetrically to the left.

19. Vertically place a black 2x3 plate on the front 3 rows so it is centered horizontally.

20. Place 2 dark grey 2x2 corner slope bricks, 1 to the right of the other, upright on the front-facing side studs so they slope to the bottom left and bottom right.

21. Horizontally place a dark grey 1x2 slope tile upright on the front-facing side studs so it slopes down.

22. Horizontally place the gap of a light grey 2x2 plate with 1x3 angled sides around the 2x3 plate that is on the front row so the short end overhangs to the front. Now vertically place a light grey 1x3 tile to the left and right of the 2x3 plate so there is no overhang.

23.1. Horizontally place a dark grey 1x2 slope tile with a sticker on the back row of the 2x3 plate that is in the front so it slopes to the back.

23.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 4 on the dark grey 1x2 slope tile. This sticker has a red screen with a targeting symbol on it! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Group 5 - Plane

24. Let's make a part! This will be a jet wing! Horizontally place a red 1x4 plate in front of you. Then place a dark grey 1x1 plate with a side stud above the plate on the rightmost stud so the side stud faces the right.

25. Place a dark grey 3x3 plate with a cutoff corner on the left 3 columns so it overhangs 2 rows to the back and the cutoff corner faces the back right.

26. Rotate your part 90 degrees clockwise so the side stud faces the front. Now vertically place a black A-shaped plate with 2 sets of 1x4 studs on top of the leftmost column so the other set of studs overhang on the left and the short end faces the back.

27. Horizontally place a light grey 2x6 plate on the 2 rightmost columns so it overhangs 4 columns to the right.

28. Horizontally place the leftmost column of a dark grey 3x8 angled plate on the front 3 rows behind the front-facing side stud so the angled side faces the front and the short end overhangs 1 column to the right.

29. Horizontally place a dark grey 3x8 angled plate behind the previous 3x8 angled plate so the angled side overhangs to the back and the short end faces the left.

30.1. Place a light grey 3x3 round tile with a sticker on the 2nd, 3rd, and 4th columns from the right so there is no overhang and it is centered vertically.

30.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 11 on the light grey 3x3 round tile. This sticker has a black circle with a bunch of red rings on it! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

31. Place a transparent red 1x1 round tile on the back right corner. Then vertically place a black 2x4 angled plate on the 2nd and 3rd columns from the left of the 3x8 angled plates so the angled side faces the right and the short end faces the front.

32. Bring back your main build and orient it so it is vertical and the short end faces the front. Now vertically attach the 1x4 overhang of your part underneath the back right corner so the wing faces the back right.

33. Place a black A-shaped plate with 2 sets of 1x4 studs to the left of the previous 2x4 angled plate so it attaches to the back right corner of the main build and the short side of the a-shaped plate faces the back left.

34. Rotate your build 180 degrees so the short end faces the back. Now horizontally place the right column of a black 1x2 plate with 2 side studs above the plate underneath the leftmost column of the 1x8 plate that is on the front row so the side studs face the front.

Group 6 - Plane

35. Horizontally place a red 1x2 plate with 2 side studs hanging down above the 1x2 plate with 2 side studs you placed in the previous step so the side studs face the front. Now place a transparent red 1x1 round tile behind the left column of this plate.

36. Vertically place a red 1x1 tile with a 1x1 slope tile on the right column of the 1x2 plate with 2 side studs hanging down from the previous step so it slopes to the back. There should be no overhang. Now vertically place a red 1x3 panel behind it so the wall faces the left.

37. Place a black 2x2 tile with a pin upright on the 2x2 front-facing side studs. Now attach a light grey cylinder with ridges to the pin so the ridges face the front.

38. Vertically place a dark grey 1x4 stud shooter to the left of the 1x3 panel you placed in step 36 so the stud faces the front and the barrel faces the back. Then insert a dark grey rounded part with 3 tips into the top of it!

39. Rotate your build 180 degrees so the short end faces the front. Now turn your part to the right so the wing is horizontally in front of you. Place a red 1x1 plate with a side stud hanging down on the front left corner of the wing so the side stud faces the front. The side stud should be right above another side stud! Now place the right column of a dark grey 3x3 plate with a cutoff corner behind it so the cutoff corner faces the back left.

40. Vertically place a dark grey 1x2 grill tile upright on the 2 front-facing side studs from the previous step. Then place a red 2x2 sloped curved tile on top of the back right corner of the 3x3 plate with a cutoff corner from the previous step so it slopes to the right onto the back 2 rows of the 2x4 angled plate. Now place a red 2x2 triangle tile to the left so the long side faces the back left. Now diagonally place a black 1x3 tile to the back left of the 2x2 triangle tile so it sits on 2 studs and a 1x1 round tile.

Group 7 - Plane

41.1. Place a black 2x2 sloped curved tile with a sticker in front of the 2x2 sloped curved tile from the previous step so it slopes to the right. Then vertically place a black 1x2 tile with a cutoff corner to the left so the cutoff corner faces the front left and overhangs to the front. Then horizontally place another 1 to the left of the back row of it so the cutoff corner faces the back left. Now put your build aside while we make the next part!

41.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 8 on the black 2x2 sloped curved tile. This sticker has grey metal with 3 red grills. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Building Instructions (Bag 2, Book 1):

Group 8 - Ruth Bat-Seraph

Sub-build 1. Locate 1 dark tan pair of legs printed with pockets, 1 black torso printed with dark grey body armor, 1 light tan head printed with light pink lips and black eyes with eyelashes, 1 brown hair, and 1 black pistol. Assemble your minifigure then attach the gun to her hand!

Group 9 - Safe with Silver

1. Place a light grey 2x2x2 cabinet in front of you so the opening faces the front. Then attach a light grey cabinet door to the front so it opens from top to bottom.

2. Place a black 2x2 round tile with a pin hole on top so the hole faces the front and back.

3. Vertically insert 3 silver 1x2 ingot tiles, 1 on top of the other, inside the cabinet, then close the door! Now put your part aside while we make Captain America!

Group 10 - Captain America

1. Horizontally place a dark blue and red pair of legs in front of you so the toes face the front. Then horizontally place a dark blue and red torso printed with white and red stripes and a white star on top so the hands face the front. Now place a transparent 1x2 rounded plate with a neck hole on top of the neck so the studs face the back.

2. Place a dark blue head printed with eyes and a red visor on top so the eyes face the front. Then place a dark blue mask with white stripes on top so the eye holes face the front.

3.1. Let's make a part! Place a red 1x1 plate with a clip in front of you so the clip faces the left. Then place the front left corner of a dark blue 2x2 tile with a stud on top. Now place a red 1x1 plate with a clip underneath the front right corner so the clip faces the right.

3.2. Horizontally place a light grey 2x2 triangle tile with a sticker on top so the long side faces the front.

3.3. Skip this step if you have already placed your stickers! Ask a helper to place sticker 7 on the light grey 2x2 triangle tile. This sticker has dark grey metal armor and a dark red and blue diamond in the middle. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

3.4. Rotate your minifigure so the studs face the front. Now place the back row of your part upright on the 2 front-facing side studs so the clips are on the bottom and face left and right.

Group 11 - Captain America

4.1. Let's make a wing! Place a dark blue 2x2 round plate with a smooth underside in front of you. Then horizontally place a dark blue 1x2 plate with 2 bars on the back row so the bars face the front.

4.2. Place a light grey 2x2 angled plate on the front row so the angled side overhangs to the front and the short side is on the right.

4.3. Place a red 2x2 triangle tile in the back left corner so the long side faces the front right.

4.4. Attach a light grey angled flag with 2 clips and 2 stickers to the right bar so the flag faces the right and the angled side faces the front.

4.5. Skip this step if you have already placed your stickers! Ask a helper to place sticker 13 and 14 on the light grey angled flag with 2 clips. These stickers are symmetrical to each other and have a dark blue background with 4 light grey wings flaps on them. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

4.6. Rotate your minifigure so he faces the front. Now attach the bottom of the left bar of your part to the right clip so the flag faces the right!

5.1. Let's make another wing! Place a dark blue 2x2 round plate with a smooth underside in front of you. Then horizontally place a dark blue 1x2 plate with 2 bars on the back row so the bars face the front.

5.2. Place a light grey 2x2 angled plate on the front row so the angled side overhangs to the front and the short side is on the left.

5.3. Place a red 2x2 triangle tile in the back right corner so the long side faces the front left.

5.4. Attach a light grey angled flag with 2 clips and 2 stickers to the left bar so the flag faces the left and the angled side faces the front.

5.5. Skip this step if you have already placed your stickers! Ask a helper to place sticker 13 and 14 on the light grey angled flag with 2 clips. These stickers are symmetrical to each other and have a dark blue background with 4 light grey wings flaps on them. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

5.6. Make sure your minifigure is facing the front. Then attach the bottom of the right bar of your part to the left clip so the flag faces the right!

5.7. Now locate a dark blue shield printed with white and red rings with a blue circle in the middle with a white star, then attach it to your minifigure's hand! Now put him away while we continue building the plane!

Group 12 - Plane

42. Let's make the other jet wing! Horizontally place a red 1x4 plate in front of you. Then place a dark grey 1x1 plate with a side stud above the plate on the leftmost stud so the side stud faces the left.

43. Place a dark grey 3x3 plate with a cutoff corner on the right 3 columns so it overhangs 2 rows to the back and the cutoff corner faces the back left.

44. Rotate your part 90 degrees counterclockwise so the side stud faces the front. Now vertically place a black A-shaped plate with 2 sets of 1x4 studs on top of the rightmost column so the other set of studs overhang on the right and the short end faces the back.

45. Horizontally place a light grey 2x6 plate on the 2 leftmost columns so it overhangs 4 columns to the left.

46. Horizontally place the rightmost column of a dark grey 3x8 angled plate on the front 3 rows behind the front-facing side stud so the angled side faces the front and the short end overhangs 1 column to the left.

47. Horizontally place a dark grey 3x8 angled plate behind the previous 3x8 angled plate so the angled side overhangs to the back and the short end faces the right.

48.1. Place a light grey 3x3 round tile with a sticker on the 2nd, 3rd, and 4th columns from the left so there is no overhang and it is centered vertically.

48.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 11 on the light grey 3x3 round tile. This sticker has a black circle with a bunch of red rings on it! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

49. Place a transparent green 1x1 round tile on the back left corner. Then vertically place a black 2x4 angled plate on the 2nd and 3rd columns from the right of the 3x8 angled plates so the angled side faces the left and the short end faces the front.

50. Bring back your main build and orient it so it is vertical and the front end faces the front. The wing should face the back right. Now vertically attach the 1x4 overhang of your part underneath the back left corner so the wing faces the back left.

51. Place a black A-shaped plate with 2 sets of 1x4 studs to the right of the previous 2x4 angled plate so it attaches to the back left corner of the main build and the short side of the a-shaped plate faces the back right.

52. Rotate your build 180 degrees so the front end faces the back. Now horizontally place the left column of a black 1x2 plate with 2 side studs above the plate underneath the rightmost column of the 1x8 plate that is on the front row of the main plane build so the side studs face the front.

Group 13 - Plane

53. Horizontally place a red 1x2 plate with 2 side studs hanging down above the 1x2 plate with 2 side studs you placed in the previous step so the side studs face the front. Now place a transparent green 1x1 round tile behind the right column of this plate.

54. Vertically place a red 1x1 tile with a 1x1 slope tile on the left column of the 1x2 plate with 2 side studs hanging down from the previous step so it slopes to the back. There should be no overhang. Now vertically place a red 1x3 panel behind it so the wall faces the right.

55. Place a black 2x2 tile with a pin upright on the 2x2 front-facing side studs. Now attach a light grey cylinder with ridges to the pin so the ridges face the front.

56. Vertically place a dark grey 1x4 stud shooter to the right of the 1x3 panel you placed in step 54 so the stud faces the front and the barrel faces the back. Then insert a dark grey rounded part with 3 tips into the top of it!

57. Rotate your build 180 degrees so the front end faces the front. Now turn your part to the left so the left wing is horizontally in front of you. Place a red 1x1 plate with a side stud hanging down on the front right corner of the wing so the side stud faces the front. The side stud should be right above another side stud! Now place the left column of a dark grey 3x3 plate with a cutoff corner behind it so the cutoff corner faces the back right.

58. Vertically place a dark grey 1x2 grill tile upright on the 2 front-facing side studs from the previous step. Then place a red 2x2 sloped curved tile on top of the back left corner of the 3x3 plate with a cutoff corner from the previous step so it slopes to the left onto the back 2 rows of the 2x4 angled plate. Now place a red 2x2 triangle tile to the right so the long side faces the back right. Now diagonally place a black 1x3 tile to the back right of the 2x2 triangle tile so it sits on 2 studs and a 1x1 round tile.

Group 14 - Plane

59.1. Place a black 2x2 sloped curved tile with a sticker in front of the 2x2 sloped curved tile from the previous step so it slopes to the left. Then vertically place a black 1x2 tile with a cutoff corner to the right so the cutoff corner faces the front right and overhangs to the front. Then horizontally place another 1 to the right of the back row of it so the cutoff corner faces the back right. Now put your build aside while we make the next part!

59.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 8 on the black 2x2 sloped curved tile. This sticker has grey metal with 3 red grills. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

60. Rotate your build so the front end of the plane faces the back. Now horizontally place a white 1x2 plate with a rail on the front row of the main part of the plane on top of the 1x8 plate so it is centered horizontally and the rail faces the back. Then horizontally place a red 1x2 brick with a hole on top.

61. Let's make a part! Horizontally place a red 1x4 plate in front of you. Then horizontally place a dark grey 2x4 brick on top so it overhangs 1 row to the front.

62. Vertically place a black 1x2 plate with 2 side studs above the plate underneath the front right corner of the 2x4 brick so 1 row is exposed to the front and the side studs face the right. Now repeat symmetrically to the left.

63. Place a red 2x2 corner plate on the left 2 columns of the 2x4 brick so it looks like the braille letter d. Then repeat symmetrically to the right.

64. Vertically place a black 1x4 brick on the front left corner so 3 rows overhang to the front. Then repeat symmetrically to the right.

65. Vertically place a red 1x2 plate with 2 side studs hanging down on the rightmost column in front of the 2x2 corner plate so the side studs face the right. Then repeat symmetrically to the left.

66. Vertically place a black 1x2 plate with 2 side studs above the plate on the rightmost column underneath the 2nd and 3rd rows from the front so the side studs face the right. Then repeat symmetrically to the left.

67. Horizontally place a red 1x1 plate with a 1x1 slope tile underneath the front right corner so it slopes to the right. Then repeat symmetrically to the left.

Group 15 - Plane

68. Horizontally place a red 1x4 plate on the front row so it is centered horizontally. Then vertically place 2 red 1x2 plates with side studs hanging down, 1 behind the other, on the rightmost column, behind the 1x4 plate so the side studs face the right. Now repeat symmetrically to the left.

69. Place a light grey 2x2 corner tile with a cutoff corner on the front left corner so the cutoff corner faces the front left. Then vertically place a light grey 1x2 jumper plate on the leftmost column behind it. Now repeat both parts symmetrically to the right.

70. Rotate your part 90 degrees clockwise so the corner tiles with cutoff corners face the left. Now vertically place a dark grey 1x2 slope tile upright on the leftmost front-facing column so it slopes to the left. Then repeat symmetrically to the back.

71. Place a dark grey 2x2 car exhaust upright on the front-facing side studs to the right of the 1x2 slope tile so the short side faces the right. Then repeat symmetrically to the back.

72. Rotate your part 90 degrees clockwise so the 2x2 corner tiles with cutoff corners face the back. Now horizontally place a yellow 1x2 plate on the 2nd row from the front so it is centered horizontally. Now place a dark grey 1x1 plate with a side stud above the plate to the right so the side stud faces the right. Then repeat symmetrically to the left.

73. Horizontally place a light grey 1x1 plate with a slope tile on the front right corner so it slopes to the right. Then repeat symmetrically to the left.

74. Vertically place 2 black 1x2 plates with a clip, 1 to the right of the other, on the front 2 rows so together they are centered horizontally and the clips face the front.

75. Horizontally place a black 1x4 sloped curved tile on the 2nd row from the front.

76.1. Place a dark grey 4x4 car hood with a sticker behind the 1x4 sloped curved tile from the previous step so it slopes to the back.

76.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 9 on the dark grey 4x4 car hood. This sticker has light grey metal with black grills. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

77.1. Let's make 2 identical parts! Horizontally place a red 1x2 plate in front of you. Then horizontally place a red 1x2 plate with 2 side studs hanging down on top so the side studs face the front.

77.2. Now you should have 2 identical parts! Vertically place 1 part upright on the lower 2 left-facing side studs so the side studs face the front. Then repeat symmetrically to the right.

78. Place a dark grey 1x1 tile upright on the bottom left-facing side stud. Then vertically place a dark grey 1x1 tile with a slope tile upright above it so it slopes up. Then repeat both parts symmetrically to the right.

79.1. Let's make 2 identical parts! Horizontally place a light grey 1x2 brick with a vertical gap in front of you so the gap faces the back. Then horizontally place a red 1x2 plate on top. Now horizontally place a dark grey 1x2 panel with 3 walls on top so the long wall faces the back.

79.2. Now you should have 2 identical parts! Vertically place 1 part upright on the left front-facing side studs so the gap of the 1x2 brick faces the left. Then repeat symmetrically to the right.

80. Bring back your main build and orient it so the front end faces the front. The 2 wings should face the back left and back right! Now vertically place the 1x2 gap of the back row of your part on top of the 1x2 brick with a hole that is on the back row of the main plane part so it is centered horizontally!

Group 16 - Plane

81. Rotate your part 180 degrees so the front end faces the back. Now let's make a part! Place a black rounded barrel with ridges in front of you so the holes are in the front and back. Now insert a black 2L pin into each of the 2 top-facing holes. Now attach the pins of your part to the 2 front-facing holes of the main part of the plane so it is centered horizontally.

82. Insert a black 6L axle into the middle axle hole of your part from the previous step. Now insert the middle hole of a large light grey cylinder with 7 holes into the axle so the larger cylinder side faces the front.

83. Let's make a part! Place a black 4x4 round brick in front of you. Then place a light blue 2x2 round plate on top so it is centered. Now place a transparent aqua 2x2 round brick on top so it is centered. Now place your part upright on the front-facing axle so it is centered on it.

84. Place a dark grey 4x4 cone with a round 2x2 hole upright on the front-facing side studs of the 4x4 round brick from the previous step so the 2x2 round brick fits in the gap.

85. Rotate your build 180 degrees so the front end faces the front. Now vertically attach the bar of a transparent dark grey 4x10 angled sloped windshield to the clips that are centered horizontally on the build and in front of the 1x4 sloped curved tile and 4x4 car hood so it slopes to the front.

86. Locate 4 transparent red 1x1 round tiles. Insert these into the stud shooters so you can shoot them!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets, there are no ads.