

43224 King Magnifico's Castle

Adapted by John Le and tested by Natalie Charbonneau.

Kids aged 7 and up help solve a mystery with the LEGO® I Disney King Magnifico's Castle (43224) buildable playset. The box holds a 4-level castle from Wish, the upcoming film from Walt Disney Animation Studios, and includes a kitchen with a fireplace and bakery counter, a mirrored closet and a room with removable pyramid roof.

This buildable model includes 4 characters from the Disney film, Wish – Asha, Dahlia, King Magnifico and Star – to boost role play as kids explore the castle. Help fulfill a child's passion for magic, palaces and wishes with a Disney construction set that makes a fun birthday gift. Kids and grown-ups alike can enjoy the detailed castle with all its mysteries.

Intriguing details – Give a Disney film fan or any kid aged 7 and up who loves magic and mysteries a set to keep exploring with this LEGO® I Disney King Magnifico's Castle (43224) construction kit.

Discover what's inside – The set features a detailed castle with multiple areas over 4 floors, a small oven build, a mirrored closet, altar and book, a removable translucent roof and loads more.

4 fun characters – Featuring Asha, Dahlia and King Magnifico LEGO® I Disney mini-doll figures, plus a Star LEGO I Disney figure, from the upcoming Disney film, Wish, to inspire role-play adventures.

4 levels of play – The castle measures over 11 in. (28 cm) high, 12 in. (30 cm) wide and 4 in. (11 cm) deep, with plenty of rooms and mysteries to explore and discover before being put on display.

The front of the box shows the castle in the back with a tall pyramid roof! In the front, Magnifico and Dahlia are talking to Asha!

The back of the box shows the open back of the castle! There are 8 different rooms equipped with their own accessories and builds! There is a potion room, a kitchen, a fireplace, a bathroom, a spell room, and more!

The top of the box shows all 3 of the characters together!

The build is 613 pieces in total and is for ages 7+.

Bags 1 and 2 include the pieces for the middle room and the front doors.

Bag 3 includes the pieces for the left side of the castle.

Bag 4 includes the pieces for the right side of the castle.

Bag 5 includes the pieces for the pyramid roof.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.

- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at [LEGO.com](https://www.lego.com/en-us/service/buildinginstructions/43224) for each set: (<https://www.lego.com/en-us/service/buildinginstructions/43224>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 5 bags labeled 1 to 5, 2 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Group 2 - Steps 1-13.
Group 3 - Steps 1-15.
Group 4 - Steps 16-24.

Bag 2 - Castle
Group 5 - Page 30.
Group 6 - Steps 25-27.
Group 7 - Steps 28-37.
Group 8 - Steps 38-44.
Group 9 - Steps 45-55.
Group 10 - Steps 56-63.

Bag 3 - Castle
Group 11 - Steps 1-13.
Group 12 - Steps 14-26 and 2 light blue 1x1 ice cream from Step 27.
Group 13 - Rest of Step 27 and Steps 28-39.
Group 14 - Steps 40-46.
Group 15 - Steps 47-62.

Bag 4 - Castle
Group 16 - Steps 1-15.
Group 17 - Steps 16-18.
Group 18 - Steps 19-30.
Group 19 - Steps 31-39.
Group 20 - Steps 40-50.
Group 21 - Steps 51-60.
Group 22 - Steps 61-64.

Bag 5 - Castle
Group 23 - Pages 2-3.
Group 24 - Steps 1-7.
Group 25 - Steps 8-13.
Group 26 - Steps 14-22.
Group 27 - Steps 23-28.
Group 28 - Steps 29-30.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Dahlia

Sub-build 1.1. Locate 1 pair of legs with a large red dress with a pink rag, 1 tan torso printed with a red top with sand blue sleeves, 1 tan head printed with brown eyes, pink lips, and brown glasses, and 1 black hair. Assemble your minifigure then put her in front of you.

Sub-build 1.2. Locate 1 black t-shaped bar and 1 black candlestick. Now attach the middle bar of the t-shaped bar to her hand so the bar is behind her hand and faces up and down. Now attach the candlestick to the bottom-facing bar! This is a cane! Now put her away while we make the oven!

Group 2 - Oven

1. Horizontally place a dark tan 2x4 plate in front of you.
2. Vertically place a brown 1x2 brick on the rightmost column.
- 3.1. Let's make a part! Vertically place a light grey 1x1 inverted slope plate with a 1x1 plate part in front of you so it slopes to the back.
- 3.2. Horizontally place a transparent orange 1x2 plate on the front row so it overhangs to the left.
- 3.3. Vertically place a light grey 1x1 inverted slope plate with a 1x1 plate part underneath the overhang so it slopes to the back. The slopes should be aligned!
- 3.4. Horizontally place a transparent orange 1x2 plate on top of the previous 1x2 plate.
- 3.5. Place your part on the back row to the left of the 1x2 brick so it slopes and overhangs to the back.
4. Place a brown 1x1 brick on the back left corner. Then horizontally place a brown 1x3x1 door on the front left corner so it opens to the front left.
5. Horizontally place a dark tan 2x4 plate on the front 2 rows so it is centered horizontally.
6. Horizontally place a black 1x2 jumper plate on the back row so it is centered horizontally.
7. Horizontally place a black 1x2 jumper plate in front of the previous 1x2 jumper plate so it is centered horizontally.
8. Horizontally place a black 2x4x2 curved panel on the back 1x2 jumper plate so it is centered horizontally and the rounded side faces the back. The front 1x2 jumper plate should sit in the gap of the curved panel.
9. Horizontally place a brown 1x4x2 window frame on the front row so the thinner sides face the front. Now vertically attach 2 dark tan window shutters to the front.
10. Vertically place 2 brown 1x1 sloped curved bricks with a 1x1 plate part, 1 to the right of the other, on the back row so together they are centered horizontally, slope to the back, and overhang to the front.
11. Place a brown 1x1 brick on the leftmost column behind the 1x4x2 window frame. Then repeat symmetrically to the right.
12. Horizontally place a brown 2x4 tile on the front 2 rows so it is centered horizontally.
13. Open the window shutters, then place a light brown pie with yellow filling inside, then close it! Now put your build away while we make the castle!

Group 3 - Castle

1. Horizontally place a dark tan 2x6 plate in front of you.
2. Horizontally place a light brown 1x6 tile on the front row.
3. Horizontally place a dark tan 2x6 plate on the back row so it overhangs 1 row to the back.
4. Horizontally place a light brown 1x6 tile behind the previous 1x6 tile.
5. Place the front row of a dark tan 8x8 plate with a grate underneath the back overhang so it is centered horizontally.
- 6.1. Horizontally place a light brown 1x6x6 door frame behind the 1x6 tile so it is centered horizontally and the thinner sides face the front.
- 6.2. Let's make 2 identical parts! Vertically place a teal 3x6 door with 2 stickers in front of you so the stud is on the right. Now place a gold 1x1 round plate on the top-facing stud.
- 6.3. Skip this step if you have already placed your sticker! Ask a helper to place 2 of sticker 7 on the teal 3x6 door This sticker is teal with a white outline of a flower! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 6.4. Now you should have 2 identical parts! Attach them to the front of the door frame so they open to the left and right!
7. Place a tan 2x2 brick on the front left corner so it overhangs 1 column to the left. Then vertically place a light brown 1x2 plate underneath the overhang. Now repeat both parts symmetrically to the right.
- 8.1. Let's make a part! Place a light brown 1x1 brick with an axle hole in front of you so the hole faces left and right. Now insert a blue 2L axle-pin into the left side of the hole so the pin faces the left. Now vertically attach the back hole of a tan 1x2 brick with 2 holes to the pin.
- 8.2. Place your part on top of the left 2x2 brick.
9. Repeat the previous step symmetrically on top of the right 2x2 brick.
10. Place a gold 1x1 round plate on top of the left 2x2 brick to the right of the front stud of the 1x2 brick with 2 holes. Then stack 2 sand green 1x1x2 bricks with 2 side studs on top of the 1x1 round plate so the side studs face the front. Now place another 1x1 round plate on top. Now repeat everything symmetrically to the right.
11. Rotate your build 180 degrees. Place a dark tan 2x2 corner brick in the back left corner so it surrounds the 1x1x2 brick with 2 side studs. There should be no overhang and it should look like the braille letter h. Now repeat symmetrically to the right.
12. Place a dark tan 2x2 corner brick on top of each of the 2x2 corner bricks from the previous step so there is no overhang.
13. Place a tan 1x1 brick with a pin hole on the back left corner so the hole faces the left. Then repeat symmetrically to the right.

14. Place a tan 2x2 inverted slope brick in front of the left 1x1 brick with a pin hole and 1x1 round plate so it slopes and overhangs to the front. Now repeat symmetrically to the right.

15. Vertically place a dark tan 1x3 plate on the back left corner. Then vertically place a light brown 1x2 plate to the right of the back 2 studs of the 1x3 plate. Now repeat both parts symmetrically to the right.

Group 4 - Castle

16. Horizontally place a brown 1x2 brick on the 2 leftmost columns on the 2nd row from the back. Then vertically place a dark tan 1x2 inverted slope brick in front of the right stud of the 1x2 brick so it slopes and overhangs to the front. Now repeat both parts symmetrically to the right.

17. Place a tan 1x1x6 pillar on the front left corner. Then repeat symmetrically to the right.

18. Vertically place the front stud of a tan 1x6 plate on top of the left pillar so it attaches to the 1x2 inverted slope brick in the back. Then repeat symmetrically to the right.

19. Rotate your build 180 degrees. Now horizontally place a dark tan 1x2 brick with 2 side studs on the front left corner so the side studs face the front. Now repeat symmetrically to the right.

20. Place a light brown 8x8 plate on top so it is centered horizontally.

21.1. Let's make a part! Horizontally place a dark tan 2x6 plate in front of you. Then vertically place a white 1x2 plate on the leftmost column.

21.2. Horizontally place a white 1x6 tile on the back row to the right of the 1x2 plate so it overhangs 1 column to the right.

21.3. Place a white 2x2 plate with 2 side studs underneath the overhang so the side studs face the right. It should align with the 2x6 plate!

21.4. Horizontally place a tan 1x4 half-cylinder brick in front of the 4 right columns of the 1x6 tile. Then place 2 tan 1x1 half-cylinder bricks to the left so they slope to the front and back.

21.5. Place a dark tan 1x1 plate on the front left corner. Then repeat symmetrically to the right. Now vertically place your part on the 2 leftmost columns of front-facing side studs so the side studs of your part faces up.

22.1. Let's make a part! Horizontally place a dark tan 2x6 plate in front of you. Then vertically place a white 1x2 plate on the leftmost column.

22.2. Horizontally place a white 1x6 tile on the front row to the right of the 1x2 plate so it overhangs 1 column to the right.

22.3. Place a white 2x2 plate with 2 side studs underneath the overhang so the side studs face the right. It should align with the 2x6 plate!

22.4. Horizontally place a tan 1x4 half-cylinder brick behind the 4 right columns of the 1x6 tile. Then place 2 tan 1x1 half-cylinder bricks to the left so they slope to the front and back.

22.5. Place a dark tan 1x1 plate on the back left corner. Then repeat symmetrically to the right. Now vertically place your part on the 2 rightmost columns of front-facing side studs so the side studs of your part faces up.

23. Vertically place a dark tan 1x3 plate on the front left corner. Then place a dark tan 1x1 plate to the right of the front stud of the 1x3 plate. Now repeat both parts symmetrically to the right.

24. Horizontally place a tan 1x6 plate on the front row of the 8x8 plate so it is centered horizontally.

Building Instructions (Bag 2, Book 1):

Group 5 - Asha and Star

Sub-build 2.1. Locate 1 brown pair of legs printed with a light purple dress with a pink stripe and flowers, 1 brown torso printed with a pink stripe and a pink necklace, a brown head printed with red lips and light brown eyes, and 1 brown hair. Assemble your minifigure then put her in front of you!

Sub-build 2.2. Place a transparent 2x2 dish in front of you. Then stack 2 transparent 1x1 round bricks on top. Now place a round yellow star figure printed with eyes and a mouth on top!

Group 6 - Castle

25.1. Let's make 2 identical parts! Horizontally place a white 1x3 half arch in front of you so it overhangs to the left. Then place a white 1x1 brick on the rightmost column. Then horizontally place a tan 1x3 plate on top.

25.2. Now you should have 2 identical parts! Horizontally place 1 part on the leftmost column behind the 1x3 plate so it overhangs to the left. Then repeat symmetrically to the right.

26. Place a tan 1x1 round plate on the front left corner. Then place a tan 1x1 tile to the right. Now place a tan 2x2 corner brick behind it so it looks like the braille h. Then repeat all parts symmetrically to the right.

27. Horizontally place a light brown 1x6x5 panel printed with a round brick wall and a dark blue diamond background with a white flower in the middle in between the front row of the previous 2x2 corner bricks so the wall faces the front.

Group 7 - Castle

28. Place a light brown 1x1 brick to the left and right of the previous 1x6x5 panel.

29.1. Let's make 2 identical parts! Place a white 1x1 plate with 2 side studs sticking up in front of you so the side studs face the right. Then place a tan 1x1 round plate on top.

29.2. Vertically place a tan 1x2 plate upright on the right-facing side studs.

29.3. Vertically place a tan 1x3 inverted sloped curved brick upright on the right-facing side studs so the stud is at the bottom and overhangs down.

29.4. Now you should have 2 identical parts! Place 1 part on the front left corner so the stud of the 1x3 inverted slope curved brick is on the right. Then repeat symmetrically to the right.

30. Place a light brown 1x1x2 brick with 2 side studs on top of the 1x1 brick that is to the left of the 1x6x5 panel so the side studs face the front. Then place a tan 1x1 round plate on top. Now repeat both parts symmetrically to the right.

31. Vertically place a white 1x4x3 brick on the front left corner. Then repeat symmetrically to the right.

32. Place a white 2x2 corner plate on the front left corner so it looks like the braille letter f. Then place a tan 1x1 round plate behind the left column of it. Now repeat both parts symmetrically to the right.

33. Place a tan 1x1 brick with a side stud to the left and right of the 1x6x5 panel so the side studs face the front.

34. Horizontally place a tan 1x3 plate on top of the left 1x1 brick with a side stud and 1x6x5 panel from the previous step so there is no overhang. Then repeat symmetrically to the right.

35. Vertically place a white 1x3 brick on the front left corner. Then repeat symmetrically to the right.

36. Rotate your build 180 degrees so the open back faces the front. Horizontally place a black 1x2x2 brick in front of the 1x6x5 panel so it is centered horizontally. Then horizontally place a white 1x2 jumper plate in front.

37. Place a white 2x2 tile with 2 studs to the left of the pieces from the previous step so the studs are in the back. Then repeat symmetrically to the right.

Group 8 - Castle

38. Horizontally place a light grey 1x2x2 brick with 2x2 side studs on top of the left 2x2 tile with 2 studs so the side studs face the front. Then place a white 2x2 tile with a stud upright on it. Then place a white 1x1 tile printed with a light grey swirl upright on it so it is diagonal. Now repeat all parts symmetrically to the right.

39. Horizontally place a brown 1x2 rounded plate on top of the 1x2 jumper plate that is in front of the 1x2x2 brick. Then horizontally place 2 transparent orange candle flames on top.

40. Horizontally place a white 2x6 plate on top of the previous 1x2x2 brick and 1x2x2 bricks with side studs so it overhangs 1 row to the front. This is a fireplace!

41.1. Horizontally place a black 1x2 plate with 2x4 side studs on top of the 1x6x5 panel so it is centered horizontally and the side studs face the front.

41.2. Place a white 4x4 tile with a sticker upright on the 2x4 side studs so it is centered vertically.

41.3. Skip this step if you have already placed your sticker! Ask a helper to place sticker 9 on the white 4x4 tile. This sticker is a portrait of King Magnifico in black and white. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

42. Horizontally place 2 light brown 1x4 plates, 1 to the right of the other, on top of the 1x2 plate with 2x4 side studs and 1x3 plates so they are centered horizontally.

43.1. Let's make a candelabra! Horizontally place a gold candelabra in front of you. Then place a white 1x1 round plate on top of each of the studs!

43.2. Place a white 1x1 round plate on top of the middle stud!

43.3. Horizontally place a transparent orange candle flame on top of each of the studs! Now vertically place your part on the front row and 2nd column from the left of the 2x6 plate so it faces the front left and back right.

44. Place a white 1x1 brick in front of the 1x3 brick that is in the back left corner. Then repeat symmetrically to the right.

45.1. Horizontally place a white 1x2x5 brick with a sticker to the left of the left 1x1 brick you placed in the previous step so the sticker faces the front. Then repeat symmetrically to the right.

45.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 2 on each of the white 1x2x5 bricks. This sticker is a bookcase with teal, brown, and white books! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

46. Horizontally place a white 1x2 inverted slope brick on top of the 1x1 brick that is to the right of the leftmost 1x2x5 brick so it slopes and overhangs to the right. Then repeat symmetrically to the right.

47. Horizontally place a tan 1x3 plate on top of the leftmost 1x2x5 brick and left stud of the 1x2 inverted slope brick. Then repeat symmetrically to the right.

48. Place a tan 1x1x6 pillar on the front left corner. Then repeat symmetrically to the right.

49. Vertically place the front row of a tan 1x8 brick on top of the front left 1x1x6 pillar. Make sure it connects to the 2 studs in the back! Then repeat symmetrically to the right.

50.1. Let's make a part! Horizontally place a tan 1x6 arch brick in front of you. Then horizontally place a dark tan 1x8 tile on top so it is centered horizontally. Now horizontally place the overhang of your part on the front rows of the 1x8 bricks from the previous step.

51. Vertically place a dark tan 1x4 tile with 2 studs behind the leftmost column of the 1x8 tile from the previous step. Then repeat symmetrically to the right.

52.1. Let's make 2 identical parts! Place a white 4x4 inverted curved plate in front of you so the inverted curve faces the front right corner. Now place a tan 1x6 curved tile on the front right curve so it aligns with the edge.

52.2. Now you should have 2 identical parts! Rotate your main build 180 degrees. Then place the left column of 1 part upright on the left front-facing side studs so the inverted curve faces the bottom right. Then repeat symmetrically to the right.

53. Vertically place a white 1x2 brick on the back 2 studs of the 1x3 brick that is in the front left corner. Then repeat symmetrically to the right.

54. Horizontally place a tan 1x4 brick with 4 side studs on the front row in between the 1x8 bricks so it is centered horizontally and the side studs face the front. Now place a tan 1x1 brick with a stud to the left and right so the side studs face the front.

55. Horizontally place 2 tan 2x4 slope bricks, 1 to the right of the other, upright on the front-facing side studs of the bricks from the previous step so they are centered horizontally and they hang and slope down.

Group 10 - Castle

56. Place the leftmost column of a dark tan 4x4 plate with an inverted curve in front of the left 1x4 tile with 2 studs that is in the back left corner so the inverted curve faces the back right. Then repeat symmetrically to the right.

57. Place a white 2x2 inverted corner brick on the front left corner in front of the 1x2 brick so the corner slope faces the front left. Then repeat symmetrically to the right.

58. Vertically place the front row of a light brown 1x4 plate on the back right stud of the left 2x2 inverted corner brick from the previous step. Then repeat symmetrically to the right.

59. Place a tan 2x2 corner plate on the front left corner on top of the 2x2 inverted corner brick so it looks like the braille letter h. Then repeat symmetrically to the right.

60. Place 3 white 1x1 slope tiles on the back 3 studs of the left 1x4 plate from step 58 so they slope to the left. Then repeat symmetrically to the right.

61. Horizontally place a white 1x2 double-sloped brick on the 2 leftmost columns to the left of the back 1x1 slope tile. Then repeat symmetrically to the right.

62. Horizontally place a tan 1x8 tile on top of the front row of the 4x4 plates with an inverted curve so it is centered horizontally. Now place a tan 2x2 triangle tile behind the 2 leftmost columns of the 1x8 tile so the long side faces the back right. Then repeat symmetrically to the right.

63. Place a dark tan 2x2 round tile with a stud on the front left corner so there is no overhang. Place a white 2x2 round ridged brick on top so it is centered on it. Now insert a lime green bar into the top. Now place another 2x2 round ridged brick on top. Then place a teal quadruple slope 2x2x2 brick on top. Then rotate the part so it is diagonal! Now repeat everything symmetrically to the right. Now put your build away while we make the next part!

Building Instructions (Bag 3, Book 2):

Group 11 - Castle

1. Let's make a kitchen! Horizontally place a green 2x6 plate with a rounded side in front of you so the rounded side faces the front. Then horizontally place a light brown 1x2 plate on the back row so it is centered horizontally.
2. Place a green 2x2 sloped curved tile on top of the 1x2 plate so it slopes to the front. There should be no overhang.
3. Place a tan 2x2 corner brick on the back row on the 2nd stud from the left so it overhangs to the back and looks like the braille letter f. Then repeat symmetrically to the right.
4. Horizontally place the front row of a dark tan 4x8 plate underneath the back overhang so it is centered horizontally.
5. Horizontally place a brown 1x6 brick behind the 2x2 corner bricks so it is centered horizontally.
6. Horizontally place a tan 1x2 brick with a vertical hole on the front left corner of the 4x8 plate so the hole faces the back left. Then insert the downward pin of a tan 1x2 brick into the hole so the 1x2 brick faces the back left. Now repeat both parts symmetrically to the right. These bricks work like hinges so they can be bent!
7. Place a white 2x2 brick behind the 2x2 sloped curved tile so it is centered horizontally. Then horizontally place a white 1x3 brick to the left of the front row of the 2x2 brick. Then repeat symmetrically to the right.
8. Horizontally place a white 1x8 brick on top of the previous 2x2 brick and 1x3 bricks so it is centered horizontally.
9. Stack 2 tan 1x1 round bricks on top of each other, then place them in front of the previous 1x8 brick so the stack sits on the left 1x1 brick. Then repeat symmetrically to the right.
10. Horizontally place a white 1x2x2 panel with a small window on top of the 1x8 brick so it is centered horizontally and the wall faces the front. Now vertically place a tan 1x2 masonry brick to the left of the 1x2x2 panel so there is no overhang and the brick grooves face the right. Then repeat symmetrically to the right.
11. Rotate your build 180 degrees. Now horizontally place a brown 1x2 brick with 2 side studs on top of the 2 leftmost columns of the 1x6 brick so the side studs face the front. Then repeat symmetrically to the right.
- 12.1. Horizontally place a light brown 2x6 tile with a sticker upright on the 4 front-facing side studs so it is centered horizontally on them and hangs down.
- 12.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the light brown 2x6 tile. This sticker has 6 light brown keyholes surrounded by teal outline! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
13. Horizontally place a dark brown 2x6 plate on top of the 1x2 bricks with 2 side studs and 2x2 brick so it is centered horizontally and overhangs 1 row to the front.

Group 12 - Castle

14.1. Let's make a part! Place a dark tan 2x2 dish upside down in front of you. Then insert a red 2L bar with a stop into the top of it so it goes all the way through.

14.2. Now place a dark tan 2x2 round tile with a stud in front of you. Then insert the bottom-facing bar of your part on top of the stud. The 2x2 round dish should still be upside down!

14.3. Stack 2 pink 2x2 round plates on top of each other so there is no overhang, then place them on top of the bar so they are centered.

14.4. Place a brown 2x2 plate with drips on the edges on top.

14.5. Place a pink 1x1 round plate on top so it is centered. Then place a brown 1x1 round tile on top. This is a cake!

14.6. Place your part on top of the previous 2x6 plate so it is centered horizontally.

15. Place a pink 1x1 round plate on the back left corner of the 2x6 plate. Then repeat symmetrically to the right.

16. Rotate your build 45 degrees counterclockwise, then orient the overhanging 1x2 brick so it is vertical. Now horizontally place the rightmost column of a dark tan 2x6 plate underneath the overhang.

17.1. Let's make a part! Place a tan 1x1 brick with a hole in front of you so the hole faces the front. Then insert the 1L side of a blue 3L pin into the front of the hole. Now insert another 1x1 tan brick with a hole into the front of the pin so it goes all the way in.

17.2. Make sure your build is still diagonal and the front 1x2 brick is vertical. Then vertically place your part on top of the 1x2 brick so the pin faces the front.

18. Vertically place a light brown 1x2 plate on top of the 1x1 bricks with holes from the previous step. Then vertically place a tan 1x2 plate with a bar on the long side on top so the bar faces the right. Then vertically place another light brown 1x2 plate on top.

19. Vertically place a tan 1x2 brick with a vertical hole on top of the previous 1x2 plate so the hole faces the back right. Then insert the pin of a white 1x2 brick with a downward pin into the hole so the brick attaches to the 1x8 brick that is in the back right.

20. Rotate your build 45 degrees clockwise so it is horizontal again! Now horizontally place the rightmost column of a white 1x3 rounded plate on top of the 1x1 round plate that is on the back left corner of the 2x6 plate that overhangs to the front so the leftmost column attaches to the bar.

21. Rotate your build 45 degrees clockwise so the overhanging 1x2 brick is now vertical. Now horizontally place the leftmost column of a dark tan 2x6 plate underneath the overhang. Then place a dark tan 1x1 brick to the right of the back stud of the 1x2 brick.

22. Place a dark tan 2x2 corner plate on top of the previous 1x1 brick and 1x2 brick so it looks like the braille letter f. Then place a tan 2x2 corner brick on top so there is no overhang.

23. Vertically place a tan 1x2 plate with a bar on the long side on top of the left column of the 2x2 corner brick so the bar faces the left. Then place a dark tan 1x1 plate to the right of the back stud of the 1x2 plate with a bar.

24. Place a dark tan 2x2 corner plate on top of the previous plates so it looks like the braille letter f.

You will have 2 extra light blue 1x1 ice cream scoops. Save them for later!

Group 13 - Castle

25. Let's make a part! Vertically place a white 1x2 brick with a vertical hole in front of you so the hole is in the front left. Then vertically attach the pin of a tan 1x2 brick with a downward pin into the top of the hole. Now vertically place the 1x2 brick with a downward pin part on top of the left column of the previous 2x2 corner plate so the 1x2 brick with a vertical hole part is diagonal and attaches to the brick that is in the back left.

26. Rotate your build 45 degrees counterclockwise so it is horizontal again! Now horizontally place the leftmost column of a white 1x3 rounded plate on top of the 1x1 round plate that is on the back right corner of the 2x6 plate that overhangs to the front so the rightmost column attaches to the bar.

27. Place a pink 1x1 ice cream scoop on the front left corner of the 2x6 plate that overhangs to the front. Then place another 1 to the right. Now repeat both parts symmetrically to the right using 2 light blue 1x1 ice cream scoops from group 12.

28. Horizontally place a white 1x3 brick on the 3rd row from the back to the left of the 1x2x2 panel with a window. Then repeat symmetrically to the right.

29. Horizontally place a white 1x4 brick on top of the 1x2x2 panel with a window so it is centered horizontally.

30.1. Let's make 2 identical parts! Horizontally place a white 1x3x3 arch brick in front of you so it overhangs to the right. Then horizontally place a white 1x2 brick on the leftmost column so it overhangs to the left. Then horizontally place a tan 1x3 plate on the 3 rightmost columns.

30.2. Now you should have 2 identical parts! Vertically place the 1x2 brick overhang of 1 part to the left of the 1x4 brick from the previous step so the arch faces the front. Then repeat symmetrically to the right.

31. Rotate your build 180 degrees. Then horizontally place a tan 1x4x2 arch brick on the 2nd row from the front on top of the 2 masonry bricks so it is centered horizontally. Now place a dark green 1x1 round plate with a bar 2 columns to the right and 1 row back so it sits on top of the 1x2 brick and the bar faces the front. Then repeat symmetrically to the left.

32. Horizontally place a white 1x1 sloped curved brick with a 1x1 plate part on top of the right 1x1 round plate with a bar from the previous step so it slopes to the right and there is no overhang. Then repeat symmetrically to the left.

33. Place a dark tan 1x1 plate to the left of the right 1x1 sloped curved brick with a 1x1 plate part from the previous step. Then repeat symmetrically to the left. Now place a tan 2x2 plate in between them so there is no overhang.

34. Horizontally place a tan 1x4 sloped curved tile on top of the front row of the previous 2x2 plate so it is centered horizontally.

35. Rotate your build 180 degrees, then turn it 45 degrees to the left so we can work on the diagonal 2x6 plate that is on the left. The 2x6 plate should be horizontal in front of you now! Horizontally place a tan 1x2x3 slope brick in the back left corner so it slopes to the left. Then vertically place a tan 1x2x3 slope brick on the 5th column from the left so it slopes to the front.

36. Horizontally place a tan 1x4x2 arch brick on top of the 2 previous 1x2x3 slope bricks. Then horizontally place a dark tan 1x2 inverted slope brick to the right so it slopes and overhangs to the right.

37. Place a tan 1x1 brick with a hole in front of the left stud of the previous 1x2 inverted slope brick so the hole faces the front. Now insert a blue 2L pin axle into it so the axle faces the front.

38. Place the front row of a tan 2x2 corner brick on top of the 1x1 brick with a hole so it looks like the braille letter d. Then horizontally place a tan 1x3 slope brick to the left of the back row of it so it slopes to the left.

39. Place a dark tan 1x1 brick to the right of the back row of the previous 2x2 corner brick.

40. Horizontally place a dark tan 1x4 plate on top of the previous 1x1 brick and 2x2 corner brick so there is no overhang. Then place a dark tan 1x1 slope tile in front of the 2nd stud from the right of the 1x4 plate so it slopes to the front.

41. Now rotate your build 90 degrees clockwise so we can work on the other diagonal 2x6 plate! This plate should be horizontal in front of you now! Horizontally place a tan 1x2x3 slope brick in the back right corner of the 2x6 plate so it slopes to the right. Then place a 2x2 sand blue barrel to the left.

42. Horizontally place a tan 1x4x2 arch brick on top of the 1x2x3 slope brick from the previous step and 1x1 plate that is to the left of the barrel. Then place a tan 2x2 inverted slope brick to the left of the arch brick so it slopes and overhangs to the left.

43. Horizontally place a tan 1x3 slope brick on the right 3 studs of the previous 1x4 arch brick so it slopes to the right. Then horizontally place a tan 1x3 brick to the left.

44. Horizontally place a dark tan 1x4 plate on top of the bricks from the previous step so there is no overhang. Then horizontally place a tan 1x2 tri-slope tile in front of the leftmost columns of the 1x4 plate so it slopes to the front.

45.1. Let's make a part! Attach a dark brown broom tip to the stop side of a brown bar with a stop on 1 side. This is a broom! Now vertically place it to the right of the tri-slope tile from the previous step.

45.2. Place a sand blue 2x2 round barrel to the right of the previous broom. Then place a light brown loaf of bread inside!

46. Rotate your build so it is horizontal and the 2x2 sloped curved tile faces the front. There should be 2 bars of 1x1 round plates facing the front! Now place a purple 1x1 plate with 3 leaves upright on the right front-facing bar so the leaves face down. Now place another 1 upright on it so the leaves face the left. Then place a light purple 1x1 round flower plate upright on it.

Group 15 - Castle

47.1. Let's make a part! Vertically place a green 1x4 leaf plate with 6 studs in front of you so the extended stud faces the front. Place a teal 1x1 plate with 3 leaves on the back right stud so the leaves face the front.

47.2. Place a white 1x1 round flower plate on the back stud. Then repeat symmetrically to the front. Now place another 1 on the front left stud.

47.3. Place a teal 1x1 plate with 3 leaves underneath the front stud so the leaves face the front. Then repeat symmetrically to the back. Now place the back stud of your part upright on the left front-facing bar so it hangs down!

48. Let's make a part! Horizontally place a white 4x6 plate in front of you. Then horizontally place a tan 1x2 brick with 2 side studs on the front row so it is centered horizontally and the side studs face the front.

49. Horizontally place a light grey 1x4 brick with a horizontal gap on the 2nd row from the back so it is centered horizontally and the gap faces the front. Then horizontally place a dark tan 1x4 plate on top.

50. Place a white 2x2 corner brick with a cutoff corner in the front left corner so the cutoff corner faces the front left. Then repeat symmetrically to the right.

51. Place a transparent pink 1x1 cone brick on the leftmost stud of the 1x4 plate. Then place a gold 1x1 round plate to the right. Now place a transparent light blue 1x1 round brick on the rightmost stud of the 1x4 plate.

52. Place a gold 1x1 round plate on top of the cone brick from the previous step. Then place a black 1x1 clip to the right so the clip hands face the front and back.

53. Insert the bar with a larger rounded part of a black paint roller into the top into the 1x1 round brick so the other bar attaches to the clip that is to the left.

54. Horizontally place a tan 1x2 masonry brick with brick grooves on the front row so it is centered horizontally and the brick grooves face the front. Then horizontally place a tan 1x2 jumper plate on top.

55. Place a white 2x2x5 curved panel on the front left corner so the curve faces the front left. Then repeat symmetrically to the right.

56. Horizontally place a tan 1x6 plate on the back row of the previous 2x2x5 curved panels so it is centered horizontally.

57. Place a tan 1x1x3 brick on top of the jumper plate that is on the front row. Then horizontally place a 1x2 tan jumper brick with inverted curved sloped sides on top.

58. Horizontally place a tan 1x4 sloped curved tile on top of the previous 1x2 tan jumper brick so it is centered horizontally.

59. Horizontally place 3 white 1x2 double-slope bricks, 1 to the right of the other, on top of the 1x6 plate so there is no overhang.

60. Place a purple 1x1 plate with 3 leaves upright on the left front-facing side stud so the leaves face the top left. Then place a light purple 1x1 round flower plate upright on it. Then place another light purple 1x1 round flower plate upright to the right.

61. Now horizontally place your part on top of the build so it is centered horizontally behind the 1x4 sloped curved tile.

62.1. Let's make 2 identical parts! Horizontally place a tan 1x4 arch brick in front of you. Then horizontally place a tan 1x3 slope brick on the 3 leftmost columns so it slopes to the right. Then place a transparent light blue 1x1 pyramid tile on the leftmost and rightmost studs.

62.2. Now you should have 2 identical parts! Diagonally place 1 on top of the 1x4 plate that is to the left of the part you previously placed so there is no overhang and it slopes to the front left. Then repeat symmetrically to the right. Now put your build away while we make the next part!

Building Instructions (Bag 4, Book 3):

Group 16 - Castle

1. Let's make the potion room! Horizontally place a green 2x6 plate with a rounded side in front of you so the rounded side faces the front. Then horizontally place a light brown 1x2 plate on the back row so it is centered horizontally.

2. Place a green 2x2 sloped curved tile on top of the 1x2 plate so it slopes to the front. There should be no overhang.

3. Place a tan 2x2 corner brick on the back row on the 2nd stud from the left so it overhangs to the back and looks like the braille letter f. Then repeat symmetrically to the right.

4. Horizontally place the front row of a dark tan 4x8 plate underneath the back overhang so it is centered horizontally.

5. Horizontally place a tan 1x2 brick with a vertical hole on the front left corner of the 4x8 plate so the hole faces the back left. Then insert the downward pin of a tan 1x2 brick into the hole so the 1x2 brick faces the back left. Now repeat both parts symmetrically to the right.

6. Place a white 1x1 brick with a side stud behind the left column of the 2x2 sloped curved tile so the side stud faces the front. Then horizontally place a white 1x3 brick to the left. Now horizontally place a white 1x4 brick to the right of the 1x1 brick with a side stud.

7. Horizontally place a white 1x8 brick on top of the bricks from the previous step so it is centered horizontally.

8. Stack 2 tan 1x1 round bricks together, then place them on the left 1x1 brick that is on the 2nd row from the front. Then repeat symmetrically to the right.

9. Horizontally place a white 1x2x2 panel with a small window on top of the 1x8 brick so it is centered horizontally and the wall faces the front. Now vertically place a tan 1x2 masonry brick to the left of the 1x2x2 panel so there is no overhang and the brick grooves face the right. Then repeat symmetrically to the right.

10. Place a purple 1x1 plate with 3 leaves upright on the front-facing side stud so the leaves face the top right. Then place a light purple 1x1 round flower plate upright on it.

11. Rotate your build 180 degrees. Then horizontally place a black 1x4 panel with a grate on the 3rd row from the front so it is centered horizontally and the wall faces the back.

12. Place 2 transparent orange 2x2 tiles with a stud, 1 to the right of the other, in front of the previous 1x4 panel with a grate so they are centered horizontally. Then vertically place a light brown 1x2 plate on the 2nd and 3rd rows from the front to the right of the 1x4 panel with a grate. Now repeat symmetrically to the left.

13. Place a light brown 1x1 round tile on the front studs of each of the 1x2 plates from the previous step.

14. Place a light brown 1x1 brick with a scroll on the back studs of each of the 1x2 plates from step 12 so the scrolls face the front.

15. Place a black 1x1 pot with a handle on the left 2x2 tile with a stud so the handle faces the left. Then place a dark grey vase on the right 2x2 tile with a stud.

Group 17 - Castle

16. Place a light brown 1x1 brick with a scroll on top of the back stud of the left 1x1 brick with a scroll from step 14 so the scroll faces the right. Then place a light brown 1x1 round brick in front of the left column of the scroll brick so it sits on top of the scroll. Now repeat both parts symmetrically to the right.

17. Horizontally place a red brown 2x6 plate on top of the bricks from the previous step so it is centered horizontally.

18. Horizontally place 2 light brown 1x2x3 slope bricks, 1 to the right of the other, on the back row of the previous 2x6 plate so together they are centered horizontally and slope outwards to the left and right. Now horizontally place a light brown 1x2 plate on top.

Group 18 - Castle

19. Place a transparent green 1x1 round brick in front of the rightmost column of the 1x2x3 slope bricks from the previous step. Then place a silver 1x1 round plate on top. Now place a light brown 1x1 wine glass to the left. Then place a transparent purple 1x1 cone brick to the left. Now place a silver 1x1 round plate on top.

20. Rotate your build 45 degrees counterclockwise then orient the overhanging 1x2 brick that is in the front so it is vertical. Now horizontally place the rightmost column of a dark tan 2x6 plate underneath the overhang. Then repeat symmetrically to the right.

21.1. Rotate your build 90 degrees clockwise so the diagonal 2x6 plate that is on the right is now horizontal. Let's make a part! Place a tan 1x1 brick with a hole in front of you so the hole faces the front. Then insert the 1L side of a blue 3L pin with a stop into the front of the hole. Now insert another 1x1 tan brick with a hole into the front of the pin so it goes all the way in.

21.2. Vertically place your part on top of the 1x2 brick that is in the front so the pin faces the front.

22. Vertically place a light brown 1x2 plate on top of the bricks from the previous step. Then vertically place a tan 1x2 plate with a bar on the long side on top so the bar faces the left. Then vertically place another light brown 1x2 plate on top.

23. Diagonally place a white 1x2 brick with a vertical hole on top of the 1x2 brick that is to the back left of the previous 1x2 plate you placed so the hole faces the front. Now vertically attach the pin of a tan 1x2 brick with a downward pin to the hole so the brick sits on the 1x2 plate.

24. Rotate your build so it is horizontal again and the pot and vase face the front! Now horizontally place the rightmost column of a white 1x3 rounded plate on top of the right bar so the leftmost column sits to the right of the 1x2x3 slope brick. It should be diagonal!

25. Rotate your build 45 degrees counterclockwise so the diagonal 2x6 plate that is on the left is now horizontal. Now place a dark tan 1x1 brick to the left of the back stud of the 1x2 brick that is on top of the 2x6 plate.

26. Place a dark tan 2x2 corner plate on top of the 1x2 brick and 1x1 brick from the previous step so there is no overhang. It should look like the braille letter d.

27. Place a light brown 1x1 brick with a clip on the front stud of the previous 2x2 corner plate so the clip faces the front. Then horizontally place a tan 1x2 masonry brick behind it so the brick grooves face the back.

28. Vertically place a tan 1x2 plate with a bar on the long side on top of the 1x1 brick with a clip and masonry brick from the previous step so the bar faces the right. Now place a tan 1x1 plate with a clip to the left of the back stud of the 1x2 plate with a bar so the clip faces the front.

29. Place a dark tan 2x2 corner plate on top of the plates from the previous step so it looks like the braille letter d.

30. Vertically place a tan 1x2 brick with a vertical hole on top of the right column of the previous 2x2 corner plate so the hole is in the back right. Then attach the pin of a white 1x2 brick so it sits diagonally to the back right. There should be no overhang!

Group 19 - Castle

31. Rotate your build so it is horizontal again and the pot and vase face the front! Now horizontally place the leftmost column of a white 1x3 rounded plate on top of the right bar so the rightmost column sits to the left of the 1x2x3 slope brick. It should be diagonal!

32. Horizontally place a white 1x3 brick to the left and right of the 1x2 window that is behind the 2 light brown 1x2x3 slope bricks.

33. Horizontally place a white 1x4 brick on top of the back row so it is centered horizontally.

34.1. Let's make 2 identical parts! Horizontally place a white 1x3x3 arch brick in front of you so it overhangs to the right. Then horizontally place a white 1x2 brick on the leftmost column so it overhangs to the left. Then horizontally place a tan 1x3 plate on the 3 rightmost columns.

34.2. Now you should have 2 identical parts! Vertically place the 1x2 brick overhang of 1 part to the left of the 1x4 brick from the previous step so the arch faces the front. Then repeat symmetrically to the right.

35. Rotate your build 180 degrees. Horizontally place a tan 1x4x2 arch brick on the masonry bricks on the 2nd row from the front so it is centered horizontally. Now place a dark green 1x1 round plate with a bar to the left of the front stud of the arch assembly you placed on the left so the bar faces the front. Then repeat symmetrically to the right.

36. Horizontally place a white 1x1 slope curved brick with a 1x1 plate part on top of the left 1x1 round plate with a bar so it slopes to the left. There should be no overhang! Then repeat symmetrically to the right.

37. Place a dark tan 1x1 plate to the left of the right 1x1 sloped curved brick with a 1x1 plate part from the previous step. Then repeat symmetrically to the left. Now vertically place a tan 2x3 plate in between them so there is no overhang.

38. Horizontally place a tan 1x4 sloped curved tile on the front row of the previous 2x3 plate so it is centered horizontally.

39. Rotate your build 180 degrees. Then rotate your build 45 degrees clockwise so the diagonal 2x6 plate that is on the right is now horizontal in front of you. Horizontally place a tan 1x2x3 slope brick in the back right corner so it slopes to the right. Then vertically place a tan 1x2x3 slope brick on the 5th column from the right so it slopes to the front.

Group 20 - Castle

40. Horizontally place a tan 1x4x2 arch brick on top of the 2 previous 1x2x3 slope bricks. Then horizontally place a dark tan 1x2 inverted slope brick to the left so it slopes and overhangs to the left.

41. Place a tan 1x1 brick with a hole in front of the right stud of the 1x2 inverted slope brick from the previous step so the hole faces the front. Then insert the pin of a blue 2L pin axle into the front so the axle faces the front.

42. Horizontally place a tan 1x3 slope brick on the right 3 studs of the 1x4 arch brick so it slopes to the right. Now place a tan 2x2 corner brick to the left so it looks like the braille letter f.

43. Place a dark tan 1x1 brick to the left of the back row of the previous 2x2 corner brick.
44. Horizontally place a dark tan 1x4 plate on top of the previous bricks so there is no overhang. Then place a dark tan 1x1 slope brick in front of the 2nd stud from the left of the 1x4 plate so it slopes to the front.
45. Rotate your build 90 degrees counterclockwise so the diagonal 2x6 plate that is on the left is now horizontal. Now horizontally place a tan 1x2x3 slope brick on the back left corner so it slopes to the left.
46. Horizontally place a tan 1x4 arch brick on top of the previous 1x2x3 slope brick and 1x1 plate that is to the right so there is no overhang. Now place a tan 2x2 inverted slope brick to the right so it slopes and overhangs to the right.
47. Horizontally place a tan 1x3 slope brick on the 3 leftmost studs of the previous 1x4 arch brick so it slopes to the left. Then horizontally place a tan 1x3 brick to the right.
48. Horizontally place a dark tan 1x4 plate on top of the bricks from the previous step so there is no overhang. Then horizontally place a tan 1x2 tri-slope tile in front of the 2 rightmost studs of the 1x4 plate so it slopes to the front.
49. Attach the handle of a black pan to the right front-facing clip so the pan hangs down. Then attach the handle of a silver cleaver to the left front-facing clip so the blade is upright and faces the left. Now place an orange pumpkin to the left so it is centered on the 2x2 set of studs. Now insert a green stem with 3 leaves into it.
- 50.1. Rotate your potion room so it is horizontal and the pot and vase face the back. There should be 2 bars of 1x1 round plates facing the front! Now let's make a part! Vertically place a green 1x4 leaf plate with 6 studs in front of you so the extended stud faces the front. Place a teal 1x1 plate with 3 leaves on the back right stud so the leaves face the front.
- 50.2. Place a white 1x1 round flower plate on the back stud. Then repeat symmetrically to the front. Now place another 1 on the front left stud.
- 50.3. Place a teal 1x1 plate with 3 leaves underneath the front stud so the leaves face the front. Then repeat symmetrically to the back. Now place the back stud of your part upright on the left front-facing bar so it hangs down!

Group 21 - Castle

51. Place a purple 1x1 plate with 3 leaves upright on the right front-facing bar so the leaves face down. Now place another 1 upright on it so the leaves face the left. Then place a light purple 1x1 round flower plate upright on it.
52. Let's make a part! Horizontally place a white 4x6 plate in front of you. Then horizontally place a tan 1x2 masonry brick on the back row so it is centered horizontally and the brick grooves face the back.
53. Place a white 2x2 corner brick with a cutoff corner in the back left corner so the cutoff corner faces the back left. Then repeat symmetrically to the right.

54. Horizontally place a tan 1x2 masonry brick on the back row so it is centered horizontally and the brick grooves face the back. Then horizontally place a tan 1x2 jumper plate on top.

55.1. Let's make a part! Horizontally place a white 2x4x6 door frame in front of you so the thinner side faces the front. Attach a light grey 4x6 door with a sticker to the right side so it opens to the right. Then close it so the sticker faces the front!

55.2. Place a white 1x1 round plate upright on the front-facing side stud.

55.3. Skip this step if you have already placed your sticker! Ask a helper to place sticker 5 on the light grey 4x6 door. This sticker is just a silver cover! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

55.4. Horizontally place your door frame on the 2nd and 3rd rows from the front so it is centered horizontally and the door opens to the front.

56. Horizontally place a teal 1x2 plate on the front row of the 2x4x6 door frame so it is centered horizontally. Then place a transparent light blue 1x1 pyramid tile to the left and right.

57. Rotate your build 180 degrees. Then place a white 2x2x5 curved panel on the front left corner so the curve faces the front left. Then repeat symmetrically to the right.

58. Horizontally place a tan 1x6 plate on the 2nd row from the front so it is centered horizontally.

59. Place a tan 1x1x3 brick on top of the jumper plate that is on the front row. Then horizontally place a 1x2 tan jumper brick with inverted curved sloped sides on top.

60. Horizontally place a tan 1x4 sloped curved tile on top of the previous 1x2 tan jumper brick so it is centered horizontally.

Group 22 - Castle

61. Horizontally place a white 1x2 double slope brick on the 2 leftmost columns of the 1x6 plate. Then repeat symmetrically to the right.

62. Place a white 2x2 double slope brick in between the double slope bricks from the previous step so it slopes to the left and right.

63. Now make sure your main build is horizontal and the pot and vase face the back. Then horizontally place your part on top so it is centered horizontally in front of the 1x4 sloped curved tile.

64.1. Let's make 2 identical parts! Horizontally place a tan 1x4 arch brick in front of you. Then horizontally place a tan 1x3 slope brick on the 3 leftmost columns so it slopes to the right. Then place a transparent light blue 1x1 pyramid tile on the leftmost and rightmost studs.

64.2. Now you should have 2 identical parts! Diagonally place 1 on top of the 1x4 plate that is to the left of the part you previously placed so there is no overhang and it slopes to the front left. Then repeat symmetrically to the right. Now put your build away while we make the last part!

Building Instructions (Bag 5, Book 4):

Group 23 - King Magnifico

Sub-build 3. Locate 1 pair of legs printed with tan shoes and white shorts with vertical light blue lines outlined in gold, 1 tan torso with a white top with blue and gold linings, 1 cape printed with a white side and a side that is blue with gold stars, 1 tan head printed with blue eyes, and a dark grey beard, 1 dark grey hair, and 1 silver spear. Assemble your minifigure and make sure the white side of the cape faces the back away from the minifigure, then attach the spear to his hand! Now put him aside while we make the rooftop!

Group 24 - Castle

1. Place a light brown 8x8 plate with a rounded side in front of you so the rounded side faces the back.
2. Place 2 tan 1x6 curved bricks, 1 to the right of the other, on the back row so together they are centered horizontally and align with the rounded side of the plate.
3. Horizontally place a light grey 1x2 tile with a rounded side on the 2nd row from the back so it is centered horizontally and the rounded side faces the back.
- 4.1. Let's make a part! Horizontally place a white 1x4 plate in front of you. Then horizontally place 2 light grey 1x2 plates with a bar, 1 to the right of the other, on top so the bars face the front.
- 4.2. Horizontally place 2 dark grey 1x2 plates with 2x2 anti side-studs, 1 to the right of the other, on top so the anti side-studs face the back. Now turn your part so it sits on the 2x4 anti studs and the 1x4 studs face the front.
- 4.3. Horizontally place your part in front of the 1x2 tile with a rounded side so it is centered horizontally and the 1x4 side studs face the front!
5. Horizontally place a light grey 1x4 tile in front of your previous part so it is centered horizontally. Now vertically place a light grey 1x2 tile with a rounded side to the right so the rounded side faces the right. Make sure the front row of the tile of the rounded side is in row with the 1x4 tile. Then repeat symmetrically to the left.
6. Horizontally place 2 white 1x2 hinge panels, 1 to the right of the other, upright on the 1x4 front-facing side studs so the wall faces down.
7. Horizontally attach the bar of a light grey 2x2 plate with a bar underneath to each of the front-facing panels with 2 clips so the 2x2 side studs face the front. They should be vertical and not diagonal!

Group 25 - Castle

8. Horizontally place a transparent light blue 1x4 panel on the lower front-facing row so the wall faces down. Then horizontally place a transparent light blue 1x4 tile upright above it.
9. Place 2 white 1x6x6 curved panels printed with 3 vertical brown windows, on the back row so together they are centered horizontally and they sit on top of the 1x6 curved bricks. There should be no overhang!

10.1. Horizontally attach the clips of a light grey hexagonal tile with 2 clips and a sticker to the 2 top-facing bars so it is centered horizontally, upright, and the sticker faces the front.

10.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 8 on the light grey hexagonal tile with 2 clips. This sticker is light grey with 7 white spikes. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

11. Place a tan 1x1x6 pillar on the front left corner. Then place another 1 on the leftmost column on the 4th row from the front. Now repeat both parts symmetrically to the right.

12. Vertically place a tan 1x4 arch brick on top of the left 2 pillars. Then repeat symmetrically to the right.

13.1. Let's make a part! Horizontally place a tan 1x6 arch brick in front of you. Then place the front row of a light brown 8x8 plate with a rounded side on top so the rounded side faces the back.

13.2. Place your part on top so it is centered and the 1x6 arch brick sits in between the 1x1x6 pillars on the front row.

Group 26 - Castle

14. Place 2 tan 1x6 curved bricks, 1 to the right of the other, on the back row so together they are centered horizontally and align with the rounded side of the plate.

15. Vertically place a tan 1x2 slope brick on the front left corner so it slopes to the front. Then vertically place a tan 1x2 masonry brick behind it so the brick grooves face the left. Now repeat both parts symmetrically to the right.

16. Vertically place a tan 1x2 slope brick on the leftmost column on top of the 2nd and 3rd rows from the front so it slopes to the front. Then repeat symmetrically to the right.

17.1. Let's make 3 identical parts! Horizontally place a tan 1x2 brick with 2 side studs in front of you so the side studs face the front. Then horizontally place a tan 1x4 tile upright on the front so it is centered horizontally.

17.2. Now you should have 3 identical parts! Horizontally place 1 on the back row so it is centered horizontally and the 1x4 tile faces the back. Now vertically place another 1 on the leftmost column behind the 1x2 slope brick so the tile faces the left. Then repeat symmetrically to the right.

18. Place a tan 1x3 diagonal brick on the back left corner so the flat side faces the back left. Then repeat symmetrically to the right.

19. Place a tan 2x2 brick on the 3rd and 4th rows from the back so it is centered horizontally. Then place a tan 1x1 brick with a scroll in front of the right column of the 2x2 brick so the scroll faces the right. Now repeat symmetrically to the left.

20. Horizontally place a white 1x2 log brick on the back row of the 2x2 brick from the previous step.

21. Horizontally place a white 1x2 jumper plate on top of the log brick from the previous step. Then horizontally place a white 2x4 tile with 2 studs in front so it is centered horizontally.

22. Place a transparent light blue head on top of the 1x2 jumper plate and each of the studs of the 2x4 tile from the previous step.

Group 27 - Castle

23.1. Let's make 3 identical parts! Horizontally place a white 2x4 plate in front of you. Now horizontally place a white 1x2 hinge panel on the back row so it is centered horizontally and the wall faces the back.

23.2. Horizontally place a light grey 1x2 slope tile on the front row so it is centered horizontally and slopes to the front.

23.3. Attach the bar of a light grey 2x2 plate with a bar underneath to the 1x2 hinge panel so it overhangs to the front.

23.4. Horizontally place a dark grey 1x2 plate with a ball on the back row of the 2x2 plate with a bar underneath so the ball faces the back.

23.5. Place a white 2x2 sloped curved tile with a sticker on top of the previous 1x2 plate with a ball and 2x2 plate with a bar underneath so it slopes to the front. Now bend it forward so it is diagonal.

23.6. Skip this step if you have already placed your sticker! Ask a helper to place sticker 6 on the white 2x2 sloped curved tile. This sticker is a dark grey square. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

23.7. Now you should have 3 identical parts! Vertically place 1 part on the leftmost column on top of the 1x4 set of studs so it overhangs 1 column to the left and the ball faces the left. Then repeat symmetrically to the right. Now horizontally place 1 part on the back row so it is centered horizontally and the ball faces the back.

24. Horizontally place a white 1x2 slope brick on the 2 leftmost columns on top of the front row of your leftmost part from the previous step so it slopes to the right. Then repeat symmetrically to the right.

25. Place a white 2x2 plate with a cutoff corner on the back left corner so the cutoff corner faces the back left. Then repeat symmetrically to the right.

26. Place a white 1x4 diagonal brick on the back left corner so the flat side faces the back left. Then repeat symmetrically to the right.

27. Place a tan 1x3 diagonal brick to the front right of the previous 1x4 corner brick you placed on the back left corner so the flat side faces the front right. Then repeat symmetrically to the right.

28. Rotate your build 180 degrees. Now horizontally attach a teal film with 3 holes to the left, front, and right balls so it makes a half-pyramid roof!

29. Make sure the balls are all the way through!

30.1. Vertically place a black 1x2 book cover with a bar in front of you so the bar is on the right.

30.2. Vertically place a white 1x2 tile with a sticker on top.

30.3. Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the white 1x2 tile. This sticker is a bunch of words! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

30.4. Attach the bar of a black book cover with a sticker to the left clips, then close the book so the sticker faces up!

30.5. Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the black book cover with a bar. This sticker is light grey with a white skull in the middle! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

30.6. Rotate your build 180 degrees. Then place your book on the first floor on top of the diagonal 1x4 panel and 1x4 tile!

Let's assemble all the parts now to make the castle!

1. Place the lobby you made in bags 1 and 2 in front of you so the doors open to the front.

2. Now attach the axle and pin from the kitchen from bag 3 into the holes that are on the left-facing side of your first build!

3. Repeat the previous step symmetrically to the right using the potion room from bag 4.

4. Place the roof you just made on top of the lobby so it is centered horizontally and the open back faces the back!

Thank you so much for building this set!

Visit bricksfortheblind.org for more accessible instructions, [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We also love seeing your completed builds, so please tag our [Facebook](#) and [Instagram](#) accounts in any photos of your builds so we can share your accomplishments with our Bricks for the Blind community.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets, there are no ads.