

76421 Dobby The House Elf

Adapted by John Le and tested by Natalie Charbonneau.

Delight Harry Potter™ fans with the first-ever LEGO® brick model of Dobby™ the House-Elf. The instantly recognizable brick-built figure has a posable head for different looks, and posable arms and fingers so Dobby can hold the included iconic accessories. There is a detailed buildable model of Harry Potter's sock with Tom Riddle's diary that Harry used to set Dobby free and Aunt Petunia's 'floating' pudding cake to inspire memories of classic scenes.

A magical gift idea for kids aged 8 and up and any collector of Harry Potter memorabilia, this buildable Dobby the House-Elf display model stands over 7.5 in. (19 cm) tall. Place the Dobby figure on the buildable stand with a nameplate to complete a display piece that's sure to catch the eye of every passerby.

The first LEGO® Harry Potter™ buildable model of Dobby™ the House-Elf (76421) – Your young Harry Potter fan can build and display a recreation of one of the most beloved characters in the Wizarding World.

Posable head, ears, arms and fingers – Create different looks and adjust Dobby's fingers so he can hold the brick-built accessories.

Iconic accessories – Kids can relive classic movie moments as they build Aunt Petunia's 'floating' pudding cake and a detailed model of Tom Riddle's diary with Harry Potter's sock.

Made for display – Display the Dobby™ figure on the brick-built stand with a nameplate.

LEGO® Harry Potter™ memorabilia designed to make a big visual impact – This buildable figure measures over 7.5 in. (19 cm) high, 5 in. (12 cm) wide and 4 in. (10 cm) deep.

The front of the box shows Dobby standing on his nameplate holding a book.

The back of the box shows Dobby pointing to a cake. It also shows how you can move his body parts around.

The top of the box shows a real size image of a black 2x4 sloped curved tile with Dobby on it.

The build is 403 pieces in total and is for ages 8+.

Bag 1 includes the pieces for Dobby.

Bag 2 includes the pieces for Dobby.

Bag 3 includes the pieces for the stand, book, and cake.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.

- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/76421>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 3 bags labeled 1 to 3, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Dobby

Group 1 - Steps 1-9.

Group 2 - Steps 1-5.

Group 3 - Steps 6-13.
Group 4 - Steps 14-24.
Group 5 - Steps 25-34.

Bag 2 - Dobby
Group 6 - Steps 35-44.
Group 7 - Steps 45-51.
Group 8 - Steps 52-58.
Group 9 - Steps 59-76.

Bag 3 - Stand, Book, and Cake
Group 10 - Steps 1-9.
Group 11 - Steps 1-17.
Group 12 - Steps 1-7.
Group 13 - Step 8.
Group 14 - Step 9.
Group 15 - Steps 10-11.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Sock

1. Horizontally place a dark grey 2x6 plate in front of you. Then vertically place a dark grey 1x2 slope tile on the rightmost column so it slopes to the right.
2. Place a black 2x2 plate to the left of the 1x2 slope tile.
3. Place a black 1x1 plate on the back row to the left of the 2x2 plate. Then place a black 1x3 curved plate in front so the curve faces the back left and it overhangs 2 rows to the front.
4. Vertically place the right column of a dark grey 2x3 plate with a rounded side and a hole underneath the overhang so the rounded side faces the front.
5. Place a black 1x1 plate on the front row to the left of the 1x3 curved plate. Then place another black 1x3 curved plate behind the 1x1 plate so the curve faces the back left.
6. Horizontally place a dark grey 2x3 tile to the left of the 1x2 slope tile.
7. Place a dark grey 1x2 curved tile to the left of the front row of the 2x3 tile so the curve faces the back left. Then place a dark grey 1x3 curved tile to the left of the back row of the 2x3 tile so the curve faces the back left.
8. Vertically place a dark grey 1x2 angled sloped curved tile on the left stud so it slopes to the front and the angled side is on the left. Then repeat symmetrically to the right.
9. Vertically place a dark grey 1x2 ridged brick underneath the rightmost column so the vertical ridges face the right. This is a sock!

Group 2 - Dobby

1. Vertically place a dark tan 6x8 plate in front of you. Then vertically place a light nougat 2x2 brick with a large socket on the back 2 rows so it is centered horizontally and the socket overhangs to the back.
2. Horizontally place a light nougat 1x2 plate on the back left corner. Then repeat symmetrically to the right.
3. Horizontally place a dark grey 1x2 plate with a ball on the short side on the back left corner so the ball faces the left. Then repeat symmetrically to the right.
4. Horizontally place a light nougat 1x2 plate on the back left corner. Then horizontally place a light nougat 1x2 brick in front. Now repeat both parts symmetrically to the right.
5. Horizontally place a tan 1x2 plate with 2x2 side studs hanging down on the back left corner so the side studs face the back. Then repeat symmetrically to the right.

Group 3 - Dobby

6. Horizontally place a black 1x2 plate on the back row so it is centered horizontally. Now horizontally place a tan 1x6 plate in front so it is centered horizontally.
7. Vertically place a tan 1x6 plate on the front left corner. Then repeat symmetrically to the right. Now place a light pink 2x2 tile with a stud on the 3rd and 4th rows from the back so it is centered horizontally. Then place a gold 1x1 heart tile on top so the tip faces the front.
8. Vertically place a black 2x4 brick in front of the 2x2 tile with a stud from the previous step so it is centered horizontally. Now vertically place the back two studs of a red 1x3 brick to the left of the 2x2 tile with a stud. Then repeat symmetrically to the right.
9. Vertically place 3 black 1x2 bricks with 2 side studs, 1 in front of the other, on the front left corner so the side studs face the left. Then repeat symmetrically to the right.
- 10.1. Let's make 2 identical parts! Horizontally place a tan 1x6 plate in front of you. Then place a tan 1x1 brick with a hole on the leftmost column so the hole faces left and right. Then insert a black 2L pin into the left-facing side of the hole. Now horizontally place a light nougat 1x8 brick to the right so it overhangs 3 columns to the right.
- 10.2. Horizontally place a light nougat 1x4 tile on the 4 leftmost columns. Then horizontally place a light nougat 1x2 jumper plate to the right. Now place a light nougat 1x1 round tile on top of the jumper plate.
- 10.3. Now you should have 2 identical parts! Vertically place the overhang of 1 part in front of the left 1x3 brick so it overhangs 5 rows to the front and the pin faces the front. Then repeat symmetrically to the right. These are his legs!
11. Vertically place a black 4x6 plate with 3 sides of studs behind the 1x2 jumper plates with a 1x1 round tile on them so the tile side faces the left.

12. Horizontally place a dark tan 2x6 plate upright on the 6 right-facing side studs so it hangs down. Then repeat symmetrically to the left.

13. Vertically place a dark tan 6x8 plate on top of the back 8 rows so it is centered horizontally.

Group 4 - Dobby

14. Rotate your build 180 degrees so the legs face the back. Vertically place a light nougat 1x2 jumper plate upright on the front-facing 2nd column from the left. Then place a light nougat 1x1 slope tile upright on it so it slopes to the left. Now repeat both parts symmetrically to the right.

15. Vertically place a dark tan 1x2 tile upright on the front-facing leftmost column.

16. Vertically place a dark tan 1x2 rounded plate on the front-facing rightmost column. Now horizontally place a dark tan 1x2 angled sloped curved tile upright on the bottom front-facing stud so it slopes to the right and the angled side is on top. Then repeat symmetrically to the top.

17. Flip your build upside down so it is vertical and the legs face the front. Now place 2 dark tan 2x2 plates with a smooth underside, 1 to the right of the other, on the front 2 rows of the 6x8 plate so they are centered horizontally. Then place 2 more behind them so they are centered horizontally. Then place 2 more behind them so they are centered horizontally again. You should have a 2x3 set of them now!

18. Horizontally place a dark tan 2x4 angled plate behind the 2x2 plates with a smooth side from the previous step so the angled side faces the back and the short side is on the right.

19. Flip your build over so it is vertical and the legs face the front. Now horizontally place a dark tan 1x2 plate with 2 side studs hanging down on the back row so it is centered horizontally and the side studs face the back. Now horizontally place a light nougat 1x2 sloped curved brick on the back-facing side studs so it slopes up.

20. Vertically place a dark grey 2x6 plate in front of the 1x2 plate with 2 side studs from the previous step so it is centered horizontally. Now horizontally place the 2 leftmost columns of a dark tan 2x4 angled plate in front of the 2x6 plate so the angled side faces the front and the short end faces the left.

21. Place a dark tan 2x2 sloped curved tile on the back 2 rows on top of the left column of the 1x2 plate with 2 side studs and 2x6 plate so it slopes to the left. Then repeat symmetrically to the right.

22.1. Place a dark tan 2x2 sloped curved tile in front of the left 2x2 sloped curved tile so it slopes to the left. Now horizontally place a dark tan 1x2 angled sloped curved tile to the right of the back row of the 2x2 sloped curved tile so the angled side faces the front and it slopes to the right. Then horizontally place another 1 in front so the angled side faces the back and it slopes to the right.

22.2. Place a dark tan 2x2 sloped curved tile in front of the 1x2 angled sloped curved so it slopes to the right. Now horizontally place a dark tan 1x2 angled sloped curved tile to the left of the back row of the 2x2 sloped curved tile so the angled side faces the front and it slopes to the left. Then horizontally place another 1 in front so the angled side faces the back and it slopes to the left.

23. Place a dark tan 2x2 sloped curved tile in front of the 1x2 angled sloped curved tile from the previous step so it slopes to the left. Then vertically place a dark tan 1x2 tile to the right.

24. Place a dark tan 2x2 sloped curved tile to the right of the 1x2 tile from the previous step so it slopes to the back.

Group 5 - Dobby

25. Let's make a part! Place a light nougat 1x3 curved plate in front of you so the curve faces the back left. Now vertically place a light grey 1x2 plate with a socket on the short side on the front 2 rows so the socket faces the front.

26. Horizontally place a light nougat 1x2 plate with a bar on the short side on the back row so the bar faces the right.

27. Place a light nougat 1x3 curved plate on top so the curve faces the back left.

28.1. Let's make another part! Vertically place a light nougat 1x2 plate with a bar on the long side in front of you so the bar faces the right. Then vertically place a light nougat 1x2 plate with a clip on the long side on top so the clip faces the left. Now vertically place a light nougat 1x2 plate with a bar on the long side on top so the bar faces the right.

28.2. Attach the clips of 3 light nougat blades with clips to the top right-facing bar so they curve down. Now attach another 1 to the bottom bar so it curves up. This is a hand with fingers! Now attach the left-facing clip of your part to the right-facing bar of your previous part.

29. Attach the socket of your part to the right-facing ball of your main build so the fingers face the front.

30. Let's make a part! Place a light nougat 1x3 curved plate in front of you so the curve faces the back left. Now vertically place a light grey 1x2 plate with a socket on the short side on the back row so the socket faces the right.

31. Horizontally place a light nougat 1x2 plate with a bar on the short side on the left column so the bar faces the front.

32. Place a light nougat 1x3 curved plate on top so the curve faces the back left.

33.1. Let's make another part! Vertically place a light nougat 1x2 plate with a bar on the long side in front of you so the bar faces the right. Then vertically place a light nougat 1x2 plate with a clip on the long side on top so the clip faces the left. Now vertically place a light nougat 1x2 plate with a bar on the long side on top so the bar faces the right.

33.2. Attach the clips of 3 light nougat blades with a clips to the top right-facing bar so they curve down. Now attach another 1 to the bottom bar so it curves up. This is hand with fingers! Now attach the left-facing clip of your part to the front-facing bar of your previous part.

34. Attach the socket of your part to the left-facing ball of your main build so the fingers face the front.

Building Instructions (Bag 2, Book 1):

Group 6 - Dobby

35. Let's make 2 identical parts! Horizontally place a light nougat 1x4 plate in front of you. Then horizontally place a light nougat 1x2 inverted slope brick on the rightmost column so it slopes and overhangs to the right.
36. Place a tan 1x1 brick with a hole to the left of the 1x2 inverted slope brick so the hole faces front and back.
37. Horizontally place a tan 1x3 plate on the 3 rightmost columns.
38. Place a light nougat 1x1 plate with 2 side studs sticking up, on the leftmost column so the side studs face the left. Then place a light nougat 1x1 plate to the right.
39. Horizontally place a light nougat 1x2 brick on the 2 leftmost columns.
40. Horizontally place a light nougat 1x4 plate on the 4 leftmost columns.
41. Horizontally place a light nougat 1x2 sloped curved tile on the 2 rightmost columns so it slopes to the right.
42. Place a tan 1x1 plate with a side stud on the leftmost column so the side stud faces the left. Then horizontally place a light nougat 1x3 sloped curved brick on top so it slopes to the right.
43. Place 3 light nougat 1x1 half-cylinder bricks upright on the left-facing side studs so they slope up and down.
44. Now you should have 2 identical parts! Place 1 part in front of you on its side so the half cylinder bricks face the front and the slopes curved parts face the left. Now place the front-facing pin of the left leg of your main build on top of the hole of your part. Then repeat symmetrically to the right. These are his feet!
45. Let's make a part! Horizontally place a light nougat 2x3 plate in front of you.
46. Horizontally place a tan 1x5 plate on the back row so it is centered horizontally. Then repeat symmetrically to the front.

Group 7 - Dobby

47. Horizontally place a light blue 2x3 plate on top so it is centered horizontally.
48. Place 2 light nougat 1x1 plates with 2 side studs above the plate, 1 in front of the other, on the leftmost column so the side studs face the left. Then repeat symmetrically to the right.
49. Place a light pink 2x2 brick on the 2 leftmost columns. Then repeat symmetrically to the right.
- 50.1. Let's make a part! Vertically place a red 1x2 plate in front of you. Then place 2 light blue 1x1 bricks with a hole, 1 in front of the other, on top so the holes face the front. Now vertically place a red 1x2 plate on top. Then insert a red 2L pin with a 1L axle into the front-facing hole so the axle faces the front.

50.2. Vertically place your part on top in between the 2x2 bricks so the axle faces the front.

51. Horizontally place a tan 1x2 plate with 2x2 side studs hanging down on the front left corner so the side studs face the front. Then repeat symmetrically to the back. Now repeat both parts symmetrically to the right.

Group 8 - Dobby

52.1. Let's make 2 identical parts! Vertically place a light nougat 1x2 plate in front of you. Then horizontally place 2 light nougat 1x2 sloped curved tiles, 1 in front of the other, on top so they slope and overhang to the left.

52.2. Now you should have 2 identical parts! Place 1 upright on the right-facing side studs so it slopes down. Then repeat symmetrically to the left.

53. Horizontally place a light nougat 2x3 plate to the left of the middle 1x2 plate. Then repeat symmetrically to the right.

54. Horizontally place a white 2x3 brick on top so it is centered horizontally. Then vertically place a brown 1x2 brick to the left and right.

55. Vertically place a light nougat 1x2 plate with a clip on the long side on the leftmost column so the clip faces the left. Then repeat symmetrically to the right.

56. Place a light grey 1x1 plate with 2 side studs hanging down on the front row so it is centered horizontally and the side studs face the front. Then horizontally place a tan 1x2 plate with 2x2 side studs hanging down to the left and right so the side studs face the front. Now repeat everything symmetrically to the back.

57. Horizontally place 2 tan 1x5 plates, 1 above the other, upright on the top 2 front-facing rows so they are centered horizontally. Now horizontally place 2 light nougat 1x2 jumper plates, 1 above the other, upright on the front-facing side studs below the 2 leftmost columns of the 1x5 plates. Then repeat symmetrically to the right.

58. Horizontally place a light nougat 2x3 plate upright on the top 2 front-facing rows so it is centered horizontally. Then place 2 light grey 1x1 quarter tiles, 1 above the other, upright, to the left so the curves face the top left. Now repeat symmetrically to the right.

Group 9 - Dobby

59. Rotate your build 180 degrees. Now horizontally place 2 light nougat 1x2 jumper plates, 1 above the other, upright on the front-facing side studs on the lower 2 rows of the 2 leftmost columns. Then place a light nougat 1x1 quarter tile upright on the leftmost front-facing column above it so the curve faces the top right. Then place another 1 upright to the right so the curve faces the top left. Now repeat everything symmetrically to the right side.

60. Place 2 black 1x1 round tiles with an upward bar, upright on the 2 leftmost columns of the top front-facing row. Then repeat symmetrically to the right.

61. Vertically place a black 1x3 rounded plate upright on the middle 2 front-facing studs so it hangs 1 row down. Then vertically place a light nougat 1x2 plate upright on the top 2 studs of the 1x3 rounded plate.

62. Horizontally place a light nougat 3x4 car hood with a smile and 2 studs upright on the front-facing 4 jumper plates so it slopes down. Then horizontally place a light nougat 1x2 jumper plate upright on it.

63.1. Let's make 2 identical parts! Horizontally place a white 1x2 tile with a rounded side upside down in front of you so the rounded side faces the front. Now place a white 2x2 round plate with a smooth underside printed with a black eye with green circle surrounding it on top so it overhangs 1 row to the back.

63.2. Now you should have 2 identical parts! Place the back row of 1 part upright on the left 2 front-facing bars of the 1x1 round tiles so it hangs down. Then repeat symmetrically to the right.

64. Vertically place a light nougat 1x3 inverted sloped curved brick upright on the 3 front-facing side studs so it slopes up. Then vertically place a light nougat 1x4 plate on top of the top-facing studs so it is centered.

65. Vertically place a light nougat 3x4 sloped curved car hood on top of the 3 leftmost columns so it slopes to the left and is centered vertically. Then repeat symmetrically to the right.

66. Horizontally place a light nougat 2x3 plate on top so it is centered. Then place a light nougat 1x1 plate in front and behind the middle column.

67. Place a light nougat 1x1 brick upright on the front-facing stud. Then place a light nougat 1x1 half cylinder brick upright on it so it slopes up and down.

68. Rotate your build 180 degrees. Vertically insert a light nougat 1x2 axle pin connector connected to a ball to the front-facing axle so the ball faces down.

69. Horizontally place 2 light nougat 1x4 sloped curved tiles, 1 above the other, upright on the bottom 2 front-facing rows.

70. Bring back your main build and orient it upright so that the toes and hands face the front. Now attach the ball to the top-facing socket so the nose faces the front!

71. Let's make 2 identical parts! Horizontally place a light nougat 1x4 plate in front of you. Then horizontally place a light nougat 1x2 plate with a bar on the short side on the 2 leftmost columns so the bar faces the left.

72. Horizontally place a light nougat 1x2 plate on the 2 rightmost columns.

73. Horizontally place a light nougat 1x2 plate on top so it is centered horizontally.

74. Horizontally place a light nougat 1x4 sloped curved tile on top so it is centered horizontally.

75.1. Let's make a part! Horizontally place a light nougat 1x2 inverted slope brick in front of you so it slopes to the right. Then place a light nougat 1x1 brick on the left column. Then horizontally place a light nougat 1x2 inverted slope brick to the right so it slopes and overhangs to the right.

75.2. Horizontally place your part underneath the 3 leftmost columns of your previous part so it slopes to the right.

76. Now you should have 2 identical parts! Attach the clip of 1 part to the top right-facing clip of the head so the 1x4 sloped curved tile is on top. Then repeat symmetrically to the left. These are his ears! Now put him away while we make the stand!

Building Instructions (Bag 3, Book 1):

Group 10 - Stand

1. Place a light grey 6x6 plate in front of you. Then place a light pink 2x2 brick on top so it is centered.
2. Vertically place a black 2x4 brick behind the 2x2 brick so 2 rows overhang to the back. Then repeat symmetrically to the front. Now horizontally place 1 to the right of the 2x2 brick so it overhangs 2 columns to the right. Then repeat symmetrically to the left.
3. Place a black 1x6 curved plate underneath the front right corner of the front 2x4 brick so the curve faces the front right. The back row of this plate should also attach underneath the front right corner of the right 2x4 brick. Now repeat symmetrically to the left. Then repeat both parts symmetrically to the back.
4. Place a black 4x4 quarter brick on the front right corner on top of the curved plate and 6x6 plate so the curved side faces the front right. Then repeat symmetrically to the left. Now repeat both parts symmetrically to the back.
5. Place a black 1x6 curved plate on the front right corner so the curve faces the front right and there is no overhang. Then repeat symmetrically to the left. Then repeat both parts symmetrically to the back. Now vertically place a red 1x2 plate on the 2nd column from the right so it is centered vertically.
6. Horizontally place a light grey 2x3 tile to the left of the 1x2 plate from the previous step. Now vertically place a light grey 2x3 tile in front so it is centered horizontally. Then repeat symmetrically to the back.
7. Vertically place a light grey 1x2 tile to the left of the horizontal 2x3 tile. Then place a light grey 2x2 tile with an upright 1x2 plate to the right so the side studs face the front. Now vertically place a light grey 1x2 tile to the left.
8. Place a light grey 1x1 quarter tile in front of the right column of the previous 2x2 tile with an upright 1x2 plate so the curve faces the front left. Then place a light grey 1x2 curved tile to the front left of it so the curve faces the front left. Then place a light grey 1x3 curved tile to the front left so the curve faces the front left. Now repeat everything symmetrically at the other 3 corners of the build.
- 9.1. Vertically place a black 2x4 sloped curved tile with a sticker on top of the 2 rightmost columns so it is centered vertically and slopes to the right.
- 9.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 1 on the black 2x4 sloped curved tile. This sticker says Dobby in gold letters! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

9.3. Rotate your stand so the sticker faces the front. Now horizontally place Dobby on top and connect the back 2 right-facing anti-studs of the leg on the left side to the upright 1x2 plate so he faces the front! Now put it away for now while we make a book!

Group 11 - Book

1. Horizontally place a black 2x6 plate in front of you. Then vertically place a black 1x2 plate with 2 bars on the short sides on the rightmost column so the bars face front and back.
2. Horizontally place 5 black 1x2 plate with 2 bars on the short sides, 1 to the right of the other, to the left of the previous 1x2 plate with 2 bars.
3. Horizontally place a black 2x6 tile on top so it is centered horizontally.
4. Let's make a part! Horizontally place a white 4x6 plate in front of you.
5. Place a black 4x4 tile with 3 sides of studs, 2 clips, and a sticker on top so it is centered horizontally and the clips face the front.
6. Skip this step if you have already placed your stickers! Ask a helper to place sticker 3 on the black 4x4 tile with 3 sides of studs and 2 clips. This sticker is a red and dark blue blob! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
7. Vertically place a black 1x3 tile on the front left corner. Then place a gold 1x1 heart tile behind it so the tip faces the front right. Now repeat both parts symmetrically to the right.
8. Flip your part upside down so the clips face the front. Now place a white 2x2 round plate with a smooth underside on the back 2 rows so it is centered horizontally.
9. Make sure your part is still upside down, then attach the front-facing clips of your part to the back-facing bars of your previous part so it is centered horizontally.
10. Let's make a part! Horizontally place a white 4x6 plate in front of you.
11. Place a black 4x4 tile with 3 sides of studs, 2 clips, and a sticker on top so it is centered horizontally and the clips face the front.
12. Skip this step if you have already placed your stickers! Ask a helper to place sticker 3 on the black 4x4 tile with 3 sides of studs and 2 clips. This sticker is a red and dark blue blob! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 13.1. Vertically place a black 1x3 tile with a sticker on the front right corner. Then place a gold 1x1 heart tile behind it so the tip faces the front left.
- 13.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 2 on the black 1x3 tile. This sticker says Tom Morvolo Riddle. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

14. Vertically place a black 1x3 tile on the front left corner. Then place a gold 1x1 heart tile behind it so the tip faces the front right.

15. Flip your part upside down so the clips face the back. Now place a white 2x2 round plate with a smooth underside on the front 2 rows so it is centered horizontally.

16. Make sure your part is still upside down, then attach the back-facing clips of your part to the front-facing bars of your previous part so it is centered horizontally.

17. Close the book by rotating the sides so the studs face outwards to the front and back. Now put it aside while we make a cake!

Group 12 - Cake

1. Horizontally place a white 4x8 plate with a rounded side in front of you so the rounded side faces the back. Then horizontally place another 1 in front so the rounded side faces the front. Make sure they are aligned!

2. Place a light pink 2x2 brick on top so it is centered.

3. Place a white 2x2 corner brick with a cutoff corner to the back left of the 2x2 brick so the cutoff corner faces the back left. Then repeat symmetrically to the front. Now repeat both parts symmetrically to the right.

4. Horizontally place a white 1x2 half cylinder brick on the 2nd row from the front so it is centered horizontally and the rounded side faces the front. Now repeat symmetrically to the back. Then vertically place a white 1x2 curved panel on the 2nd column from the left so it is centered vertically and the rounded side faces the left. Then repeat symmetrically to the right.

5. Place a light green 1x1 round plate on the front right corner. Then repeat symmetrically to the back left. Now place a light purple 1x1 round flower plate on the front left corner. Then repeat symmetrically to the back right.

6. Place a white 1x2 rounded plate on the left stud of the front row so it is diagonal to the left. There should be no overhang. Now repeat symmetrically to the right. Now repeat everything to the left side, back, and right side.

7. Place either light green 1x1 round plates or 1x1 round flower plates on top of the 1x2 rounded plates so they alternate. Don't forget about the 1x1 round plates and 1x1 round flower plates that are in the corners! You should place 8 of each!

Group 13 - Cake

8. Place 10 red 1x1 round plates, 1 on top of each of the light green 1x1 round plates.

Group 14 - Cake

9.1. Let's make 2 identical parts! Place a white 6x6 round plate in front of you. Place a light green 1x1 round plate on the left stud of the front row. Then place a light purple 1x1 round flower plate to the right. Now fill up the studs on the edge of the 6x6 round plate with 5 more of each so they alternate!

9.2. Now you should have 2 identical parts! Place 1 part on top of the main build so it is centered. Then place another 1 on top so it is also centered.

Group 15 - Cake

10.1. Let's make a part! Place a white 6x6 round plate in front of you. Then place a light purple 2x2 round tile on top so it is centered.

10.2. Place 20 light purple 1x1 round flower plates on top so all the studs of the 6x6 round plate are covered.

10.3. Place a red 1x1 round plate on the right stud of the front row. Then place 5 more around the edge of the plate so there is 1 stud gap in between each of them!

10.4. Place your part on top of the cake so it is centered.

11. Let's make a part! Place a transparent 8x8 dish with 2x2 studs in front of you. Then stack 2 transparent 2x2 round bricks on top so there is no overhang. Now place your part of the cake on top so it is centered.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 7 LEGO Harry Potter Theme kits:

76402 Hogwarts™: Dumbledore's Office

76401 Hogwarts™ Courtyard: Sirius's Rescue

76413 Hogwarts™: Room of Requirement

76398 Hogwarts™ Hospital Wing

76386 Hogwarts™: Polyjuice Potion Mistake

76415 The Battle of Hogwarts™

76389 Hogwarts™ Chamber of Secrets

