

76962 Baby Bumpy: Ankylosaurus

Set adapted by Alex Charbonneau and tested by Natalie Charbonneau.

Inspire fans of the Camp Cretaceous TV show with a Baby Bumpy: Ankylosaurus dinosaur toy (76962) model full of play-and-display adventure possibilities. First, young dinosaur tenders aged 7+ build this LEGO® Jurassic World set, then they dive into play as they start exploring the world with Bumpy. The build-a-dinosaur adventure set figure includes an opening jaw, articulated tail that waggles when the head moves from side to side, articulated legs and some veggies. Once play is over, display the fun dinosaur gift in different dynamic poses on a shelf or table.

This creative toy for kids works well with different LEGO Jurassic World models in the series (each sold separately) to entertain kids, whether they want to recreate classic scenes from the animated series or simply build and display a clever model to show off their passion. The set is also an ideal size for pick-up-and-play portable fun.

Ankylosaurus Dinosaur toy:

- Inspire a passion for dinosaur-related adventures in kids aged 7 and up with this Baby Bumpy: Ankylosaurus toy animal, which offers fans fun play-and-display options.

Baby Bumpy toy:

- Features a dinosaur figure of an Ankylosaurus from the Jurassic World Camp Cretaceous animated TV show, plus 4 veggie elements to encourage role play and storytelling possibilities.

Poseable dinosaur model:

- With opening jaws and a movable head that waggles the tail, plus articulated legs, this build-a-dinosaur adventure set can be posed in all sorts of ways for play or display.

Dinosaur gift:

- Designed for kids who love dinosaurs, animal adventures or being a hero, this Ankylosaurus set makes a creative present or fun everyday gift for boys or girls who deserve a treat.

Extend the fun:

- This detailed playset encourages dinosaur fans to extend the play in creative ways by adding it to other LEGO® sets (sold separately) including those in the Jurassic World series.

Camp Cretaceous LEGO® set:

- LEGO Jurassic World building sets are made to encourage a kid's love of dinosaur toys, helping them expand their creativity and develop their storytelling skills.

Dimensions:

- This 358-piece set includes a Baby Bumpy figure that measures over 3 in. (8 cm) high, 8 in. (20 cm) long, and 3.5 in. (9 cm) wide.

The box is light gray. On the front of the box is an image of a baby ankylosaurus eating some plants. The dinosaur is teal on top, with tan spikes and lower body. Its body is low to the ground, and it has a large ball at the end of its tail. Behind the baby dinosaur is a cracked open eggshell, indicating this baby has just hatched! In the bottom right is a realistic image of an ankylosaurus. In the bottom left is the Jurassic World logo.

The top of the box shows images of the vegetables included in the set, including a carrot and a pumpkin. There is also a life size image of the carrot piece.

The back of the box shows the baby dinosaur climbing on a rock. Its mouth is open to hold a vegetable. There is a small inset image showing that the head and tail can both swivel side to side!

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of the piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner who may want to follow along with the printed visual instructions that come with each kit, PDF versions are always online at LEGO.com:

(<https://www.lego.com/en-us/service/buildinginstructions/76962>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2 and 3, and put them in one container.

This LEGO set comes with three bags labeled 1-3, and an instruction booklet. Sort the pieces into groups as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split across two groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

This build is 358 pieces, and 107 building steps.

Bag 1 (5 groups of bricks)

Group 1 contains the pieces for steps 1-8.
Group 2 contains the pieces for steps 9-14.
Group 3 contains the pieces for steps 15-20.
Group 4 contains the pieces for steps 21-27.
Group 5 contains the pieces for step 28.

Bag 2 (7 groups of bricks)

Group 6 contains the pieces for steps 29-35.
Group 7 contains the pieces for steps 36-43.
Group 8 contains the pieces for steps 44-50.
Group 9 contains the pieces for steps 51-54.
Group 10 contains the pieces for steps 55-61.
Group 11 contains the pieces for steps 62-64.
Group 12 contains the pieces for steps 65-72.

Bag 3 (4 groups of bricks)

Group 13 contains the pieces for steps 73-83.
Group 14 contains the pieces for step 84.
Group 15 contains the pieces for steps 85-94.
Group 16 contains the pieces for steps 95-107.

Building Instructions:

Open bag 1.

Open group 1.

1. We'll start by building the dinosaur's body! Place a dark tan 4x8 plate horizontally in front of you.
2. Place a dark gray 2x2 brick with a hollow cylinder on one side, with the cylinder at the front, on the front two studs on the right two columns of the previous piece. We'll use these to attach legs later on! Repeat symmetrically on the back side.
- 3.1. Place a lime green 1x2 plate, vertically and centered vertically, to the left of the previous two pieces.
- 3.2. Place a black 2x2 turntable base to the left of the previous piece. This piece kind of looks like a 2x2 tile that's got a circular cutout on top.
- 3.3. Push a light gray 2x2 turntable plate down into the circular cutout of the previous piece until it clicks. It should spin freely. This piece looks like a really thin 2x2 round plate with a little pin on the bottom.
- 3.4. Place a lime green 1x2 plate, vertically, to the left of the turntable.
4. Place the back row of two tan 1x2 plates with a 1x2 inverted curved slope brick on one side, with the curved slope at the front, on the front row to the left of the 2x2 brick with a cylinder. Repeat symmetrically on the back side.
5. Place the front row of a dark gray 4x4 hollow square plate on the back row of the front two previous piece. The back row should connect to the back two previous pieces.
6. Place a light gray 2x2 round brick on the turntable in the hole of the previous piece.
7. Place a black 2x4 plate, horizontally and centered horizontally, in front of the previous piece. Repeat symmetrically on the back side.

8. Place a dark gray 2x2 brick with a hollow cylinder on one side, with the cylinder at the front, on the front two studs on the left two columns of the body. Repeat symmetrically on the back side.

Open group 2.

9.1. Place a brown 2x2 tile, centered vertically, on the previous two pieces. Repeat symmetrically on the right side.

9.2. Place a tan 1x8 tile, horizontally, in front of the previous two pieces. Its side should be even with the sides of the body. Repeat symmetrically on the back side.

10. The front and back rows of the body should only be four studs long. Place two dark tan 1x2 plates with two studs hanging down from one long side, with the side studs at the front, on the front row. Repeat symmetrically on the back side.

11. Place a tan 1x2 slope tile, horizontally with the thick side on top, on each of the pieces from the previous step.

12.1. Now we'll build up the sides of the body! Set the body aside for now. Place a tan 2x6 plate horizontally in front of you.

12.2. Place a brown 1x4 plate, horizontally and centered horizontally, on the back row of the previous piece.

12.3. Place a red 1x1 round plate on the left and right studs of the previous piece.

12.4. Place two sand green 1x2 hinge brick bases, horizontally with the flat side at the back, on the middle four studs on the front row of the 2x6 plate.

12.5. Place the right column of a teal 2x2 wedge slope brick, with the stud at the back right, on the leftmost column of the 2x6 plate. Repeat symmetrically on the right side.

12.6. Repeat steps 12.1-12.5.

12.7. Place the rest of the body in front of you, horizontally with the cylinders for mounting the legs at the front and back. Place one side assembly, horizontally with the hinge brick bases at the front, on the front two rows of the body. Repeat symmetrically on the back side.

13.1. Next we'll build the connection points for the head and tail of the dinosaur! Set the body aside for now. Place a light brown 2x8 plate horizontally in front of you.

13.2. Place a white 2x2 round tile with a single stud, centered horizontally, on the previous piece.

13.3. Place a dark gray 1x2 plate with one click finger on one short side, horizontally with the click finger on the left, on the left two studs of both rows of the 2x8 plate. Repeat symmetrically on the right side.

13.4. Place a light gray 1x2 tile, vertically, on the left studs of the left two pieces from the previous step. Repeat symmetrically on the right side.

13.5. Place a light gray 2x2 curved slope tile, sloping to the right, to the right of the left previous piece. Repeat symmetrically on the right side.

13.6. Place the rest of the body in front of you, horizontally with the cylinders for mounting the legs at the front and back. Place the assembly we just made, horizontally and centered vertically, on the body. It should attach to the turntable. This will allow the head and neck to move left and right a little bit!

14. Place a tan 2x6 plate, vertically and centered horizontally, on the body. The center anti-stud of this piece should connect to the 2x2 round tile with a single stud from the previous assembly.

Open group 3.

15.1. Place a brown 1x4 plate, horizontally and centered horizontally, on the front and back rows of the previous piece.

15.2. Place a red 1x1 round plate behind the middle two studs of the previous piece. Repeat symmetrically on the back side.

16.1. Now we'll make some of the angled armor plates on the side of the dinosaur! Place a light gray 2x2 hinge plate, with the hinge at the front, in front of you.

16.2. Place a teal 2x2 tile with a single stud on the previous piece.

16.3. Repeat steps 16.1-16.2 three times.

16.4. Clip the hinge of one of the armor plate assemblies, with the hinge at the front, into both of the front two hinge bricks. Rotate it all the way forward so the armor plate stands straight up. Repeat symmetrically on the back side.

17. Now we'll start building the top of the dinosaur's back. Set the rest of the body aside for now. Place a light brown 2x8 plate horizontally in front of you.

18. Place a dark tan 2x6 plate with two rounded corners, vertically with the rounded corners on the left, centered vertically on the left two columns of the previous piece. Repeat symmetrically on the right side.

19. Place a teal 1x1 slope tile, with the thick side on the right, on the middle two studs on the left column of the left previous piece. Repeat symmetrically on the right side.

20.1. Now we'll make some more armor plates! Place a dark tan 2x3 plate vertically in front of you.

20.2. Place a tan 1x2 slope tile, horizontally with the thick side at the back, on the front row of the previous piece.

20.3. Place a sand green 1x2 hinge brick base, horizontally with the flat side at the back, behind the previous piece.

20.4. Clip a light gray 2x2 hinge plate, with the hinge at the back, into the previous piece. Hinge it down so it touches the 1x2 slope tile on the front row.

20.5. Place a tan 2x2 plate on the previous piece.

20.6. Place a teal 2x2 tile with a single stud on the previous piece.

20.7. Repeat steps 20.1-20.6 three times.

20.8. Place two armor assemblies, vertically with the row of studs at the back, on the back assembly between the two 2x6 plates with rounded corners so that the fronts are even. There should be a row of studs behind the armor assemblies. Repeat symmetrically on the back side.

Open group 4.

21. Place a pale green 2x6 plate, horizontally and centered vertically and horizontally, on the back.

22.1. Place a sand green 1x2 hinge brick base, vertically with the flat side at the right, on the leftmost column of the previous piece. Repeat symmetrically on the right side.

22.2. Clip a light gray 2x2 hinge plate, with the hinge on the right, into the left previous piece. Hinge it down so it touches the slope tiles to the left of the base. Repeat symmetrically on the right side.

22.3. Place a teal 2x2 tile with a single stud on both previous pieces.

23. Place a teal 2x2 wedged slope brick, with the stud at the back right, on the front left corner of the back. Repeat on all four corners of the back, keeping the stud closest to the middle of the body.

24. Place a tan 1x1 slope tile, with the thick side at the back, on the front two previous pieces. Repeat symmetrically on the back side.

25.1. Now we'll place the last two armor plates! Place a tan 2x4 brick horizontally in front of you.

25.2. Place two teal 1x2 plates with a rail, horizontally with the rail at the front, on the front row of the previous piece. Repeat symmetrically on the back side.

25.3. Place two teal 2x2 tiles with a single stud on the previous four pieces.

25.4. Place this assembly, centered horizontally and vertically, on the back.

26. Place the rest of the body in front of you, horizontally with the cylinders for mounting the legs at the front and back. Place the back assembly on top of the body.

27. Hinge the two lowest armor assemblies on the front side of the body back so they touch the body behind them. Repeat symmetrically on the back side.

Open group 5.

28. Now we'll put bumps on every single armor plate! Place a tan 1x1 slope tile, with the thick side on the right, on every stud on top of the dinosaur. There should be a total of twelve.

Open bag 2.

Open group 6.

29.1. Now we'll build the dinosaur's head. Set the body aside for now. Place a light brown 1x5 plate horizontally in front of you.

29.2. Place the back stud of a tan 1x2x2 tall brick with four studs on one side, vertically with the side studs on the right, on the right stud of the previous piece.

30. Place the right stud of a light brown 1x5 plate, horizontally, under the front stud of the previous piece.

31.1. Place a teal 1x2 plate, vertically, on the second column from the right.

31.2. Place a black 1x2 brick with a log pattern, vertically, on the previous piece.

31.3. Place a teal 1x2 plate, vertically, on the previous piece.

32.1. Place a tan 1x2x2 tall brick with four studs on one side, horizontally with the side studs at the front, on the front row to the left of the previous three pieces. Repeat symmetrically on the back side.

32.2. Place a teal 1x2x2 tall brick with four studs on one side, vertically with the side studs on the left, to the left of the previous two pieces.

33. Place a teal 1x2 plate on the bottom row of side studs on the previous piece.

34. Place a teal 1x1 slope tile, with the thick side on the bottom, on both studs above the previous piece.

35.1. Place a teal 1x1 plate with a 1x1 slope tile on one side, horizontally with the slope tile on the left, on the left two studs on both rows of the head.

35.2. Place a red 1x1 round plate to the left of both previous pieces.

Open group 7.

36. We're going to start on the bottom of the head now. Set the rest of the head aside. Place a dark tan 2x4 plate horizontally in front of you.

37. Place a tan 2x2 plate with two studs on one side, with the side studs on the left, on the left two columns of the previous piece. Repeat symmetrically on the right side.

38.1. Place a red 1x2 plate with two clips on one long side, horizontally with the clips at the front, centered horizontally on the front row. We'll use these clips to attach the dinosaur's mouth later on.

38.2. Place a tan 1x2 plate, horizontally, behind the previous piece.

39. Place a medium brown 2x2 plate on the previous two pieces.

40. Place a black 1x2 plate with two click fingers on one short side, with the click fingers at the back, on both columns of the previous piece.

41.1. Place a medium brown 1x1 brick with a stud on one side, with the stud on the left, on the back left corner of the lower head. Repeat symmetrically on the right side.

41.2. Place a red 1x1 brick with studs on two adjacent sides, with the side studs at the front and left, in front of the left previous piece. Repeat symmetrically on the right side.

42. Push a light gray 4L bar in to the hollow front stud on both of the previous pieces. This will add some support to the head later on!

43. Keeping the studs on top, rotate the bottom of the head 180 degrees so the click fingers are at the front. Place the front two rows of the rest of the head, vertically with the slope tiles at the back, centered horizontally on the bottom of the head. The top of the head should extend just a little past the two bars from the previous step.

Open group 8.

44. Place a tan 1x2x2 tall brick with four studs on one side, vertically with the side studs on the left, on the leftmost column of the head. This column only has two studs on it. Repeat symmetrically on the right side.

45. Place a tan 2x4 tile with rounded ends, horizontally, on the four side studs on the front of the head. This piece goes right above the click fingers.

46. Place a tan 2x2 plate with two studs on one side, with the side studs on the left, on the left two studs on the front two rows. Repeat symmetrically on the right side.

47. Keeping the studs on top, rotate the head 90 degrees counterclockwise so the slope tiles are on the left. Place a dark tan 2x4 plate, horizontally and centered vertically, on the head so the right sides are even.

48. Place a teal 2x3 plate, horizontally, on the previous piece so the right sides are even.

49.1. Place the right column of a teal 2x2 curved slope tile, sloping to the left, on the left column of the previous piece.

49.2. Place the back row of a teal 2x2 curved slope tile, sloping to the front, on the front row to the right of the previous piece. Repeat symmetrically on the back side.

50.1. Now we'll build the dinosaur's nose! Place a dark tan 2x4 double wedge slope brick, horizontally with the studs on top at the front, in front of you.

50.2. Place a tan 1x1 tall plate under the left and right studs on the front row of the previous piece.

50.3. Place a black 1x1 round plate with a hollow stud under both of the previous pieces.

50.4. Rotate the nose so the studs are on the left and the flat side is at the bottom. Attach the top row to the row of side studs on the left side of the head. The two bars on the head will go into the hollow anti-stud of the previous two pieces to give the nose some stability.

Open group 9.

51.1. Next we'll make the lower jaw! Place a dark tan 2x4 plate horizontally in front of you.

51.2. Place a dark tan 1x4 tile, horizontally, on the back row of the previous piece.

51.3. Place a dark tan 2x2 curved slope tile, sloping to the front, centered vertically in front of the previous piece.

51.4. Find two dark tan 1x2 wedged curved slope tiles and place them vertically in front of you with the points at the front. Find the one with the long side on the right and place it to the left of the previous piece. Repeat symmetrically on the right side.

51.5. Keeping the back row at the back, flip the lower jaw upside down. Place a red 1x2 plate with a bar on one long side, upside down with the bar at the back, centered horizontally on the back row of the lower jaw.

51.6. Place the back stud of a pink 1x2 inverted curved slope, upside down and sloping to the front, on both of the studs of the previous piece.

51.7. Keeping it upside down, rotate the jaw 90 degrees clockwise so the bar is on the right side. Clip the bar on the jaw into the two clips on the head. These point to the left under the overhanging part of the head.

52.1. Now we'll build one of the dinosaur's cheeks! Set the rest of the head aside for now. Place a tan 2x3 plate, upside down and horizontally, in front of you.

52.2. Place a dark tan 1x2 plate with a rail on one side, upside down with the rail on the left, on the leftmost column of the previous piece.

53.1. Place the front two studs of a light brown 1x5 plate, upside down and vertically, to the right of the previous piece.

53.2. Place a tan 1x2 plate, upside down and vertically, to the right of the front two studs of the previous piece.

54. Keeping the 2x3 plate at the front, flip the cheek right side up. The rail from the 1x2 plate with a rail should be on the right. Place a light gray 1x2 plate with a bar holder on one long side, with the ball holder on the right, on the back two studs on the middle column of the cheek.

Open group 10.

55.1. Place the left stud of a teal 1x2 plate, horizontally, in front of the previous piece.

55.2. Place a medium brown 1x1 plate under the right stud of the previous piece. Place another on top of the right stud.

56.1. Place the front right stud of a teal 2x2 curved slope tile, sloping to the left, on the top previous piece.

56.2. Place a teal 1x1 slope tile, with the thick side on the right, behind the left column of the previous piece.

57.1. Place a tan 2x2 tile with a single stud on the right two columns of the front two rows.

57.2. Place a tan 2x3 wedged curved slope tile, horizontally with the point on the left, to the left of the previous piece.

58. Place a tan 2x2 short cone on the 2x2 tile with a single stud on the right two columns of the cheek.

59.1. Clip the ball of a light gray 1L axle with a ball on one side, with the axle pointing back and to the right, into the ball holder on the right side of the cheek near the back.

59.2. Push the centered anti-stud of a tan 2x2 short cone onto the axle of the previous piece. The anti-stud of this piece has an axle hole in it. You might need to spin the piece a bit to get it to go on.

60. Place the head back in front of you, with the lower jaw at the bottom on the left. Rotate the cheek so the anti-stud is at the back, and so it makes a backwards letter L when viewed from the front. One cone should be at the corner of the L, and the other should be on the top of the L. Place the right two columns of the cheek on the right two columns of side studs on the front of the head.

61.1. Now we'll build the dinosaur's eye! Place a teal 3x3 plate with one rounded corner, with the rounded corner at the front left, in front of you.

61.2. Place a red 1x1 round plate on the back right corner of the previous piece.

61.3. Place a teal 1x1 plate with a 1x1 slope tile on one side, with the slope tile on the left, to the left of the previous piece.

61.4. Place the left stud of a sand green 1x2 hinge brick base, horizontally with the flat side at the back, on the previous piece.

61.5. Place a tan 1x2 slope brick, with the slope at the front, on the right column in front of the previous piece.

61.6. Place a teal 2x2 wedged slope brick, with the stud at the back right, to the left of the previous piece.

61.7. Clip a teal 2x2 hinge plate, with the hinge at the front, into the hinge brick base. The back of this plate will overhang.

61.8. Place a black 2x2 round tile with an eye pattern on the previous piece. Rotate the back of the hinge plate up as far as it will go.

61.9. Rotate the assembly so the anti-stud is at the back and so the hinge plate with the eye overhangs to the right. Place it on the remaining four side studs on the front side of the head. The right and bottom sides of this assembly should touch the cheek we made.

Open group 11.

62.1. Now we'll build the other cheek. Set the rest of the head aside for now. Place a tan 2x3 plate, upside down and horizontally, in front of you.

62.2. Place a dark tan 1x2 plate with a rail on one side, upside down with the rail on the left, on the leftmost column of the previous piece.

63.1. Place the back two studs of a light brown 1x5 plate, upside down and vertically, to the right of the previous piece.

63.2. Place a tan 1x2 plate, upside down and vertically, to the right of the back two studs of the previous piece.

64. Keeping the 1x2 plate with a rail on the left, flip the cheek right side up. The 1x5 plate should now extend to the back. Place a light gray 1x2 plate with a bar holder on one long side, with the ball holder on the left, on the back two studs on the middle column of the cheek.

Open group 12.

65.1. Place the right stud of a teal 1x2 plate, horizontally, in front of the previous piece.

65.2. Place a medium brown 1x1 plate under the left stud of the previous piece. Place another on top of the left stud.

66.1. Place the front left stud of a teal 2x2 curved slope tile, sloping to the right, on the top previous piece.

66.2. Place a teal 1x1 slope tile, with the thick side on the left, behind the right column of the previous piece.

67.1. Place a tan 2x2 tile with a single stud on the left two columns of the front two rows.

67.2. Place a tan 2x3 wedged curved slope tile, horizontally with the point on the right, to the right of the previous piece.

68. Place a tan 2x2 short cone on the 2x2 tile with a single stud on the left two columns of the cheek.

69.1. Clip the ball of a light gray 1L axle with a ball on one side, with the axle pointing back and to the left, into the ball holder on the left side of the cheek near the back.

69.2. Push the centered anti-stud of a tan 2x2 short cone onto the axle of the previous piece. The anti-stud of this piece has an axle hole in it. You might need to spin the piece a bit to get it to go on.

69.3. Place a tan 1x1 half dome on the previous piece. This horn is longer than the one on the other side!

70. Place the head back in front of you, with the lower jaw at the bottom on the right. Rotate the cheek so the anti-stud is at the back, and so it makes a letter L when viewed from the front. One cone should be at the corner of the L, and the other should be on the top of the L. Place the left two columns of the cheek on the left two columns of side studs on the front of the head.

71.1. Now we'll build the dinosaur's second eye! Place a teal 3x3 plate with one rounded corner, with the rounded corner at the front right, in front of you.

71.2. Place a red 1x1 round plate on the back left corner of the previous piece.

71.3. Place a teal 1x1 plate with a 1x1 slope tile on one side, with the slope tile on the right, to the right of the previous piece.

71.4. Place the right stud of a sand green 1x2 hinge brick base, horizontally with the flat side at the back, on the previous piece.

71.5. Place a tan 1x2 slope brick, with the slope at the front, on the left column in front of the previous piece.

71.6. Place a teal 2x2 wedged slope brick, with the stud at the back left, to the right of the previous piece

71.7. Clip a teal 2x2 hinge plate, with the hinge at the front, into the hinge brick base. The back of this plate will overhang.

71.8. Place a black 2x2 round tile with an eye pattern on the previous piece. Rotate the back of the hinge plate up as far as it will go.

71.9. Rotate the assembly so the anti-stud is at the back and so the hinge plate with the eye overhangs to the left. Place it on the remaining four side studs on the front side of the head. The left and bottom sides of this assembly should touch the cheek. The front and back sides of the head should be symmetrical.

72. Place the body in front of you, horizontally with the cylinders for mounting the legs at the front and back. The thick sides of the 1x1 slope tiles on the armor plates should be on the left. Find the two click fingers on the right side of the body and attach them to the click fingers on the left side of the head.

Open bag 3.

Open group 13.

73. Find the two holes on the left side of the body under the two click fingers. Push a red 1L pin with a stud on one side, with the stud on the left, into each of these holes.

74. Place a dark tan 1x4 tile, centered front to back, on the previous two pieces.

75. Next up, we'll build the dinosaur's tail! Set the dinosaur aside for now. Place a dark tan 1x2 plate with rounded ends, vertically, in front of you.

76.1. Place the leftmost stud of a dark tan 1x4 inverted curved slope, horizontally and sloping to the right, on both studs of the previous piece.

77.1. Place a tan 1x2 plate with two click fingers on one short side, with the click fingers on the left, on both previous pieces.

78. Place a tan 2x4 plate with an articulated joint on one side, horizontally with the joint on the right, on the tail. The articulated joint looks like a box open on one side with little clips on the top and bottom sides.

79. Place a teal 2x4 plate, horizontally, on the previous piece.

80.1. Place a teal 2x2 tile with a single stud, on the right two columns of the previous piece.

80.2. Place a teal 1x2 plate with a rail on one side, vertically with the rail on the left, on the leftmost column of the tail.

81.1. Place the left column of a teal 2x2 curved slope tile, sloping to the right, on the previous piece.

81.2. Place a tan 1x1 slope tile, with the thick side on the right, on the 2x2 tile with a single stud.

82. Rotate the tail 180 degrees so the click fingers are on the right.

83. Place the rest of the dinosaur in front of you with the head at the right. Attach the click fingers on the right side of the tail to the click fingers on the left side of the body.

Open group 14.

84.1. Ankylosaurus has a large ball at the end of the tail! We'll build that now. Place a dark tan 2x2 inverted curved slope, with the higher side on the right, in front of you.

84.2. Place the right stud of a dark gray 1x2 plate with two studs sticking up from one long side, with the side studs at the front, on the front stud on the left column of the previous piece. Repeat symmetrically on the back side.

84.3. Place the right column of a dark tan 2x2 inverted curved slope, with the higher side on the left, under the left studs of the previous two pieces.

84.4. Place a dark tan 2x4 plate with an articulated joint, horizontally with the joint on the right, on the assembly.

84.5. Place a dark tan 1x1 slope tile, with the thick side on top, on both of the front side studs. Repeat symmetrically on the back side.

84.6. Place the back row of a dark tan 2x4 triple wedge slope, horizontally with the studs on the back row, on the front row of the 2x4 plate with an articulated joint. Repeat symmetrically on the back side.

84.7. Clip the articulated joint on the right side of the ball into the joint on the left side of the tail.

Open group 15.

85.1. Next we'll start building legs. Set the rest of the dinosaur aside for now. Find a tan 2x2 brick with a pin hole and half-ball joint on one side. Place this piece in front of you with the half-ball joint on the left. There is a pin hole oriented front to back on the half-ball joint.

85.2. Find a black half-ball joint with two perpendicular pins, one longer than the other. Rotate the piece so the longer one points to the left and the shorter one points to the back. Push the short pin into the pin hole on the half-ball joint from the previous step. You should be able to rotate the pin on the right up and down now and it should click as it moves. Rotate it so it points straight to the left.

86. Place a dark gray 1x2 plate with two studs sticking up from one long side, horizontally with the side studs at the front, under the front row of the 2x2 brick with the ball joint. Repeat symmetrically on the back side.

87. Place a tan 1x2 plate with two studs hanging down from one long side, horizontally with the side studs at the front, on the front row of the 2x2 brick with the ball joint. Repeat symmetrically on the back side.

88. Place a tan 2x2 plate on the previous two pieces.

89.1. Place a teal 1x1 quarter circle tile, with the straight sides at the left and back, on the front right stud of the previous piece. Repeat symmetrically on the back side.

89.2. Place a teal 2x2 curved slope tile, sloping to the left, to the left of the previous two pieces.

90. Place a tan 1x2 ingot tile, upright, on the left column of side studs on the front side of the leg.

91.1. Place a tan 1x2 brick with a log pattern, vertically, in front of you.

91.2. Place the right stud of a dark tan 1x1 tile with a 1x1 slope tile on one side, horizontally with the slope on the right, on both studs of the previous piece.

91.3. Keeping the brick with the log pattern on the right, rotate the previous three pieces so the anti-stud is at the back and place the left column on the side stud to the right of the 1x2 ingot tile from step 90.

92. Keeping the ball joint at the left, flip the leg upside down. Place a tan 2x2 round plate with a rounded bottom, upside down, on the anti-stud on top of the leg.

93.1. Now we'll build the foot for this leg. Place a tan 2x3 curved slope brick with a wing on one side, horizontally with the wing at the left, in front of you.

93.2. Place a tan 1x1 plate with a stud sticking up from one side, with the side stud at the front, under the front stud of the right column of the previous piece. Repeat symmetrically on the back side.

93.3. Place a dark tan 1x1 tile with one rounded end, with the rounded end on the left, on all four studs of the foot. These are the toes of the leg!

93.4. Keeping the wing at the left, rotate the foot so the anti-studs are at the back. Place the left two columns of the foot on the side studs on the front of the leg. The right side of the foot should be even with the right side of the leg.

93.5. Repeat steps 85.1-93.4.

94. Place the dinosaur in front of you, with the head on the right. Rotate one of the legs so the pin of the ball joint is at the back. Push the pin into one of the large cylinders on the front side of the dinosaur until it clicks into place. Rotate the leg so the 2x2 round plate with a rounded bottom is at the back and the toes are on the right. Repeat with the other leg on the front side of the dinosaur.

Open group 16.

95. Now we'll build the legs for the other side of the dinosaur. Set the rest of the dinosaur aside for now. Find a tan 2x2 brick with a pin hole and half-ball joint on one side. Place this piece in front of you with the half-ball joint on the right.

95.2. Find a black half-ball joint with two perpendicular pins, one longer than the other. Rotate the piece so the longer one points to the right and the shorter one points to the front. Push the short pin into the pin hole on the half-ball joint from the previous step. You should be able to rotate the pin on the left up and down now and it should click as it moves. Rotate it so it points straight to the right.

96. Place a dark gray 1x2 plate with two studs sticking up from one long side, horizontally with the side studs at the front, under the front row of the 2x2 brick with the ball joint. Repeat symmetrically on the back side.

97. Place a tan 1x2 plate with two studs hanging down from one long side, horizontally with the side studs at the front, on the front row of the 2x2 brick with the ball joint. Repeat symmetrically on the back side.

98. Place a tan 2x2 plate on the previous two pieces.

99.1. Place a teal 1x1 quarter circle tile, with the straight sides at the right and back, on the front left stud of the previous piece. Repeat symmetrically on the back side.

99.2. Place a teal 2x2 curved slope tile, sloping to the right, to the right of the previous two pieces.

100. Place a tan 1x2 ingot tile, upright, on the right column of side studs on the front side of the leg.

101.1. Place a tan 1x2 brick with a log pattern, vertically, in front of you.

101.2. Place the left stud of a dark tan 1x1 tile with a 1x1 slope tile on one side, horizontally with the slope on the left, on both studs of the previous piece.

101.3. Keeping the brick with the log pattern on the left, rotate the previous three pieces so the anti-stud are at the back and place the right column on the side stud to the left of the 1x2 ingot tile from step 90.

102. Keeping the ball joint at the right, flip the leg upside down. Place a tan 2x2 round plate with a rounded bottom, upside down, on the anti-stud on top of the leg.

103.1. Now we'll build the foot for this leg. Place a tan 2x3 curved slope brick with a wing on one side, horizontally with the wing at the right, in front of you.

103.2. Place a tan 1x1 plate with a stud sticking up from one side, with the side stud at the front, under the front stud of the left column of the previous piece. Repeat symmetrically on the back side.

103.3. Place a dark tan 1x1 tile with one rounded end, with the rounded end on the right, on all four studs of the foot. These are the toes of the leg!

103.4. Keeping the wing at the right, rotate the foot so the anti-studs are at the back. Place the right two columns of the foot on the side studs on the front of the leg. The left side of the foot should be even with the left side of the leg.

103.5. Repeat steps 95.1-103.4.

104. Place the dinosaur in front of you, with the head on the left. Rotate one of the legs so the pin of the ball joint is at the back. Push the pin into one of the large cylinders on the front side of the dinosaur until it clicks into place. Rotate the leg so the 2x2 round plate with a rounded bottom is at the back and the toes are on the left. Repeat with the other leg on the front side of the dinosaur.

105. Now, rotate all four legs down so the feet are at the bottom. The dinosaur should stand on its own now!

106.1. Now we'll make some food for the baby dinosaur! Let's make a carrot first. Push the short bar of a small green flower with 7 petals into the thick end of a carrot. Repeat that with a pumpkin.

106.2. Push another small green flower with seven petals into the hole on the side of a light green curled up plant stalk. This piece has a stud on the bottom, and makes a little curly-que at the top.

107.2. Make a plant that looks like lettuce by placing a green 2x2 round tile upside down in front of you.

107.3. Place a dark green 2x2 round plate with four petals, upside down, on the previous piece.

107.4. Push a green 1L bar with three leaves on top down into the hollow anti-stud of the previous piece.

107.5. Push the short bar of a yellow small flower with five petals down into the small hole on top of the previous piece. Now the baby dinosaur can have a snack so it will grow up big and strong! This completes the Baby Bumpy: Ankylosaurus.

Thank you so much for building this set!

There is one page of ads after the instructions end.

There are four ads on the page. The first ad is for set number 76964, the T-rex skull. The next is for set number 76960, Brachiosaurus Discovery. The third is for set number 76966, Dinosaur Missions: Allosaurus Transport Truck. The last is for set number 76965, Dinosaur Missions: Stegosaurus Discovery.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.