### 76309 Spider-Man vs. Venom Muscle Car

Adapted by John Le and tested by Jolene Nemeth.

Spider-Man vs. Venom Muscle Car (76309) is a high-quality, buildable toy-car playset for boys and girls aged 7 and up. This build-and-play LEGO® set is an ideal gift for young Super Heroes, especially Marvel fans and kids who enjoy hands-on adventure toys.

The buildable Venom car toy comes with 3 minifigures: Spider-Man with a web blaster, Venom with 4 tentacles and Spider-Woman (Julia Carpenter) with a flexible web that is large enough to ensnare a villain. The Venomized car features a shooter on each side, an accessible engine and an opening cockpit. Venom can sit inside the car by removing his 2 lower tentacles, which can be used to further Venomize the car. A safe containing gold bars inspires role-play action between the heroes and villain. The safe can be dragged away by the car, which also includes a compartment for the gold bars.

Buildable Venom car playset for kids – Spider-Man vs. Venom Muscle Car is a premium-quality build-and-play toy for LEGO® Marvel fans and boys and girls aged 7 and up.

Super Hero adventures – The buildable set includes 3 LEGO® Marvel minifigures: Spider-Man with a web shooter, Venom with 4 tentacles and Spider-Woman (Julia Carpenter) with a large flexible web.

Spider-Man action – Role play involves a safe containing gold bars and the villain's Venomized car, which features storage for the gold, 2 shooters, an accessible engine and an opening cockpit.

Venom car chase – The Venom minifigure can be placed inside the car by removing his 2 lower tentacles, which can be used to further Venomize the car.

254-piece buildable playset –The Venomized car measures over 1.5 in. (4 cm) high, 8 in. (20 cm) long and 2.5 in. (7 cm) wide.

The front of the box shows Venom's muscle car flying down the street dragging a safe full of gold! Unluckily, the gold is flying out the safe! Spider Man and Spider Women are chasing after Venom to retrieve the gold!

The back of the box shows Venom's muscle car parked in the back on a street! The hood flew off revealing the engine exhaust! Spider Woman is in the back getting the gold while Spider Man is in the front trapping Venom in a web!

The top of the box shows a real size image of Spider Woman

The build is 254 pieces in total and is for ages 7+.

Bag 1 includes the pieces for Spider-Man and the muscle car.

Bag 2 includes the pieces for Venom, Spider-Woman, and the muscle car!

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.

- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic<sup>™</sup> part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic<sup>™</sup>.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins. Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift- arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic<sup>™</sup> uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<a href="https://www.lego.com/en-us/service/buildinginstructions/76309">https://www.lego.com/en-us/service/buildinginstructions/76309</a>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

# Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 2 bags labeled 1 and 2, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

```
Bag 1 - Spider Man and Muscle Car
```

Group 1 - Spider Man

```
Group 1 - Page 5.
Group 2 - Steps 1-12.
Group 3 - Steps 13-21.
Group 4 - Steps 22-34.
Group 5 - Steps 35-39.

Bag 2 - Venom, Spider Woman, and Muscle Car Group 6- Page 46.
Group 7 - Page 47.
Group 8 - Steps 40-50.
Group 9 - Steps 51-62.
Group 10 - Steps 63-72.
Group 11 - Steps 73-84.
Group 12 - Steps 85-88.

Let's get to building!

Building Instructions (Bag 1, Book 1):
```

Sub-build 1. Locate 1 blue pair of legs, 1 red and blue torso printed with a black web and spider, 1 red head printed with a black web and white eyes, and 2 white web blasters! Assemble your minifigure then attach the web blasters to his hands! You can press on the back of them to fling them from the minifigure. Now put him away while we make the muscle car!

## Group 2 - Venom's Muscle Car

- 1. Vertically place a dark grey 2x6 plate with 1x2 bricks with axle holes on the sides in front of you. Then vertically place a light grey 1x2 plate with 2 clips on the long side on the rightmost column so it is centered vertically and the clips face the right.
- 2. Place a dark grey 2x2 curved corner plate in front of the ppp so it overhangs 1 column to the right and looks like the braille letter e. Then repeat symmetrically to the back.
- 3. Place a tan 2x2 corner plate on the leftmost column on the 2nd and 3rd rows from the front so it overhangs 1 column to the left and looks like the braille letter d. Then repeat symmetrically to the back.
- 4. Vertically place a light grey 1x4 plate underneath the leftmost overhang so it is centered vertically.
- 5. Place a black 2x2 plate with a cutoff corner on the front stud of the leftmost column so it overhangs 1 row to the front and the cutoff corner faces the front left. The studs should look like the braille letter f. Then repeat symmetrically to the back.
- 6. Place a tan 2x2 corner plate on the front 2 rows on the 2nd and 3rd columns from the left so it looks like the braille letter f. Then repeat symmetrically to the back.
- 7. Horizontally place a black 6x12 car base on top so it is centered vertically and overhangs 9 columns to the left.
- 8. Horizontally place a dark grey 1x2 rounded plate on the 2 rightmost columns of the 2nd row from the front. It should only attach to 1 stud! Then repeat symmetrically to the back.
- 9. Place a dark red 4x4 plate on the 4 rightmost columns so it is centered vertically.
- 10. Place a black 1x1 plate with a side stud facing up on the front right corner so the side stud faces the right. Then place a light grey 1x1 plate on top. Now repeat both parts symmetrically to the back.
- 11. Vertically place a light grey 1x4 plate to the left of the previous 4x4 plate so it is centered vertically.
- 12. Vertically place a white 1x2 steering wheel to the left of the ppp so it is centered vertically and the wheel faces the left. Now vertically place a tan 1x2 ingot tile on the 5th column from the left so it is centered vertically.

#### Group 3 - Venom's Muscle Car

- 13.1. Let's make a part! Place a light grey 4x4 plate in front of you. Then vertically place 2 dark grey 1x2 plates with 2 side studs facing up, 1 in front of the other, on the leftmost column so the side studs face the left.
- 13.2. Vertically place a yellow 1x2 plate on the rightmost column so it is centered vertically. Then vertically place a dark grey 2x4 plate to the left.
- 13.3. Vertically place a black 1x6 plate on the leftmost column so it is centered vertically and overhangs 1 row to the front and back.

- 13.4. Vertically place your part underneath the 3 leftmost columns of overhang so the side studs face the left.
- 14. Place a black 2x2 plate with a cutoff corner on the front row of the 4th column from the left so it overhangs to the front and the cutoff corner faces the back right. It should only attach to 1 stud and the studs of the plate should look like the braille letter h. Then repeat symmetrically to the back.
- 15. Vertically place a dark grey 1x2 rounded plate on the front 2 rows of the 4th column from the left. Then repeat symmetrically to the back.
- 16. Place a white 4x4 tile with 4 studs on the 4 leftmost columns so it is centered vertically and the studs are on the left. Then vertically place a white 1x4x1 panel to the right so it is centered vertically and the wall faces the right.
- 17. Horizontally place 3 dark grey 1x2 plates with 2 side studs facing up, 1 to the right of the other, on the front row starting in front of the ppp so the side studs face the front. Then repeat symmetrically to the back.
- 18. Horizontally place the leftmost column of a tan 1x10 plate on the front row on the 2nd column from the left. Then repeat symmetrically to the back.
- 19. Vertically place a light grey 1x4 plate on the leftmost column so it is centered vertically.
- 20. Horizontally place a black 1x4 brick with a mudguard on the front right corner so the mudguard overhangs to the front. Then horizontally place a black 1x6 plate on the front row to the left. Then repeat both parts symmetrically to the back.
- 21. Horizontally place a black 1x4 inverted sloped curved brick with a 1x1 plate part on the front left corner so it slopes and overhangs 3 columns to the left. Then place a light grey 1x1 plate on the 3rd column from the left of this brick. Now repeat both parts symmetrically to the back.
- 22. Vertically place 2 light grey 1x2 plates with 2 side studs hanging down, 1 in front of the other, on the 4th column from the left so they are centered vertically and the side studs face the left. Then horizontally place a black 1x4 brick with a mudguard on the front row, in front of the ppp, to the left of the 1x6 plate so the mudguard overhangs 1 row to the front. Then repeat symmetrically to the back.
- 23. Horizontally place a black 1x3 plate on the front row of the 2nd, 3rd, and 4th columns from the left. Then repeat symmetrically to the back.
- 24. Vertically place a black 1x6 plate on the 4th column from the left so it is centered vertically.
- 25. Place a black 1x1 plate with a side stud sticking up on the front stud of the leftmost column so the side stud faces the left. Then repeat symmetrically to the back.
- 26. Horizontally place a light grey 1x2 plate with 2 side studs hanging down on the front row of the 2 leftmost columns so the side studs face the front. Then place a black 1x1 plate with 2 side studs hanging down to the right so the side studs face the front. Now repeat both parts symmetrically to the back.
- 27.1. Let's make a part! Let's make the back of the car! Horizontally place a dark grey 2x4 plate in front of you. Then horizontally place a dark grey 2x4 slope brick on top so it slopes to the back.
- 27.2. Horizontally place a dark grey 1x4 brick with 4 side studs on top so the side studs face the front. Now horizontally place a silver 1x2 ingot tile on top so it is centered horizontally.
- 27.3. Horizontally place 2 white 1x2 plates with a bar on the long side. 1 to the right of the other, upright on the front-facing side studs so the bars face up.

- 27.4. Horizontally place your part upright on the left-facing side studs so it is centered horizontally, slopes down, and the bars face the left.
- 28. Vertically place a black 4x6 tile with studs on 3 sides on the 4 leftmost columns so it is centered vertically and the side with no studs faces the left.
- 29. Place a light grey 1x1 plate on the rightmost column on the 2nd row from the front. Then place a white 1x1 plate with a side stud hanging down on top so the side stud faces the right. Then repeat both parts symmetrically to the back.
- 30. Place a black 1x1 plate with a side stud sticking up on the 5th column from the right and 2nd row from the front so the side stud faces the left. Then place a light grey 1x1 round tile printed with a speedometer upright on it. Now repeat both parts symmetrically to the back.
- 31. Vertically place a dark grey 2x4 plate to the right of the ppp so it is centered vertically.
- 32. Vertically place a yellow 1x2 plate on the leftmost column of the ppp so it is centered vertically. Then vertically place a light grey 1x2 log brick to the left. Now place a red 2x2 plate in front and behind them.
- 33. Horizontally place a black 1x6 plate on the front row to the left of the ppp. Then repeat symmetrically to the back.
- 34. Place a light grey 1x1 plate on the leftmost column of each of the 2 ppp. It should be the 7th column from the left.
- 35. Horizontally place 3 light grey 1x2 plates with 2 side studs hanging down, 1 to the right of the other, on the front row, to the right of the ppp so the side studs face the front. Then repeat symmetrically to the back.
- 36. Vertically place a teal 1x6 plate on the 4th column from the right so it is centered vertically. Then place a light grey 1x1 plate to the left of the 2nd stud from the back of the ppp. Then repeat symmetrically to the front.
- 37. Horizontally place a teal 1x6 plate upright on the top row of front-facing side studs. Then repeat symmetrically to the back.
- 38. Place a dark grey 2x2 plate with an angled side on the 2nd row from the front of the 5th and 6th columns from the left so the angled side overhangs to the back and the short end is on the right. Then repeat symmetrically to the back.
- 39. Place a black 2x2 plate on the front 2 rows to the right of the ppp. Then horizontally place a black 2x6 tile to the right. Now repeat both parts symmetrically to the back. Now put away your build while we make some minifigures!

Building Instructions (Bag 2, Book 1):

Group 6 - Venom

Sub-build 2. Locate 1 black pair of legs, 1 black torso printed with a white spider, 1 black neck piece with 4 bars, 1 black head printed with 2 white eyes and teeth, 2 black clips with a bar holder, and 2 black curved fangs. Assemble your minifigure and make sure the bars of the neck piece are on the back of the minifigure. Then attach the clips of the bar holders to the upper 2 bars so the bar holes face the top left and top right. Now attach the curved fangs to the bar holes! Now put him away while we make Spider Woman!

## Group 7 - Spider Woman

Sub-build 3.1. Locate 1 black pair of legs printed with white boots, 1 black torso printed with a white spider, 1 tan head printed with a black mask and white eyes, and 1 light brown hair. Assemble your minifigure then put her in front of you.

Sub-build 3.2. Let's make her web! Place a white 1x1 round tile with a top-facing bar on top of a transparent 1x1 round plate with a bar underneath. Now attach a large white web to the top-facing bar of the 1x1 round tile. Now attach it to your minifigure's hand! Then put everything away while we continue building the muscle car!

### Group 8 - Venom's Muscle Car

- 40. Place 2 light grey 2x2 plates with 2 side studs, 1 in front of the other, on the 2 rightmost columns so they are centered vertically and the side studs face the right.
- 41. Horizontally place a dark grey 1x2 rounded plate on the 3rd row from the front of the 2nd and 3rd columns from the right. Then repeat symmetrically to the back.
- 42. Vertically place a dark grey 1x2 rounded plate on the rightmost column so it is centered vertically. Then horizontally place a light grey 1x3 rounded plate in front and behind it so there is no overhang.
- 43. Horizontally place a black 1x2 jumper plate on the 2nd row from the front of the 2nd and 3rd columns from the right. Then horizontally place the 2 rightmost columns of a white 1x4 tile behind it. Now repeat both parts symmetrically to the back.
- 44. Vertically place a black 1x2 jumper plate in between the leftmost column of the previous 1x4 tiles. Then vertically place a silver 1x2 ingot tile to the right.
- 45. Place a silver 2x2 engine exhaust to the right of the ppp so it is centered vertically and the short end faces the left.
- 46. Vertically place a bar grill in front of you so the hollow parts are in the front right and back right. The taller bar should be on the left! Now horizontally attach the left-facing bar of the bar grill to the right-facing clips.
- 47.1. Let's make a part! Horizontally place a red 1x4 brick in front of you. Then horizontally place 2 white 1x2 slope grill tiles on top, so they are centered horizontally and slope outwards to the left and right.
- 47.2. Horizontally place 2 black 1x2 plates with 2x2 side studs sticking up, 1 to the right of the other, underneath the part so the side studs face the front.
- 47.3. Horizontally place your part upright on the right-facing side studs so it is centered horizontally and the side studs face up.
- 48. Vertically place a black 1x1 plate with a 1x1 slope tile upright on the front right-facing side studs so it slopes down. Then place a white 1x1 plate with a side stud hanging down upright on it so the side stud faces the front. Now repeat both parts symmetrically to the back.
- 49.1. Let's make 2 identical parts! Place a black 1x1 plate with a side stud sticking up in front of you so the side stud faces the front. Then place a light grey 1x1 plate on top. Now place a transparent 1x1 round tile on top.
- 49.2. Place 1 part upright on the front right-facing side studs so the side stud faces the front. Then repeat symmetrically to the back.

50. Place a light grey 1x1 plate upright on the front-facing side stud of the 2nd column from the right. Then place a black 2x2 angled sloped curved tile upright on the front-facing side studs of the 2 rightmost columns so it slopes down and the short end is on the right. Now repeat both parts symmetrically to the back.

#### Group 9 - Venom's Muscle Car

- 51. Vertically place 2 black 3x4 tiles with 4 studs, 1 in front of the other, on the 3 rightmost columns so they are centered vertically.
- 52. Place 3 black 2x2 sloped curved tiles, 1 to the right of the other, upright on the 2x6 front-facing side studs so they slope down. Then repeat symmetrically to the back.
- 53.1. Let's make a part! Horizontally place a white 1x2 plate in front of you. Then vertically place a black 1x2 sloped curved tile on the right column so it slopes and overhangs to the front. Then place a black 2x2 angled sloped curved tile to the left so it slopes and overhangs to the front and the short end overhangs to the left.
- 53.2. Horizontally place your part upright on the front-facing side studs of the 3 leftmost columns.
- 54-55. Repeat the previous step symmetrically to the back.
- 56.1. Rotate your part 180 degrees so the bars face the right. Let's make 2 identical parts now! Horizontally place a black 1x3 plate in front of you. Then horizontally place a black 1x2 sloped curved tile on the rightmost column so it slopes and overhangs to the right.
- 56.2. Now you should have 2 identical parts! Horizontally place 1 on the front right corner, in front of the 4x6 tile with 3 sides of studs so it slopes to the right. It should sit on 1 stud! Then repeat symmetrically to the back.
- 57. Horizontally place a black 1x4 tile with 2 studs on the front row to the left of the 1x2 sloped curved tile. Then repeat symmetrically to the back.
- 58. Horizontally place a dark grey 1x4 stud shooter with a 1x1 plate on the front row to the left of the 1x4 tile with 2 studs so the barrel faces the left. Then insert the semicircle part of a dark grey trigger into the top of the stud shooter. Now repeat both parts symmetrically to the back.
- 59. Horizontally place a silver 1x2 grill slope tile on the front row on top of the stud shooter so it slopes to the right. Then repeat symmetrically to the back.
- 60. Horizontally place a white 1x1 plate with a 1x1 slope tile on the 2 rightmost columns on the 2nd row from the front so it slopes to the left. Then repeat symmetrically to the back.
- 61.1. Let's make 2 identical parts! Horizontally place a white 1x2 plate in front of you. Then horizontally place a white 1x6 slope brick on top so it slopes and overhangs 4 columns to the right.
- 61.2. Now you should have 2 identical parts! Horizontally place 1 on the 2nd row from the front, to the left of the ppp. Then repeat symmetrically to the back.
- 62. Place a white 1x1 plate with a side stud hanging down on the rightmost column on the 2nd row from the front so the side stud faces the right. Then repeat symmetrically to the back.

# Group 10 - Venom's Muscle Car

63. Vertically place a white 1x2 grill slope tile upright on the right-facing side studs of the front ppp so it slopes and hangs down. Then repeat symmetrically to the back.

- 64. Vertically place a white 2x6 tile on the rightmost column on top of the 1x1 plates with a side stud so it is centered vertically.
- 65. Place a light grey 2x2 plate with 2 side studs on the 2nd and 3rd columns from the left so it is centered vertically and the side studs face the left. Then horizontally place a light grey 1x2x1 panel with 3 walls upright on it so the long wall is on top.
- 66. Vertically place a dark grey 1x1 tile with a 1x1 slope tile on top of the front left stud of the previous 2x2 plate with 2 side studs so it slopes to the front. Then repeat symmetrically to the back.
- 67. Place a black 4x4 car hood printed with a white spider to the right of the 2 ppp so it is centered vertically and slopes to the right.
- 68. Flip your part upside down so it is horizontal and the bars face the right. Now vertically place a dark grey 2x6 plate with bricks with axle holes on the sides on top of the 2nd and 3rd columns of anti-studs from the right so it is centered vertically.
- 69. Attach a black clip with a bar hole to the back of the front right bar so the bar hole faces the right. Then attach a curved blade to the bar hole so it faces the right and slopes down. Then repeat both parts symmetrically to the back but now make it so it slopes up.
- 70.1. Let's make 4 identical parts! Let's make the wheels! Insert a silver wheel into a black tire. Now insert a tan 2L pin axle into the pinhole of the wheel.
- 70.2. Now you should have 4 identical parts! Attach the axles of the 2 wheels to the front-facing axle holes that are above the mudguards. Then repeat symmetrically to the back.
- 71.1. Flip your car over so it is right side up and the blades face the right. Now let's make a part! Place a gold 2x2 plate in front of you. Then horizontally place a gold 1x2 ingot on the back row. Then horizontally place a gold 1x2 jumper plate on the front row. Now vertically place a gold 1x2 ingot on top so it is centered vertically. This is a stack of gold!
- 71.2. Place it in between the 1x6 slope tiles so it sits on the tiles!
- 72.1. Let's make a part! Let's make the windshield! Place a black 4x4 windshield in front of you so it slopes to the right. Then place a black 4x4 tile with 4 studs on top so the studs are on the right and it overhangs 2 columns to the left.
- Group 11 Venom's Muscle Car and Vault
- 72.2. Place a transparent red 4x4 windshield underneath the overhang so it slopes to the left.
- 72.3. Horizontally place your part on top of the car to the right of the 4x4 car hood so it is centered vertically.
- 73. Let's make a part! Let's make the vault! Place a green 3x3 plate in front of you. Then vertically place a light grey 2x3 plate on the right 2 columns.
- 74. Place a light grey 1x1 plate on the front left corner. Then vertically place a light grey 1x4 hinge plate behind it so it overhangs 2 rows to the back and the round hinge part faces the left.
- 75. Vertically place a green 1x3 brick on the rightmost column. Then horizontally place a light grey 1x2 tile to the left on the 2nd row from the front.
- 76. Vertically place a green 1x3 brick on the rightmost column.

- 77. Horizontally place a light grey 1x2x2 panel on the front row to the left of the ppp so the wall faces the front. Then horizontally place another 1 to the left of the back row of the 1x3 brick so the wall faces the back.
- 78. Place a green 3x3 plate on top of the 2 ppp and 1x3 brick.
- 79. Orient the 1x2 part of the hinge plate horizontally so it overhangs 2 columns to the left. Now horizontally place a green 1x3 plate underneath the overhang so 1 column is exposed to the left.
- 80. Place a light grey 1x1 plate on the leftmost column on top of the ppp.
- 81. Horizontally place a green 1x3 brick on the 3 leftmost columns.
- 82. Place a light grey 1x1 brick with a bar on the 3rd column from the left so the bar faces the back.
- 83. Horizontally place a green 1x2 brick with a hole on the 2 leftmost columns. Then insert a light grey 1L pin with a stud into the back-facing hole so the stud faces the back. Now place a light grey steering wheel upright on the back-facing side stud.
- 84. Horizontally place a green 1x3 plate on the 3 leftmost columns.

Group 12 - Venom's Muscle Car and Vault

- 85. Rotate the 3 leftmost columns to the front so it is vertical and the steering wheel faces the left. Now locate a black 1x4 hinge plate and orient it so it looks like a 2x2 plate and then place it on the back left corner so the round hinge part faces the back.
- 86. Vertically place a black 2x3 tile on the 2 rightmost columns. Then place a black 1x1 tile on the front row to the left. Then place another 1 to the left.
- 87. Bring back your car so it is horizontal and the blades on the car face the right. Now place 1 end of a black chain on the back left corner of the vault. Then attach the other end to the front right stud of the car!
- 88. Locate 4 red 1x1 round plates! This is the ammo for the stud shooters!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our <u>Builders page</u>. It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please signup for our newsletter and follow us on <u>Facebook</u> and <u>Instagram</u> to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 3 LEGO Spider Man Theme kits:

76311 Spider-Verse: Miles Morales vs. The Spot

76309 Spider-Man vs. Venom Muscle Car

76308 Anti-Venom