# 71841 Dragonian Storm Village

Adapted by John Le and tested by Jolene Nemeth.

The Dragonians' hideout includes a cage to detain ninja characters, a retractable bridge, a pit with for the ninja to fall into with a skeleton, a climbing rope so the ninja can escape and a spinner toy with space for 2 characters to sit inside and knock over enemies.

The action toy building kit also includes 6 LEGO® NINJAGO minifigures: Zane, Nya, a never-seen-before Rogue, and a never-seen-before Morro exclusive to this playset. There's also a Dragonian Warrior and a Dragonian Scout, and they're all armed with cool ninja weapon accessories for staging ninja adventures.

NINJAGO® battle arena playset for kids – Boys and girls aged 7 and up can recreate action scenes from season 3 of the NINJAGO Dragons Rising TV show with the Dragonian Storm Village.

Interactive ninja toy – Includes a cage to detain ninja characters, a retractable bridge and a pit with a skeleton for the ninja to fall into.

Spinner toy – Kids can place 2 characters inside a spinner toy featuring storm blades and spin it around to knock over enemies in pretend play battles.

6 NINJAGO® minifigures – This LEGO® building set includes Zane, Nya, a never-seen-before Rogue, a never-seen-before Morro who is exclusive to this playset, a Dragonian Warrior and a Dragonian Scout.

Dimensions – The model ambulance in this 79-piece building set measures over 2.5 in. (7 cm) high, 5 in. (13 cm) long and 2.5 in. (7 cm) wide.

The front of the box shows the dragonian hideout in the back. There is a cage to detain ninjas and a large selection of weapons! In the front, there is a fight going on between the ninjas and Dragonians!

The back of the box shows the hideout in the back. In the front, there are a lot of ninjas and Dragonians all weidling unique weapons and fighting!

The top of the box shows a real size image of Zane.

The build is 305 pieces in total and is for ages 7+.

Bag 1 includes the pieces for 3 minifigures and the hideout.

Bag 2 includes the pieces for 3 minifigures, a baby dragon, and the hideout.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back

- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<a href="https://www.lego.com/en-us/service/buildinginstructions/71841">https://www.lego.com/en-us/service/buildinginstructions/71841</a>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

### Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 2 bags labeled 1 and 2, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

```
Bag 1 - Zane, Morro, Dragonian Warrior, and Storm Village
```

Group 1 - Page 7.

Group 2 - Pages 8-9.

Group 3 - Pages 10-11.

Group 4 - Steps 1-16.

Group 5 - Steps 17-32.

Group 6 - Steps 33-46.

Bag 2 - Nya, Rogue, Dragonian Scout, Storm Village, and Spinner

Group 7 - Page 54.

Group 8 - Page 55.

Group 9 - Page 56.

Group 10 - Page 57.

Group 11 - Steps 47-53.

Group 12 - Steps 54-56.

Group 13 - Steps 57-64.

Group 14 - Steps 65-77.

Group 15 - Steps 78-86.

Group 16 - Steps 1-9.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Zane

Sub-build 1. Locate 1 white pair of legs printed with gold and silver armor, 1 white torso printed with gold and silver armor, 1 shoulder armor with a sword holder, 1 silver head printed with a beard and light blue eyes, 1 white and silver mask, 1 gold katana, and 1 transparent katana. Assemble your minifigure, make sure the sword holder is on his back, and then attach the katanas to his hands! Also make sure the hole of the mask faces the front. Now put him away while we make another minifigure!

Group 2 - Morro

Sub-build 2.1. Locate 1 sand green and dark green pair of legs printed with a light green belt, 1 dark green torso printed with a sand green scarf and brown shoulder strap, 1 dark green shoulder armor, 1 dark green mask, 1 light green head printed with green eyes and light blue lightning around his eyes, and 1 black hair. Assemble your minifigure then put him in front of you!

Sub-build 2.2. Let's make his weapon! Horizontally place a sand green bar with a stud on each end in front of you. Now place a black 1x1 round plate upright on the left-facing and right-facing studs. Now attach a silver claw to the left-facing side stud so the claw faces the back. Then attach another 1 to the right-facing side stud so the claw faces the front. Now attach your weapon to your minifigure, make sure the larger part of the mask faces the front, then put him away so we can make another 1!

Group 3 - Dragonian Warrior

Sub-build 3.1. Locate a red pair of legs printed with dark grey armor, 1 red torso printed with dark grey armor, 1 dark grey neck armor with 2 side studs, 1 red head printed with eyes and large teeth, 1 dark red skull helmet, 2 black fangs, and 1 silver sword. Assemble your minifigure, make sure the studs of the neck armor face the back, and then attach the helmet to his head so the bar holes face the back. Now insert the black fangs into the bar holes, then attach the sword to his hand!

Sub-build 3.2. Let's make his wings! Vertically place a dark red baby dragon in front of you so the tail faces the back and the side studs face left and right. Now place a dark red 1x1 clip upright on the front left-facing side stud so the clip hands face up and down. Then repeat symmetrically to the right. Now attach a dark red wing to each of the clips so they curve to the front.

Sub-build 3.3. Vertically attach the dragon to the back-facing side studs of your minifigure so the tail faces down. Now put him away while we make the storm village!

#### Group 4 - Storm Village

- 1. Horizontally place a black 6x8 plate in front of you. Then place 2 light grey 1x1 pyramid tiles, 1 to the right of the other, on the front row so they are centered horizontally.
- 2. Place a sand green 1x1 round plate with a bar on the front row to the left and right of the 2 ppp so the bars face the front. Then place a short tan 1x1 brick on top of each of the 2 ppp.
- 3. Place a dark grey 1x1 round brick on the front row on the 2nd column from the left. Then place a dark tan 1x1 brick with a side stud and bottom lip on the front row on the 2nd column from the right so the side stud faces the front.
- 4. Vertically place a dark grey 2x6 brick on the leftmost column so it is centered vertically and overhangs 1 column to the left. Then repeat symmetrically to the right.
- 5. Vertically place a black 2x4 A-shaped plate underneath the front left overhang so the short end faces the front and the other 1x4 part of the A-shaped plate points to the back left. Then vertically place a red 1x2 rounded plate underneath the overhang in the back left corner.
- 6. Rotate your build 45 degrees counterclockwise so the 1x4 plate of the A-shaped plate is now horizontal. Now horizontally place a tan 1x2 brick with 2 holes on the 2 leftmost columns of the A-shaped plate. Then place a dark grey 1x1 round brick to the right. Now place a dark tan 1x1 brick with a side stud and bottom lip to the right so the side stud faces the front. Then rotate it back to its original position.
- 7. Vertically place a black 2x4 A-shaped plate on the front left corner on top of the 3 ppp and 2x6 brick so there is no overhang. The short end should face the front!
- 8. Horizontally place a dark grey 1x3 plate on the front row to the right of the ppp. Then repeat symmetrically to the right.
- 9. Place a white 1x1 round plate on the 2nd column from the right, on the 2nd row from the front so it sits behind the ppp. Then repeat symmetrically to the left. Now place a tan 1x1 round plate with a bar on the leftmost column of the 2nd row from the back so the bar faces the left. Then place a white 1x1 round plate to the right.
- 10. Vertically place a black 2x4 A-shaped plate underneath the front right overhang so the short end faces the front and the other 1x4 part of the A-shaped plate points to the back right. Then vertically place a red 1x2 rounded plate underneath the overhang in the back right corner.

- 11. Rotate your build 45 degrees clockwise so the 1x4 plate of the A-shaped plate is now horizontal. Now horizontally place a tan 1x2 brick with 2 holes on the 2 rightmost columns of the 1x4 plate of the A-shaped plate. Then horizontally place a dark grey 1x2 masonry brick to the left so the brick grooves face the front. Then rotate it back to its original position.
- 12. Vertically place a black 2x4 A-shaped plate on the front right corner on top of the 2 ppp and 2x6 brick so there is no overhang. The short end of the A-shaped plate should face the front! Then horizontally place a dark tan 1x2 plate on the 2 rightmost columns of the 2nd row from the back.
- 13. Horizontally place a tan 1x4 brick with 4 side studs on the front row so it is centered horizontally and the side studs face the front.
- 14. Place a dark grey 1x1 round brick on the front row to the left and right of the ppp. Now horizontally place a dark grey 1x2 masonry brick on the front row to the left of the left ppp so the brick grooves face the front. Then repeat symmetrically to the right.
- 15. Horizontally place a dark grey 1x8 brick on the front row so it is centered horizontally.
- 16. Vertically place the back row of a dark grey 2x4x6 rock formation on the 2 rightmost columns of the 2nd row from the back so the rocky side faces the right. Then repeat symmetrically to the left.

# Group 5 - Storm Village

- 17.1. Let's make a part! Place a light grey 2x2 tile with 2 studs in front of you so the studs are in the front. Then horizontally place a silver 1x2 plate with teeth on the front row so the teeth face the front. Now place a light grey 2x2 angled sloped curved tile on top so it slopes to the back.
- 17.2. Place your part upright on the 1x4 front-facing side studs so it is centered horizontally, 1 row overhangs to the top, and the teeth face down.
- 18. Place a light grey 2x2 wedge plate upright to the right of the ppp so the angled side faces the right and the short side hangs 1 row down. Then repeat symmetrically to the left.
- 19. Vertically place a light grey 1x2 sloped curved tile upright on the top row of the ppp so it slopes and overhangs 1 row upwards. Then repeat symmetrically to the right.
- 20. Place 2 tan 1x1 round plates with a bar, 1 to the right of the other, on the front row so they are centered horizontally and the bars face the front.
- 21. Horizontally place a light grey 1x4 sloped curved tile on top of the 2 ppp so it is centered horizontally. Now horizontally place a dark grey 1x2x2 slope brick to the left and right of the ppp so they slope inwards to the left and right.
- 22. Horizontally place a dark grey 1x2 inverted slope brick on top of each of the 2 ppp so they slope and overhang outwards to the left and right.
- 23. Place a purple 2x2 corner plate on top of the left ppp so it looks like the braille letter j and there is no overhang. Then repeat symmetrically to the right.

- 24.1. Let's make a part! Horizontally place a light grey 1x3 rounded plate in front of you. Then place a white 1x1 round plate on the rightmost column. Now place a purple 2x2 corner plate to the left so it looks like the braille letter d and overhangs 1 row to the front.
- 24.2. Place a light grey 2x2 wedge plate on the 2 rightmost columns so the angled side overhangs 1 row to the back and the short end faces the right.
- 24.3. Horizontally place a light grey 2x3 wedge plate on the leftmost column so the angled side overhangs 1 row to the front and the tip overhangs 2 columns to the left.
- 24.4. Horizontally place a light grey 1x2 tri-slope tile on the back row so it is centered horizontally on the 1x4 studs and slopes to the front. Now horizontally place a red 1x2 angled sloped curved tile in front of the ppp so it slopes and overhangs to the right and the angled side faces the front.
- 24.5. Horizontally attach the rightmost column of your part upright to the top front-facing bar on the left so the left-facing tip faces the top left.
- 25.1. Let's make another part! Horizontally place a light grey 1x3 rounded plate in front of you. Then place a white 1x1 round plate on the leftmost column. Now place a purple 2x2 corner plate to the right so it looks like the braille letter f and overhangs 1 row to the front.
- 25.2. Place a light grey 2x2 wedge plate on the 2 leftmost columns so the angled side overhangs 1 row to the back and the short end faces the left.
- 25.3. Horizontally place a light grey 2x3 wedge plate on the rightmost column so the angled side overhangs 1 row to the front and the tip overhangs 2 columns to the right.
- 25.4. Horizontally place a light grey 1x2 tri-slope tile on the back row so it is centered horizontally on the 1x4 studs and slopes to the front. Now horizontally place a red 1x2 angled sloped curved tile in front of the ppp so it slopes and overhangs to the left and the angled side faces the front.
- 25.5. Horizontally attach the leftmost column of your part upright to the top front-facing bar on the right so the right-facing tip faces the top right.
- 26. Attach a light grey claw with a clip to each of the bottom front-facing bars so they curve up.
- 27. Attach a brown plant vine to the front-facing side stud that is to the right of the ppp so the vines face the top right. Now attach another 1 to the front left facing side stud so the spine faces the right.
- 28-29. Vertically place a dark grey 1x2 inverted slope brick on the 2nd row from the back on top of the left 2x4x6 rock formation so it slopes and overhangs to the back. Now skip 2 rows to the front, then place a short tan 1x1 brick. Then repeat both parts symmetrically to the right.
- 30. Vertically place the front row of a light grey 1x4 brick with 3 holes on top of the left short tan 1x1 brick. Then repeat symmetrically to the right.

- 31. Horizontally place a dark grey 1x2 masonry brick in front of each of the 2 ppp so the brick grooves face the front and there is no overhang. Now place a dark tan 1x1 round brick on the 2nd row from the back, behind the left 1x4 brick with 3 holes. Then place a dark tan 1x1 brick with a side stud and bottom lip behind the right 1x4 brick with 3 holes so the side stud faces the right.
- 32. Place a short tan 1x1 brick on the front row in front of the left 1x4 brick with 3 holes. Then repeat symmetrically to the right.

#### Group 6 - Storm Village

- 33.1. Let's make a part! Horizontally place a black 10L axle in front of you. Then place a red ball on the right end. Now attach a red 1L bushing to the left-facing side so it goes all the way to the right and touches the ppp.
- 33.2. Now horizontally insert the left-facing axle of your part into the front right-facing hole of the right 1x4 brick with 3 holes so it goes through and overhangs in the middle.
- 34. Attach a black 1L axle connector with a curved sloped part to the left-facing axle of the ppp so the curve faces down and is on the right.
- 35. Push the right-facing ball so the axle goes all the way through and into the left 1x4 brick with holes. Make sure the 1L axle connector with the curve touches the left 1x4 brick with holes.
- 36. Horizontally place a dark tan 1x2 plate with an inverted slope on the front row to the right of the right short 1x1 brick that is in front of the ball so it slopes and overhangs to the right. Now place a white 1x1 round plate on the left column of the ppp. Now repeat both parts symmetrically to the left.
- 37. Vertically place a dark grey 1x3 plate on the back left corner on top of the 1x1 round brick and 1x4 brick with holes. Then repeat symmetrically to the right. Now vertically place a dark tan 1x2 plate in front of the previous 1x3 plate that is in the back left. Then repeat symmetrically to the right, using a black 1x2 plate with 2 clips on the long side so they face the left.
- 38. Horizontally place a black 1x2 plate with 2x2 side studs sticking up on the left 1x1 round plate from the previous step and 1x1 short brick so the side studs face the front. Then repeat symmetrically to the right.
- 39. Vertically place the front row of a dark grey 3x6 wedge plate on top of the left ppp so the angled side overhangs to the back left and the short end faces the back. Then repeat symmetrically to the right.
- 40.1. Let's make a part! Vertically place a ridged track with holes, a bar, and 2 clips in front of you so the clips are on the left and face down. Now vertically attach the bottom-facing clips of another 1 to the right bar. Now repeat again!
- 40.2. Now attach the right-facing bar of your part to the left-facing clips of the 1x2 plate with 2 clips on the main build. This is a trap! You can pull on the right-facing ball to collapse the floor and make a minifigure fall!

- 41. Horizontally place a dark grey 1x8x2 arch brick on the back row on top of the angled plates so it is centered horizontally. Then attach a brown spine to the right-facing side stud that is on the back row below the ppp so the spine faces down.
- 42. Vertically place a dark grey 1x2x2 slope brick in front of the leftmost column of the previous 1x8x2 arch brick so it slopes to the front. Then repeat symmetrically to the right.
- 43. Place 2 black 1x1 bricks with a clip, 1 to the right of the other, on the front row, behind the left 2x2 front-facing side studs so the clips face outwards the left and right. Then repeat symmetrically to the right.
- 44. Horizontally place a purple 1x2 tile on top of the left 2 1x1 bricks with clips from the previous step. Then repeat symmetrically to the right.
- 45. Attach a black claw to the left and right facing clips of the 1x1 bricks with a clip that are on the left so the claws curve inwards to the left and right. Then repeat symmetrically to the right.
- 46.1. Vertically place a black 2x3 tile with a sticker upright on the left front-facing 2x2 side studs so it hangs 1 row down. Then repeat symmetrically to the right.
- 46.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 1 on each of the 2 black 2x3 tiles. These stickers have a red skull face with horns! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Building Instructions (Bag 2, Book 1):

Group 7 - Nya

Sub-build 4. Locate 1 dark grey pair of legs printed with blue and gold armor, 1 dark grey torso printed with blue and gold armor, 1 black neck armor with a sword holder, 1 yellow head printed with a black and blue eye mask, 1 dark grey and blue mask, and 2 gold katanas. Assemble your minifigure, make sure the sword holder is on his back, the hole of the mask faces the front, then attach the katanas to her hands! Now put her away while we make another minifigure!

Group 8 - Rogue

Sub-build 5.1. Locate 1 dark blue pair of legs printed with a dark red belt, 1 dark blue torso printed with a gold shoulder strap and sand blue clothes, 1 gold neck armor with a sword holder, 1 dark blue mask, 1 yellow head printed with black eyes and lips, 1 dark blue hat, and 1 gold katana. Assemble your minifigure, make sure the sword holder is on his back, and then put the sword in the sword holder.

Sub-build 5.2. Let's make 2 identical weapons! Attach a light blue lightning bolt to a black dragon shaped handle with a stud. Now attach your weapons to his hands! Now put him away while we make another minifigure!

Group 9 - Dragonian Scout

Sub-build 6.1. Locate a red pair of legs printed with dark grey armor, 1 red torso printed with dark grey armor, 1 dark grey neck armor with 2 side studs, 1 red head printed with eyes and large teeth, and 1 tan hair. Assemble your minifigure and make sure the studs of the neck armor face the back.

Sub-build 6.2. Let's make his weapon! Place a harpoon spike on top of a dark grey bar with studs on the ends. Now attach a silver blade with a clip to the top of the harpoon spike, right below the tip so the blade faces the front. Then repeat symmetrically to the back. Now attach your weapon to your minifigure's hand! Now put him away while we make a dragon!

### Group 10 - Baby Dragon

Sub-build 7. Let's make a baby dragon! Vertically place a dark red baby dragon in front of you so the tail faces the back and the side studs face left and right. Now place a dark red 1x1 clip upright on the front left-facing side stud so the clip hands face up and down. Then repeat symmetrically to the right. Now attach a dark red wing to each of the clips so they curve to the front. Now put it away while we continue building!

### Group 11 - Storm Village

- 47. Let's make a part! Horizontally place a brown 2x8 plate in front of you. Then horizontally place a black 1x4x6 door frame on the front row so it is centered horizontally and the ridges face the front.
- 48. Vertically place a black 1x2 log brick on the 2nd column from the left. Then place a black 1x1 round brick on the front row on the 2nd column from the right. Now place a black 1x1 brick with a clip behind it so the clip faces the right.
- 49. Vertically place a red 1x2x5 brick on the 2nd column from the left. Then repeat symmetrically to the right.
- 50. Horizontally place a red 1x2 rounded plate on the front row so it is centered horizontally. Then place a purple 2x2 corner plate to the left so it looks like the braille letter h. Then repeat symmetrically to the right.
- 51. Horizontally place a red 1x6 plate on the front row so it is centered horizontally.
- 52. Place a light grey 1x1 round plate on the back row on the 2nd column from the left. Then repeat symmetrically to the right.
- 53. Bring back your main build so it is horizontal and the upright pieces face the front. Now horizontally place your part on the back 2 rows on top of the 1x8x2 arch brick and 1x2x2 slope bricks so it is centered horizontally.

#### Group 12 - Storm Village

- 54. Let's make a part! Horizontally place a black 2x8 plate in front of you. Then vertically place a dark grey 1x2 plate with angled round parts on the ends on the leftmost column so the angled round parts face the left. Then repeat symmetrically to the right.
- 55. Horizontally place a black 1x3 inverted half arch brick on the front left corner so it slopes to the right. Then repeat symmetrically to the right.

56. Horizontally place a black 1x2 jumper plate on the front row so it is centered horizontally. Then place a light grey 1x1 round plate on top. Now place a black 1x1 round plate with a bent bar underneath on top so the stud faces the front.

# Group 13 - Storm Village

- 57. Place a black 1x1 round plate underneath the extended round part that is in the front left corner. Then place a black blade on top of it so the blade slopes to the front left. Then repeat both parts symmetrically to the right.
- 58. Horizontally place your part on the back 2 rows of the main build on top of your previous part so it is centered horizontally.
- 59.1. Let's make 2 identical parts! Let's make lanterns! Place a transparent red 1x1 cone brick in front of you. Then place a dark grey lantern on top so the handle is vertical. Now attach a light grey claw to the handle so the bar faces up.
- 59.2. Now you should have 2 identical parts! Attach the top-facing bar of 1 part to the anti-stud of the 1x1 round plate that is attached to the angled round part in the front left corner of your previous part. Then repeat symmetrically to the right.
- 60. Place a dark red dragon skull on top of the 1x1 round plate with a bent bar that is on the 2nd row from the back so the bar holes of the skull face the back. Now insert a black horn into each of the bar holes so they curve outwards to the left and right.
- 61. Rotate your build 180 degrees. Now insert a light grey T-shaped bar into the bottom of the front right extended round part that is in front of the right lantern so the bar faces down and to the right.
- 62. Let's make a part! Locate 1 white skeleton body, 2 white skeleton legs with toes, 2 white skeleton arms, and 1 white head printed with a skull. Assemble your minifigure then horizontally place it on the first floor on the 4th row from the front so there is 1 free column of the 6x8 plate to the left.
- 63. Attach 1 end of a long black rope to the right-facing bar of the previous T-shaped bar. Then attach the other end to the right-facing bar of the 1x1 round plate with a bar that is on the front right corner.
- 64. Rotate your build 180 degrees. Now attach the small bar of a curved bar with a stud to the right-facing clip that is on the 2nd row from the back and to the right of the 1x4x6 door frame so it overhangs to the right and the stud is on the right. Now horizontally place the leftmost column of a sand green 1x4 leaf plate on top of the ppp so the stud with the extended branch faces the right. Now place a black bar with 3 tips on the leftmost stud of the ppp.

# Group 14 - Storm Village

- 65. Let's make a part! Horizontally place a black 1x6 plate in front of you. Then vertically place a dark grey 1x2 brick with 2 pins on the rightmost column so 1 row overhangs to the front and the pins face the right.
- 66. Horizontally place a black 3x6 wedge plate underneath the overhang so it is centered horizontally, the angled side faces the front, and the short end faces the left.

- 67. Place a dark grey 2x2 plate on the back 2 rows to the left of the 1x2 brick with 2 pins.
- 68. Horizontally place a light grey 1x1 tile with a 1x1 slope tile on the back right corner so it slopes to the left.
- 69. Attach the right-facing pins of your part to the front left facing holes of the main build.
- 70. Let's make a part! Place a sand green 2x2 plate with 8 bars around it in front of you. Then place a black 2x2 round tile with a stud on top.
- 71.1. Let's make a part! Horizontally place a dark grey mechanical arm in front of you so the clip is on the left and faces the front. Now insert a brown 5L bar with a stop into the right-facing bar hole of the ppp so the stop is on the left. Now attach a sand green bar holder with a clip to the right-facing bar so the clip is on the right and the clip hands face the front and back.
- 71.2. Attach the right-facing clip of your part to the left-facing bar of the 2x2 plate with 8 bars around it so the other clip faces the bottom left.
- 72.1. Let's make a part! Place a sand green 2x2 plate with 8 bars around it in front of you. Then place a brown 2x2 round tile on top. Now place a red 2x2 round plate underneath it.
- 72.2. Flip your part upside down. Then attach it to the bottom-facing clip of the mechanical arm of your previous part.
- 73.1. Let's make 5 identical parts! Horizontally place a dark grey mechanical arm in front of you so the clip is on the left and faces the front. Now insert a brown 5L bar with a stop into the right-facing bar hole of the ppp so the stop is on the left. Now attach a sand green bar holder with a clip to the right-facing bar so the clip is on the right and the clip hands face the front and back.
- 73.2. Now you should have 5 identical parts! Attach 1 on the back left facing bar so the mechanical arm is in the back and the clip faces down. Repeat to the right 4 more times so there are 2 free open bars in the front and front left.
- 74. Attach the clips of all the mechanical arms to the bars of the upside down 2x2 plate with 8 bars around it.
- 75. Place your part on the 2 leftmost columns so the open bars of the 2x2 plate with 8 bars face the front left.
- 76.1. Let's make 2 identical parts! Horizontally place a sand green bar with studs on the end in front of you. Then attach a brown 4L bar to the left-facing stud.
- 76.2. Attach the bar hole of a dark grey mechanical arm to the left-facing bar so the clip faces the front. Then attach a black claw to the right-facing stud so the claw curves to the back.
- 76.3. Now you should have 2 identical parts! Attach the clips of your part to the front and front left bars of the previous part so the blades face up.

77. Place the leftmost column of a sand green 1x4 leaf plate on top of the 2x2 round tile with a stud that is in the front left corner so the stud with the extended branch faces the right. Now place a black bar with 3 tips on the leftmost column of the ppp. Now orient the leaf plate so it faces the back right.

# Group 15 - Storm Village

- 78. Let's make a part! Horizontally place a black 3x6 wedge plate in front of you so the angled side faces the front and the short end faces the right. Now vertically place a dark grey 1x2 brick with 2 pins on the long side on the leftmost column so the pins face the left.
- 79. Place a dark tan 1x1 brick with a side stud and bottom lip on the back row to the right of the ppp so the side stud faces the front. Now horizontally place a dark grey 1x4 masonry brick to the right so the brick grooves face the front.
- 80. Place 3 black 1x1 bricks with a clip, 1 to the right of the other, on the 3 rightmost columns so the clips face the front.
- 81. Place a black 1x5 stair plate on the back left corner so the higher side is on the right and there is no overhang.
- 82. Horizontally place a dark tan 1x2 plate with an inverted slope on the rightmost column so it slopes and overhangs to the right. Now place a black 1x1 round plate on the left column of the ppp.
- 83. Place a black 1x1 plate with a clip on the rightmost column so the clip faces the right. Then horizontally place a black 1x3 inverted half arch brick to the left so it slopes to the left.
- 84. Let's make a part! Place a transparent red 1x1 cone brick in front of you. Then place a dark grey lantern on top. Now attach the lantern to the right-facing clip so the anti-stud faces down. Now horizontally place a purple 1x2 tile on the 2 rightmost columns.
- 85. Attach a silver sword to the rightmost front-facing clip so the blade curves to the left. Now attach a brown plant vine to the front-facing side stud so the vines face the top left.
- 86. Horizontally attach the left-facing pins of your part to the front right facing holes of the main build. Now put your build away while we make a spinner!

# Group 16 - Spinner

- 1. Place a black 6x6 round plate in front of you. Then place a red 2x2 round plate on the 2 leftmost columns so it is centered vertically. Then repeat symmetrically to the right.
- 2.1. Let's make a part! Place a dark grey 1x1 brick with an axle hole in front of you so the hole faces the front and back. Then horizontally place a red 1x1 tile with a 1x1 slope tile on top so it slopes and overhangs to the right.
- 2.2. Now place a purple 2x2 corner plate in front of you so it looks like the braille letter j. Then horizontally place the slope part of your part on top of the back row so it slopes to the right. Then place a transparent red 1x1 slope tile on the front left corner so it slopes to the front.

- 2.3. Place your part on top of the back 2 rows of the 6x6 round plate so it is centered horizontally and the 1x1 slope tile slopes to the left.
- 3. Vertically place a purple 1x2 sloped curved tile on the front 2 rows of the 2nd column from the left so it slopes to the front. Then repeat symmetrically to the back right corner.
- 4. Place a red 1x2 rounded plate on the front row of the 2nd column from the right so it overhangs to the front right. Then place a tan claw on the overhang so it curves to the front right. Then repeat both parts symmetrically to the back left.
- 5.1. Let's make a part! Place a dark grey 1x1 brick with an axle hole in front of you so the hole faces the front and back. Then horizontally place a red 1x1 tile with a 1x1 slope tile on top so it slopes and overhangs to the right.
- 5.2. Now place a purple 2x2 corner plate in front of you so it looks like the braille letter j. Then horizontally place the slope part of your part on top of the back row so it slopes to the right. Then place a transparent red 1x1 slope tile on the front left corner so it slopes to the front.
- 5.3. Place your part on top of the front 2 rows of the 6x6 round plate so it is centered horizontally and the 1x1 slope tile slopes to the right.
- 6. Place a purple 1x2 curved tile on the 2nd and 3rd columns from the left, behind the 1x2 sloped curved tile so the curve faces the back left. Then repeat symmetrically to the front right.
- 7. Place a red 2x2x2 cone brick on top so it is centered.
- 8. Place a tan 2x2 round inverted tile with rounded bottom underneath your build so it is centered.
- 9. Attach a large transparent pink and purple blade with an axle to the front left-facing axle hole so the long end tip faces the front. Then repeat symmetrically to the back right. This is a spinner!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our <u>Builders page</u>. It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please signup for our newsletter and follow us on <u>Facebook</u> and <u>Instagram</u> to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 11 LEGO Ninjago Theme kits:

71829 Lloyd's Green Forest Dragon

71827 Zane's Battle Suit Mech

71828 Lloyd's Pull-Back Race Car

71831 Ninja Spinjitzu Temple

71823 Kai's Dragon Spinjitzu Spinner

71824 Sora's Dragon Spinjitzu Spinner

71826 Dragon Spinjitzu Battle Pack

71830 Kai's Mech Storm Rider

71834 Zane's Ultra Combiner Mech

71833 Ras and Arin's Super Storm Jet

71841 Dragonian Storm Village