

75385 Ahsoka Tano's Duel on Peridea

Adapted by John Le and tested by Jolene Nemeth.

Reenact the epic Star Wars: Ahsoka Season 1 finale battle and create new adventures with Ahsoka Tano's Duel on Peridea buildable toy playset for kids (75385). A fun birthday gift idea for boys, girls and any fan aged 8 and up, this collectible construction toy includes 5 LEGO® Star Wars™ minifigures – Ahsoka Tano, Grand Admiral Thrawn, Morgan Elsbeth, Ezra Bridger and a Night Trooper – with iconic accessories for creative play. Place the characters on the platform, which features 3 built-in turntables for spinning battles and a function to recreate Ezra's leap.

LEGO® Star Wars™ buildable toy playset for kids – Recreate Ahsoka Tano's Duel on Peridea against Grand Admiral Thrawn's army from the Star Wars: Ahsoka Season 1 finale.

5 LEGO® Star Wars™ minifigures – Ahsoka Tano, Grand Admiral Thrawn, Morgan Elsbeth, Ezra Bridger and a Night Trooper.

Buildable battle toy – The brick-built platform has 3 built-in turntables for spinning LEGO® minifigure battles and a function to recreate Ezra's leap off the platform.

Playful accessories – 2 white lightsabers for Ahsoka Tano, a blaster for Admiral Thrawn, the Blade of Talzin for Morgan Elsbeth, a blue lightsaber for Ezra Bridger and the Night Trooper's blaster.

Build, play and create a Star Wars: Ahsoka display – The platform in this 382-piece set measures over 4 in. (11 cm) high, 9 in. (23 cm) wide and 5.5 in. (14 cm) deep.

The front of the box shows a large platform with 4 large black pillars with designs on them! There is a 5 person duel taking place on the platform! They are armed with lightsabers, swords, and blasters!

The back of the box shows the duel taking place! They are all fighting each other with lightsabers and shooting blasters!

The top of the box shows a real size image of Grand Admiral Thrawn!

The build is 382 pieces in total and is for ages 8+.

Bag 1 includes the pieces for Ahsoka Tano and Peridea.

Bag 2 includes the pieces for Grand Admiral Thrawn, Ezra Bridge, and Peridea.

Bag 3 includes the pieces for Morgan Elsbeth, a Night Trooper, and Peridea.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.

- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/75385>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 3 bags labeled 1 to 3, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Ahsoka Tano and Peridea

Group 1 - Page 7.

Group 2 - Steps 1-13.

Group 3 - Steps 14-15.

Group 4 - Step 16.

Group 5 - Step 17 and 1 black 2x2 tile with a circle part from Step 18.
Group 6 - Rest of Step 18 and Steps 19-25.
Group 7 - Steps 26-31.
Group 8 - Steps 32-37.
Group 9 - Steps 38-39.
Group 10 - Step 40.
Group 11 - Step 41 and 1 black 2x2 tile with a circle part from Step 42.
Group 12 - Rest of Step 42 and Steps 43-51.
Group 13 - Steps 52-54.

Bag 2 - Grand Admiral Thrawn, Ezra Bridge, and Peridea

Group 14 - Left Minifigure from Page 52.
Group 15 - Right Minifigure from Page 52.
Group 16 - Steps 55-61.
Group 17 - Steps 62-65
Group 18 - Steps 66-76.
Group 19 - Steps 77-87.
Group 20 - Steps 88-91.

Bag 3 - Morgan Elsbeth, a Night Trooper, and Peridea

Group 21 - Left Minifigure from Page 89.
Group 22 - Right Minifigure from Page 90.
Group 23 - Steps 92-99.
Group 24 - Steps 100-106.
Group 25 - Steps 107-113.
Group 26 - Steps 114-121.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Ahsoka Tano

Sub-build 1. Locate 1 light grey pair of legs printed with tan pockets, 1 dark grey torso printed with orange arms and an arm wrap, 1 orange head printed with blue eyes, dark red lips, and white symbols on her face, 1 white hat printed with dark blue stripes, 2 light grey lightsaber handles, and 2 transparent 4L bars. Assemble your minifigure, then attach each bar to the thicker end of each lightsaber handle. Now attach them to her hands! Now put her away while we make Peridea.

Group 2 - Peridea

1. Horizontally place a dark grey 4x12 plate in front of you. Then vertically place a dark grey 1x8 brick on the rightmost column so it is centered vertically. It should overhang 2 rows to the front and back.

2. Place the rightmost column of a dark grey 4x4 L-shaped plate underneath the back overhang so the right angle faces the front left. Then repeat symmetrically to the front.

3. Place a dark grey 1x1 brick with a side stud and a bottom lip to the left of the back row of the 1x8 brick so the side stud faces the front. Then place a dark grey 1x1 slope tile upright on the front-facing side stud so it slopes down. Then repeat both parts symmetrically to the front.

4. Vertically place a white 1x4 sloped curved tile in between the 2 ppp so it is centered vertically. Then vertically place a red 2x14 plate to the left so it is centered vertically. It should overhang 1 row to the front and back.

5. Vertically place a tan 2x4 plate to the left of the 2x14 plate so it is centered vertically. Then vertically place a white 1x4 sloped curved tile to the left so it is centered vertically.

6. Place a black 2x2 tile with a round ridge on top to the right of the 1x4 sloped curved tile from the previous step so there is 1 free column in between and it is centered vertically. Then horizontally place a dark grey 1x2 ingot tile on the 2x14 plate on the 5th row from the front. Then repeat symmetrically to the back.

7. Vertically place the back row of a white 2x6 plate with 4 side studs underneath the front overhang of the 2x14 plate so the side studs face the right.

8. Vertically place a blue 1x6 plate on the left column of the ppp so 1 stud overhangs to the front.

9. Place the left column of a black 2x2 plate with 2 side studs underneath the overhang of the ppp so the side studs face right.

10. Rotate your build 90 degrees counterclockwise so the ppp is on the right and the side studs face the back. Now horizontally place a black 1x2 plate with a stud and a clip on the back row of the 2 rightmost columns so the clip is on the right. Then horizontally place a yellow 1x4 plate in front so the rightmost column is free.

11. Horizontally place the plate part of 2 light grey 1x2 bricks with a hole and a 1x2 plate part, 1 to the right of the other, to the left of the 1x4 plate from the previous step so the 1x2 bricks with holes overhang to the front.

12. Horizontally place a tan 1x4 tile with 2 studs on the back row of the 2 ppp so it is centered horizontally on them. Then place a dark grey 2x2 corner plate on the 2nd and 3rd columns from the right so it looks like the braille letter j.

13. Horizontally place 2 dark grey 1x4 bricks with 4 side studs, 1 to the right of the other, to the left of the back row of the 2x2 corner plate from the previous step so the side studs face the back.

Group 3 - Peridea

14. Let's make a part! Let's make a mechanism for the platform! Horizontally place a black 6x10 plate in front of you. Then horizontally place a dark grey 1x6 plate on the back right corner.

15. Place a red 1x1 tile on the back row to the left of the ppp. Then horizontally place a dark grey 1x2 plate with a ball on the back row to the left of the ppp so the ball faces the back.

Group 4 - Peridea

16. Horizontally place a dark grey 1x2 ingot tile on the back row on the 2nd and 3rd columns from the right. Then horizontally place a blue 1x6 plate to the left.

Group 5 - Peridea

17. Place a black 1x1 brick on the back left corner. Then horizontally place a dark grey 1x6 plate to the right.

18.1. Place a black 2x2 tile with a circle on top on the 2 leftmost columns so it is centered vertically.

Group 6 - Peridea

18.2. Place a light grey 2x2 tile with 2 studs on the 2 rightmost columns so it is centered vertically and the studs are on the right. Then place a white 2x2 tile with a circle part on top to the left so it is centered vertically. Now place another 1 to the left so there is a 1 column gap and it is centered vertically.

19. Place a dark grey 2x2 triangle tile on the 2nd and 3rd rows from the front in between the 2 right 2x2 tiles with circle parts on top so the corner of the tile faces the front left. Then repeat symmetrically to the back.

20. Place 3 black 2x2 round plates with 6 gears, 1 on top of each of the 2x2 tiles with circle parts.

21. Vertically place a green 1x2 plate on the front right corner. Then place a blue 2x2 plate on the rightmost 2x2 round plate with 6 gears.

22. Place a dark grey 1x1 brick with a side stud and a bottom lip on the front row to the left of the 1x2 plate from the previous step so the side stud faces the back. Then place a dark grey 1x1 slope tile upright on the back-facing side stud so it slopes down.

23. Horizontally place a dark grey 1x4 brick with 3 holes on the front row to the left of the ppp. Then insert a black 2L pin into the front-facing leftmost and rightmost holes so the pins face the front.

24.1. Let's make a part! Horizontally place a black 1x5 plate in front of you. Then horizontally place a green 1x2 plate on the 2 rightmost columns.

24.2. Place a gold 1x1 round plate to the left of the ppp. Then horizontally place a black 1x2 plate with a stud and a clip to the left so the clip is on the left.

24.3. Place the back row of a black 2x2 corner plate underneath the leftmost column so it looks like the braille letter h.

24.4. Place a short red 1x1 brick on the right stud of the ppp.

24.5. Horizontally place your part on the front left corner of your previous part so 1 column overhangs to the left and 1 row overhangs to the front.

25. Bring back your main build so it is horizontal and the front-facing holes are on the right. Now rotate your part 180 degrees so the pins face the back. Then insert the pins into the front-facing holes.

Group 7 - Peridea

26.1. Let's make a part! Horizontally place a black 1x5 plate in front of you. Then place the back row of a dark grey 2x2 corner plate on the 2nd and 3rd columns from the left so it looks like the braille letter d and overhangs 1 row to the front. Then place another 1 to the right so it overhangs to the front and looks like the braille letter f.

26.2. Horizontally place a green 1x2 plate underneath the overhang so there are no exposed studs.

26.3. Vertically place the back 2 rows of your part to the right of the right 1x2 ingot tile that is in the back so the 1x2 plate of your part is on the right. It should be on the 10th and 11th columns from the right and 3rd, 4th, 5th, 6th, 7th, and 8th rows from the back.

27. Horizontally place a dark grey 2x4 plate on the 3rd and 4th rows from the back to the left of the clips on the rightmost column.

28.1. Rotate your build 180 degrees. Then vertically place a dark grey 1x2 ingot tile on the leftmost column in between the clips. Then vertically place another 1 to the right. Now horizontally place 2 dark grey 2x4 tiles with a sticker, 1 to the right of the other, to the right.

28.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 7 on each of the 2 dark grey 2x4 tiles. These stickers have a horizontal yellow line down the middle. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

29. Vertically place the back row of a dark grey 2x6 wedge plate on the back left corner so the angled side faces the left and the short end is in the front. Only the right column will be attached and it should sit on 3 studs! Then vertically place a dark grey 1x6 plate to the right. Now vertically place a dark grey 2x6 tile to the right.

30. Place the back row of a dark grey 2x2 triangle tile on the back row to the right of the previous 2x6 tile so the right angle faces the back left. Then repeat symmetrically to the front, so another triangle tile sits to the right of the front of the 2x6 tile. Now place another dark grey 2x2 triangle tile to the right of the front triangle tile so the right angle faces the front right.

31. Rotate your build 180 degrees so 1 column overhangs to the left. Now horizontally place the rightmost column of a white 2x6 plate with 4 side studs underneath the leftmost overhang so the side studs face the back.

Group 8 - Peridea

32. Horizontally place a blue 1x6 plate on the front row of the ppp so 1 column overhangs to the left.

33. Place the front row of a black 2x2 plate with 2 side studs underneath the overhang of the ppp so the side studs face the back.

34. Horizontally place a black 1x2 plate with a stud and a clip on the back row of the 2 leftmost columns so the clip is on the left. Now horizontally place a yellow 1x4 plate in front so the leftmost column is free.

35. Place the plate part of 2 light grey 1x2 plates attached to 2 light grey 1x2 bricks with holes, 1 to the right of the other, to the right of the previous 1x4 plate so the brick parts overhang to the front.

36. Horizontally place a tan 1x4 tile with 2 studs on the plate parts of the 2 ppp. Then place a dark grey 2x2 corner plate on the 2nd and 3rd columns from the left, so it looks like the braille letter h.

37. Horizontally place 2 dark grey 1x4 bricks with 4 side studs, 1 to the right of the other, to the right of the back row of the previous 2x2 corner plate so the side studs face the back.

Group 9 - Peridea

38. Let's make a part! Let's make a mechanism for the platform! Horizontally place a black 6x10 plate in front of you. Then horizontally place a dark grey 1x6 plate on the back left corner.

39. Place a red 1x1 tile on the back row to the right of the ppp. Then horizontally place a dark grey 1x2 plate with a ball on the back row to the right of the ppp so the ball faces the back.

Group 10 - Peridea

40. Horizontally place a dark grey 1x2 ingot tile on the back row on the 2nd and 3rd columns from the left. Then horizontally place a blue 1x6 plate to the right.

Group 11 - Peridea

41. Place a black 1x1 brick on the back right corner. Then horizontally place a dark grey 1x6 plate to the left.

42.1. Place a black 2x2 tile with a circle on top on the 2 rightmost columns so it is centered vertically.

Group 12 - Peridea

42.2. Place a light grey 2x2 tile with 2 studs on the 2 leftmost columns so it is centered vertically and the studs are on the left. Then place a white 2x2 tile with a circle part on top to the right so it is centered vertically. Now place another 1 to the right so there is a 1 column gap and it is centered vertically.

42.3. Place a dark grey 2x2 triangle tile on the 2nd and 3rd rows from the front in between the 2 left 2x2 tiles with round ridges on top so the right angle of the tile faces the front right. Then repeat symmetrically to the back.

43. Place 3 black 2x2 round plates with 6 gears, 1 on top of each of the 2x2 tiles with circle parts.

44. Vertically place a green 1x2 plate on the front left corner. Then place a blue 2x2 plate on the leftmost 2x2 round plate with 6 gears.

45. Place a dark grey 1x1 brick with a side stud and a bottom lip on the front row to the right of the 1x2 plate from the previous step so the side stud faces the back. Then place a dark grey 1x1 slope tile upright on the back-facing side stud so it slopes down.

46. Horizontally place a dark grey 1x4 brick with 3 holes on the front row to the right of the ppp. Then insert a black 2L pin into the front-facing leftmost and rightmost holes so the pins face the front.

47.1. Let's make a part! Horizontally place a black 1x5 plate in front of you. Then horizontally place a green 1x2 plate on the 2 leftmost columns.

47.2. Place a gold 1x1 round plate to the right of the ppp. Then horizontally place a black 1x2 plate with a stud and a clip to the right so the clip is on the right.

47.3. Place the back row of a black 2x2 corner plate underneath the rightmost column so it looks like the braille letter j.

47.4. Place a short red 1x1 brick on the left stud of the ppp.

47.5. Horizontally place your part on the front right corner so 1 column overhangs to the right and 1 row overhangs to the front.

48. Bring back your main build so it is horizontal and the front-facing holes are on the left. Now rotate your part 180 degrees so the pins face the back. Then insert the pins into the front-facing holes.

49.1. Let's make a part! Horizontally place a black 1x5 plate in front of you. Then place the back row of a dark grey 2x2 corner plate on the 2nd and 3rd columns from the right so it looks like the braille letter f and overhangs 1 row to the front. Then place another 1 to the left so it overhangs to the front and looks like the braille letter d. .

49.2. Horizontally place a green 1x2 plate underneath the overhang so there are no exposed studs.

49.3. Vertically place the back 2 rows of your part to the left of the 1x2 ingot tile that is to the left of the 2x2 tile with a circle part that is centered horizontally in the back of the build so the 1x2 plate of your part is on the left.

50. Horizontally place a dark grey 2x4 plate in front of the 2x2 corner plate to the right of the clips on the leftmost column.

51.1. Vertically place a dark grey 1x2 ingot tile on the leftmost column in between the clips. Then vertically place another 1 to the right. Now horizontally place 2 dark grey 2x4 tiles with stickers, 1 to the right of the other, to the right of the ppp.

51.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 7 on each of the 2 dark grey 2x4 tiles. These stickers have a horizontal yellow line down the middle. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Group 13 - Peridea

52. Vertically place the front row of a dark grey 2x6 wedge plate on the front left corner so the angled side faces the left and the short end is in the back. Only the right column will attach and it should sit on 3 studs! Then vertically place a dark grey 1x6 plate to the right. Now vertically place a dark grey 2x6 tile to the right.

53. Place a dark grey 2x2 triangle tile on the front row to the right of the previous 2x6 tile so the right angle faces the front left. Then repeat symmetrically to the back of the 2x6 tile. Now place another dark grey 2x2 triangle tile to the right of the back triangle tile so the right angle faces the back right.

54.1. Place a dark grey 2x2 triangle tile on the 2 leftmost columns of the back 2 rows so the right angle faces the back left. Now place a dark grey 1x6 curved tile with a sticker to the front right of the ppp so the front row sits to the right of the back row of the 2x4 tile. The curve should face the back left. Now repeat both parts symmetrically to the right.

54.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 8 on each of the 2 dark grey 1x6 curved tiles. These stickers have a horizontal yellow line down the middle. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Building Instructions (Bag 2, Book 1):

Group 14 - Ezra Bridge

Sub-build 2. Locate 1 brown pair of legs printed with red clothes, 1 dark red torso printed with a brown belt and a bag strap over his shoulder, 1 brown head printed with light blue eyes and a beard, 1 black hair, 1 light grey light saber handle, and 1 transparent blue 4L bar. Assemble your minifigure, then attach the bar to the thicker part of the handle. Make sure the longer hair is on your minifigure. Now attach the light saber to his hand! Then put him away while we make another minifigure!

Group 15 - Grand Admiral Thrawn

Sub-build 3. Locate 1 white pair of legs printed with black boots, 1 white torso printed with a name tag and a black belt, 1 light blue head printed with red eyes, 1 black hair, and 1 black blaster. Assemble your minifigure then attach the blaster to his hand! Now put him away while we continue the build!

Group 16 - Peridea

55. Make sure the build is horizontal in front of you and the balls are facing the front. Now vertically place a red 1x8 plate in front of the leftmost column of the 1x4 sloped curved tile that is centered horizontally and on the 6th row from the front so it overhangs 3 rows to the front. Then repeat symmetrically to the right.

56. Place a dark grey 6x6 plate underneath the overhang so it is centered horizontally.

57. Place a white 2x2 round brick in front of the 1x4 sloped curved tile and between the previous 1x8 plates. Then vertically place 2 blue 1x6 plates, 1 to the right of the other, in front of the ppp.

58. Horizontally place 2 dark grey 1x3 tiles, 1 in front of the other, to the left of the previous 2x2 round brick. Then horizontally place another 1 in front so there is a 1 row gap in between them. It should sit to the right of a 1x2 ingot tile. Now repeat everything symmetrically to the right.

59. Horizontally place a dark grey 1x2 ingot tile on the front row so it is centered horizontally. Then place a black 1x1 plate with a clip on the leftmost column and 2nd row from the front of the 6x6 plate so the clip faces the left. Then vertically place a yellow 1x4 plate behind it. Now repeat both parts symmetrically to the right.

60. Place a tan 2x2 round plate on top of the previous 1x4 plate that is on the left so it is centered vertically on it and there is no overhang. Then repeat symmetrically to the right. Now place a light grey 2x2 tile with 2 studs in between them so the studs are in the back.

61. Place a blue 2x2 plate on top of each of the 2x2 round plates from the previous step. Then horizontally place a green 1x2 plate in between the back row of them.

Group 17 - Peridea

62.1. Let's make a part that will knock minifigures off the mat! Vertically place a light grey 2x4 plate with a hole underneath in front of you. Then horizontally place a dark grey 1x2 ingot tile on the back row.

62.2. Insert a light grey 2L pin into the left-facing hole. Then repeat symmetrically to the right.

62.3. Horizontally place a dark grey 2x2 tile on the front 2 rows. Then horizontally place a dark grey 1x2 slope tile behind it so it slopes to the front.

62.4. Attach the hole of a light grey 1x2 brick with a hole attached to a 1x2 plate part to the left-facing pin. Then repeat symmetrically to the right.

62.5. Horizontally place your part on the 2nd and 3rd rows from the front so it is centered horizontally and the 2x2 tile is in front.

63. Vertically place a dark grey 1x2 slope tile to the left of the 1x2 ingot tile and 1x2 slope tile of your previous part so it slopes to the left. Then repeat symmetrically to the right.

64. Vertically attach the front bar of a gold 1x2 rounded brick with a gap to the left-facing clip of your previous part. Then repeat symmetrically to the right.

65. Place a dark grey 2x2 plate on top of the left 1x2 rounded brick with a gap from the previous step so there is no overhang. Then repeat symmetrically to the right.

Group 18 - Peridea

66. Let's make a part! Let's make a part of the platform! Place a black 4x4 plate in front of you. Then horizontally place a black 1x4 tile with 2 studs on the back row.

67. Horizontally place a green 1x2 plate on the front left corner. Then horizontally place a tan 1x2 plate with a clip on the short side behind it so the clip faces the left. Now place a gold 1x1 round plate on the leftmost column behind it.

68.1. Let's make another part! Horizontally place a tan 2x4 plate upside down in front of you. Then horizontally place a green 1x2 plate on the front right corner.

68.2. Place a red 2x2 curved corner plate behind the left column of the previous 1x2 plate so it overhangs 1 row to the back and the anti-studs look like the braille letter d.

68.3. Flip your part over so it is horizontal and the 2x4 plate is in the back. Now horizontally place a dark grey 2x2 plate with an angled side in front of the 2 leftmost columns of the 2x4 plate so the angled side faces the front and the shorter end is on the right.

68.4. Horizontally place the back left corner of your part on top of the front right corner of your previous part so it overhangs 2 columns to the right and 2 rows to the front.

69.1. Let's make another part! Horizontally place a black 1x2 plate with 2 side studs sticking up in front of you so the side studs face the back. Then place a short black 1x1 brick on the right column.

69.2. Horizontally place a light grey 1x2 plate with a socket on the left column so it overhangs 1 column to the left and the socket faces the front.

69.3. Horizontally place a black 1x2 plate with 2 side studs sticking up underneath the overhang so the side studs face the back.

69.4. Horizontally place a blue 1x6 plate on the leftmost column so it overhangs 5 columns to the left.

69.5. Horizontally place a black 1x2 plate with 2 side studs sticking up underneath the overhang so the side studs face the back and 3 columns still overhang to the left.

69.6. Horizontally place a white 1x5 plate on top to the left of the 1x1 short black 1x1 brick that is on the rightmost column.

69.7. Horizontally place the overhang of your part on the 2nd row from the back of your previous part, so it sits to the right of the 1x1 round plate.

70. Vertically place a black 1x2 plate with a stud and a clip on the back left corner so the clip faces the back. Then vertically place a dark grey 1x2 ingot tile in front. Now repeat everything symmetrically on the 4th column from the left.

71. Vertically place a green 1x2 plate on the front 2 rows on the 5th column from the right. Then place the back row of a dark grey 2x2 corner tile with a cutoff corner to the left of the front stud of the ppp so the cutoff corner faces the front right.

72. Vertically place a tan 2x4 plate on top of the 2nd and 3rd columns from the left so the front left corner overhangs. Now horizontally place a dark grey 1x4 plate on the 2nd row from the back on the 4 leftmost columns.

73. Horizontally place the back row of a dark grey 4x6 wedge plate on the 6 rightmost columns so the angled side faces the front and the short end faces the right.

74. Place a dark grey 2x2 wedge plate on the 2 rightmost columns so the angled side faces the front and the short end is on the right. Now horizontally place a dark grey 1x2 plate with 4 side studs hanging down on the back row to the left so the side studs face the back. Then place a dark grey 2x2 wedge plate in front so the angled side faces the front and the short end is on the right.

75. Horizontally place 3 dark grey 1x2 ingot tiles, 1 to the right of the other, on the back row to the left of the previous 1x2 plate with 4 side studs.

76. Bring back your main build so it is horizontal and the left and right balls face the front. Now rotate your part 180 degrees so the side studs face the front. Attach the right-facing clip of your part to the left-facing 1x2 rounded brick with a gap that is the leftmost column of the 2nd row from the front. Then attach the back-facing socket of your part to the left front-facing ball.

Group 19 - Peridea

77. Let's make a part! Let's make a part of the platform! Place a black 4x4 plate in front of you. Then horizontally place a black 1x4 tile with 2 studs on the back row.

78. Horizontally place a green 1x2 plate on the front right corner. Then horizontally place a tan 1x2 plate with a clip on the short side behind it so the clip faces the right. Now place a gold 1x1 round plate on the rightmost column behind it.

79.1. Let's make another part! Horizontally place a tan 2x4 plate upside down in front of you. Then horizontally place a green 1x2 plate on the front left corner.

79.2. Place a red 2x2 curved corner plate behind the right column of the previous 1x2 plate so it overhangs 1 row to the back and the anti-studs look like the braille letter f.

79.3. Flip your part over so it is horizontal and the 2x4 plate is in the back. Now horizontally place a dark grey 2x2 wedge plate in front of the 2 rightmost columns of the 2x4 plate so the angled side faces the front and the shorter end is on the left.

79.4. Horizontally place the back right corner of your part on top of the front left corner of your previous part so it overhangs 2 columns to the left and 2 rows to the front.

80.1. Let's make another part! Horizontally place a black 1x2 plate with 2 side studs sticking up in front of you so the side studs face the back. Then place a short black 1x1 brick on the left column.

80.2. Horizontally place a light grey 1x2 plate with a socket on the right column so it overhangs 1 column to the right and the socket faces the front.

80.3. Horizontally place a black 1x2 plate with 2 side studs sticking up underneath the overhang so the side studs face the back.

80.4. Horizontally place a blue 1x6 plate on the rightmost column so it overhangs 5 columns to the right.

80.5. Horizontally place a black 1x2 plate with 2 side studs sticking up underneath the overhang so the side studs face the back and 3 columns still overhang to the right.

80.6. Horizontally place a white 1x5 plate on top to the right of the 1x1 short black 1x1 brick that is on the leftmost column.

80.7. Horizontally place the overhang of your part on the 2nd row from the back of your previous part, so it sits to the left of the 1x1 round plate.

81. Vertically place a black 1x2 plate with a stud and a clip on the back right corner so the clip faces the back. Then vertically place a dark grey 1x2 ingot tile in front. Now repeat everything symmetrically on the 4th column from the right.

82. Vertically place a green 1x2 plate on the front 2 rows on the 5th column from the left. Then place the back row of a dark grey 2x2 corner tile with a cutoff corner to the right of the front stud of the ppp so the cutoff corner faces the front left.

83. Vertically place a tan 2x4 plate on top of the 2nd and 3rd columns from the right so the front right corner overhangs. Now horizontally place a dark grey 1x4 plate on the 2nd row from the back on the 4 rightmost columns.

84. Horizontally place the back row of a dark grey 4x6 wedge plate on the 6 leftmost columns so the angled side faces the front and the short end faces the left.

85. Place a dark grey 2x2 wedge plate on the 2 leftmost columns so the angled side faces the front and the short end is on the left. Now horizontally place a dark grey 1x2 plate with 4 side studs hanging down on the back row to the right so the side studs face the back. Then place a dark grey 2x2 wedge plate in front so the angled side faces the front and the short end is on the left.

86. Horizontally place 3 dark grey 1x2 ingot tiles, 1 to the right of the other, on the back row to the right of the previous 1x2 plate with 4 side studs.

87. Bring back your main build so it is horizontal and the ball on the right faces the front. Now rotate your part 180 degrees so the side studs face the front. Attach the left-facing clip of your part to the right-facing 1x2 rounded brick with a gap that is the rightmost column of the 2nd row from the front. Then attach the back-facing socket of your part to the right front-facing ball.

Group 20 - Peridea

88.1. Let's make 2 identical parts! Let's make the sides of the platform! Horizontally place a dark grey 2x3 plate in front of you. Then place a dark grey 2x2 tile on the right 2 columns.

88.2. Place a dark grey 2x2 tile on the left column so it overhangs 1 column to the left.

88.3. Place a dark grey 2x2 plate underneath the overhang so 1 column is exposed to the left.

88.4. Place a dark grey 2x2 sloped curved tile on top of the left column so it slopes and overhangs to the left.

88.5. Now you should have 2 identical parts! Horizontally place 1 part on the front right facing side studs so it slopes to the right. Then repeat symmetrically to the left.

89. Horizontally place a dark grey 1x2 tile with a cutoff corner behind the 2 leftmost columns of 2 1x3 tiles that are to the left of the 2x2 round brick that is centered on the build so the cutoff corner faces the back right. Then repeat symmetrically to the right.

90.1. Place a dark grey 1x6 curved tile with a sticker in front of the left ppp so it sits in front of the 1x6 curved tile and the curve faces the front left. Then repeat symmetrically to the right. Together all 4 1x6 curved tiles should form a circle!

90.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 8 on each of the 2 dark grey 1x6 curved tiles. These stickers have a horizontal yellow line down the middle. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

91.1. Let's make 2 identical parts! Let's make part of the floor! Horizontally place a dark grey 1x8 plate with a rail in front of you so the rail faces the back.

91.2. Horizontally place 2 dark grey 2x4 tiles with stickers, 1 to the right of the other, on top so they overhang to the front.

91.3. Skip this step if you have already placed your stickers! Ask a helper to place sticker 7 on each of the 2 dark grey 2x4 tiles. These stickers have a horizontal yellow line down the middle. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

91.4. Horizontally place a dark grey 1x8 plate with a rail underneath the overhang so the rail faces the front.

91.5. Now you should have 2 identical parts! Vertically place 1 behind the right 2 1x2 ingot tiles that are on the front row on the left side. The part should be diagonal and face the back right. Then repeat symmetrically to the right.

Building Instructions (Bag 3, Book 1):

Group 21 - Morgan Elsbeth

Sub-build 4. Locate 1 black pair of legs, 1 dark red torso printed with a brown belt and red undershirt, 1 tan head printed with grey eyes, dark red lips, and grey face paint, 1 dark tan hair, 1 dark grey light saber handle, 1 light grey 1x1 round plate, and 1 transparent green blade. Assemble your minifigure, then attach the bar to the thicker side of the handle. Then attach the 1x1 round plate to the thinner side of the handle! Now attach the light saber to her hand! Then put her away while we make another minifigure!

Group 22 - Night Trooper

Sub-build 5. Locate 1 white pair of legs with armor and a dark red stripe, 1 white torso printed with armor and 2 dark red stripes, 1 tan head printed with yellow eyes, teeth and wrinkles, 1 white helmet, and 1 black blaster. Assemble your minifigure then attach the blaster to his hand! Now put him away while we continue building!

Group 23 - Peridea

92. Vertically place 2 dark grey 4x6 wedge plates, 1 to the right of the other, in front of a dark grey 1x2 slope tile and 1x2 ingot tile that are on the 4th row from the front of the build and centered horizontally so they are centered horizontally and the short ends face the back.

93. Horizontally place a dark grey 1x2 ingot tile on the front row of the 2 ppp so it is centered horizontally. Now place a dark grey 2x2 tile on the 3rd and 4th rows from the front, to the left of the left vertical slope tile that is in front of the ppp. Then repeat symmetrically to the right.

94. Horizontally place a dark grey 1x3 tile in front of the left 2x2 tile and 1x2 slope tile from the previous step. Then repeat symmetrically to the right.

95. Horizontally place a dark grey 1x3 tile in front of 1x2 ingot tiles, to the left of the front row of the diagonal 2x4 tiles with stickers that are in the front left. Then horizontally place a dark grey 2x3 wedge plate behind it so the short end is on the left and the angled side faces the back. Now repeat both parts symmetrically to the right.

96. Let's make a part! Let's make a part of the floor! Place a white 6x6 round plate in front of you. Then place a dark grey 4x4 round plate on top so it is centered. Now place 4 light grey 1x3 curved tiles around the 4x4 round plate. Then place your part in the center of the 4 1x6 curved tiles that are in the back middle.

97. Place a dark grey 4x4 round plate on top of the left 2x2 plate that is to the right of a 2x6 tile so it is centered on it. Then repeat symmetrically to the right.

98. Rotate your build 180 degrees. Now horizontally place a dark grey 2x6 tile upright on the 6 leftmost front-facing columns. Then horizontally place a dark grey 2x4 plate upright to the right. Now repeat both parts symmetrically to the right.

99. Horizontally place a dark grey 2x3 slope brick upright on the 3 rightmost columns of the left 2x4 plate from the previous step so it slopes to the left. Then repeat symmetrically to the right.

Group 24 - Pillars

100. Let's make 2 identical parts! Let's make 2 pillars! Horizontally place a black 4x6 plate with 2 bars in front of you so the bars are on the right.

101. Horizontally place a black 1x8 plate with a rail underneath the front row so 3 columns are exposed to the left and the rail faces the back. Then repeat symmetrically to the back.

102. Place a black 4x4 plate on the 3 leftmost columns so 1 column overhangs to the left.

103. Place 2 black 2x2 plates with 2 side studs, 1 in front of the other, underneath the leftmost column so 1 column is exposed to the left and the side studs face the left.

104.1. Place a black 4x4 tile with a sticker on the 4 leftmost columns.

104.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the 4x4 tile. This sticker has gold lines and circles on it! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

104.3. Place a black 4x4 tile with a sticker to the right of the ppp. Then vertically place a black 2x4 tile to the right.

104.4. Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the 4x4 tile. This sticker has gold lines and circles on it! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

105. Vertically place 2 black 1x2 inverted half arch bricks, 1 in front of the other, upright on the left-facing side studs so they slope inwards. Then place 2 black 1x1 slope tiles upright on the left-facing side studs so they slope outwards to the front and back.

106. Now you should have 2 identical parts! Bring back your main build so it is horizontal and the diagonal sides face the back. Then vertically attach the bar of 1 part upright on the front left clips so the tile side faces the right. Then repeat symmetrically to the right.

Group 25 - Pillar

107. Let's make a part! Let's make another pillar! Horizontally place a black 4x6 plate with 2 bars in front of you so the bars are on the right.

108. Horizontally place a black 1x8 plate with a rail underneath the front row so 3 columns are exposed to the left and the rail faces the back. Then repeat symmetrically to the back.

109. Place a black 4x4 plate on the 3 leftmost columns so 1 column overhangs to the left.

110. Place 2 black 2x2 plates with 2 side studs, 1 in front of the other, underneath the leftmost column so 1 column is exposed to the left and the side studs face the left.

111.1. Place a black 4x4 tile with a sticker on the 4 leftmost columns.

111.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the 4x4 tile. This sticker has gold lines and circles on it! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

111.3. Place a black 4x4 tile with a sticker to the right of the ppp. Then vertically place a black 2x4 tile to the right.

111.4. Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the 4x4 tile. This sticker has gold lines and circles on it! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

112. Vertically place 2 black 1x2 inverted half arch bricks, 1 in front of the other, upright on the left-facing side studs so they slope inwards. Then place 2 black 1x1 slope tiles upright on the left-facing side studs so they slope outwards to the front and back.

113. Horizontally attach the bars of your part upright to the clips that are in the back left corner so the tile side faces the front.

Group 26 - Pillar

114. Let's make a part! Let's make another pillar! Horizontally place a black 4x6 plate with 2 bars in front of you so the bars are on the right.

115. Horizontally place a black 1x8 plate with a rail underneath the front row so 3 columns are exposed to the left and the rail faces the back. Then repeat symmetrically to the back.

116. Place a black 4x4 plate on the 3 leftmost columns so 1 column overhangs to the left.

117. Place 2 black 2x2 plates with 2 side studs, 1 in front of the other, underneath the leftmost column so 1 column is exposed to the left and the side studs face the left.

118.1. Place a black 4x4 tile with a sticker on the 4 leftmost columns.

118.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 5 on the 4x4 tile. This sticker has gold lines and circles on it! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

118.3. Place a black 4x4 tile with a sticker to the right of the ppp. Then vertically place a black 2x4 tile to the right.

118.4. Skip this step if you have already placed your sticker! Ask a helper to place sticker 6 on the 4x4 tile. This sticker has gold lines and circles on it! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

119. Vertically place 2 black 1x2 inverted half arch bricks, 1 in front of the other, upright on the left-facing side studs so they slope inwards. Then place 2 black 1x1 slope tiles upright on the left-facing side studs so they slope outwards to the front and back.

120. Horizontally attach the bars of your part upright to the clips that are in the back right corner so the tile side faces the front.

121.1. Let's make 4 identical parts! This is gold that goes on each of the pillars! Horizontally place a black 1x2 inverted sloped curved plate with a smooth bottom in front of you so the higher side is on the right. Then place a tan 1x1 plate with a clip on the left column so the clip faces the left.

121.2. Attach a gold faucet to the clip so the anti-stud is underneath the clip and faces the left. Then attach a gold 1x1 round plate to the anti-stud of the faucet.

121.3. Attach the side with a stop of a gold bar with a stop to the ppp.

121.4. Now you should have 4 identical parts! Rotate your main build 180 degrees so the back of the pillars face the front. Now vertically place 1 part upright on the bottom anti-studs of 1 pillar so it is centered horizontally and the bar faces up. Now repeat symmetrically to the other 3 pillars!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets, there are no ads.