## 76308 Spider-Man Mech vs. Anti-Venom

Adapted by John Le and tested by Jolene Nemeth.

Spider-Man Mech vs. Anti-Venom (76308) is an ideal buildable LEGO® Super Hero toy for kids who love mechs, minifigures and Marvel-movie action. This premium-quality LEGO Marvel playset will put endless imaginative adventures with a fully jointed buildable Spider-Man figure into the hands of young Super Heroes aged 6 and up.

This LEGO Marvel playset comes with 2 minifigures: Spider-Man, and Anti-Venom with his tentacled hands. The buildable mech has movable arms, legs and fingers. Kids open the mech's torso to access the cockpit where the Spider-Man minifigure can be placed. The set includes a large flexible web that can trap the Anti-Venom minifigure and fits into both the minifigure's and the mech's hands.

LEGO® Marvel Spider-Man Mech vs. Anti-Venom – This buildable toy for kids features a large mech figure and 2 minifigures, providing endless Super Hero fun for boys and girls aged 6 and up.

Buildable Spider-Man playset – This build-and-play SuperHero toy comes with Spider-Man and Anti-Venom minifigures, plus accessories to encourage imaginative role play.

Spider-Man Mech buildable figure – The LEGO® Marvel mech has movable arms, legs and fingers, and the torso opens to reveal a cockpit that can hold the Spider-Man minifigure.

Buildable LEGO® set for Super Hero adventures – Kids can use a large flexible web that fits into the mech's hand to capture the Anti-Venom minifigure.

107-piece buildable playset – Put epic adventures into the hands of any young Spider-Man fan with this posable mech, which stands over 4.5 in. (11 cm) tall.

The front of the box shows Spider-Man in a mech suit shooting a web to catch Anti-Venom!

The back of the box shows Spider-Man out of his mech and he is capturing Anti-Venom in a web!

The top of the box shows a real size image of Anti-Venom.

The build is 107 pieces in total and is for ages 6+.

2 bags labeled 1 include the pieces for Spider-Man, Anti-Venom, and the Spider-Man Mech.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.

- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<a href="https://www.lego.com/en-us/service/buildinginstructions/76308">https://www.lego.com/en-us/service/buildinginstructions/76308</a>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

#### Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 2 bags labeled 1, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Spider-Man, Anti-Venom, and Spider Man Mech

Group 1 - Pages 5-7.

Group 2 - Page 8.

Group 3 - Steps 1-6.

Group 4 - Steps 7-14.

Group 5 - Steps 15-18.

Group 6 - Step 19 and 1 red 2x2 round plate with a smooth underside from Step 20.

Group 7 - Rest of Step 20 and Steps 21-25.

Group 8 - Steps 26 and 1 red 2x2 round plate with a smooth underside from Step 27.

Group 9 - Rest of Step 27 and Steps 28-35.

Group 10 - Steps 36-57.

Group 11 - Steps 1-2.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Spider-Man

Sub-build 1.1. Locate 1 blue pair of legs, 1 red and blue torso printed with a web and a spider, 1 red head printed with white eyes and a web, 1 transparent 1x1 round plate with a bar underneath, and a transparent 1x1 round plate. Assemble your minifigure then attach the bar of the 1x1 round plate with a bar to him. Now place the transparent 1x1 round plate upright on it so the stud faces the front!

Sub-build 1.2. Place a white 5L bar with a stop upright on the front-facing side stud so the side with a stop faces the front. Then place a white web upright on the front-facing bar so the web faces the front! Now put your minifigure away while we make Anti-Venom!

Group 2 - Anti-Venom

Sub-build 2. Locate 1 white pair of legs, 1 white torso printed with a black spider, 1 white head printed with yellow eyes and a black face mask with horns, and 1 white curved bar with a swirl. Assemble your minifigure then attach the curved bar to his hand so the swirl faces the front. Now put him away while we make Spider Man's mech!

Group 3 - Spider-Man Mech

- 1. Place a dark grey 2x2 plate with angled sides, 8 side studs, and 2 clips in front of you so the side studs face the front and the clips face the back. Then horizontally place a dark grey 1x2 plate with a ball on the short side upright on the top left corner of the front-facing side studs so the ball faces the left. Then repeat symmetrically to the right.
- 2. Place a blue 2x2 corner plate upright on the 2nd and 3rd columns from the left of the top 2 rows of front-facing side studs so it looks like the braille letter d. Then vertically place a red 1x2 plate with a stud and a clip upright on the front-facing side studs below the left column of the ppp so the clip faces down.
- 3. Place a blue 2x2 tile with 2 studs upright on the top 2 rows of front-facing side studs so it is centered horizontally and the stud is on top. Then place a red 1x1 slope tile upright on the front-facing side studs below the ppp so it slopes down.
- 4. Horizontally place 2 red 1x1 tiles with a 1x1 slope tile, 1 to the right of the other, upright on the top row of front-facing side studs so they are centered horizontally and slope outwards to the left and right.
- 5-6. Rotate your build 180 degrees so the tiles face the back and the clips face the front. Then attach the bar of a red angled sloped chest plate with 2x2 side studs to the front-facing clips so the side studs face the front. Now vertically place a red 2x3 pentagonal tile printed with red and blue parts and a white spider upright on the front-facing side studs so the angled side hangs 1 row down.

# Group 4 - Spider-Man Mech

- 7. Let's make a part! Let's make the hip! Place a blue 2x2 inverted sloped curved tile in front of you so it slopes to the back. Then place a blue 1x2 brick with a hole and a 1x2 plate on top so the hole faces the front.
- 8. Horizontally place a black 1x2 plate with balls on the short ends on the back row so the balls face the left and right.
- 9. Vertically place 2 blue 1x1 plates with a 1x1 slope tile, 1 to the right of the other, on top so they slope to the back.
- 10. Place a red 1x1 plate with 2 side studs hanging down on the front left corner so the side studs face the left. Then repeat symmetrically to the right.
- 11. Place a blue 1x1 quarter circle tile on the front left corner so it curves to the front right. Then repeat symmetrically to the right.
- 12. Vertically place a red 1x2 ingot tile upright on the left-facing side studs. Then repeat symmetrically to the right.
- 13. Insert a black 2L pin into the front-facing hole.
- 14. Place your part on its side so the 2L pin faces up and the 1x1 quarter tiles face the front. Now place your main build on top so the 2x3 tile with an angled side faces the front.

## Group 5 - Spider-Man Mech

- 15. Let's make a part! Let's make a leg! Horizontally place a red 2x2 round tile with a hole and 2 sets of angled 2x2 studs in front of you so the studs face the back left and back right. Now vertically place a light grey 1x2 plate with a socket on the long side on the leftmost column so the socket faces the left. Then repeat symmetrically to the right.
- 16. Horizontally place a white 1x2 plate with 2 side studs hanging down on the front right corner so the side studs face the front. Then horizontally place a blue 1x2 plate behind it.
- 17. Horizontally place a blue 2x3 pentagonal tile on the 2 rightmost columns so the angled side faces the left.
- 18. Place a blue 1x1 quarter circle tile upright on the right front-facing side stud so the curve faces the bottom right. Then place a blue 1x1 plate with a tooth upright to the left so the tooth faces the left.

# Group 6 - Spider-Man Mech

19. Horizontally place a red 2x3 tile with an angled side on the 2 leftmost columns so the angled side faces the right.

20.1. Flip your part upside down so it is horizontal and the sockets face the front left and front right. Then place a red 2x2 round inverted tile with a rounded bottom on the 2 leftmost columns.

Group 7 - Spider-Man Mech

- 20.2. Place a blue 2x2 round inverted tile with rounded bottom on the 2 rightmost columns.
- 21. Lay your main build on its side so it is vertical, the 2x3 pentagonal tile faces up, and the 1x1 slope tiles face the front. Make sure your part is still upside down, then attach the right-facing socket to the front left ball of the main build so the other socket faces the front. Make sure the 2x3 tiles with an angled side face the left.
- 22. Let's make a part! Let's make a leg! Horizontally place a red 2x2 round tile with a hole and 2 sets of angled 2x2 studs in front of you so the studs face the back left and back right. Now vertically place a light grey 1x2 plate with a socket on the long side on the leftmost column so the socket faces the left. Then repeat symmetrically to the right.
- 23. Horizontally place a white 1x2 plate with 2 side studs hanging down on the front left corner so the side studs face the front. Then horizontally place a blue 1x2 plate behind it.
- 24. Horizontally place a blue 2x3 pentagonal tile on the 2 leftmost columns so the angled side faces the right.
- 25. Place a blue 1x1 quarter circle tile upright on the left front-facing side stud so the curve faces the bottom left. Then place a blue 1x1 plate with a tooth upright to the right so the tooth faces the right.

Group 8 - Spider-Man Mech

- 26. Horizontally place a red 2x3 pentagonal tile on the 2 rightmost columns so the angled side faces the left.
- 27.1. Flip your part upside down so it is horizontal and the sockets face the front left and front right. Then place a red 2x2 round plate with a smooth underside on the 2 rightmost columns.

Group 9 - Spider-Man Mech

- 27.2. Place a blue 2x2 round plate with a smooth underside on the 2 leftmost columns.
- 28. Vertically attach the left-facing socket of your part to the front right ball of the main build so the other socket faces the front. Make sure the 2x3 tiles with an angled side face the right.
- 29. Let's make 2 identical parts! Let's make the mech's feet! Horizontally place a blue 1x5 rounded plate in front of you. Then place a red 1x1 tile with a rounded side on the leftmost column so the rounded side faces the left.
- 30. Place a red 1x1 slope tile to the right of the ppp so it slopes to the left.
- 31. Place a white 1x1 plate with a clip on the 2nd column from the right so the clip faces the left.

- 32. Horizontally place a red 1x2 rounded plate on the 2nd and 3rd columns from the right.
- 33. Horizontally place a red 1x1 tile with a 1x1 slope tile on the 2 rightmost columns so it slopes to the right.
- 34. Place a dark grey bar with a ball to the left of the ppp so the ball faces up.
- 35. Now you should have 2 identical parts! Vertically attach the balls of them to the front-facing sockets of the legs so the 1x1 tiles with a 1x1 slope tile face down. Now place your mech on its feet so the 1x1 tiles with a rounded side of the feet face the front!

## Group 10 - Spider-Man Mech

- 36. Let's make a part! Let's make an arm! Horizontally place a blue 2x2 round tile with a hole and 2 sets of angled 2x2 studs in front of you so the studs face the front left and front right. Now vertically place a light grey 1x2 plate with a socket on the long side on the rightmost column so the socket faces the right.
- 37. Vertically place a red 1x4 plate with inverted sloped sides underneath the rightmost column so it is centered vertically.
- 38. Place a red 2x2 round inverted tile with rounded bottom underneath the leftmost column so it is centered vertically and 1 column is exposed to the left.
- 39. Horizontally place the 2 rightmost columns of a white 2x3 plate on the 2 rightmost columns.
- 40. Place a red 2x2 plate with a mudguard on the 2 rightmost columns so the mudguard faces the right. Then place a red 2x2 angled sloped curved tile to the left so it slopes to the left.
- 41. Vertically place 2 red 1x1 tiles with a 1x1 slope tile, 1 in front of the other, on the rightmost column so they are centered vertically and slope outwards to the front and back.
- 42. Vertically place a red 1x2 rounded plate on the leftmost column on top of the 2x2 round inverted tile with rounded bottom.
- 43. Vertically place a red 1x2 plate with a bar on the long side on the leftmost column so the bar faces the left. Then vertically place a blue 1x2 plate with a bar on the short side to the right so the bar faces the front.
- 44. Place a red 2x2 corner tile on the 2 leftmost columns so it looks like the braille letter f. Then place a blue 2x2 corner tile with a cutoff corner to the right so the cutoff corner faces the front right.
- 45. Attach 3 red claws with a clip to the left-facing bar so they slope down. Then attach 1 more to the front-facing bar so it slopes down. These are the fingers!
- 46. Attach the right-facing socket of your arm to the left-facing ball of your mech!
- 47. Let's make a part! Let's make another arm! Horizontally place a blue 2x2 round tile with a hole and 2 sets of angled 2x2 studs in front of you so the studs face the front left and front right. Now vertically place a light grey 1x2 plate with a socket on the long side on the leftmost column so the socket faces the left.

- 48. Vertically place a red 1x4 plate with inverted sloped sides underneath the leftmost column so it is centered vertically. Now place a red 2x2 round inverted tile with rounded bottom underneath the rightmost column so it is centered vertically and 1 column is exposed to the right.
- 49. Horizontally place the 2 leftmost columns of a white 2x3 plate on the 2 leftmost columns.
- 50. Place a red 2x2 plate with a mudguard on the 2 leftmost columns so the mudguard faces the left. Then place a red 2x2 angled sloped curved tile to the right so it slopes to the right.
- 51. Vertically place 2 red 1x1 tiles with a 1x1 slope tile, 1 in front of the other, on the leftmost column so they are centered vertically and slope outwards to the front and back.
- 52. Place a dark grey 1x1 round plate on the back right corner. Then place a dark grey 1x1 plate with a double-sided stud in front so the double-sided stud is in the front and faces left and right.
- 53. Vertically place a red 1x2 plate with a bar on the long side on the rightmost column so the bar faces the right.
- 54. Vertically place a blue 1x2 plate with a bar on the short side on the 2nd column from the right to the left of the ppp so the bar faces the front.
- 55. Place a red 2x2 corner tile on the 2 rightmost columns so it looks like the braille letter d. Then place a blue 2x2 corner tile with a cutoff corner to the left so the cutoff corner faces the front left.
- 56. Attach 3 red claws with a clip to the right-facing bar so they slope down. Then attach 1 more to the front-facing bar so it slopes down. These are the fingers!
- 57. Attach the right-facing socket of your arm to the right-facing ball of your mech!

Group 11 - Spider-Man Mech

- 1. Locate the web shooter that you attached to Spider-Man, then break it into 2 parts, so 1 part is the web and 5L bar with a stop, and the other is the 1x1 round plate with the 1x1 round plate with a bar. Now attach the bar of 1 part to the back-facing clip of your mech so the stud faces the back.
- 2. Attach the 5L bar with the web to the front-facing stud of the double-sided stud that is on the arm on the right side so the web faces the front!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our <u>Builders page</u>. It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please signup for our newsletter and follow us on <u>Facebook</u> and <u>Instagram</u> to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 3 LEGO Spider Man Theme kits:

76311 Spider-Verse: Miles Morales vs. The Spot

76309 Spider-Man vs. Venom Muscle Car

76308 Spider-Man Mech vs. Anti-Venom