

76934 Ferrari F40 Supercar

Adapted by John Le and tested by Saqib Shaikh.

Boys and girls aged 9+ can collect, build, play with and display this incredible LEGO® Speed Champions Ferrari F40 (76934) car toy. Designed to celebrate the 40th anniversary of the iconic Italian car brand, the F40 was the last model personally approved by Ferrari founder Enzo Ferrari, and this fantastic buildable vehicle for kids features lots of famous design details from the real-life version.

The Ferrari toy includes the F40's iconic rear spoiler, nose, tailpipes, rims, air-intake features, and an interior with a dashboard, handbrake, gear shift, red seats and a steering wheel. The LEGO car set also comes with a Ferrari driver minifigure for kids to place behind the wheel.

Ferrari toy car for kids – LEGO® Speed Champions Ferrari F40 Supercar buildable vehicle for boys and girls aged 9+, nostalgic car-lovers and Ferrari fans.

1 minifigure – Car playset includes a Ferrari driver minifigure, with a helmet, wig and wrench, that kids can place behind the wheel to stage races.

Authentic Ferrari details – LEGO® toy car features the F40's iconic rear spoiler, nose, tailpipes, rims and air-intake features, plus interior details like the gear shift and red seats.

Premium Ferrari display model – After kids and Ferrari fans have played out action-packed stories with the Ferrari F40 model car, they can proudly display it on a shelf or bedside table.

Measurements – This 318-piece car building toy measures over 1.5 in. (4 cm) high, 6 in. (15 cm) long and 3 in. (8 cm) wide.

The front of the box shows a red super car riding down a bridge with an ocean view in the back!

The back of the box shows the back of the car. It has a window on the top of the car exposing the engine!

The top of the box shows a real size image of a light grey wheel with a black tire.

The build is 318 pieces in total and is for ages 9+.

Bag 1 includes the pieces for the driver and ferrari supercar.

Bags 2-4 include the pieces for the ferrari supercar.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.

- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- “Anti-stud” is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/76934>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 4 bags labeled 1 to 4, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Driver and Ferrari F40 Supercar

Group 1 - Page 5.

Group 2 - Steps 1-13.

Group 3 - Steps 14-15.

Group 4 - Step 16.

Group 5 - Steps 17-19.

Group 6 - Steps 20-33.

Bag 2 - Ferrari F40 Supercar

Group 7 - Steps 34-37.

Group 8 - Steps 38-49.

Group 9 - Step 50 and 6 transparent 1x1 tiles from Step 51.

Group 10 - Rest of Step 51 and Step 52.

Group 11 - Step 53.

Bag 3 - Ferrari F40 Supercar

Group 12 - Steps 54-64.

Group 13 - Steps 65-69 and 2 transparent 1x1 tiles from Step 70.

Group 14 - Rest of Step 70 and Steps 71-74.

Bag 4 - Ferrari F40 Supercar

Group 15 - Steps 75-85.

Group 16 - Steps 86-88.

Group 17 - Steps 89-91 and 2 transparent red 1x1 round tiles from Step 92.

Group 18 - Rest of Step 92 and Steps 93-103.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Driver Minifigure

Sub-build 1. Locate 1 dark grey pair of legs, 1 olive green torso printed with a sweatshirt, 1 yellow head printed with eyes, lips, and eyelashes, 1 black hair, and 1 black wrench. Assemble your minifigure then attach the wrench to her hand! Now put her away while we make the ferrari!

Group 2 - Ferrari F40 Supercar

1. Horizontally place a black 6x12 car base with 2 sets of side studs in front of you so the side studs face the front and back. Now vertically place a yellow 1x3 jumper plate on the 4th column from the left so it is centered vertically. Then place a light grey 1x1 round plate in front and behind the ppp.

2. Vertically place 2 black 1x3 rounded plates, 1 in front of the other, on top of the 3 ppp.

3. Place 2 brown 3x3 plus-shaped plates, 1 in front of the other, on the 2nd, 3rd, and 4th columns from the left so they are centered vertically.

4. Vertically place a green 1x2 plate on the 4th column from the left so it is centered vertically. Now place a tan 1x1 round tile on the front row on the 4th column from the left of the build. Then repeat symmetrically to the back.

5. Vertically place a black 1x4 brick on the back 4 rows of the 5th column from the left. Then place a black 1x1 brick in front of the ppp.

6. Vertically place a dark grey 2x6 plate with bricks with axle holes on the sides underneath the 2 leftmost columns so it is centered vertically. Now insert a tan 2L pin axle into the front-facing axle hole of the ppp so the pin faces the front. Then repeat symmetrically to the back.

7. Place 2 red 1x1 round plates with a bar, 1 in front of the other, on the leftmost column so they are centered vertically and the bars face the left.

8. Place a yellow 2x2 tile on the 2 leftmost columns so it is centered vertically. Then place a light grey 1x1 plate with a side stud hanging down on the 2nd row from the front of the leftmost column so the side stud faces the left. Then repeat symmetrically to the back.

9. Horizontally place a black 1x3 rounded plate upright on the front left-facing side stud so it is centered horizontally on it, and make sure it also attaches to the front left-facing bar! Then repeat symmetrically to the back.

10. Horizontally place a light grey 1x4 rounded plate on the 4th, 5th, 6th, and 7th columns from the right so it is centered vertically. Then vertically place a red 1x2 tile with a round side in front and behind the leftmost column of the ppp so the round sides face the left.

11. Horizontally place 2 red 1x2 plates with a stud and a clip, 1 in front of the other, on the front 2 rows of the 5th and 6th columns from the right so the clips are on the right. Now repeat symmetrically to the back.

12. Vertically place a tan 1x2 jumper plate on the front 2 rows of the 4th column from the right. Then repeat symmetrically to the back.

13. Vertically place a tan 1x4 plate on top of the 2 ppp so it is centered vertically.

Group 3 - Ferrari F40 Supercar

14.1. Let's make a part! Horizontally place a black 1x3 rounded plate in front of you. Then place a black 1x1 round plate on the leftmost column. Then repeat symmetrically to the right. Now place a black 1x1 tile on top so it is centered horizontally. Then place a black 1x1 round plate with a bar on the rightmost column so the bar faces the left.

14.2. Horizontally place your part on the 5th, 6th, and 7th columns from the right so it is centered vertically.

15. Place a black microphone on top of the leftmost column of the ppp. This is a gear shifter!

Group 4 - Ferrari F40 Supercar

16.1. Let's make a part! Vertically place a black 1x6 plate in front of you. Then place a light grey 1x1 round plate on the front and back rows.

16.2. Now vertically place your part underneath the 2nd column from the right so it is centered vertically.

Group 5 - Ferrari F40 Supercar

17. Vertically place a red 1x6 plate on the 2nd column from the right. Now place a light grey 1x1 plate with a side stud hanging down on the front row to the left of the ppp so the side stud faces the front. Then repeat symmetrically to the back.

18. Horizontally place a light grey 1x2 rounded plate on the 2 rightmost columns of the front row. Then repeat symmetrically to the back.

19. Vertically place a black 2x4 brick on the 3rd and 4th columns from the right so it is centered vertically.

Group 6 - Ferrari F40 Supercar

20.1. Let's make 2 identical parts! Horizontally place a black 1x6 plate in front of you. Then horizontally place a red 1x6 tile with a sticker on top so it overhangs 1 column to the right. Now place a black 1x1 round plate underneath the overhang.

20.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 9 on the red 1x6 tile. This sticker has a black faded stripe. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

20.3. Horizontally place 1 part upright on the 7 front-facing side studs so the 1x1 round plate is on the right. Then repeat symmetrically to the back.

21. Vertically place a dark grey 2x6 plate with bricks with axle holes on the sides underneath the rightmost column so it is centered vertically and 1 column is exposed to the right. Insert a tan 2L pin axle into the front-facing axle hole of the ppp so the pinfaces the front. Then repeat symmetrically to the back. Now vertically place a green 1x2 plate on the 2nd column from the right so it is centered vertically.

22. Vertically place a tan 1x4 plate on the 2nd column from the right so it is centered vertically.

23. Place a brown 2x2 plate on the 2nd and 3rd columns from the right so it is centered vertically.

24. Place 2 tan 1x1 bricks with a side stud and a bottom lip, 1 in front of the other, on the rightmost column so they are centered vertically and the side studs face the right.

25. Place a light grey 1x1 short brick with a round side and a side stud on the rightmost column on the 2nd row from the front so the side stud faces the right. Now horizontally place a black 1x3 rounded plate on top of the ppp so there is no overhang. Now repeat both parts symmetrically to the back.

26. Place a black 1x1 plate with a clip upright on the front right-facing side stud so the clip faces the front. Now attach a red 1x1 round tile with a top-facing bar to the clip of the ppp so the anti-stud faces the right. Now repeat both parts symmetrically to the back.

27. Place a black 4x4 plate on the 3 rightmost columns so it is centered vertically and overhangs 1 column to the right.

28. Horizontally place a light grey 2x4 plate on the 2nd, 3rd, 4th, and 5th columns from the right so it is centered vertically.

29. Horizontally place 2 light grey 1x2 rounded plates, 1 to the right of the other, in front of the ppp. Then repeat symmetrically to the back.

30. Vertically place 2 black 1x2 plates with 2 side studs sticking up, 1 in front of the other, on the rightmost column so they are centered vertically and the side studs face the right.

31. Horizontally place a red 2x4 brick with a mudguard on the front right corner so 1 column overhangs to the right, over the upright 1x1 round tile with a top-facing bar, and the mudguard faces the front. Then repeat symmetrically to the back.

32. Vertically place a red 1x8 plate on the rightmost column so it is centered vertically.

33. Place a red 1x1 plate on the front row on the 4th column from the right. Then repeat symmetrically to the back.

Building Instructions (Bag 2, Book 1):

Group 7 - Ferrari F40 Supercar

34.1. Let's make a part! Horizontally place a green 1x2 plate in front of you. Then horizontally place a white 1x2 plate with a bar on top so the bar faces the front. Now horizontally place a red 1x2 grill tile on top.

34.2. Horizontally place your part upright on the bottom row of right-facing side studs so it is centered horizontally and the bar faces down.

35. Vertically place a black 1x4 rounded plate on the 6th column from the right so it is centered vertically.

36. Place a black 1x1 slope tile to the left of the ppp so it is centered vertically and slopes to the left.

37. Vertically place 3 black 1x2 jumper plates, 1 to the right of the other, on the 2nd, 3rd, and 4th columns from the right so they are centered vertically. Now horizontally place 2 black 1x2 plates with a stud and a clip, 1 in front of the other, to the left of the 3 ppp so they are centered vertically and the clips are on the left.

Group 8 - Ferrari F40 Supercar

38.1. Let's make 2 identical parts! Horizontally place a red 1x2 plate with a bar in front of you so the bar faces the front. Then place a red 2x2 sloped curved tile on top so it slopes and overhangs to the back.

38.2. Attach the bar of 1 part to the 2 top-facing clips that are on the front 2 rows so the tile faces the left and it slopes up. Then repeat symmetrically to the back. These are the backs of the chairs!

39. Vertically place a black 1x2 steering wheel on the front 2 rows on the 5th column from the left so the steering wheel faces the right. Then vertically place a black 1x3 tile behind the ppp.

40. Horizontally place a red 1x4 plate on the front right corner. Then repeat symmetrically to the back.

41.1. Let's make a part! Horizontally place a red 1x6 plate in front of you. Then place a red 1x1 brick with a bar on the leftmost column so the bar faces the back.

41.2. Horizontally place a red 1x4 slope brick on top so it is centered horizontally and slopes to the left.

41.3. Place a short red 1x1 brick on the rightmost column. Then place a red 1x1 plate with a clip on top of the ppp so the clip faces the right.

41.4. Horizontally place a red 1x6 tile on top so it is centered horizontally.

41.5. Rotate your part 180 degrees, then horizontally place your part on the back row to the left of the 4 rightmost columns so the front-facing bar attaches to the 1x2 rounded plate. This is a door!

42.1. Let's make a part! Horizontally place a red 1x6 plate in front of you. Then place a red 1x1 brick with a bar on the rightmost column so the bar faces the back.

42.2. Horizontally place a red 1x4 slope brick on top so it is centered horizontally and slopes to the right.

42.3. Place a short red 1x1 brick on the leftmost column. Then place a red 1x1 plate with a clip on top of the ppp so the clip faces the left.

42.4. Horizontally place a red 1x6 tile on top so it is centered horizontally.

42.5. Horizontally place your part on the front row to the left of the 4 rightmost columns so the back-facing bar attaches to the 1x2 rounded plate. This is a door!

43.1. Let's make 2 identical parts! Horizontally place a black 1x4 rounded plate in front of you. Then horizontally place a light grey 1x2 rounded plate on the 2 leftmost columns.

43.2. Now you should have 2 identical parts! Horizontally place 1 part on the 2nd row from the front, on the 2nd, 3rd, 4th, and 5th columns from the right so the 1x2 rounded plate is on the left. Then repeat symmetrically to the back.

44. Place a black 3x3 corner plate on the 3 rightmost columns on the 2nd, 3rd, and 4th rows from the front so the corner faces the front right corner. Then repeat symmetrically to the back.

45.1. Let's make a part! Horizontally place a light grey 1x2 rounded plate in front of you. Then place a light grey 1x1 tile with a round side on the right column so the round side faces the right. Now place a light grey pair of binoculars on the left column so the larger round parts face the left.

45.2. Horizontally place your part on the 3rd and 4th columns from the right, so it is centered vertically on top of the 1x2 jumper plates and the round side of the tile faces the right.

46. Vertically place a transparent 1x2 plate on the rightmost column so it is centered vertically. Then place a red 2x2 triangle tile on the 2 rightmost columns, in front of the ppp so the right angle faces the front right corner. Now repeat symmetrically to the back.

47.1. Horizontally place a red 1x3 tile with a sticker on the front right corner. Then repeat symmetrically to the back.

47.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 5 on each of the 2 red 1x3 tiles. These stickers have a black faded stripe on them. Make sure the stickers are placed on correctly and are oriented on the build correctly, ask a sighted person to check.

48.1. Horizontally place a red 1x2 tile with an angled side and a sticker on the front row to the left of the 1x3 tile that is on the front right corner so the angled side faces the front left.

48.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 7 on the red 1x2 tile with an angled side. This sticker has a circle on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

48.3. Horizontally place a red 1x2 tile with an angled side and a sticker on the back row to the left of the 1x3 tile that is on the back right corner so the angled side faces the back left.

48.4. Skip this step if you have already placed your sticker! Ask a helper to place sticker 8 on the red 1x2 tile with an angled side. This sticker has a circle on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

49.1. Let's make a part! Horizontally place a transparent 1x2 plate in front of you. Then horizontally place a red 1x2 plate with a bar on top so the bar faces the front.

49.2. Horizontally place a red 1x2 grill tile on top. Then horizontally place a transparent 1x2x3 panel underneath your part so the wall faces the back.

49.3. Horizontally attach the bar of your part to the 2 top-facing clips so the 1x2x3 panel is on the right and slopes to the right.

Group 9 - Ferrari F40 Supercar

50. Place a black 1x1 brick on the 3rd row from the front and 2nd column from the right so it sits in front of the rightmost column of the ppp. Now place a transparent 1x1 tile on top. Now repeat both parts symmetrically to the back.

You will have 6 extra transparent 1x1 tiles. Save them for later!

Group 10 - Ferrari F40 Supercar

51.1. Let's make 2 identical parts! Place a dark grey 1x1 brick with a side stud in front of you so the side stud faces the left. Then place a short red 1x1 brick on top. Now place a red 1x1 tile on top.

51.2. Place a black 1x1 plate with a side stud sticking up upright on the left-facing side stud so the side stud faces up. Now place a light grey 1x1 round plate on the left-facing side stud.

51.3. Place a dark grey 1x1 brick with a side stud upright on the left-facing side stud so the side stud faces up.

51.4. Place 2 black 1x1 plates, 1 to the right of the other, on top.

51.5. Place a black 1x1 plate with a side stud sticking up upright on the left-facing side stud so the side stud faces up. Now place a light grey 1x1 round plate on the left-facing side stud.

51.6. Place 3 transparent 1x1 tiles, 1 to the right of the other, on top. They should be at different heights!

51.7. Now you should have 2 identical parts! Rotate 1 part 180 degrees, then horizontally place it on the 3rd row from the front, to the left of the 1x1 tile that is on the 2nd column from the right. It should slope down to the right. Then repeat symmetrically to the back.

52. Vertically place 2 transparent 1x2 tiles with an angled side, 1 in front of the other, on the rightmost column so they are centered vertically and the angled sides face the front right and back right respectively.

53.1. Let's make a part! Horizontally place a red 1x3 angled sloped brick in front of you so the angle side faces the front and it overhangs to the left. Then place a red 1x1 plate underneath the leftmost column.

53.2. Now horizontally place your part on the 2nd row from the front, and 3rd, 4th, and 5th columns from the right so the angled side faces the front. Now repeat symmetrically to the back.

Building Instructions (Bag 3, Book 1):

54. Place a yellow 1x1 round plate on the front row on the 3rd column from the left. Then repeat symmetrically to the back.

55.1. Let's make a part! Place a white 2x2 plate with 2 side studs in front of you so the side studs face the left. Then vertically place a yellow 1x2 plate on the rightmost column.

55.2. Place a white 2x2 plate with 2 side studs on top so the side studs face the right. Then horizontally place a black 1x2 slope tile with a sticker upright on the right-facing side studs so it slopes up.

55.3. Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the black 1x2 slope tile. This sticker has 3 speedometers on it! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

55.4. Place your part on the 3rd and 4th columns from the left, to the right of the 2x2 tile so it is centered vertically and the 1x2 slope tile faces the right.

56.1. Let's make a part! Place a short light grey 1x1 brick with a round side and a side stud in front of you so the side stud faces the front. Then place a short red 1x1 brick on top. Now vertically place a black 1x2 rounded plate upright on the front-facing side studs. Then place a black 1x1 slope tile on top so it slopes to the left.

56.2. Place your part on the 2nd row from the front and 4th column from the left so the side studs face the front.

57.1. Let's make a part! Place a short light grey 1x1 brick with a round side and a side stud in front of you so the side stud faces the front. Then place another 1 on top so the side stud faces the left. Now place a black 1x1 slope tile upright on the left-facing side stud so it slopes up. Then place a black 1x1 tile on top. Now vertically place a black 1x2 rounded plate upright on the front-facing side stud.

57.2. Place your part on the 4th column from the left and 2nd row from the back so the 1x2 rounded plate faces the back.

58. Insert a tan 2L bar with a stop into the bottom back-facing stud of the previous 1x2 rounded plate of your ppp. Then repeat symmetrically to the front.

59. Vertically attach a red 1x1 round part with a bar and a clip to the front-facing 2L bar with a stop so the thicker part faces the back and the clip faces up. Then repeat symmetrically to the right.

60.1. Vertically place a red 1x3 tile with a sticker upright on the 2 front-facing side studs so it overhangs by 1 stud to the top. Then repeat symmetrically to the back.

60.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 2 on each of the red 1x3 tiles. These stickers have a yellow shield with a red stripe and a black horse on them. This is the Ferrari logo! Make sure the stickers are placed on correctly and are oriented on the build correctly, ask a sighted person to check.

61. Horizontally place a black 1x4 slope brick on the 3 leftmost columns of the 2nd row from the front so it slopes and overhangs to the left. Then repeat symmetrically to the back.

62. Horizontally place a red 2x4 brick with a mudguard on the front left corner, in front of the ppp so the arch faces the front. Then horizontally place a yellow 1x2 plate on the back row of the ppp so it is centered horizontally on it. Now repeat both parts symmetrically to the back.

63. Vertically place a red 1x8 plate on the 4th column from the left so it is centered vertically.

64. Place a black 2x2 plate on the 4th and 5th columns from the left so it is centered vertically. Then vertically place a black 1x2 tile with an angled side in front of the leftmost column of the ppp so the angled side faces the front left corner. Then repeat symmetrically to the back.

Group 13 - Ferrari F40 Supercar

65. Horizontally place a red 1x2 tile on the front row on the 3rd and 4th columns from the left. Then horizontally place a red 1x2 tile with an angled side behind the ppp so the angled side faces the back right. Now repeat both parts symmetrically to the back.

66.1. Place a red 2x2 sloped curved tile with a sticker on the front left corner so it slopes to the left. Then repeat symmetrically to the back.

66.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 6 on each of the red 2x2 sloped curved tiles. These stickers have an outline of a black rectangle. Make sure the stickers are placed on correctly and are oriented on the build correctly, ask a sighted person to check.

67.1. Let's make a part! Horizontally place a dark grey 1x4 plate in front of you. Then horizontally place a black 1x6 plate on top so it is centered horizontally.

67.2. Place a dark grey 1x1 plate with a side stud sticking up underneath the leftmost column so the side stud faces the left. Then repeat symmetrically to the right.

67.3. Place 4 dark grey 1x1 round tiles with a top-facing bar, 1 to the right of the other, on top so they are centered horizontally.

67.4. Horizontally place 2 dark tan 1x3 rounded plates, 1 to the right of the other, underneath your part so they are centered horizontally.

67.5. Horizontally place your part upright on the left-facing side studs so it is centered horizontally.

68.1. Let's make 2 identical parts! Vertically place a red 1x2 plate with 2 side studs sticking up in front of you so the side studs face the right. Then vertically place a black 1x2 slope tile on top so it slopes to the left.

68.2. Now you should have 2 identical parts! Vertically attach the side studs of 1 part to the front 2 left-facing bars of the 1x1 round tiles with a top-facing bar so it slopes to the left. Then repeat symmetrically to the back.

69.1. Let's make 2 identical parts! Place a black 1x1 brick with a side stud and bottom lip in front of you so the side stud faces the front. Now place 2 black 1x1 plates upright on the front-facing side stud.

69.2. Now you should have 2 identical parts! Place 1 part upright on the left-facing side stud that is in the front so the 1x1 plates face the front. Then repeat symmetrically to the back.

You will have 2 extra transparent 1x1 tiles. Save them for later!

Group 14 - Ferrari F40 Supercar

70.1. Let's make 2 identical parts! Place a black 1x1 plate with 2 side studs hanging down in front of you so the side studs face the front. Now place a transparent orange 1x1 tile on the back row of side studs. Then place a transparent 1x1 tile in front of the ppp.

70.2. Now you should have 2 identical parts! Place 1 part upright on the front-facing side stud on the 2nd column from the left so the tiles face up. Then repeat symmetrically to the back.

71. Place a red 2x2 plate with an angled side printed with a black line and an orange dot upright on the 2 front-facing side studs so it slopes to the left. Then repeat symmetrically to the back.

72.1. Let's make a part! Place a black 1x1 plate in front of you. Then horizontally place a red and black 1x2 sloped curved tile with a sticker on top so it slopes and overhangs to the left.

72.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 12 on the red and black 1x2 sloped curved tile. This sticker has a black headlight on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

72.3. Horizontally place your part upright on the left-facing side stud that is in the front so it slopes to the front.

73.1. Let's make a part! Place a black 1x1 plate in front of you. Then horizontally place a red and black 1x2 sloped curved tile with a sticker on top so it slopes and overhangs to the left.

73.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 11 on the red and black 1x2 sloped curved tile. This sticker has a black headlight on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

73.3. Horizontally place your part upright on the back left-facing side stud so it slopes to the back.

74.1. Let's make a part! Vertically place a yellow 1x2 plate in front of you. Then vertically place a white 1x2 panel with small clips on top so the wall faces the left. Now place a brown 2x2 plate with a bar underneath on top of the ppp so it sticks up and the side studs face the right.

74.2. Horizontally place your part upright on the 2 left-facing side studs that are above the 2x2 tile that is on the left side so the 2x2 side studs face up.

Building Instructions (Bag 4, Book 1):

Group 15 - Ferrari F40 Supercar

75.1. Let's make a part! Vertically place a light grey 2x4 plate in front of you. Then vertically place a red 2x4 sloped curved brick on the right column so it is centered vertically and slopes and overhangs to the right.

75.2. Place a black 2x2 plate with a cutoff corner on the front 2 rows so it overhangs 1 column to the left and the cutoff corner faces the front left corner. Then repeat symmetrically to the back.

75.3. Place an inverted sloped curved plate with a smooth underside underneath the leftmost column so it is centered vertically and it slopes and overhangs to the left.

75.4. Vertically place a red 1x2 tile with a round side on the 3rd column from the left so it is centered vertically and the round side faces the right. Now place a red 1x1 quarter circle tile in front of the ppp so the curve faces the back right. Then repeat symmetrically to the back.

75.5. Place the 2nd and 3rd columns from the right of your part on the 2x2 plate with a bar underneath that is on the left side so it is centered vertically and the 2x4 sloped curved brick slopes to the right.

76.1. Vertically place a red 1x8 tile with 2 stickers on the 2nd column from the left so it is centered vertically.

76.2. Skip this step if you have already placed your sticker! Ask a helper to place 2 of sticker 10 on the red 1x8 tile. These stickers have a black outline of a rectangle. Make sure the stickers are placed on correctly and are oriented on the build correctly, ask a sighted person to check.

77. Vertically place a red 2x4 tile printed with a yellow shield and a black horse on the leftmost column so it is centered vertically and slopes to the left.

78. Let's make a part! Horizontally place a black 2x8 plate printed with a red line in front of you so the red line faces the front.

79. Vertically place a red 1x2 plate on the leftmost column. Then place a dark grey 1x1 plate with a side stud sticking up on the back row to the right of the ppp so the side stud faces the back. Now repeat both parts symmetrically to the right.

80. Vertically place a red 1x2 grill slope tile on the leftmost column so it slopes to the front. Then vertically place a red 1x2 sloped curved tile to the right so it slopes to the front. Now repeat both parts symmetrically to the right.

81. Horizontally place a red 1x4 tile with 2 studs on the front row so it is centered horizontally. Now place a dark grey 1x1 clip behind the leftmost and rightmost columns of the ppp so the clip hands face the front and back.

82. Horizontally attach a black 4L bar to the 2 top-facing clips.

83. Place a red 1x1 slope tile on the left stud of the 1x4 tile with 2 studs so it slopes to the left. Then repeat symmetrically to the right.

84-85. Attach 3 silver clips with a bar holder to the 4L bar so they are centered horizontally and the bar holders sit in between the 1x1 slope tiles and face the front.

Group 16 - Ferrari F40 Supercar

86.1. Let's make a part! Horizontally place a tan 1x4 plate in front of you. Then horizontally place 2 light grey 1x2 plates with 2 side studs hanging down, 1 to the right of the other, on top so the side studs face the front.

86.2. Horizontally place 2 black 1x2 plates with 2 side studs sticking up, 1 to the right of the other, on top so the side studs face the front.

86.3. Horizontally place 2 black 1x2 grill tiles, 1 to the right of the other, on top.

86.4. Flip your previous part upside down so the bar holders face the front. Now horizontally place your part on top so it is centered horizontally and the grill tiles face the front.

87. Vertically place a black 1x1 plate with 2 side studs sticking up on the leftmost column so the anti-stud faces the back. Then repeat symmetrically to the right.

88. Horizontally place your part upright on the right-facing side studs so it is centered horizontally and the grill tiles face the right.

Group 17 - Ferrari F40 Supercar

89. Let's make a part! Horizontally place 2 black 1x1 plates with 2x6 side studs sticking up in front of you so the side studs face the front. Then horizontally place 2 red 1x2 grill tiles, 1 to the right of the other, upright on the bottom row of front-facing side studs so they are centered horizontally.

90. Horizontally place a red 1x4 tile printed with the word Ferrari on the side upright on the front-facing side studs above the ppp so it is centered horizontally and the print faces up.

91. Vertically place a red 1x2 plate with 2 side studs sticking up upright on the leftmost front-facing side studs so the side studs face the left. Then repeat symmetrically to the right.

You will have 2 extra transparent red 1x1 round tiles. Save them for later!

Group 18 - Ferrari F40 Supercar

92. Rotate your part 180 degrees. Now horizontally place a black 1x2 rounded brick with a gap on the leftmost column so 1 column overhangs to the left. Now place a transparent orange 1x1 round tile on the left column of the ppp. Then place a transparent red 1x1 round tile from group 17 to the right of the ppp. Now repeat everything symmetrically to the right.

93. Horizontally place your part upright on the right-facing side studs so it is centered horizontally, the 1x1 round tiles face the right, and the grill tiles face up.

94.1. Horizontally place a red 1x2 plate upright on the 2 back-facing side studs of the ppp. Then place a red 2x2 sloped curved tile with a sticker upright on the back-facing side studs so it slopes and overhangs 1 row to the top.

94.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the red 2x2 sloped curved tile. This sticker says F40 on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

95.1. Let's make a part! Vertically place a red 2x6 tile in front of you. Then horizontally place a red 1x2 plate with 2 side studs sticking up underneath the front row so the side studs face the front. Then repeat symmetrically to the back.

95.2. Vertically attach the back-facing side studs of your part to the upper front-facing anti-side studs of the previous 2x2 sloped curved tile.

96. Horizontally place a red 1x2 plate upright on the bottom front-facing row of side studs. Then place a red 2x2 sloped curved tile upright on the ppp so it slopes up.

97.1. Attach a red 2x2 tile with a sticker and a clip underneath it to the front-facing bar of the 1x2 rounded brick that is on the front right corner. Then repeat symmetrically to the back.

97.2. Skip this step if you have already placed your sticker! Ask a helper to place 2 of sticker 10 on the red 2x2 tile with a clip underneath it. These stickers have 4 black grill lines. Make sure the stickers are placed on correctly and are oriented on the build correctly, ask a sighted person to check.

98. Flip your build upside down so it is horizontal and the 2 ppp are on the left.

99-100. Attach a red flag to the leftmost top-facing bar so the flag faces the left.

101. Flip your build over so it is right-side up and the taller part of the car is on the right. Now place the 2 leftmost columns of a red and transparent 6x6 windshield on top of the 2x2 studs that are to the left of the steering wheel so it is centered vertically and slopes to the left.

102. Attach a red spoon to the clip on the front row in front of the ppp so the spoon faces the front and the round part faces the left. Then repeat symmetrically to the back. These are the rear view mirrors!

103.1. Let's make 4 identical parts! Insert a silver wheel into a black tire. Now place a silver 2x2 round car rim with a star on top of the wheel.

103.2. Now you should have 4 identical parts! Attach 2 wheels to the front-facing pins underneath the mudguards. Then repeat symmetrically to the back.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets, there are no ads.