### 21271 The Trial Chamber

Adapted by John Le and tested by Jolene Nemeth.

The Trial Chamber (21271) is a high-quality LEGO® Minecraft® toy for kids aged 8 and up. This building toy for boys and girls is a hands-on video game set that takes kids on a thrilling treasure hunt where players must battle mobs and dodge missiles as they progress.

This creative building toy is set in the Minecraft trial chamber. It includes 2 skeleton figures, 2 breeze figures, a Shadow Hoodie minifigure and 2 spawners. There are 2 flick-fire missile launchers – 1 on each wall – and a spring-loaded missile with a trigger behind the rear wall. 3 pots, each hiding either an emerald or a diamond, contain the sought-after treasure.

LEGO® Minecraft® treasure toy for kids – The Trial Chamber gaming kit is a high-quality creative building toy for boys and girls aged 8 and up.

Minecraft® toy figures – This hands-on video game set includes 2 skeleton figures, 2 breeze figures, a Shadow Hoodie minifigure and 2 spawners.

LEGO® Minecraft® gaming kit – Players must battle mobs and dodge missiles as they build and play their way through this treasure-hunting skeleton toy.

Interactive toy – The video game building set features 2 flick-fire missile launchers that kids trigger from behind the walls and a spring-loaded missile with a trigger behind the rear wall.

322-piece set – The completed playset measures over 5 in. (13 cm) high, 8.5 in. (21 cm) wide and 5.5 in. (15 cm) deep.

The front of the box shows the trial chamber! A Shadow Hoodie minifigure is fighting 2 skeletons, 2 breezes, while dodging traps!

The back of the box shows the Shadow Hoodie figure fighting some skeletons! Missiles are flying out the traps in the walls! He has to be careful or else he will die!

The top of the box shows a real size image of the Shadow Hoodie minifigure.

The build is 322 pieces in total and is for ages 8+.

Bag 1 includes the pieces for the Shadow Hoodie minifigure and the trial chamber.

Bag 2 includes the pieces for a skeleton spawner, 2 skeletons, and the trial chamber.

Bag 3 includes the pieces for a breeze spawner, 2 breezes, and the trial chamber.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.

- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic<sup>™</sup> part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic<sup>™</sup>.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same

thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<a href="https://www.lego.com/en-us/service/buildinginstructions/21271">https://www.lego.com/en-us/service/buildinginstructions/21271</a>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

# Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 3 bags labeled 1 to 3, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Shadow Hoodie Minifigure and Trial Chamber

Group 1 - Page 5.

Group 2 - Steps 1-11 and 1 dark grey 1x2 plate from Step 12.

Group 3 - Rest of Step 12 and Steps 13-18.

Bag 2 - Skeleton Spawner, Skeletons, and Trial Chamber

Group 4 - 1 white 1x1 plate from Page 22.

Group 5 - Rest of Page 22.

Group 6 - Page 23.

Group 7 - Step 19.

Group 8 - Steps 20-31 and 2 dark grey 1x2 plates from Steps 32-33.

Group 9 - Rest of Step 32.

Group 10 - Rest of Step 33 and Step 34.

Group 11 - Steps 35-43.

Group 12 - Step 44.

Bag 3 - Breeze Spawner, Breezes, and Trial Chamber

Group 13 - 1 light purple 1x1 plate from Step 45.

Group 14 - Rest of Step 45.

Group 15 - Steps 46-51.

Group 16 - Steps 52-53 and 1 dark grey 1x2 plate from Step 54.

Group 17 - Rest of Step 54, Steps 55-57, and 1 dark grey 2x2 brick from Step 58.

Group 18 - Rest of Step 58 and Step 59.

Group 19 - Step 60.

Group 20 - Step 61.

Group 21 - Steps 62-65.

Group 22 - Step 66 and 2 transparent yellow 1x1 plates from Step 67.

Group 23 - Rest of Step 67 and Steps 68-69.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Shadow Hoodie Minifigure

Sub-build 1. Locate 1 dark brown pair of legs, 1 teal torso printed with a light orange jacket, 1 black head printed with a light orange hoodie and 2 white eyes, and 1 dark grey sword. Assemble your minifigure then attach the sword to his hand! Now put him away while we make the trial chamber!

## Group 2 - Trial Chamber

- 1. Horizontally place a dark grey 2x10 plate in front of you. Then place a dark grey 2x2 brick on the 2 leftmost columns. Then repeat symmetrically to the right.
- 2. Horizontally place a light brown 1x2 tile on the front row so it is centered horizontally.
- 3. Horizontally place a light brown 2x6 brick on the back row so it is centered horizontally and overhangs 1 row to the back. Then horizontally place 3 light brown 1x2 tiles, 1 to the right of the other, on the back row so they are centered horizontally.
- 4. Horizontally place a sand green 6x10 plate on the front 2 rows so it is centered horizontally and overhangs 4 rows to the front.
- 5.1. Let's make 3 identical parts! Place a dark grey 2x2 plate in front of you. Then place a dark grey 2x2 brick on top.

- 5.2. Now you should have 3 identical parts! Place 1 part underneath the front left corner. Then repeat symmetrically to the right. Now place another 1 underneath the front 2 rows so it is centered horizontally.
- 6. Rotate your build 180 degrees. Now horizontally place a light brown 1x6 brick on the back row so it is centered horizontally.
- 7. Horizontally place a light brown 2x6 brick on the 2nd and 3rd rows from the back so it is centered horizontally.
- 8. Horizontally place a dark grey 1x2 plate on the back row so it is centered horizontally. Then horizontally place a light brown 1x2 tile in front of the ppp so it is centered horizontally. Now horizontally place 3 light brown 1x2 tiles, 1 to the right of the other, in front of the ppp so they are centered horizontally.
- 9.1. Let's make a part! Horizontally place a light brown 1x6 plate in front of you. Then horizontally place 3 light brown 1x2 tiles, 1 to the right of the other, on top of the ppp.
- 9.2. Horizontally place your part on the 4th row from the back so it is centered horizontally.
- 10. Place a sand green 2x2 tile with a stud on the front 2 rows of the 2 rightmost columns.
- 11.1. Let's make a part! Place a light brown 2x2 plate in front of you. Then place a dark grey 2x2 brick on top.
- 11.2. Horizontally place a dark grey 1x2 masonry brick on the front row so the brick grooves face the front. Then repeat symmetrically to the back. Now place a dark grey 2x2 brick on top.
- 11.3. Place your part on the back 2 rows on the 3rd and 4th columns from the right.

You will have an extra dark grey 1x2 plate. Save it for later!

Group 3 - Trial Chamber

- 12.1. Let's make a part! Horizontally place a white 1x2 plate with 2x2 side studs sticking up in front of you so the side studs face the front. Then horizontally place a dark grey 1x2 masonry brick on top so the brick grooves face the back. Now horizontally place a dark grey 1x2 plate from group 2 on top.
- 12.2. Vertically place 2 transparent yellow 1x2 plates, 1 to the right of the other, upright on the front-facing side studs.
- 12.3. Place a light brown 1x1 quarter circle tile upright on the bottom left front-facing side stud so the curve faces the top right. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the top.
- 12.4. Place a light grey 2x2 plate on top so there is no overhang. Then horizontally place a light grey 1x2 brick with a pin hole on the front row. Then repeat symmetrically to the back.
- 12.5. Place your part on the back 2 rows so it is centered horizontally and the upright tiles face the front.

- 13.1. Let's make a part! Place a light brown 2x2 plate in front of you. Then place a dark grey 2x2 brick on top. Now horizontally place a dark grey 1x2 masonry brick on the front row so the brick grooves face the front. Then repeat symmetrically to the back.
- 13.2. Vertically place a dark grey 1x2 masonry brick on the right column so the brick grooves face the right. Now place a dark grey 1x1 brick with a side stud on the front left corner so the side stud faces the left. Then repeat symmetrically to the back.
- 13.3. Place your part on the back 2 rows on the 3rd and 4th columns from the left so the side studs face the left.
- 14. Horizontally place a dark grey 2x6 plate on the back 2 rows so it is centered horizontally.
- 15. Horizontally place 2 sand green 1x2 bricks, 1 in front of the other, on the back 2 rows so they are centered horizontally.
- 16. Place a sand green 2x2 tile with a stud on the back 2 rows so it is centered horizontally.
- 17. Rotate your build 90 degrees counterclockwise so the 1x6 overhang faces the right. Now place the front left corner of a sand green 16x16 plate underneath the rightmost column of overhang. There should be no exposed rows to the front!
- 18.1. Let's make a part! Horizontally place a light brown 1x6 plate in front of you. Then horizontally place 3 light brown 1x2 tiles, 1 to the right of the other, on top of the ppp.
- 18.2. Vertically place your part on the front left corner of the 16x16 plate to the right of the tiles.

Building Instructions (Bag 2, Book 1):

Group 4 - Skeleton Spawner

There are no instructions in this group! You will have an extra white 1x1 plate. Save it for later!

Group 5 - Skeleton Spawner

Sub-build 2. Place a black 2x2 round plate in front of you. Then place a black 2x2 tile with a stud and corner walls on top. Now place a white 1x1 plate printed with 2 eyes and a mouth on top so the print faces the front. Now place a white 1x1 plate from group 4 on top. Then place a black 2x2 tile with a stud on top so it is centered. Now put your spawner away for now while we make the skeletons!

Group 6 - Skeletons

Sub-build 3. Let's make 2 identical parts! Locate 1 white skeleton body, 2 white arms, 2 white legs, 1 white square head printed with eyes, nose, and a mouth, and 1 brown bow and arrow. Assemble your minifigure, make sure the toes face the front, the clips of the arms face the front, and attach the bow to their hand! Make sure to attach the ridged bar of the bow to their hands! Now you should have 2 identical parts! Put them away while we continue the trial chamber!

Group 7 - Trial Chamber

- 19.1. Let's make a part! Horizontally place a brown 2x6 plate in front of you. Then place a black 2x2 round plate underneath the 2 leftmost columns. Then repeat symmetrically to the right.
- 19.2. Horizontally stack 2 red 2x4 plates on the 4 rightmost columns. Now place a white 2x2 tile with a stud on the 2 leftmost columns. Then place a white 2x2 tile on top of the ppp so it is centered on it. This is a bed!
- 19.3. Horizontally place your part on the back right corner of the main build so the 2x2 tile is on the left.

#### Group 8 - Trial Chamber

- 20. Place a sand green 2x2 tile with a stud on the 3rd and 4th rows from the back and 5th and 6th columns from the right. Then place a short nougat 1x1 brick on top.
- 21. Place a sand green 2x2 tile with a stud on the 2 rightmost columns on the 5th and 6th rows from the back. Then horizontally place a light brown 2x4 brick to the left of the ppp. Now vertically place a light brown 2x6 brick on the back 6 rows to the left of the ppp.
- 22. Place a light brown 2x2 plate on the back 2 rows on the 7th and 8th columns from the right. Then horizontally place the 2 leftmost columns of a brown 2x4 tile with 2 studs in front of the ppp.
- 23. Place a light brown 2x2 tile on the front 2 rows of the 9th and 10th columns from the right. Then place another 1 behind the ppp so there are 2 free rows in between them. Now vertically place a light brown 2x4 brick behind the ppp so there are 2 free rows in between them. Then horizontally place a light brown 2x6 brick to the left of the back 2 rows of the ppp.
- 24. Vertically place a light brown 2x4 brick on the back 4 rows on the 7th and 8th columns from the right.
- 25.1. Let's make a part! Place a short nougat 1x1 brick in front of you. Then place a green 1x1 round plate with a bent bar on top so the stud faces the right. Now place a light orange 1x1 round flower plate on the ppp.
- 25.2. Place your part on the 3rd and 4th rows from the back and 5th and 6th columns from the right so it sits on the 2x4 tile with 2 studs and the flower faces the right.
- 26.1. Place a light brown 2x2 plate on the 3rd and 4th columns from the right and 5th and 6th rows from the back. Then horizontally place a dark grey 1x2 plate to the left of the back row of the ppp. Now horizontally place a light brown 1x2 tile in front of the ppp.
- 26.2. Place a light brown 2x2 plate on the 2 leftmost columns of the 5th and 6th rows from the back. Then horizontally place a dark grey 1x2 plate to the right of the back row of the ppp. Then horizontally place a light brown 1x2 tile in front of the ppp.
- 27. Place a light brown 2x2 plate on the 7th and 8th rows from the back and 9th and 10th columns from the right. Then horizontally place 2 light brown 1x6 plates, 1 in front of the other, behind the ppp so they are centered horizontally to the ppp.

- 28. Vertically place a dark grey and light grey 1x4 bar shooter brick on the 5th, 6th, 7th, and 8th rows from the back and 10th column from the right so the larger hole faces the front.
- 29. Vertically place 2 dark grey 1x2 masonry bricks, 1 in front of the other, to the right of the ppp so the brick grooves face the right.
- 30. Place a dark grey 2x2 tile with 2 studs on the front 2 rows of the 2 ppp and bar shooter brick so the studs face the front. Then horizontally place a dark grey 1x2 plate behind the ppp. Now horizontally place a light brown 1x2 tile behind the ppp.
- 31.1. Let's make 4 identical parts! Place a dark grey 2x2 brick in front of you. Then horizontally place a dark grey 1x2 masonry brick on the front row so the brick grooves face the front. Then repeat symmetrically to the back.
- 31.2. Now you should have 4 identical parts! Place 1 part on the 3rd and 4th columns from the right and 5th and 6th rows from the back so the brick grooves face the front and back. Now place another part to the left of the ppp so there are 2 free columns in between and the brick grooves face the front and back.
- 31.3. Place 1 part on the 2 leftmost columns of the 5th and 6th rows from the back so the brick grooves face the front and back. Then place another part to the right of the ppp so there are 2 free columns in between and the brick grooves face the front and back.

You will have 2 extra dark grey 1x2 plates. Save them for later!

## Group 9 - Trial Chamber

- 32.1. Let's make a part! Horizontally place a black 1x2 plate with 2x2 side studs sticking up in front of you so the side studs face the front. Then horizontally place a dark grey 1x2 masonry brick on top so the brick grooves face the back.
- 32.2. Horizontally place a dark grey 1x2 plate from group 8 on top.
- 32.3. Vertically place 2 transparent yellow 1x2 plates, 1 to the right of the other, upright on the front-facing side studs.
- 32.4. Place a sand green 1x1 quarter circle tile upright on the bottom left front-facing side stud so the curve faces the top right. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the top. Then place a dark grey 2x2 tile with 2 studs on top so it overhangs 1 row to the front and the studs are in the back.
- 32.5. Place your part on the 5th and 6th columns from the right and 5th and 6th rows from the back so the 1x1 quarter circle tiles face the front.

### Group 10 - Trial Chamber

33.1. Let's make a part! Horizontally place a white 1x2 plate with 2x2 side studs sticking up in front of you so the side studs face the front. Then horizontally place a dark grey 1x2 masonry brick on top so the brick grooves face the back.

- 33.2. Horizontally place a dark grey 1x2 plate from group 8 on top.
- 33.3. Vertically place 2 transparent yellow 1x2 plates, 1 to the right of the other, upright on the front-facing side studs.
- 33.4. Place a light brown 1x1 quarter circle tile upright on the bottom left front-facing side stud so the curve faces the top right. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the top. Then place a dark grey 2x2 tile with 2 studs on top so it overhangs 1 row to the front and the studs are in the back.
- 33.5. Place your part on the 3rd and 4th columns from the left of the 5th and 6th rows from the back so the upright quarter circle tiles face the front.
- 34.1. Let's make a part! Horizontally place a dark grey 1x3 brick in front of you.
- 34.2. Place a dark grey 2x2 corner plate on the 2 leftmost columns so it overhangs to the back and looks like the braille letter j. Then horizontally place a dark grey 1x3 brick underneath the overhang so it is centered horizontally.
- 34.3. Place a dark grey 1x1 plate with a side stud hanging down on the back left corner so the side stud faces the left.
- 34.4. Vertically place a transparent yellow 1x2 plate on the rightmost column. Then vertically place a white 1x2 plate with 2x2 side studs sticking up underneath the rightmost column so the side studs face the right.
- 34.5. Place a dark grey 2x2 tile with 2 studs underneath the 2 leftmost columns so the studs are on the left.
- 34.6. Rotate your part 90 degrees clockwise so the side studs face the front. Then vertically place 2 transparent yellow 1x2 plates, 1 to the right of the other, upright on the front-facing side studs.
- 34.7. Place a light brown 1x1 quarter circle tile upright on the bottom left front-facing side stud so the curve faces the top right. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the top.
- 34.8. Vertically place your part on the 9th and 10th columns from the right and 5th, 6th, 7th, and 8th rows from the back so the 1x1 quarter tiles face the back.
- 35. Horizontally place a dark grey 2x6 brick to the left and right of the back 2 rows of the ppp so there is no overhang.
- 36. Horizontally place 3 sand green 2x4 bricks, 1 to the right of the other, on top of the 3 ppp so they are centered horizontally on them. Then vertically place a sand green 1x2 brick to the left and right of the 3 ppp.
- 37. Vertically place 2 sand green 1x2 bricks, 1 to the right of the other, on the 9th and 10th columns from the right and 7th and 8th rows from the back.

- 38. Vertically place a sand green 2x4 plate on top of the 2 ppp so there is no overhang.
- 39. Rotate your build 180 degrees. Now place a sand green 2x2 tile with a stud on the 2 rightmost columns of the front 2 rows. Then place another 1 to the left so there is a 2 column gap in between them.
- 40. Place a dark grey 1x1x5 brick on top of each of the 2 ppp.
- 41. Place a sand green 6x6 plate on top of the 2 ppp so the back 2 rows sit on the 2x6 set of studs behind the 2 ppp.
- 42. Place a sand green 2x2 tile with a stud on the back right corner of the ppp.
- 43. Stack 2 light brown 2x2 bricks on the front 2 rows on the 7th and 8th columns from the left. Then vertically place 2 sand green 1x2 bricks, 1 to the right of the other, on top of the ppp.

Group 12 - Trial Chamber

- 44.1. Let's make a part! Place a sand green 6x6 plate in front of you. Then place a white 2x2 tile with a stud on the back left corner. Then repeat symmetrically to the right. Now place another 1 on the front left corner. Then place 1 on top so it is centered horizontally and vertically.
- 44.2. Place a light brown 2x2 tile on the back 2 rows so it is centered horizontally. Then repeat symmetrically to the front. Now place 1 on the 2 leftmost columns so it is centered vertically. Then repeat symmetrically to the right.
- 44.3. Place your part on the front 6 rows on the 3rd, 4th, 5th, 6th, 7th, and 8th columns from the left. It should only sit on a 2x6 set of studs and a 2x2 set of studs! Make sure the exposed 2x2 studs of the 6x6 plate face the front right.

Building Instructions (Bag 3, Book 1):

Group 13 - Trial Chamber

There are no instructions in this group. You will have an extra light purple 1x1 plate. Save it for later!

Group 14 - Breeze Spawner

45. Let's make a part! Place a black 2x2 round plate in front of you. Then place a black 2x2 tile with a stud and corner walls on top. Now place a sand blue 1x1 plate printed with 2 eyes and a mouth on top so the print faces the front. Now place a light purple 1x1 plate from group 13 on top. Then place a black 2x2 tile with a stud on top so it is centered. Now put your spawner away for now while we make the breezes!

Group 15 - Breezes

- 46. Let's make 2 identical parts! Place a white 2x2 plate in front of you. Then place a light grey 1x1 round plate with a bar on the back left corner so the bar faces the back. Then place a transparent 1x1 round plate on the front right corner.
- 47. Place a white 1x1 plate on the back right corner and front left corner.

- 48. Place a white 1x1 plate on the back left corner and front right corner. Then place a transparent 1x1 round plate on the front left corner and back right corner.
- 49. Place a white 3x3 plate on top so it is centered. Now place a transparent 1x1 round plate on top so it is centered. Then horizontally place a transparent 1x2 tile on the back right corner. Then vertically place 1 on the front right corner. Now horizontally place 1 on the front left corner. Then vertically place 1 on the back left corner.
- 50. Place a transparent 1x1 round plate underneath your part so it is centered. Then place a white 1x1 plate underneath it so it is centered too.
- 51. Place a light purple square head printed with a sand blue face and 2 black eyes on top so it is centered. Now you should have 2 identical parts! Put them away while we continue making the trial chamber!

Group 16 - Trial Chamber

- 52. Let's make a part! Horizontally place a light brown 2x6 brick in front of you. Then horizontally place a light brown 1x2 tile on the back row so it is centered horizontally.
- 53. Horizontally place a dark grey 1x2 plate on the front row so it is centered horizontally. Now place a light brown 2x2 plate on the 2 leftmost columns. Then repeat symmetrically to the right.

You will have an extra dark grey 1x2 plate. Save it for later!

Group 17 - Trial Chamber

- 54.1. Let's make a part! Horizontally place a black 1x2 plate with 2x2 side studs sticking up in front of you so the side studs face the front. Then horizontally place a dark grey 1x2 masonry brick on top so the brick grooves face the back. Now horizontally place a dark grey 1x2 plate from group 16 on top.
- 54.2. Vertically place 2 transparent yellow 1x2 plates, 1 to the right of the other, upright on the front-facing side studs.
- 54.3. Place a sand green 1x1 quarter circle tile upright on the bottom left front-facing side stud so the curve faces the top right. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the top. Now place a light grey 2x2 plate on top so 1 row overhangs to the front.
- 54.4. Place your part on top of your previous part so it is centered horizontally and the quarter circle tiles face the back.
- 55. Horizontally place a light grey 1x2 brick with a pinhole on the front row so it is centered horizontally. Then repeat symmetrically to the back.
- 56.1. Let's make 2 identical parts! Place a dark grey 2x2 brick in front of you. Then horizontally place a dark grey 1x2 masonry brick on the front row so the brick grooves face the front. Then repeat symmetrically to the back. Now place a dark grey 2x2 brick on top.

- 56.2. Now you should have 2 identical parts! Place 1 on the 2 leftmost columns so the brick grooves face the front and back. Then repeat symmetrically to the right.
- 57. Bring back your main build and orient it so it is horizontal and the bed is in the front left corner. Now horizontally place your part on the 6 rightmost columns of the front 2 rows.

You will have an extra dark grey 2x2 brick. Save it for later!

Group 18 - Trial Chamber

- 58.1. Let's make a part! Place a light brown 2x2 brick in front of you. Then place a light brown 2x2 plate on top.
- 58.2. Place a dark grey 2x2 brick from group 17 on top. Now horizontally place a dark grey 1x2 masonry brick on the front row so the brick grooves face the front. Then repeat symmetrically to the back. Now place a dark grey 2x2 brick on top.
- 58.3. Place your part on the front 2 rows on the 7th and 8th columns from the left.
- 59.1. Let's make a part! Horizontally place a dark grey 2x10 plate in front of you. Then horizontally place 2 sand green 2x4 bricks, 1 to the right of the other, on top so they are centered horizontally.
- 59.2. Vertically place a sand green 1x2 brick on the rightmost column. Then place 2 sand green 1x1 bricks with a side stud, 1 in front of the other, on the leftmost column so the side studs face the left.
- 59.3. Place a sand green 2x2 tile with a stud on the 2 leftmost columns. Then repeat symmetrically to the right. Now place 1 more on top so it is centered horizontally.
- 59.4. Horizontally place your part on the 10 rightmost columns of the front 2 rows. It should sit on the 2 previous parts!

Group 19 - Trial Chamber

60. Rotate your build 180 degrees so the ppp is in the back left corner. Now place a dark grey 2x2 brick on the front right corner. Then vertically place a light brown 1x2 tile on the rightmost column behind the ppp. Now place a dark grey 2x2 brick behind the ppp.

Group 20 - Trial Chamber

61. Place a light brown 2x2 brick on the 3rd and 4th rows from the front of the 2nd and 3rd columns from the right so it sits to the left of the 1x2 tile. Now vertically place a light brown 1x2 tile on the left column of the ppp.

Group 21 - Trial Chamber

62.1. Let's make a part! Place a light brown 6x6 plate in front of you. Then place a sand blue 2x2 tile with a stud on the front left corner. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back. Then place another 1 in the middle so it is centered.

- 62.2. Place a light brown 2x2 tile on the 2 leftmost columns so it is centered vertically. Then repeat symmetrically to the right. Now place 1 on the front 2 rows so it is centered horizontally. Then repeat symmetrically to the back.
- 62.3. Place a dark grey 2x2 brick underneath the front left corner. Then repeat symmetrically to the right. Now horizontally place a dark grey 2x6 plate underneath the front 2 rows so it is centered horizontally.
- 62.4. Rotate your part 90 degrees counterclockwise so the 2x6 plate is on the right. Now place the 2 leftmost columns of your part on the front right corner of the main build so it overhangs 4 columns to the right.
- 63. Place a light brown 1x1 plate on the 3rd row from the front and 8th column from the right so it sits to the left of the ppp. Then place another 1 behind the ppp. Now vertically place a light brown 1x2 tile on top of the 2 ppp.
- 64. Vertically place a black 2x3 tile printed with a light blue skull on a dark blue background upright on the 2 front-facing side studs that are on the 2 leftmost columns so it overhangs 2 rows down. This is a banner! Then vertically place another 1 on the 2 right-facing side studs that are on the back 2 rows so it overhangs 2 rows down.
- 65.1. Let's make 2 identical parts! Place a light brown 2x2 box in front of you. Then place a green 1x1 round plate inside. This is an emerald! Now place a light brown 2x2 tile with a stud on top. Then place a short light brown 1x1 brick on top.
- 65.2. Now you should have 2 identical parts! Place 1 part on the back 2 rows of the 5th and 6th columns from the left. Then place another 1 to the right of the ppp so it sits on the 5th and 6th rows from the back.

Group 22 - Trial Chamber

- 66.1. Let's make a part! Place a light brown 2x2 box in front of you. Then place a light blue 1x1 round plate inside. This is a diamond! Now place a light brown 2x2 tile with a stud on top. Then place a short light brown 1x1 brick on top.
- 66.2. Place your part on the 2 rightmost columns of the 5th and 6th rows from the back.

You will have 2 extra transparent yellow 1x1 plates. Save them for later!

Group 23 - Trial Chamber

- 67.1. Let's make 2 identical parts! Let's make torches! Place a dark brown 1x1 telescope bar in front of you. Then place a transparent yellow 1x1 plate from group 22 on top. Now place a transparent orange 1x1 plate on top.
- 67.2. Now you should have 2 identical parts! Place 1 part on the leftmost column on top of the 2x2 tile with a stud. Then place 1 part on the 2x2 tile with a stud that is on the 5th and 6th columns from the left of the back 2 rows.
- 68.1. Let's make 2 identical parts! Place a dark grey 1x1 cone brick on top of the stud of a 4L bar with a stud.

68.2. Insert the bar of your part into the front-facing hole that is on the back row so the cone brick faces the front. Then insert the other 1 into the right-facing hole that is on the leftmost column so the cone brick faces the right. These are flick-fire missiles! You can launch them by flicking the bar part of them to fire the missile!

69. Locate 2 transparent 8L bars with a rounded tip. You can insert them into the front-facing side of the 1x4 bar shooter brick that is on the 9th and 10th columns from the right.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our <u>Builders page</u>. It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please signup for our newsletter and follow us on <u>Facebook</u> and <u>Instagram</u> to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 5 LEGO Minecraft Theme kits:

21268 The Baby Pig House

21267 The Illager Desert Patrol

21269 The Armadillo Mine Expedition

21270 The Mooshroom House

21266 The Nether Lava Battle