21272 Woodland Mansion Fighting Ring

Adapted by John Le and tested by Jolene Nemeth.

The Woodland Mansion Fighting Ring (21272) set is a high-quality building toy for kids. It makes a great Minecraft® gaming gift for boys and girls and fans of the Minecraft movie aged 10 and up.

The LEGO® Minecraft building set features toy figures from the movie – Steve, Garrett, Henry, a baby zombie, a chicken jockey and a posable great hog – plus weapons and potions that kids can use as they recreate battle scenes and explore adventures of their own. The set features a functional fighting ring with score-keepers and handles kids can attach to the fighters. There's also a mansion facade with a removable chest and weapons rack.

LEGO® Minecraft® gamer merch – Kids who love Minecraft and the Minecraft movie can bring video game battle scenes to life with the Woodland Mansion Fighting Ring for boys and girls aged 10 and up.

Minecraft® toy figures – This hands-on video game set features characters from the movie: Steve, Garrett, Henry, a baby zombie, a chicken jockey and a posable great hog.

Interactive toy with Minecraft® accessories – Kids use weapons, potions and attachable handles to position characters as they recreate video game battles and explore adventures of their own.

Minecraft® mansion toy – The set features a functional fighting ring with score-keepers in front of a mansion facade with a removable chest and weapons rack.

491-piece set – The completed playset measures over 6.5 in. (17 cm) high, 5.5 in. (14 cm) wide and 2 in. (6 cm) deep.

The front of the box shows the woodland mansion fighting ring! Steve, Garret, and Henry are fighting a zombie riding a chicken and a great hog! Hopefully they can win!

The back of the box shows Garret facing off with the zombie riding a chicken in the fighting ring with a netherite axe! Steve is in the back getting a sword from the wall, and Henry is in the front scared of the great hog walking towards him!

The top of the box shows a real size image of Steve.

The build is 491 pieces in total and is for ages 10+.

Bag 1 includes the pieces for Steve and the fighting ring.

Bag 2 includes the pieces for the zombie, chicken, and the fighting ring.

Bag 3 includes the pieces for Garret and the woodland mansion

Bag 4 includes the pieces for Henry and the woodland mansion

Bag 5 includes the pieces for the great hog.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic[™] part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic[™].

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (https://www.lego.com/en-us/service/buildinginstructions/21272) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 5 bags labeled 1 to 5, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Steve and Fighting Ring

Group 1 - Page 4.

Group 2 - Steps 1-6 and 1 orange 1x2 brick from Step 7.

Group 3 - Rest of Step 7 and Steps 8-14.

```
Bag 2 - Zombie, Chicken, and Fighting Ring
```

Group 4 - Page 16.

Group 5 - Steps 15-22 and 1 white 1x2 plate and 1 yellow 1x2 tile from Step 23.

Group 6 - Rest of Step 23.

Group 7 - Step 24 and 1 orange 2L ridged axle connector from Step 25.

Group 8 - Rest of Step 25 and Steps 26-34.

Group 9 - Step 35.

Bag 3 - Garret and Woodland Mansion

Group 10 - Page 36.

Group 11 - Steps 1-12.

Group 12 - Steps 13-19 and 2 transparent yellow 1x1 plates from Step 20.

Group 13 - Rest of Step 20 and Step 21.

Bag 4 - Henry and Woodland Mansion

Group 14 - Page 59.

Group 15 - Steps 22-34.

Group 16 - Steps 35-36.

Group 17 - Steps 37-52.

Group 18 - Steps 53-59 and 2 transparent yellow 1x1 plates from Step 60.

Group 19 - Rest of Step 60.

Bag 5 - Great Hog

Group 20 - Steps 1-9.

Group 21 - Steps 10-17 and 1 black 1x2 tile from Step 18.

Group 22 - Rest of Step 18 and 1 dark red 1x1 plate from Step 19.

Group 23 - Rest of Step 19 and Steps 20-22.

Group 24 - Steps 23-28.

Group 25 - Steps 29-34.

Group 26 - Steps 35-37.

Group 27 - Steps 38-46.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Steve

Sub-build 1. Locate 1 dark blue pair of legs, 1 torso printed with a light blue v-neck shirt, 1 tan head printed with eyes, lips, and a brown beard, and 1 dark brown hair. Assemble your minifigure then put him away while we make the fighting ring!

Group 2 - Fighting Ring

- 1. Horizontally place a dark grey 2x14 plate in front of you. Then place a dark grey 1x1 brick on the back right corner. Then repeat symmetrically to the left.
- 2. Horizontally place a light grey 1x12 plate on the back row so it is centered horizontally. Then horizontally place a light grey 1x4 plate on the front row so it is centered horizontally.

- 3. Place a dark grey 1x1 plate with a clip on the back row on the 2nd column from the left so the clip faces the back. Then horizontally place a black 1x2 plate with a clip on the long side to the right of the ppp so the clip faces the back. Now place another dark grey 1x1 plate with a clip to the right of the ppp so the clip faces the back. Now repeat everything symmetrically to the right. Then horizontally place a dark grey 2x4 plate in between all the ppp so it is centered horizontally.
- 4. Horizontally place a light grey 1x12 plate on the back row so it is centered horizontally. Then place a short white 1x1 brick on the front row on the 2nd column from the left. Then repeat symmetrically to the right.
- 5.1. Let's make 2 identical parts! Horizontally place a light grey 1x4 plate in front of you. Then horizontally place a dark grey 2x4 plate on top so it overhangs 1 row to the back.
- 5.2. Horizontally place a dark grey 1x10 plate underneath the back row so it is centered horizontally.
- 5.3. Horizontally place a dark grey 2x4 plate on top so it is centered horizontally.
- 5.4. Horizontally place a light grey 1x4 plate on the back row so it is centered horizontally. Then horizontally place a dark grey 1x4 masonry brick to the left of the ppp so the brick grooves face the back and it overhangs 1 column to the left and right. Then repeat symmetrically to the right.
- 5.5. Now you should have 2 identical parts! Vertically place 1 part on the front left corner of the main build so it overhangs 11 columns to the front and the brick grooves face the left. Then repeat symmetrically to the right.
- 6. Let's make another part! Horizontally place a dark grey 2x14 plate in front of you. Then place a dark grey 1x1 brick on the back right corner.

You will have an extra orange 1x2 brick. Save it for later!

Group 3 - Fighting Ring

- 7.1. Place a dark grey 1x1 brick on the back left corner. Then horizontally place a dark grey 1x4 masonry brick to the right of the ppp so the brick grooves face the back. Then repeat symmetrically to the right.
- 7.2. Horizontally place an orange 1x2 brick from group 2 on the back row on the 6th and 7th columns from the right. Then horizontally place a dark green 1x2 brick to the left of the ppp.
- 8. Horizontally stack 2 light grey 1x4 plates on the front row so they are centered horizontally.
- 9. Place a short white 1x1 brick on the front row on the 2nd column from the left. Then repeat symmetrically to the right.
- 10. Rotate your part 180 degrees. Now horizontally place your part underneath the front row of the main build so it is centered horizontally.
- 11. Vertically place a light grey 6x12 tile with 3 sides of studs to the right of the leftmost column so it is centered vertically and the tile side faces the right. Then repeat symmetrically to the right.

- 12. Flip your build upside down so the clips face the back. Now place a white 2x2 round brick on top so it is centered.
- 13. Flip your build over so it is right-side up and the clips face the back. Then horizontally place a dark grey 2x14 plate on the front 2 rows so it is centered horizontally. Now vertically place a dark grey 2x4 plate behind the 2 leftmost and 2 rightmost columns of the ppp. Now repeat both parts symmetrically to the back.
- 14. Place a black 2x2 turntable plate on the 2 leftmost columns so it is centered vertically. Then place a light grey 2x2 round turntable plate on top. Now repeat both parts symmetrically to the right.

Building Instructions (Bag 2, Book 1):

Group 4 - Zombie

Sub-build 2. Locate 1 short dark brown pair of legs, 1 green torso printed with a torn light blue shirt, 1 green square head printed with eyes, a mouth, and wrinkles. Assemble your minifigure then put him away while we make a chicken!

Group 5 - Chicken

- 15. Place a white 2x2 inverted tile in front of you so the studs face up.
- 16. Horizontally place a white 1x2 brick with 2 side studs on the front row so the side studs face the front. Then repeat symmetrically to the back.
- 17. Horizontally place a white 1x2 plate with a stud and a clip on the front row so the clip is on the right. Then repeat symmetrically to the back.
- 18. Vertically place a white 1x2 plate with 2x2 side studs hanging down on the left column so the side studs face the left.
- 19. Place a white 1x1 brick with 2 side studs on the front row so the side studs face the front and right. Then repeat symmetrically to the back.
- 20. Horizontally place a white 1x2 slope tile on the right-facing side studs so it slopes down.
- 21. Attach the bar of a yellow 1x2 tile with a bar on top to the top-facing clips so the anti-studs face the right and the slope is on top. Now horizontally attach a yellow 1x3 jumper plate to the anti-studs of the ppp so it is centered horizontally.
- 22. Vertically place a white 2x3 tile upright on the 3 front-facing side studs. Then repeat symmetrically to the back.

You will have an extra 1 white 1x2 plate and 1 yellow 1x2 tile. Save them for later!

Group 6 - Chicken

- 23.1. Let's make a part! Place a white 2x2 inverted tile in front of you so the studs face up. Then horizontally place a white 2x3 plate on top so 1 column overhangs to the right.
- 23.2. Vertically place a white 1x2 jumper plate on the rightmost column. Then vertically place a white 1x2 plate from group 5 to the left of the ppp. Now vertically place a white 1x2 tile printed with 2 black eyes on the leftmost column.
- 23.3. Place a red 1x1 tile on the rightmost column on top of the 1x2 jumper plate. Then vertically place a yellow 1x2 plate to the left. Now vertically place a yellow 1x2 tile from group 5 on top. This is the chicken's face!
- 23.4. Horizontally place the rightmost column of your part on the leftmost column of your previous part so it overhangs 2 columns to the left.
- 23.5. Now place your chicken right side up so it sits on the 1x3 jumper plate. Now put it away while we continue making the fighting ring!

Group 7 - Fighting Ring

- 24.1. Let's make 2 identical parts! Place a dark tan 2x2 inverted tile in front of you so the studs face up. Then vertically place a dark tan 1x2 masonry brick on the right column so the brick grooves face the right. Now vertically place a dark tan 1x2 brick with an axle hole on the left column.
- 24.2. Horizontally place a dark tan 1x2 jumper plate on the front row. Then repeat symmetrically to the back.
- 24.3. Insert a black 10L axle into the left-facing axle hole. Now attach a tan 2x2 round brick with a pinhole to the left-facing axle. Then place a dark grey 2x2 round tile on top of the ppp.
- 24.4. Now you should have 2 identical parts! Bring back your fighting ring and place it in front of you so the clips face the back. Then place the 2x2 round brick of 1 part on the 2 leftmost columns so it is centered vertically and the axle faces the left. The 2 jumper plates of your part should be on the right. Make sure they are placed on the turntable plate! Then repeat symmetrically to the right.
- 25.1. Horizontally attach an orange 2L ridged axle connector to the left-facing axle.

Group 8 - Fighting Ring

- 25.2. Horizontally attach a dark green 2L ridged axle connector to the right-facing axle.
- 26. Place a brown 2x2 corner brick on the 2nd and 3rd rows from the front and 2nd and 3rd columns from the left so it looks like the braille letter h. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.
- 27.1. Place a brown 2x2 corner brick on the 2 leftmost columns in front of the 2x2 round tile so it looks like the braille letter d. Then repeat symmetrically to the back. Now repeat both parts symmetrically to the right.

- 27.2. Place a brown 2x2 corner brick on the front 2 rows on the 5th and 6th columns from the left so it looks like the braille letter d. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.
- 28. Horizontally place a dark tan 1x4 plate on the 2nd row from the back on the 2nd, 3rd, 4th, and 5th columns from the left. Then vertically place another 1 in front of the leftmost column of the ppp. Now repeat both parts symmetrically to the right.
- 29. Horizontally place a dark tan 1x4 plate on the 2nd row from the front on the 2nd, 3rd, 4th, and 5th columns from the left. Then vertically place another 1 behind the leftmost column of the ppp. Now repeat both parts symmetrically to the right.
- 30. Place a dark tan 1x1 plate on the 2nd row from the front on the 6th column from the left. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.
- 31. Vertically place a dark tan 1x12 plate on the 2nd column from the left so it is centered vertically. Then horizontally place a dark tan 1x4 plate to the right of the front and back rows of the ppp. Now repeat everything symmetrically to the right.
- 32.1. Vertically place a brown 1x1 tile with a 1x1 slope tile on the front 2 rows on the 6th column from the left so it slopes to the front. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.
- 32.2. Horizontally place a brown 1x1 tile with a 1x1 slope tile on the 2 leftmost columns on the 6th row from the front so it slopes to the left. Then repeat symmetrically to the back. Now repeat both parts symmetrically to the right.
- 33. Place a brown 2x2 corner brick on the 2nd and 3rd rows from the front and 2nd and 3rd columns from the left so it looks like the braille letter h. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.
- 34.1. Let's make 3 identical parts! Horizontally place a black 1x1 round plate with a bar in front of you so the bar faces the right. Now attach a black bar holder with a bar to the right-facing bar so the bar is horizontal. Then place a dark green 1x1 round tile on top.
- 34.2. Now you should have 3 identical parts! Rotate your main build 180 degrees so the clips face the front. Now attach the bars of your parts to the left 3 front-facing clips so the 1x1 round tiles are on top and face the front.

Group 9 - Fighting Ring

- 35.1. Let's make 3 identical parts! Horizontally place a black 1x1 round plate with a bar in front of you so the bar faces the right. Now attach a black bar holder with a bar to the right-facing bar so the bar is horizontal. Then place an orange 1x1 round tile on top.
- 35.2. Now you should have 3 identical parts! Attach the bars of your parts to the right 3 front-facing clips so the 1x1 round tiles are on top and face the front. Now put your ring away while we make Garret and the mansion!

Building Instructions (Bag 3, Book 1):

Group 10 - Garret

Sub-build 3. Locate 1 light blue pair of legs, 1 torso printed with a white shirt with a lion, and a pink jacket, 1 tan head printed with a brown beard and purple and gold glasses, and 1 brown hair. Assemble your minifigure then put him away while we make the mansion!

Group 11 - Woodland Mansion

- 1. Horizontally place a brown 6x8 plate in front of you. Then place a dark grey 2x4 tile with 2 studs on top so it is centered.
- 2. Vertically place a dark grey 1x2 ingot tile on the 2nd column from the left so it is centered vertically. Then repeat symmetrically to the right.
- 3. Vertically place a brown 2x4 brick on the back left corner so 1 column overhangs to the left.
- 4. Horizontally place a brown 6x8 plate underneath the overhang so it is centered vertically to the build.
- 5. Vertically place a dark grey 1x2 ingot tile on the 2nd column from the left so it is centered vertically. Then horizontally place a dark grey 2x4 tile with 2 studs to the right of the ppp. Now vertically place a dark grey 1x2 ingot tile to the right of the ppp.
- 6. Vertically place a brown 2x4 brick on the back left corner so 1 column overhangs to the left. Then vertically place a dark grey 1x4 plate underneath the overhang. Now repeat both parts symmetrically to the right.
- 7. Place a brown 2x2 brick on the front 2 rows so it is centered horizontally.
- 8. Place a dark tan 2x2 corner brick on the 2 leftmost columns and 3rd and 4th rows from the back. Then repeat symmetrically to the right. Now vertically place a dark grey 2x4 tile with a stud on the front 4 rows so it is centered horizontally.
- 9.1. Let's make 3 identical parts. Stack 3 brown 2x2 bricks and place them in front of you. Then horizontally place a brown 1x2 log brick on the front row. Then repeat symmetrically to the back. Now place a brown 2x2 brick on top.
- 9.2. Now you should have 3 identical parts! Place 1 on the back left corner. Then repeat symmetrically to the right. Now place 1 on the back 2 rows so it is centered horizontally.
- 10. Vertically place a brown 1x2 plate with 2x2 side studs hanging down on the back 2 rows on the 2nd column from the left so the side studs face the right. Then repeat symmetrically to the right. Now vertically place 2 more, 1 to the right of the other, on the back 2 rows on the middle pillar so the side studs face outwards to the left and right. Now place a dark brown 2x2 tile upright on the side studs of each of the 4 ppp.
- 11. Vertically place a brown 1x2 rounded plate on the back left corner. Then repeat symmetrically to the right.

12. Place a dark brown 1x1x5 brick on the leftmost column on top of the 2x2 tile with a stud. Then repeat symmetrically to the right. Then place 1 on the front stud of the 2x4 tile with 2 studs that is centered horizontally on the front 4 rows.

Group 12 - Woodland Mansion

- 13. Vertically place a dark tan 2x4 plate on the back left corner on top of the 2x2 studs and 1x1x5 brick. Then repeat symmetrically to the right. Now vertically place a dark brown 2x6 plate on the 2x2 studs and 1x1x5 brick so it is centered horizontally and vertically.
- 14.1. Let's make 2 identical parts! Horizontally place a dark brown 2x6 plate in front of you. Then horizontally place 2 brown 2x4 bricks, 1 to the right of the other, on top so they are centered horizontally.
- 14.2. Now you should have 2 identical parts! Horizontally place them, 1 to the right of the other, on the back 2 rows so they are centered horizontally.
- 15. Vertically place a brown 1x2 log brick on the back left corner to the left of the 2 ppp. Now place a brown 2x2 brick in front of the ppp so there is no overhang. Then repeat both parts symmetrically to the right. Now vertically place a brown 2x4 brick on the front 4 rows so it is centered horizontally.
- 16. Vertically place a brown 2x3 plate on the back left corner. Then horizontally place a dark brown 2x6 plate on the back 2 rows to the right of the ppp. Now repeat both parts symmetrically to the right. Then vertically place a dark tan 2x4 plate on the back 4 rows so it is centered horizontally. Then horizontally place a brown 1x2 rounded plate in front of the ppp.
- 17. Horizontally place a brown 1x2 plate with 2x2 side studs hanging down on the 2 leftmost columns and 4th row from the back so the side studs face the front. Then repeat symmetrically to the right. Now horizontally place another 1 on the front row so it is centered horizontally and the side studs face the front.
- 18. Place a dark tan 2x2 tile with a stud upright on each of the 3 ppp.
- 19. Place a brown 1x1 clip upright on the front-facing side stud of the leftmost 2x2 tile with a stud so the clip hands face the left and right. Then repeat symmetrically to the right. Now place another 1 on the front-facing side stud of the center 2x2 tile with a stud so the clip hands face the bottom left and top right.

Group 13 - Woodland Mansion

You will have 2 extra transparent yellow 1x1 plates. Save them for later!

- 20.1. Let's make 2 identical parts! Let's make torches! Place a dark brown 1x1 telescope bar in front of you. Then place a transparent yellow 1x1 plate from group 12 on top. Now place a transparent orange 1x1 plate on top.
- 20.2. Now you should have 2 identical parts! Attach 1 to the leftmost front-facing clip so the stud faces up. Then repeat symmetrically to the right. Now attach a silver axe to the middle front-facing clip so the axe head is on the top left.

- 21.1. Let's make a part! Horizontally place a nougat 2x4 chest bottom in front of you so the lower lip faces the back. Now attach a nougat 2x4 chest top to the lower lip in the back.
- 21.2. Place 2 gold 1x2 ingots and 2 light blue 1x1 round plates inside the chest, then close it!
- 21.3. Horizontally place your part on the rightmost 2x4 tile with 2 studs that is on the first floor. Now put your build away for now while we make the next part!

Building Instructions (Bag 4, Book 1):

Group 14 - Henry

Sub-build 4. Locate 1 short blue pair of legs, 1 red torso printed with a sweater and a blue name tag, 1 brown purse, 1 tan head printed with 2 eyes and a smile, 1 black hair, and 1 light purple axe. Assemble your minifigure, make sure the purse is on his side, then attach the axe to his hand! Now put him away while we continue the build!

Group 15 - Woodland Mansion

- 22. Let's make a part! Horizontally place a dark blue 1x4 plate in front of you.
- 23-24. Place a black 2x2 round plate underneath the 2 leftmost columns so 1 row is exposed to the back. Then repeat symmetrically to the right.
- 25. Place a dark blue 1x1 plate with 2 side studs sticking up on the back left corner so the side studs face the left. Then repeat symmetrically to the right. Now horizontally place a dark tan 1x2 tile on the back row so it is centered horizontally.
- 26. Place 2 light grey 2x2 tiles with 2 studs, 1 to the right of the other on top so the studs are in the back.
- 27. Horizontally place 2 light grey 1x2 log bricks, 1 to the right of the other, on the back row.
- 28. Horizontally place a light grey 1x2 log brick on the back row so it is centered horizontally. Now place a light grey 1x1 brick with a clip to the left and right of the ppp so the clips face the front.
- 29. Horizontally place a dark tan 1x4 plate on the back row.
- 30. Horizontally place a light grey 1x2 plate with a bar on the long side on the back row so it is centered horizontally and the bar faces the back. Then place a light grey 1x1 plate with 2 side studs hanging down on the back left corner so the side studs face the left. Then repeat symmetrically to the right.
- 31. Vertically place a dark blue 1x4 tile upright on the left-facing side studs. Then repeat symmetrically to the right.
- 32. Horizontally place 2 light grey 1x2 log bricks, 1 to the right of the other on the back row. Then horizontally place a dark blue 1x4 tile on top of the 2 ppp.
- 33. Attach a silver axe to the left-facing clip so the axe head is on top. Then attach a dark grey sword to the right front-facing clip so the blade faces up.

- 34. Horizontally place your part on the leftmost 2x4 tile with 2 studs that is on the first floor so the weapons face the front.
- 35. Vertically place a dark tan 2x4 plate on the back left corner. Then horizontally place a brown 2x4 tile with 2 studs on the back 2 rows to the right of the ppp. Now repeat both parts symmetrically to the right.
- 36.1. Let's make 2 identical parts! Place a transparent red head in front of you. Then insert the bar of a transparent 1x1 round tile with a top-facing bar on top so the anti-stud faces up. Now place a brown 1x1 round plate on the top-facing anti-stud.
- 36.2. Now you should have 2 identical parts! Place 1 part on the left stud of each of the 2x4 tiles with 2 studs that are on the back 2 rows.

Group 17 - Woodland Mansion

- 37.1. Let's make 2 identical parts! Place a transparent blue head in front of you. Then insert the bar of a transparent 1x1 round tile with a top-facing bar on top so the anti-stud faces up. Now place a brown 1x1 round plate on the top-facing anti-stud.
- 37.2. Place 1 part on the right stud of each of the 2x4 tiles with 2 studs that are on the back 2 rows.
- 38.1. Let's make 2 identical parts! Stack 2 brown 2x2 bricks and place them in front of you.
- 38.2. Vertically place a brown 1x2 log brick on the left column. Then repeat symmetrically to the right. Now stack 2 more brown 2x2 bricks on top.
- 38.3. Place 1 part on the back left corner. Then repeat symmetrically to the right.
- 39.1. Let's make 2 identical parts! Horizontally place a brown 1x2 log brick in front of you. Then horizontally place a dark tan 1x2 jumper plate on top. Now place a brown 1x1x3 brick on top.
- 39.2. Horizontally place a dark tan 1x2 jumper plate on top so it is centered horizontally. Now horizontally place a brown 1x2 rounded plate on top.
- 39.3. Now you should have 2 identical parts! Horizontally place 1 part on the 2 leftmost columns and 3rd row from the back. Then repeat symmetrically to the right.
- 40. Horizontally place a dark tan 1x2 tile in front of each of the 2 ppp.
- 41. Let's make a part! Place a dark tan 6x6 plate in front of you. Then vertically place a brown 1x4x6 door frame on the leftmost column so it is centered vertically.
- 42. Place a dark brown 1x1x5 brick on the front left corner. Then repeat symmetrically to the back.
- 43. Horizontally place a brown 1x2 log brick on the front row on the 2nd and 3rd columns from the left. Then repeat symmetrically to the back.

- 44. Vertically place a dark tan 1x4 plate on the 3rd column from the right so it is centered vertically. Now vertically place 2 dark tan 1x2 jumper plates, 1 in front of the other, on top of the ppp.
- 45. Place a dark brown 1x1 brick on the front right corner. Then horizontally place a brown 1x2 log brick to the left of the ppp. Now repeat both parts symmetrically to the back.
- 46. Place 2 brown 2x2 bricks, 1 in front of the other, on the 2 rightmost columns so they are centered vertically. Then vertically place 2 dark tan 1x2 jumper plates, 1 in front of the other, on the 2nd column from the right so they are centered vertically.
- 47. Place a dark brown 3x3 corner plate on the front right corner so the corner faces the front right. Then place a brown 1x1x3 brick on the front row to the left of the ppp. Then repeat both parts symmetrically to the back.
- 48. Place a dark brown 1x1 brick on the front right corner. Then place another 1 on the front row on the 3rd column from the right. Then repeat both parts symmetrically to the back. Now vertically place a brown 1x2 brick with 2 side studs on the rightmost column so it is centered vertically and the side studs face the right.
- 49. Place a dark brown 3x3 corner plate on the front right corner so the corner faces the front right. Then repeat symmetrically to the back. Now horizontally place a dark tan 1x2 tile upright on the right-facing side studs.
- 50. Place a brown 1x1 round plate on the front row on the 3rd column from the right. Then place a dark brown 1x1 brick on top of the ppp. Now repeat both parts symmetrically to the back.
- 51. Horizontally place a brown 1x2 brick with 2 side studs on the front row on the 3rd and 4th columns from the right so the side studs face the front. Then horizontally place a dark tan 1x2 tile upright on the front-facing side studs. Now repeat both parts symmetrically to the back.
- 52. Rotate your part 90 degrees clockwise so the door frame faces the back. Now horizontally place your part on top of the main build so it is centered horizontally and vertically.
- 53. Horizontally place a dark grey 4x6 plate on the back 4 rows of the 2nd, 3rd, 4th, 5th, 6th, and 7th columns from the left. Then repeat symmetrically to the right.
- 54. Vertically place a dark tan 1x4 plate on the back left corner so it overhangs 1 row to the front. Then repeat symmetrically to the right.
- 55. Place a brown 2x2 brick on the back left corner. Then repeat symmetrically to the right.
- 56. Horizontally place a brown 1x2 log brick on the 2 leftmost columns on the 3rd row from the back. Then horizontally place a dark tan 1x2 tile in front of the ppp. Now repeat both parts symmetrically to the right.
- 57. Vertically stack 2 dark brown 1x2 plates on the back 2 rows on the 7th column from the left. Then repeat symmetrically to the right.
- 58. Horizontally place a dark brown 2x6 plate on the back 2 rows so it is centered horizontally.

59. Place a dark tan 2x2 tile with a stud on the back left corner. Then horizontally place a dark tan 1x2 tile in front of the ppp. Now repeat both parts symmetrically to the right. Now horizontally place a dark brown 1x6 tile on the back row so it is centered horizontally. Then horizontally place another 1 in front so it is centered horizontally.

You will have 2 extra transparent yellow 1x1 plates. Save them for later!

Group 19 - Woodland Mansion

- 60.1. Let's make 2 identical parts! Let's make torches! Place a dark brown 1x1 telescope bar in front of you. Then place a transparent yellow 1x1 plate from group 18 on top. Now place a transparent orange 1x1 plate on top.
- 60.2. Now you should have 2 identical parts! Place 1 part on the back left corner on top of the 2x2 tile with a stud. Then repeat symmetrically to the right. Now put your mansion away while we make the great hog!

Building Instructions (Bag 5, Book 1):

Group 20 - Great Hog

- 1. Vertically place a black 1x2 brick with a pinhole in front of you.
- 2. Horizontally place a nougat 2x3 wedge plate underneath the front row so the angled side overhangs 1 row to the front and the short end overhangs 2 columns to the left. Then repeat symmetrically to the back.
- 3. Place a brown 2x2 corner brick on the front row of the 2 rightmost columns so it looks like the braille letter h and the front right corner sits in front of the 1x2 brick with a hole. Then repeat symmetrically to the back.
- 4.1. Let's make a part! Place a nougat 2x2 plate in front of you. Then horizontally place a light grey 1x2 plate with a socket on the long side on the front row so the socket faces the front. Then repeat symmetrically to the back. Now place a black 2x2 plate with a ball on top so the ball faces the left.
- 4.2. Place your part on the leftmost column so it is centered vertically, 1 column overhangs to the left, and the ball faces the left.
- 5. Vertically place a brown 1x4 plate on the rightmost column so it is centered vertically. Then horizontally place a nougat 2x3 plate to the left of the front 2 rows of the ppp. Then repeat symmetrically to the back.
- 6.1. Vertically place 2 gold 1x2 plates with a rail, 1 in front of the other, on the rightmost column so the rails face the right. Now vertically place a brown 1x4 plate to the left of the ppp.
- 6.2. Place a nougat 1x1 plate on the front left corner. Then place a nougat 1x1 tile to the right of the ppp. Now repeat both parts symmetrically to the back. Then place a nougat 2x2 tile on the 2 leftmost columns so it is centered vertically.
- 7. Place a brown 2x2 tile with a stud on the 2 rightmost columns so it is centered vertically. Then horizontally place a gold 1x2 ingot in front and behind the ppp.

- 8. Vertically place a dark grey 1x1 plate with 2 bars on the rightmost column on top of the 2x2 tile with a stud so it is centered vertically and the bars face the front and back. Now place a dark grey chain on the front left corner and back left corner.
- 9. Place a gold 1x1 plate on the rightmost column on top of the 1x1 plate with 2 bars.

Group 21 - Great Hog

- 10. Let's make a part! Vertically place a nougat 2x3 plate in front of you. Then vertically place a light brown 1x3 plate on the right column.
- 11. Vertically place a nougat 2x3 plate on the left column so 1 column overhangs to the left.
- 12. Vertically place a light brown 1x3 plate underneath the leftmost column.
- 13. Place a nougat 1x1 tile on the front right corner. Then repeat symmetrically to the back. Now vertically place a light brown 1x3 plate to the left. Then place a magenta 1x1 round plate on the leftmost column so it is centered vertically.
- 14. Horizontally place a light grey 1x2 plate with a socket on the short side on the 2 leftmost columns so it is centered vertically and the socket faces the right.
- 15. Place a nougat 1x1 brick with a side stud on the front left corner so the side stud faces the front. Then place a dark grey 1x1 plate with 2 side studs sticking up to the right of the ppp so the side studs face the right. Then repeat both parts symmetrically to the back.
- 16. Place a black 1x1 plate with 2 side studs hanging down on the leftmost column so it is centered vertically and the side studs face the left. Then vertically place a light brown 1x3 plate on the 2nd column from the left.
- 17. Place a nougat 2x3 plate with a gap on the 2 leftmost columns so the gap faces the left. Then place a black 1x1 plate with a side stud sticking up on the leftmost column so it is centered vertically and the side stud faces the left.
- 18.1. Horizontally place a black 1x2 tile on the 2 leftmost columns so it is centered vertically.

Group 22 - Great Hog

18.2. Horizontally place a nougat 1x2 tile printed with a gold vertical eye on the front left corner. Then repeat symmetrically to the back.

You will have an extra dark red 1x1 plate. Save it for later!

Group 23 - Great Hog

19.1. Let's make a part! Horizontally place a nougat 2x3 plate with a gap upside down in front of you so the gap faces the back. Then place a nougat 1x1 plate on the back left corner. Then repeat symmetrically to the right.

- 19.2. Place a dark red 1x1 plate on the front row so it is centered horizontally.
- 19.3. Place a white 1x1 plate with a vertical tooth on the front left corner so the tooth faces the front. Then repeat symmetrically to the right.
- 19.4. Place a dark grey 1x1 plate with a side stud hanging down on the front row so it is centered horizontally, the stud faces the front, and the anti-stud faces the back.
- 19.5. Place your part upright on the right-facing side studs so the teeth face up.
- 20. Vertically place a nougat 1x2 tile upright on the front-facing side stud so it is centered vertically on it. Then repeat symmetrically to the back.
- 21. Vertically place a black 1x3 jumper plate on the left-facing side studs. Then vertically place a gold 1x2 ingot tile upright on the left-facing side studs.
- 22. Attach the right-facing socket of your part to the left-facing ball of your previous part.

Group 24 - Great Hog

- 23. Let's make a part! Vertically place a nougat 1x2 brick in front of you. Then vertically place a brown 1x2 plate with 2 side studs sticking up on top so the side studs face the right.
- 24. Vertically place a brown 1x2 plate with a stud and a hole on top so the hole is in the front.
- 25. Horizontally place a brown 1x2 tile upright on the 2 right-facing side studs.
- 26. Attach the pin of a black pin connector with 2 pins to the left-facing pinhole so the pin faces the left and the pinhole faces up. Then insert a black 2L pin into the top-facing pinhole.
- 27.1. Let's make another part! Vertically place a nougat 1x2 brick in front of you. Then vertically place a brown 1x2 plate with 2 side studs sticking up on top so the side studs face the left.
- 27.2. Vertically place a brown 1x2 plate with a stud and a hole on top so the hole is in the front.
- 27.3. Horizontally place a brown 1x2 tile upright on the 2 left-facing side studs.
- 27.4. Attach the pin hole of your part to the left-facing pin of your previous part.
- 28. These are the legs! Now horizontally attach the pin of your part to the right-facing pinhole of the main build.

Group 25 - Great Hog

29. Let's make a part! Place a nougat 1x1 plate with 2 side studs sticking up in front of you so the side studs face the right. Then vertically place a dark grey 1x2 plate on top so it overhangs 1 row to the front.

- 30. Place a nougat 1x1 plate with 2 side studs sticking up underneath the front row so the side studs face the right.
- 31. Vertically place a nougat 1x2 brick on top. Then vertically place a dark grey 1x2 plate on top.
- 32. Vertically place a nougat 1x2 brick with a side stud on top so the side stud faces the left. Then vertically place a dark grey 1x2 plate with 2x2 side studs hanging down on top so the side studs face the right.
- 33. Horizontally place a nougat 1x2 tile upright on the bottom row of right-facing side studs. Then vertically place a dark grey 2x3 plate upright on the right-facing side studs, above the ppp.
- 34. Vertically place a dark grey 2x3 tile upright on the right-facing side studs.

Group 26 - Great Hog

- 35.1. Let's make a part! Place a gold 2x2 plate in front of you. Then vertically place a transparent pink 1x2 plate underneath the left column. Then repeat symmetrically to the right.
- 35.2. Place a gold 1x1 plate with a vertical tooth on the front left corner so the tooth faces the front. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.
- 35.3. Horizontally place a gold 1x2 jumper plate on the front row. Then repeat symmetrically to the back.
- 35.4. Vertically place your previous part on top of your current part so the tile faces the right.
- 36. Insert a dark grey ball with a bar into the left-facing side stud so the ball faces the left. This is an arm!
- 37. Now bring back your main build and place it in front of you so it is upright and the side studs and the chains face the front! The 1x2 ingot tile should be on top! Now attach the ball of your part to the left-facing socket.

Group 27 - Great Hog

- 38. Let's make a part! Place a nougat 1x1 plate with 2 side studs sticking up in front of you so the side studs face the right. Then vertically place a dark grey 1x2 plate on top so it overhangs 1 row to the front.
- 39. Place a nougat 1x1 plate with 2 side studs sticking up underneath the front row so the side studs face the right.
- 40. Vertically place a nougat 1x2 brick on top. Then vertically place a dark grey 1x2 plate on top.
- 41. Vertically place a nougat 1x2 brick with a side stud on top so the side stud faces the left. Then vertically place a dark grey 1x2 plate with 2x2 side studs hanging down on top so the side studs face the right.
- 42. Horizontally place a nougat 1x2 plate with 2 clips on the long side upright on the bottom row of right-facing side studs so the clips face down. Then vertically place a dark grey 2x3 plate upright on the right-facing side studs, above the ppp.

- 43. Vertically place a dark grey 2x4 tile upright on the right-facing side studs.
- 44.1. Let's make 2 identical parts! Place a tan 1x1 round plate in front of you. Then place a nougat 1x1 round plate with a bar on top so the bar faces the left. Then place a nougat 1x1 tile with a round side on top so the round side faces the right.
- 44.2. Now you should have 2 identical parts! Lay your previous part on its side so it is horizontal, the tile faces up, and the clips face the right. Then attach the bars of each of your current parts to each of the right-facing clips so the tiles face up.
- 45. Flip your part upside down so it is horizontal and the 2 ppp face the right. Now insert a dark grey ball with a bar into the top-facing stud.
- 46. Attach the ball of your part to the right-facing socket of the main build.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our <u>Builders page</u>. It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please signup for our newsletter and follow us on <u>Facebook</u> and <u>Instagram</u> to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets, there are no ads.