43270 Moana's Adventure Canoe

Adapted by John Le and tested by Jolene Nemeth.

Treat young storytellers aged 6 and up to a fun construction model kit with this LEGO® I Disney Moana's Adventure Canoe (43270) building playset. The fantasy construction toy has a double-hulled canoe featuring a printed textile sail, a rope lei hulu to find the wind direction, a removable top deck with living space below, plus a small campfire and sleeping spaces on deck. There are also lots of story-starter elements to play with, along with LEGO I Disney mini-doll figures of Moana, Loto the shipbuilder and Moni the oarsman (who loves to tell stories), plus a Pua LEGO I Disney pig figure.

Disney's Moana 2 buildable boat toy for kids – Thrill girls, boys and fans ages 6 and up with a Moana's Adventure Canoe building playset and spark fantasy stories as kids play out their own adventures.

Model kit – Includes a buildable double-hulled canoe toy with a textile sail, removable deck and underdeck living area, plus 4 LEGO® I Disney movie characters and lots of details.

Disney playset – Double-hulled canoe building toy has a patterned textile sail featuring a rope lei hulu to find the wind direction, plus a small house for Pua the pig, a lean-to for Moana and more.

Fantasy toy functions – Remove the upper boat deck to explore and play in the space below, or climb the rope lei hulu with Loto or Moana to get a better view of the ocean.

Fun skills boost – 4 movie characters, a double-hulled canoe with textile sail and lots of details help this LEGO® I Disney building set boost creative play and build vital life skills through fun.

Measurements – This 529-piece buildable boat toy playset includes a double-hulled canoe with sail that measures over 10 in. (26 cm) high, 8.5 in. (22 cm) long and 5 in. (12 cm) wide.

The front of the box shows Moana, Loto, and Moni sailing together on a canoe through the vast oceans! In the background, there is their home island where they just departed from!

The back of the box shows that the canoe comes with 2 parts! It has a hull area where there is a living space and they can store things! The top deck has a large sail, fireplace, and a sleeping space!

The top of the box shows a real size image of Moana.

The build is 529 pieces in total and is for ages 6+.

Bag 1 includes the pieces for Moana, Loto, Pua the pig, and the adventure canoe.

Bag 2 includes the pieces for the adventure canoe.

Bag 3 includes the pieces for Moni and the adventure canoe.

Bag 4 includes the pieces for the adventure canoe.

Bag 5 includes the pieces for the adventure canoe.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic[™] part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic[™].

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (https://www.lego.com/en-us/service/buildinginstructions/43270) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 5 bags labeled 1 to 5, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Moana, Loto, Pua the pig, and Adventure Canoe

Group 1 - Left Minifigure from Page 6.

Group 2 - Right Minifigure from Page 6.

Group 3 - Steps 1-6.

Group 4 - Steps 1-6.

Group 5 - Steps 7-18.

Group 6 - Steps 19-20.

Group 7 - Steps 21-23 and 2 dark red 1x2 rounded plates from Step 24.

Group 8 - Rest of Step 24 and Steps 25-26.

Group 9 - Steps 27-29.

Group 10 - Step 30 and 2 dark red 1x2 rounded plates from Step 31.

Group 11 - Rest of Step 31 and Steps 32-37.

Bag 2 - Adventure Canoe

Group 12 - Steps 38-53.

Group 13 - Steps 54-58 and 2 tan 2x2 round bricks from Step 59.

Group 14 - Rest of Step 59.

Bag 3 - Moni and Adventure Canoe

Group 15 - Page 74.

Group 16 - Steps 60-65.

Group 17 - Steps 66-67 and 4 dark red 1x2 sloped curved tile from Steps 68-69.

Group 18 - Rest of Steps 68-69 and Step 70.

Group 19 - Steps 71-73.

Group 20 - Steps 74-79 and 4 dark red 1x2 sloped curved tile from Steps 80-81.

Group 21 - Rest of Steps 80-81 and Step 82

Bag 4 - Adventure Canoe

Group 22 - Steps 83-97.

Group 23 - Steps 98-102.

Group 24 - Steps 103-105.

Group 25 - Steps 106-116.

Bag 5 - Adventure Canoe

Group 26 - Steps 117-126.

Group 27 - Steps 127-140.

Group 28 - Steps 141-142.

Group 29 - Steps 143-145.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Moana

Sub-build 1. Locate 1 light brown pair of legs printed with light brown shoes, dark orange shorts printed with tan lines, 1 light brown torso printed with a yellow shirt, 1 light brown head printed with eyes and light pink lips, 1 brown hair, 1 bar with 3 studs, and 1 black fang. Assemble your minifigure, then attach the bar to her hand so the side with 2 studs is in the front and faces up and down. Then attach the fang to the bottom-facing stud so it curves to the back. Now put her away while we make another minifigure!

Group 2 - Loto

Sub-build 2. Locate 1 brown pair of legs printed with brown shoes and a red dress with dark red drapes, 1 brown torso printed with a white shirt with red outlines, 1 brown head printed with dark red eyes and lips, and 1 brown hair. Assemble your minifigure then put her away while we make Pua the pig!

Group 3 - Pua the Pig

- 1. Horizontally place a lime green 2x4 plate in front of you.
- 2. Place a green 2x2 round tile with a stud on top so it is centered horizontally.
- 3. Vertically place a green 1x1 plate with a 1x1 slope tile on the leftmost column so it slopes to the front. Then repeat symmetrically to the right.
- 4. Place a light green 1x1 cone brick on the back left corner. Then place a lime green 1x1 round plate with 3 leaves on top so the leaves face the left. Then place a pink 1x1 round flower plate on top. Now repeat everything symmetrically to the right.
- 5. Horizontally place a green 1x4 sloped curved tile on the back row.
- 6. Place a white pig with light grey spots and a pink nose on top of the 2x2 round tile with a stud so he faces the front! Now put your build away while we make the adventure canoe!

Group 4 - Adventure Canoe

- 1. Vertically place a tan 6x8 plate in front of you. Then place a brown 2x2 round brick on the back left corner.
- 2. Horizontally place a brown 1x8 brick on the back row to the right of the ppp so it overhangs 4 columns to the right.
- 3. Vertically place a tan 6x8 plate underneath the overhang so 7 rows are exposed to the front and 2 columns are exposed to the right.
- 4. Place a brown 2x2 round brick in the back right corner.
- 5. Horizontally place a light yellow 1x2 rounded plate on the 2nd row from the back and 3rd and 4th columns from the left. Then repeat symmetrically to the right.
- 6. Place a light nougat 2x2 sloped curved tile on the 2nd and 3rd rows from the back and 3rd and 4th columns from the left so it slopes to the front. Then repeat symmetrically to the right.

Group 5 - Adventure Canoe

- 7. Place a light yellow 2x2 round brick on the 2nd and 3rd rows from the back so it is centered horizontally. Then place a light orange 2x2 round tile with a stud on top.
- 8. Place a pink 2x2 round tile in front of the ppp so it is centered horizontally.

- 9.1. Vertically place a dark tan 2x4 tile with a sticker on the 3rd and 4th columns from the left and 2nd, 3rd, 4th, and 5th rows from the front.
- 9.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the dark tan 2x4 tile. This sticker has a tan sleeping mat with a pillow and a paper with a drawing on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 10.1. Vertically place a dark tan 2x4 tile with a sticker on the 3rd and 4th columns from the right and 2nd, 3rd, 4th, and 5th rows from the front.
- 10.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the dark tan 2x4 tile. This sticker has a tan sleeping mat with a yellow blanket on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 11. Vertically place a lime green 1x12 plate on the front left corner so it overhangs 6 rows to the front. Then repeat symmetrically to the right.
- 12. Vertically place 2 tan 6x8 plates, 1 to the right of the other, underneath the front 6 rows of overhang so they are centered horizontally to the build.
- 13. Horizontally place a brown 2x6 plate on the 8th and 9th rows from the front so it is centered horizontally. Then place a nougat 2x2 tile with 2 studs to the right of the ppp so the studs are on the left. Then repeat symmetrically to the left.
- 14. Horizontally place a black 1x2 rounded brick with a gap on the back left corner. Then horizontally place a light brown 1x2 log brick to the right of the ppp. Now repeat both parts symmetrically to the right.
- 15.1. Let's make a part! Horizontally place a dark red 1x4 plate in front of you. Then horizontally place 2 tan 1x2 plates with 2 side stud sticking up, 1 to the right of the other, on top so the side studs face the front.
- 15.2. Horizontally place a dark red 1x4 plate on top. Then horizontally place a light brown 1x4 half cylinder brick upright on the front-facing side studs.
- 15.3. Horizontally place your part on the back row so it is centered horizontally and the 1x4 cylinder brick faces the back.
- 16. Place a light brown 1x1 round brick on the 2nd row from the back on the leftmost column. Then repeat symmetrically to the right.
- 17. Vertically place a brown 1x2 brick with 2 side studs on the leftmost column on the 3rd and 4th rows from the back so the side studs face the left. Then repeat symmetrically to the right.
- 18. Rotate your build 90 degrees clockwise so the upright 1x4 cylinder brick faces the right. Now horizontally place a light brown 1x2 log brick on the front row on the 5th and 6th columns from the right. Then horizontally place a brown 1x4 brick with 4 side studs to the left of the ppp so the side studs face the front. Now horizontally place a light brown 1x2 log brick to the left of the ppp. Then horizontally place a brown 1x2 brick with 2 side studs to the left of the ppp so the side studs face the front. Now repeat everything symmetrically to the back.

Group 6 - Adventure Canoe

- 19. Place a brown 2x2 round brick on the front left corner. Then repeat symmetrically to the back. Now vertically place a brown 1x8 brick on the leftmost column so it is centered vertically.
- 20. Vertically place an orange 1x2 grill tile on the 2nd column from the left so it is centered vertically. Then place an orange 2x2 tile with a stud to the right so it is centered vertically.

Group 7 - Adventure Canoe

- 21. Place a light yellow 2x2 round brick on the 2nd and 3rd columns from the left and 3rd and 4th rows from the back. Then vertically place 2 tan 1x2 jumper plates, 1 to the right of the other, on top of the ppp.
- 22.1. Let's make a part! Horizontally place an orange 2x3 plate in front of you. Then vertically place a red 1x2 plate on the rightmost column. Now vertically place an orange 1x2 slope tile on the ppp so it slopes to the left.
- 22.2. Horizontally place your part on the 2nd, 3rd, and 4th columns from the left so it is centered vertically and slopes to the left.
- 23.1. Let's make a part! Place a light yellow 2x2 round brick in front of you. Then horizontally place a tan 1x2x1 panel with 3 walls on the front row so the long wall faces the front. Then repeat symmetrically to the back.
- 23.2. Now place your part on the 2nd and 3rd columns from the left and 3rd and 4th rows from the front.
- 24.1. Horizontally place a dark red 1x2 rounded plate on the front row on the 3rd and 4th columns from the right. Then repeat symmetrically to the back.

Group 8 - Adventure Canoe

- 24.2. Horizontally place a light yellow 1x2 rounded plate on the front row on the 3rd and 4th columns from the right. Then repeat symmetrically to the back.
- 25. Horizontally place a tan 1x4 brick with 4 side studs on the front right corner so the side studs face the front. Then repeat symmetrically to the back. Now vertically place a tan 1x10 brick on the rightmost column so it is centered vertically.
- 26. Place a light yellow 1x1x2 brick with 2 side studs on the front row on the 5th column from the right so the side studs face the back. Then repeat symmetrically to the back.

Group 9 - Adventure Canoe

- 27. Place a red 1x1x2 brick with 2 side studs on the front row on the 6th column from the right so the side studs face the front. Then repeat symmetrically to the back.
- 28.1. Let's make 2 identical parts! Horizontally place a dark red 1x4 plate in front of you. Then horizontally place 2 tan 1x2 log bricks, 1 to the right of the other, on top.

- 28.2. Horizontally place a nougat 1x2 plate with 2 clips on the long side on top so it is centered horizontally and the clips face the front. Then place a light yellow 1x1 round plate to the left and right of the ppp.
- 28.3. Now you should have 2 identical parts! Horizontally place 1 on the front row on the 7th, 8th, 9th, and 10th columns from the right so the clips face the back. Then repeat symmetrically to the back.
- 29. Place a red 1x1x2 brick with 2 side studs on the front row on the 6th column from the left so the side studs face the front. Then repeat symmetrically to the back.

Group 10 - Adventure Canoe

- 30. Place a light yellow 1x1x2 brick with 2 side studs on the front row on the 5th column from the left so the side studs face the back. Then repeat symmetrically to the back.
- 31.1. Horizontally place a dark red 1x2 rounded plate on the front row on the 3rd and 4th columns from the left. Then repeat symmetrically to the back.

Group 11 - Adventure Canoe

- 31.2. Horizontally place a light yellow 1x2 rounded plate on the front row on the 3rd and 4th columns from the left. Then repeat symmetrically to the back.
- 32. Place a light brown 1x1 round brick on the front row on the 2nd column from the left. Then repeat symmetrically to the back.
- 33. Vertically place a black 1x2 rounded brick with a gap on the front left corner. Then vertically place a light brown 1x2 log brick behind the ppp. Now repeat both parts symmetrically to the back.
- 34.1. Let's make a part! Horizontally place a dark red 1x4 plate in front of you. Then horizontally place 2 tan 1x2 plates with 2 side stud sticking up, 1 to the right of the other, on top so the side studs face the front.
- 34.2. Horizontally place a dark red 1x4 plate on top. Then horizontally place a light brown 1x4 half cylinder brick upright on the front-facing side studs.
- 34.3. Vertically place your part on the leftmost column so it is centered vertically and the upright 1x4 cylinder brick faces the left.
- 35. Horizontally place a tan 1x4 brick with 4 side studs on the front left corner so the side studs face the front. Then repeat symmetrically to the back. Now vertically place a tan 1x10 brick on the leftmost column so it is centered vertically.
- 36. Vertically place a red 1x12 plate on the leftmost column so it is centered vertically. Then repeat symmetrically to the right.

37. Horizontally place a red 1x2 plate on the front row on the 2nd and 3rd columns from the left. Then horizontally place a red 1x12 plate to the right of the ppp. Now repeat both parts symmetrically to the back.

Building Instructions (Bag 2, Book 1):

Group 12 - Adventure Canoe

- 38. Horizontally place 4 light nougat 2x4 sloped curved tiles, 1 to the right of the other, upright on the bottom row of front-facing side studs so they are centered horizontally and slope and overhang 1 row down.
- 39.1. Let's make 2 identical parts! Horizontally place a red 2x8 plate in front of you. Then horizontally place a nougat 1x6 tile on the back row so it is centered horizontally. Now place a light brown 1x1 half cylinder brick on the back left corner so it slopes to the front and back. Then repeat symmetrically to the right.
- 39.2. Place a dark red 1x1 tile with a round side on the front left corner so the round side faces the left. Then horizontally place a dark red 1x2 jumper plate to the right of the ppp. Now place a dark red 1x1 tile with a round side to the right of the ppp so the round side faces the right. Then repeat everything symmetrically to the right.
- 39.3. Horizontally place a light yellow 1x2 diamond tile on the left 1x2 jumper plate so it is centered horizontally on it and the long tip faces the left. Then repeat again to the right so the long tip faces the left.
- 39.4. Now you should have 2 identical parts! Horizontally place them, 1 to the right of the other, upright on the front-facing side studs, above the 2x4 sloped curved tiles so they are centered horizontally and the 1x6 tiles are on top.
- 40. Vertically place 4 light nougat 1x3 bricks, 1 in front of the other, on the rightmost column so they are centered vertically.
- 41. Place a light nougat 1x1 brick with a side stud and bottom lip on the front row on the 2nd column from the right. Then place 2 more to the left so there is a 1 column gap in between each of them and the side studs face the front. Now place a pink 1x1 tile upright on each of the front-facing side studs of the 3 ppp. Now repeat everything symmetrically to the back.
- 42. Vertically place a tan 2x3 inverted slope brick on the front row on the 8th and 9th columns from the left so it slopes and overhangs 2 rows to the front. Then place a dark tan 2x2 tile on the front 2 rows of the ppp. Now repeat both parts symmetrically to the back.
- 43. Place a light nougat 1x1 brick with a side stud and bottom lip on the front row on the 2nd column from the left. Then place 2 more to the right so there is a 1 column gap in between each of them and the side studs face the front. Now place a pink 1x1 tile upright on each of the front-facing side studs of the 3 ppp. Now repeat everything symmetrically to the back.
- 44. Vertically place 4 light nougat 1x3 bricks, 1 in front of the other, on the leftmost column so they are centered vertically.

- 45. Horizontally place a red 1x8 tile on the front left corner. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.
- 46. Vertically place a red 1x4 tile with 2 studs on the leftmost column so it is centered vertically. Then vertically place a red 1x2 grill tile in front of the ppp. Now place a red 1x1 round tile in front of the ppp. Then repeat both parts symmetrically to the back. Now repeat everything symmetrically to the right.
- 47. Rotate your build 180 degrees. Horizontally place 4 light nougat 2x4 sloped curved tiles, 1 to the right of the other, upright on the bottom row of front-facing side studs so they are centered horizontally and slope and overhang 1 row down.
- 48.1. Let's make 2 identical parts! Horizontally place a red 2x8 plate in front of you. Then horizontally place a nougat 1x6 tile on the back row so it is centered horizontally. Now place a light brown 1x1 half cylinder brick on the back left corner so it slopes to the front and back. Then repeat symmetrically to the right.
- 48.2. Place a dark red 1x1 tile with a round side on the front left corner so the round side faces the left. Then horizontally place a dark red 1x2 jumper plate to the right of the ppp. Now place a dark red 1x1 tile with a round side to the right of the ppp so the round side faces the right. Then repeat everything symmetrically to the right.
- 48.3. Horizontally place a light yellow 1x2 diamond tile on the left 1x2 jumper plate so it is centered horizontally on it and the long tip faces the right. Then repeat again to the right so the long tip faces the right.
- 48.4. Now you should have 2 identical parts! Horizontally place them, 1 to the right of the other, upright on the front-facing side studs, above the 2x4 sloped curved tiles so they are centered horizontally and the 1x6 tiles are on top.
- 49.1. Place a dark tan 2x2 tile with a sticker upright on the left 2 front-facing side studs that are on the back row so it overhangs 1 column to the right.
- 49.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 5 on the dark tan 2x2 tile. This sticker has rope and an axe on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 50. Vertically attach the 2nd rung from the top of a brown ladder to the 2 front-facing clips that are on the back row so it is centered horizontally.
- 51.1. Place a dark tan 2x2 tile with a sticker upright on the right 2 front-facing side studs that are on the back row so it overhangs 1 column to the left.
- 51.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 8 on the dark tan 2x2 tile. This sticker has a picture of a brown boat on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 52.1. Rotate your build 180 degrees. Then vertically place a dark tan 2x4 tile with a sticker upright on the right 2 front-facing side studs that are on the back row so it is centered vertically on them and overhangs 1 column to the left.

- 52.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the dark tan 2x4 tile. This sticker has a picture of a brown boat and a mountain on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 53. Vertically attach the 2nd rung from the top of a brown ladder to the 2 front-facing clips that are on the back row so it is centered horizontally.

Group 13 - Adventure Canoe

- 54.1. Vertically place a dark tan 2x3 tile with a sticker upright on the left 2 front-facing side studs that are on the back row so it overhangs 1 column to the right and 1 row down.
- 54.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the dark tan 2x3 tile. This sticker has a picture of a brown pack and a water canister. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 55. Place a dark red brush on the 2nd column from the left, on the 1x2 jumper plate that is on the 3rd and 4th rows from the back so the bristles face the right. Then place a light brown 1x1 bowl on the 1x2 jumper plate to the right of the ppp.
- 56. Place a transparent blue 1x1 round tile and a yellow banana inside the 1x2 panels with 3 walls that are on the 2nd and 3rd columns from the left and 3rd and 4th rows from the front.
- 57.1. Let's make a part! Place a tan 2x2 plate in front of you. Then place a light nougat 1x1 plate with a tooth on the front left corner so the tooth faces the left. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.
- 57.2. Place a sand green 2x2 round tile on top.
- 57.3. Flip your part upside down so the teeth face left and right. Then place a pink 1x1 round plate on top so it is centered. Now vertically attach a tan T-shaped bar to the ppp so it is centered vertically and the bars face the front and back.
- 57.4. Attach an orange claw to the front-facing bar so the claw is on top and slopes to the left. This is a mini boat! Vertically place it on the 2nd and 3rd columns from the left so it is centered vertically and the claw faces up and slopes to the front! It should not attach to any studs!
- 58. Rotate your build 180 degrees. Now place a red 1x1 cupcake wrapper on top of the 2x2 round tile with a stud that is centered vertically on the 2nd and 3rd columns from the left. Then place a transparent orange candle flame on top of the ppp.

You will have 2 extra tan 2x2 round bricks. Save them for later!

Group 14 - Adventure Canoe

59.1. Let's make a part! Place a light yellow 2x2 round brick in front of you. Then place a tan 2x2 round brick from group 13 on top. Now place a tan 2x2 round brick on top. Then place another tan 2x2 round brick from group 13 on top. Then place a red 2x2 round tile on top.

59.2. Place your part on top so it is centered horizontally and vertically. It should sit on the 2x6 plate that is in between the ladders.

Building Instructions (Bag 3, Book 1):

Group 15 - Moni

Sub-build 3.1, Locate 1 brown pair of legs printed with brown shoes, dark tan shorts printed with pink drapes and brown turtles, 1 brown torso printed with a dark red belt, and necklace, 1 brown head printed with dark red eyes and brown lips, and 1 brown hair. Assemble your minifigure then put him in front of you.

Sub-build 3.2. Let's make a part! Let's make an oar! Vertically place a brown 5L L-shaped bar in front of you so the short bar is in the back and faces the left. Now attach a red bar with a stud on each end to the front-facing bar so the thicker side faces the front. Now attach a brown oar to the front-facing stud so the oar head is flat. Now attach the oar to the minifigure then put him away while we continue building the adventure canoe!

Group 16 - Adventure Canoe

- 60. Let's make 2 identical parts! Horizontally place a dark tan 2x4 plate in front of you.
- 61. Place a light blue 2x2 plate on the 2 leftmost columns. Then place a light brown 2x2 slope brick on the 2 rightmost columns so it slopes to the right.
- 62. Horizontally place a yellow 1x2 brick with 2 side studs on the front left corner so the side studs face the front. Then repeat symmetrically to the back.
- 63. Horizontally place a dark red 2x3 inverted slope brick on the rightmost column so it slopes and overhangs 2 columns to the right.
- 64. Horizontally place a black 1x2 plate with a clip on the short side on the front left corner so the clip faces the left. Then repeat symmetrically to the back.
- 65. Place a light blue 2x2 plate on the 2 leftmost columns.

Group 17 - Adventure Canoe

- 66. Vertically place a tan 1x2 slope tile on the leftmost column so it slopes to the right. Then place a tan 2x2 plate to the right of the ppp.
- 67. Horizontally place a tan 2x3 pentagonal tile on the 2 rightmost columns so the angled side overhangs 1 column to the right.

You will have 4 extra dark red 1x2 sloped curved tiles. Save them for later!

Group 18 - Adventure Canoe

- 68.1. Let's make another part! Place a red 2x2 plate in front of you. Place a light brown 1x1 round brick on the back left corner. Then place a nougat 1x1 round tile on top. Then horizontally place a dark red 1x2 sloped curved tile from group 17 on the back right corner so it slopes and overhangs to the right.
- 68.2. Vertically place a light nougat 1x2 sloped curved tile on the front left corner so it slopes and overhangs to the front. Then place a light nougat 2x2 corner sloped curved tile on the front right corner so it slopes and overhangs to the front right.
- 68.3. Place your part upright on the 2 front-facing side studs so 1 row overhangs to the top, 1 column overhangs to the right, and the 1x1 round tile is on the top left corner.
- 69.1. Let's make another part! Place a red 2x2 plate in front of you. Place a light brown 1x1 round brick on the back right corner. Then place a nougat 1x1 round tile on top. Then horizontally place a dark red 1x2 sloped curved tile from group 17 on the back left corner so it slopes and overhangs to the left.
- 69.2. Vertically place a light nougat 1x2 sloped curved tile on the front right corner so it slopes and overhangs to the front. Then place a light nougat 2x2 corner sloped curved tile on the front left corner so it slopes and overhangs to the front left.
- 69.3. Rotate your previous part so the 2x3 pentagonal tile overhangs to the left. Then place your part upright on the 2 front-facing side studs so 1 row overhangs to the top, 1 column overhangs to the left, and the 1x1 round tile is on the top right corner.
- 70. Now you should have 2 identical parts! Make sure the main build is horizontal and the long tips of the front-facing diamond tiles face the left. Horizontally attach the right-facing clips of 1 part to the left-facing bars of the 1x2 rounded brick that is on the front left corner. Then repeat symmetrically to the back.

Group 19 - Adventure Canoe

- 71. Let's make 2 identical parts! Place a tan 2x2 plate in front of you. Then vertically place a light blue 1x2 plate on the right column.
- 72. Horizontally place an orange 1x4 inverted sloped curved brick on the front left corner so it slopes and overhangs 3 columns to the left. Then repeat symmetrically to the back.
- 73. Horizontally place a yellow 1x2 brick with 2 side studs on the front right corner so the side studs face the front. Then repeat symmetrically to the back. Then vertically place a white 1x2 log brick on the 3rd column from the left so it is centered vertically.

Group 20 - Adventure Canoe

- 74. Place an orange 2x2 plate with 2 side studs on the 2 leftmost columns so the side studs face the left. Then vertically place an orange 1x2 plate on the 2nd column from the left.
- 75. Horizontally place an orange 2x3 plate on the 3 leftmost columns. Then horizontally place a black 1x2 plate with a clip on the short side on the front right corner so the clip faces the right. Then repeat symmetrically to the back.

- 76. Vertically place a tan 1x2 slope tile on the rightmost column so it slopes to the left. Then horizontally place 2 tan 1x4 plates, 1 in front of the other, to the left of the ppp.
- 77.1. Let's make a part! Vertically place an orange 1x2 plate in front of you. Then place an orange 2x2 sloped curved tile on top so it slopes and overhangs to the left.
- 77.2. Place your part upright on the left-facing side studs so it overhangs 1 row to the top, and slopes down.
- 78. Horizontally place 2 tan 1x3 inverted half arch bricks, 1 in front of the other on the 2 leftmost columns so they slope to the right and the leftmost column sits on the upright parts.
- 79. Vertically place a tan 1x2 slope tile on the leftmost column so it slopes to the right.

You will have 2 extra dark red 1x2 sloped curved tiles. Save them for later!

Group 21 - Adventure Canoe

- 80.1. Let's make a part! Horizontally place a red 2x3 plate in front of you. Then place a light brown 1x1 round brick on the back right corner. Now place a nougat 1x1 round tile on the ppp.
- 80.2. Horizontally place a dark red 1x2 sloped curved tile from group 20 on the back left corner so it slopes and overhangs to the left. Then place a dark red 1x1 tile with a round side to the right of the ppp so the round side faces the right.
- 80.3. Vertically place 2 light nougat 1x2 sloped curved tiles, 1 to the right of the other, on the front right corner so they slope and overhang to the front. Then place a light nougat 2x2 corner sloped curved tile on the front left corner so it slopes and overhangs to the front left.
- 80.4. Horizontally place your part upright on the 2 front-facing side studs so 1 row overhangs to the top, 2 columns overhang to the left, and the 1x1 round tile is on the top right corner.
- 81.1. Let's make a part! Horizontally place a red 2x3 plate in front of you. Then place a light brown 1x1 round brick on the back left corner. Now place a nougat 1x1 round tile on the ppp.
- 81.2. Horizontally place a dark red 1x2 sloped curved tile from group 20 on the back right corner so it slopes and overhangs to the right. Then place a dark red 1x1 tile with a round side to the left of the ppp so the round side faces the left.
- 81.3. Vertically place 2 light nougat 1x2 sloped curved tiles, 1 to the right of the other, on the front left corner so they slope and overhang to the front. Then place a light nougat 2x2 corner sloped curved tile on the front right corner so it slopes and overhangs to the front right.
- 81.4. Rotate your previous part 180 degrees so the side studs face the front. Then horizontally place your part upright on the 2 front-facing side studs so 1 row overhangs to the top, 2 columns overhang to the right, and the 1x1 round tile is on the top left corner.

82. Now you should have 2 identical parts! Horizontally attach the left-facing clips of 1 part to the right-facing bars of the 1x2 rounded brick that is on the front right corner. Then repeat symmetrically to the back.

Building Instructions (Bag 4, Book 1):

Group 22 - Adventure Canoe

- 83. Let's make a part! Let's make the top deck! Place a tan 6x6 plate in front of you. Then vertically place a light nougat 1x2 jumper plate on the back right corner.
- 84. Vertically place a light nougat 1x3 tile on the rightmost column in front of the jumper plate. Then vertically place a yellow 1x2 grill tile in front of the ppp so it slopes and overhangs to the front.
- 85. Place a tan 6x6 plate underneath the overhang so it is centered horizontally.
- 86. Vertically place a light nougat 1x2 jumper plate on the front right corner. Then vertically place a light nougat 1x3 tile behind the ppp. Horizontally place a red 2x4 tile with 2 studs on top so it is centered vertically and horizontally.
- 87. Place a yellow 2x2 corner tile with a cutoff corner on the 2nd and 3rd columns from the left, in front of the 2x4 tile with 2 studs so the cutoff corner faces the front right. Then horizontally place a yellow 1x2 grill tile to the right of the back row of the ppp. Now repeat both parts symmetrically to the back.
- 88. Vertically place a dark tan 6x8 plate with a 4x6 gap and 2 clips on the 6 front rows of the leftmost column so it overhangs 2 rows to the front, 5 columns to the left, and the clips are in the back. Then repeat symmetrically to the back.
- 89. Flip your build over so it is vertical and the 6x8 plates with a 4x6 gap are on the left. Then horizontally place a red 2x4 plate on the 2nd, 3rd, 4th, and 5th columns from the left so it is centered vertically.
- 90. Place a tan 2x2 corner plate on the front left corner so it looks like the braille letter h. Then horizontally place a tan 1x2 rounded plate on the front row to the right of the ppp. Now place a tan 2x2 corner plate to the right of the ppp so it looks like the braille letter j. Now repeat everything symmetrically to the back.
- 91. Flip your build over so it is right side up, vertical, and the 6x8 plates with a 4x6 gap are on the left. Now place a light orange 1x1 slope tile on the 3rd row from the front of the 5th column from the right so it slopes to the front. Then repeat symmetrically to the back.
- 92. Place 2 tan 6x6 plates, 1 in front of the other, underneath the leftmost column so they are centered vertically and 5 columns overhang to the left.
- 93. Horizontally place a nougat 2x3 tile on the 3 leftmost columns so it is centered vertically. Then place an orange 2x2 plate to the right of the ppp.
- 94. Vertically place a light nougat 1x2 jumper plate on the front left corner. Then vertically place a light nougat 1x3 tile behind the ppp. Now repeat both parts symmetrically to the back.

- 95. Place a dark tan 2x2 round tile with a stud on the 2nd and 3rd rows from the front of the 2nd and 3rd columns from the left. Then place another 1 behind the ppp. Now repeat both parts symmetrically to the back.
- 96. Horizontally place a light nougat 1x2 tile with a round side on the front row so it is centered horizontally and the round side faces the front. Then repeat symmetrically to the back.
- 97.1. Let's make 2 identical parts! Vertically place a pink 4x6 plate with 2 bars in front of you so the bars face the back. Then horizontally place a light nougat 1x2 jumper plate on the front row so it is centered horizontally. Then place a red 2x2 inverted round tile with rounded bottom underneath the front 2 rows so it is centered horizontally.
- 97.2. Now you should have 2 identical parts! Vertically attach the bars of 1 part to the 2 clips of the front 6x8 plate with a 4x6 gap and 2 clips so the 1x2 jumper plate is in the front and faces up. Then repeat symmetrically to the back.

Group 23 - Adventure Canoe

- 98. Place a nougat 2x2 tile with 2 studs on the 6th and 7th columns from the right so it is centered vertically and the studs are on the right. Then vertically place a tan 1x2 panel with a middle wall on top of the ppp so the middle wall faces the right.
- 99. Place a light brown 2x2 brick with a vertical gap on each side to the left of the 2x2 tile with 2 studs so it is centered vertically.
- 100. Vertically place a light brown 1x2 log brick to the left of the ppp so it is centered vertically. Then horizontally place a nougat 2x3 slope brick to the left of the ppp so it is centered vertically and slopes to the left.
- 101. Horizontally place a nougat 2x4 plate with holes on the top of the 2 ppp so there is no overhang. Now place an orange 2x2 round tile with a hole on the 2 rightmost columns of the ppp.
- 102. Place an orange 1x2 round plate with 3 leaves on the front left corner on top of the 1x2 jumper plate so the leaves face the front left. Then place a pink 1x1 round flower plate with a bar underneath on top. Now repeat both parts symmetrically to the back. Then repeat everything symmetrically to the right.

Group 24 - Adventure Canoe

- 103. Place a lime green 1x1 round plate with 3 leaves on the 2nd row from the front, on top of the 1x2 jumper plate that is centered horizontally so the leaves face the front. Then place a red flower on top. Now repeat both parts symmetrically to the back.
- 104. Place a brown 2x2 flower with a stud on the 2nd and 3rd columns from the left, on the 2nd 2x2 round tile with a stud from the front. Then place a transparent orange flame on top so it overhangs to the left. This is a fireplace!
- 105. Place a nougat 1x1 skeleton leg on top of the 2x2 round tile with a stud that is on the front left corner. Now attach a light blue fish to the clip of the ppp so it faces the back left.

Group 25 - Adventure Canoe

- 106. Let's make a part! Horizontally place a light orange 4x7 plate with 2 curves in front of you so the short side faces the right.
- 107. Place an orange 2x2 plate on the 2 rightmost columns so it is centered vertically. Then place another 1 on top of the ppp.
- 108. Horizontally place 2 yellow 1x2 plates with a stud and a clip, 1 in front of the other, on the 2 rightmost columns so they are centered vertically and the clips are on the right.
- 109. Vertically place a light yellow 1x2 tile on the 3rd column from the right so it is centered vertically.
- 110.1. Horizontally place a tan 2x4 tile with a sticker on the 4 leftmost columns so it is centered vertically.
- 110.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 6 on the tan 2x4 tile. This sticker has a tan sleeping mat with a yellow blanket. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 111. Horizontally place a yellow 1x4x1 panel on the 4 leftmost columns on the 2nd row from the front so the wall faces the front. Then repeat symmetrically to the back.
- 112. Place a lime green 1x1 round plate with 3 leaves on the front row of the 3rd column from the right so the leaves face the front right. Then place a light orange 1x1 round flower plate on top. Now repeat both parts symmetrically to the back.
- 113. Horizontally place a light yellow 1x2 sloped curved brick on the front left corner so it slopes to the front. Then repeat symmetrically to the back.
- 114.1. Horizontally attach the bar of a light yellow 4x7x2 windshield to the 2 rightmost clips so the windshield is on the left and slopes to the front and back.
- 114.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 7 on the light yellow 4x7x2 windshield. This sticker has a tan mat on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 115. Place your part on the 5 rightmost columns on your previous build so it is centered vertically and the short side overhangs 2 columns to the right.
- 116. Rotate your build 180 degrees so your ppp overhangs to the left. Now horizontally place your part on your main build so it is centered.

Building Instructions (Bag 5, Book 1):

Group 25 - Adventure Canoe

117. Let's make a part! Let's make the sail! Horizontally place a yellow 3L axle in front of you. Then attach a brown 1x1 cone brick to the right end of the axle.

- 118. Vertically attach a red 1x1 axle connector with a 2L axle to the left end of the axle so it goes all the way in and the axle faces the front.
- 119. Horizontally attach an orange 3L axle connector with a pinhole to the left-facing axle so the pinhole faces up. Then insert a black 2L axle into the left-facing axle hole.
- 120. Horizontally attach a tan 2L ridged axle connector to the left-facing axle. Then insert a black 2L axle into the left-facing axle hole.
- 121. Repeat the previous step.
- 122. Horizontally attach a red 3L axle connector to the left-facing axle. Then insert a blue 2L pin axle into the left-facing axle hole so the pin faces the left.
- 123. Attach a dark orange 2L pin connector to the left-facing pin. Then attach a black 3L pin axle into the left-facing pin hole so the 2L axle faces the left.
- 124. Attach a brown claw with a bar to the right-facing 1x1 cone brick so the clip hands face the front and back.
- 125. Vertically attach a red 3L axle connector to the front-facing axle. Then insert a black 2L axle into the front-facing axle connector.
- 126. Vertically attach a tan 2L ridged axle connector to the front-facing axle.

Group 27 - Adventure Canoe

- 127. Put your previous part away while we make another part! Horizontally place a tan 2L ridged axle connector in front of you. Then insert a yellow 3L axle into the right-facing axle hole.
- 128. Vertically attach a red 1x1 axle connector with a 2L axle to the right-facing axle so it goes all the way in and the axle faces the front.
- 129. Horizontally attach a tan 2L ridged axle connector to the right-facing axle.
- 130. Insert a black 2L axle into the right-facing axle connector. Then repeat symmetrically to the left.
- 131. Horizontally attach a yellow 3L bent axle connector with a pinhole to the right-facing axle so the axle hole faces the front right and the pinhole faces up. Then repeat symmetrically to the left.
- 132. Insert a blue 2L pin axle into the left-facing axle hole so the pin faces the left. Then repeat symmetrically to the right.
- 133. Attach a red 6L curved pin connector to the left-facing pin so the bar hole faces the front left. Then repeat symmetrically to the right.
- 134. Insert a tan 2L bar with a stop into the front left facing bar hole. Then repeat symmetrically to the right.

- 135. Attach the bar hole of a brown axle connector with 2 bar holes to the front left facing bar so the other bar hole faces the front and the axle connector faces up. Then repeat symmetrically to the right.
- 136. Bring back your previous part so it is horizontal, the clip faces the right, the axle faces the left, and the axle connector faces the front. Now horizontally attach the center axle of your current part to the front-facing axle connector.
- 137.1. Insert a light grey 1L axle with a ball into the leftmost top-facing axle hole of an axle connector with 2 bar holes. Then repeat symmetrically to the right.
- 137.2. Insert a black 1L pin with a ball into each of the 3 top-facing pin holes.
- 138. Horizontally attach a dark tan rounded sail to the 5 top-facing balls so the round side faces the front and the thinner side faces the right. This sail has 2 tan triangles on it that look like a mountain and a lot of tan triangles on the left side!
- 139. Bring back your main build so it is horizontal and the 2x3 pentagonal tiles are on the leftmost column. Now place the left-facing axle of your part upright into the 2x2 round tile with a hole that is centered on the build so the sail faces the front.
- 140. Vertically attach a tan bar with 2 claws on the top-facing clip of the ppp so the claws face up.

Group 28 - Adventure Canoe

- 141. Let's make a part! Horizontally place a nougat rope in front of you.
- 142.1. Let's make 3 identical parts! Place a pink 1x1 round plate with 3 leaves in front of you so the leaves face the right. Now place a red 1x1 clip on top so the clip hands face the front and back.
- 142.2. Flip your part over so the anti-stud faces up and the leaves face the right. Now place a hot pink flame on top so it faces the right.
- 142.3. Now you should have 3 identical parts! Attach 1 part to the 2nd bar from the left so the flame is on top and the leaves face the right. Then repeat symmetrically to the right. Now place another 1 on top of the rope so it is centered horizontally, the flame is on top, and the leaves face the right.

Group 29 - Adventure Canoe

- 143.1. Let's make 2 identical parts! Place an orange 1x1 round plate with 3 leaves in front of you so the leaves face the right. Now place a red 1x1 clip on top so the clip hands face the front and back.
- 143.2. Flip your part over so the anti-stud faces up and the leaves face the right. Now place a hot pink flame on top so it faces the right.
- 143.3. Now you should have 2 identical parts! Attach 1 part to the bar in between the left 2 flames so it is centered horizontally between them, the flame is on top, and the leaves face the right. Then repeat symmetrically to the right.
- 144. Insert a tan 2L bar with a stop into the bottom-facing bar hole on the leftmost column.

145. Attach the ppp to the left-facing bar hole that is on the top of the sail of the main build so the rope hangs down and the leaves face the left.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our <u>Builders page</u>. It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please signup for our newsletter and follow us on <u>Facebook</u> and <u>Instagram</u> to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 7 LEGO Disney Theme kits:

43259 Twirling Ariel

43261 Encanto Mini House

43260 Moana's Island Fun

43270 Moana's Adventure Canoe

43275 Cinderella's Castle & Horse Carriage

43256 Anna's Sleigh Adventure

43265 Arendelle Frozen Castle