

71831 Ninja Spinjitzu Temple

Adapted by John Le and tested by Jolene Nemeth.

Delight ninja toy-loving kids with the LEGO® NINJAGO® Ninja Spinjitzu Temple (71831). This dragon toy playset allows children aged 4 and up to recreate adventures from season 3 of the NINJAGO Dragons Rising TV show. This ninja toy role-play set is ideal for pretend play with a NINJAGO tournament stage, garden, teahouse and weapons training area.

This LEGO set comes with 4 NINJAGO minifigures: Zane, Nya, Kai and Lloyd, plus a Baby Riyu dragon toy so kids can role-play ninja action. The minifigures can be placed on 2 turning plates for epic battles, and for added play value there is a large range of accessories: ninja weapons including 2 swords and 3 staffs, as well as a hammer, bird, frog, trophy, cookie and letter.

Learn-to-build ninja toy for kids – Boys and girls aged 4 years old and up can discover the joy of building and play out ninja stories with this Ninja Spinjitzu Temple playset.

Packed with play possibilities – The detailed ninja temple consists of a teahouse, a weapons training area, a small garden and a tournament stage with 2 turning battle plates.

4 NINJAGO® minifigures – Ninja warriors Zane, Nya, Kai and Lloyd, plus a Baby Riyu dragon toy so kids can play out action.

Ninja accessories – Role-play toy set includes ninja weapons including 2 swords and 3 staffs, as well as a hammer, a bird, a frog, a teapot, a cookie, a cup, a trophy and a letter.

Measurements – 158-piece LEGO® building set with a ninja temple measuring over 6.5 in. (17 cm) high, 12.5 in. (32 cm) wide and 5 in. (12 cm) deep.

The front of the box shows a temple in the back! There is a trophy in the back, 2 people are in the front fighting it out to see who will win the trophy! In the front, there is a ninja fixing his sword on an anvil!

The back of the box shows all the things that the set comes with. It comes with 4 minifigures, a baby dragon, a bird, a frog, an anvil, 3 staffs, a sword stand, a trophy, a letter, a tea set, a cookie, and the temple.

The top of the box shows a real size image of a baby dragon.

The build is 158 pieces in total and is for ages 4+.

Bag 1 includes the pieces for Lloyd and part of the temple.

Bag 2 includes the pieces for Nya and part of the temple.

Bag 3 includes the pieces for Kai and part of the temple.

Bag 4 includes the pieces for Zane, a baby dragon, and part of the temple.

Welcome to text-based instructions from Bricks for the Blind. Before you start building,

here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/71831>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 4 bags labeled 1 to 4, 4 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

The steps in this set correspond to the page numbers.

Bag 1 - Lloyd and Temple

Group 1 - Pages 8-11.

Group 2 - Pages 12-33.

Group 3 - Pages 34-61.

Group 4 - Pages 62-63.

Group 5 - Pages 64-71.

Bag 2 - Nya and Temple

Group 6 - Pages 4-5.

Group 7 - Pages 6-35.

Group 8 - Pages 36-47.

Bag 3 - Kai and Temple

Group 9 - Pages 4-5.

Group 10 - Pages 6-31.

Group 11 - Pages 32-37 and 1 black 1x4 plate from Pages 38-39.

Group 12 - Rest of Pages 38-39 and Pages 40-47.

Bag 4 - Zane, Baby Dragon, and Temple

Group 13 - Pages 4-7.

Group 14 - Pages 8-13.

Group 15 - Pages 14-24.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Lloyd

8-9. Locate 1 dark green pair of legs printed with green and gold armor, 1 dark green torso printed with dark green and gold armor, 1 yellow head printed with a black eye mask, 1 dark green and green mask, and 1 brown 5L bar with a stop. Assemble your minifigure, make sure the opening of the mask faces the front, then attach the bar to his hand. This is a staff! Now put him away while we make the trophy stand!

10-11. Place a red 2x2 tile with a stud in front of you. Then place a red 2x2 round ridged brick on top so it is centered. Now place a red 2x2 tile with a stud on top. Now place a gold trophy on top so the handles face the left and right. Now put everything away while we make part of the temple!

Group 2 - Temple

12-13. Place a dark grey 8x8 plate with 1x4 gaps on the sides in front of you. Then vertically place a red 2x4 tile on the leftmost column so it is centered vertically and overhangs 1 column to the left.

14-15. Place a dark grey 8x8 plate with 1x4 gaps on the sides underneath the leftmost column so it is centered vertically.

16-17. Horizontally place a green 1x4 tile in each of the 1x4 gaps on the back row.

18-19. Horizontally place a white 1x2 plate on the back left corner. Then repeat symmetrically to the right.

20-21. Horizontally place a white 4x16x10 door frame printed with red banners and gold dragons on the back 4 rows so it is centered horizontally and the side studs face the front.

22-23. Horizontally place a black 1x2 plate with a stud and a hole on the 4th row from the front on the 3rd and 4th columns from the left so the hole is on the right and faces the front and back. Then repeat symmetrically to the right.

24-25. Vertically place a dark grey 1x2 sloped curved tile on the 3rd column from the left on the 4th and 5th rows from the front so it slopes to the back. Then repeat symmetrically to the right.

26-27. Insert a black 2L pin into the front-facing pinhole on the 4th column from the left. Then repeat symmetrically to the right.

28-29. Attach the pinhole of a red L-shaped axle connector to the left front-facing pin so the axle holes face the left and up. Then repeat symmetrically to the right.

30-31. Place a long gold blade on the left top-facing axle hole so it curves to the left. Then repeat symmetrically to the right.

32-33. Horizontally place a red 1x4 plate on the front row so it is centered horizontally.

Group 3 - Temple

34-35. Horizontally place a black 1x4 plate on the front row so it is centered horizontally.

36-37. Horizontally place a tan 1x6 plate on the 2nd row from the back, on top of the 4x16x10 door frame so it is centered horizontally.

38-39. Place 2 light grey 3x3 plates with a cutoff corner, 1 to the right of the other, in front of the ppp so they are centered horizontally, overhang 2 rows to the front and the cutoff corners face the front left and front right.

40-41. Horizontally place a black 1x2 brick with a clip on the long side on the 2nd row from the back on top of the 4x16x10 door frame so it is centered horizontally and the clip faces the back. Then horizontally place a dark grey 1x2 masonry brick in front of the ppp so the brick grooves face the front.

42-43. Place a dark grey 2x2 slope brick to the left and right of the 2 ppp so they slope outwards to the left and right.

44-45. Horizontally place a red 1x2 plate with 2x2 side studs sticking up on the 3rd row from the back, on top of the 1x2 masonry brick so it is centered horizontally and the side studs face the front.

46-47. Vertically place 2 dark grey 1x2 sloped curved tiles, 1 to the right of the other, on the 2nd and 3rd rows from the back, on top of the ppp so they are centered horizontally and slope to the back.

48-49. Rotate your build 180 degrees. Attach a light grey 4L bar to the front-facing clip so it is centered vertically to the clip. Now place a white 1x1 round brick on top of the bar.

50-51. Rotate your build 180 degrees again, then place a red 2x2 tile with a stud upright on the 2x2 front-facing side studs.

52-53. Place a gold 4x4 dish upright on the front-facing side stud of the ppp so it is centered.

54-55. Vertically place a white 1x2x5 brick on the 2nd and 3rd rows from the back on the 5th column from the left. Then repeat symmetrically to the right.

56-57. Horizontally place a tan 1x3 plate on the 2nd row from the back on the 2nd, 3rd, and 4th columns from the left. Then repeat symmetrically to the right.

58-59. Vertically place 2 dark green 1x3 inverted half arch bricks, 1 to the right of the other, on the 2nd and 3rd rows from the back, on the 3rd and 4th columns from the left so they slope and overhang to the front. Then repeat symmetrically to the right.

60-61. Place a dark green 3x3 corner sloped curved brick on the 2 leftmost columns on the 2nd and 3rd rows from the back so it overhangs 1 column to the left, 1 row to the front, and slopes to the front left. Then repeat symmetrically to the right.

Group 4 - Temple

62-63. Let's make a part! Horizontally place a red 2x8 plate in front of you. Then horizontally place a black 1x4 plate on the back row so it is centered horizontally. Now vertically place 2 dark green 1x3 inverted half arch bricks, 1 to the right of the other, on top so they are centered horizontally and slope and overhang 1 row to the front.

Group 5 - Temple

64-65. Place a dark green 3x3 corner sloped curved brick on the 3 leftmost columns so it overhangs 1 row to the front and slopes to the front. Then repeat symmetrically to the right. Now horizontally place 2 red 1x3 inverted half arch bricks, 1 to the right of the other, on the back row so they are centered horizontally and slope inwards.

66-67. Horizontally place your part on the 2nd and 3rd rows from the back on top of the 2 1x2x5 bricks so it is centered horizontally and slopes and overhangs 1 row to the front.

68-71. Locate your trophy you previously made and place it on the 2nd and 3rd rows from the back on the lower 2 rows of the 4x16x10 door frame so it is centered horizontally.

Building Instructions (Bag 2, Book 2):

Group 6 - Nya

4-5. Locate 1 dark grey pair of legs printed with light blue and gold armor, 1 dark grey torso printed with light blue and gold armor, 1 yellow head printed with eyes, lips, and eyelashes, 1 black hair printed with a light blue headband, 1 sand green teapot, and 1 white cup. Assemble your minifigure then attach the teapot and cup to her hands! Now put her away while we make part of the temple!

Group 7 - Temple

6-7. Place a dark grey 8x8 plate with 1x4 gaps on the sides in front of you. Then place a red 2x2 brick on the back left corner. Then repeat symmetrically to the right.

8-11. Horizontally place a brown 1x4x6 door frame on the 2nd row from the back so it is centered horizontally and the ridged side faces the back. Now attach a transparent window pane printed with a white and gold circle in the middle surrounded by red lines to the back-facing side of the ppp.

12-13. Place a white 2x2x5 corner panel with a cutoff corner on the back left corner so the cutoff corner faces the front left. Then repeat symmetrically to the right.

14-15. Horizontally place a red 2x8 plate on the back 2 rows so it is centered horizontally.

16-17. Horizontally place a black 1x4 plate on the back row so it is centered horizontally.

18-19. Vertically place 2 dark green 1x3 inverted half arch bricks, 1 to the right of the other, on the back 2 rows so they are centered horizontally and slope and overhang to the front. Now place a dark green 3x3 corner sloped curved brick on the back left corner so it overhangs 1 row to the front and slopes to the front left. Then repeat symmetrically to the right.

20-21. Vertically place a light grey 2x4 plate on the leftmost column in the 1x4 gap so 1 column overhangs to the left. Then repeat symmetrically to the right.

22-23. Place a brown 2x2 tile with 2 studs on the 2nd and 3rd columns from the left on the 3rd and 4th rows from the front so the studs are on the left. Then repeat symmetrically to the right.

24-25. Place a nougat 2x2 box on the 5th and 6th rows from the front, in front of the window pane so it is centered horizontally. Now horizontally place a brown 1x4 log brick on the front row so it is centered horizontally.

26-27. Place a tan 1x1 round tile printed with red dots in the previous 2x2 box.

28-29. Horizontally place a nougat 2x4 tile on the 5th and 6th rows from the front, on top of the box so it is centered horizontally. Now horizontally place a dark tan 1x4 tile with 2 studs on the front row so it is centered horizontally.

30-31. Vertically place a light blue 4x8 plate with a round side underneath the leftmost column so 3 columns are exposed to the left and the round side faces the left.

32-33. Vertically place a brown 1x2 rounded plate on the back 2 rows on the 4th column from the left.

34-35. Horizontally place a dark grey 1x2 sloped curved tile on the 2nd row from the back on the 3rd and 4th columns from the left so it slopes to the left.

Group 8 - Temple

36-37. Place a brown curved branch on the back row on the 1x2 rounded plate so it curves to the left.

38-39. Let's make a part! Place a pink 5x6 leaf plate in front of you so it is horizontal and the end stud faces the left. Now place a white 1x1 round flower plate on the leftmost stud. Then place another 1 on the front row on the left stud.

40-41. Attach the middle stud of your part to the previous branch so the studs face the left and the flower plate on the end stud hangs down.

42-43. Place a white 1x1 round flower plate on the back row of the leftmost column. Then place a green 1x1 frog on the 2nd row from the front of the 2nd column from the left so it faces the front.

44-47. Place a blue 1x1 bird on the leftmost stud of the back row so it faces the front. Bring back your main build so it is horizontal and the trophy is in the back. Now horizontally place the rightmost column of your current build in the leftmost 1x4 gap of the main build. Now put your build away while we make the next part!

Building Instructions (Bag 3, Book 3):

Group 9 - Kai

4-5. Locate 1 dark red pair of legs printed with red and gold armor, 1 dark red torso printed with red and gold armor, 1 yellow head printed with red and black eye mask, 1 dark red and red mask, and 1 5L bar with a stop. Assemble your minifigure, make sure the opening of the mask faces the front, then attach the bar to his hand! This bar is a staff! Now put him away while we make part of the temple!

Group 10 - Temple

6-7. Place a dark grey 8x8 plate with 1x4 gaps on the sides in front of you. Then place a red 2x2 brick on the back left corner. Then repeat symmetrically to the right.

8-11. Horizontally place a brown 1x4x6 door frame on the 2nd row from the back so it is centered horizontally and the ridged side faces the back. Now attach a transparent window pane printed with a white and gold circle in the middle surrounded by red lines to the back-facing side of the ppp.

12-13. Place a white 2x2x5 corner panel with a cutoff corner on the back left corner so the cutoff corner faces the front left. Then repeat symmetrically to the right.

14-15. Horizontally place a red 2x8 plate on the back 2 rows so it is centered horizontally. Then horizontally place a black 1x4 plate on the back row so it is centered horizontally.

16-17. Vertically place 2 dark green 1x3 inverted half arch bricks, 1 to the right of the other, on the back 2 rows so they are centered horizontally and slope and overhang to the front. Now place a dark green 3x3 corner sloped curved brick on the back left corner so it overhangs 1 row to the front and slopes to the front left. Then repeat symmetrically to the right.

18-19. Vertically place a light grey 2x4 plate on the leftmost column in the 1x4 gap so 1 column overhangs to the left. Then repeat symmetrically to the right.

20-21. Place a black 2x2 plate on the 5th and 6th rows from the front so it is centered horizontally.

22-23. Horizontally place a dark grey 1x2 masonry brick on the 6th row from the front so it is centered horizontally and the brick grooves face the back. Then horizontally place a black 1x2 brick with a clip in front of the ppp so the clip faces the front.

24-25. Place 2 black 2x2 inverted slope bricks, 1 to the right of the other, on the 5th and 6th rows from the front, on top of the 2 ppp so they slope outwards to the left and right.

26-27. Horizontally place a black 2x4 tile on top of the 2 ppp so it is centered horizontally.

28-29. Horizontally attach a light grey hammer to the front-facing clip so the hammer head is on top.

30-31. Horizontally place a brown 1x4 log brick on the front row so it is centered horizontally.

Group 11 - Temple

32-33. Horizontally place a dark tan 1x4 tile with 2 studs on the front row so it is centered horizontally.

34-35. Vertically place a light grey 4x8 plate with a round side underneath the rightmost column so it is centered vertically and the round side faces the right.

36-37. Vertically place a white 1x2 tile printed with an envelope on the 2nd column from the right so it is centered vertically. Then horizontally place the right column of a black 1x2 jumper plate in front of the ppp. Then repeat symmetrically to the back.

You will have an extra black 1x4 plate. Save it for later!

Group 12 - Temple

38-39. Let's make a part! Horizontally place a black 1x4 plate from group 11 in front of you. Then horizontally place a red 1x4 plate on top. Horizontally place 2 black 1x2 bricks with a clip, 1 to the right of the other, on top so the clips face the front.

40-41. Horizontally place a dark tan 1x4 tile with 2 studs on top. Now attach 2 gold swords to the 2 front-facing clips so the blades face up.

42-43. Vertically place your part on the 2 jumper plates that are on the 2nd and 3rd columns from the right so it is centered vertically and the swords face the right.

44-47. Bring back your main build so it is horizontal and the round side faces the left. Now horizontally place the leftmost column of your part in the rightmost 1x4 gap of the main build. Now put it away while we make the next part!

Building Instructions (Bag 4, Book 4):

Group 13 - Zane and Baby Dragon

4-5. Locate 1 white pair of legs printed with light blue, silver, and gold armor, 1 white torso printed with silver and gold armor and a light blue belt, 1 silver head printed with light blue eyes, and a dark grey beard and lips, 1 silver hair, and 1 brown 5L bar with a stop. Assemble your minifigure then attach the bar to his hand! This bar is a staff!

6-7. Place a sand blue baby dragon printed with blue spots and eyes next to your minifigure. Now put everything away while we make part of the temple!

Group 14 - Temple

8-9. Let's make the sparring mat! Place a dark tan 8x8 plate in front of you. Then vertically place a black 1x8 brick on the leftmost column. Then repeat symmetrically to the right.

10-11. Horizontally place a dark tan 1x8 tile on the front row so it is centered horizontally. Now place a red 2x2 brick on the 8x8 plate so it is centered horizontally and vertically.

12-13. Let's make a part! Place a dark tan 8x8 plate in front of you. Then horizontally place a red 2x4 tile on top so it is centered horizontally and vertically.

Group 15 - Temple

14-15. Place a white and light grey 2x2 turntable plate on the 2 leftmost columns so it is centered vertically. Then repeat symmetrically to the right. Now horizontally place a black 1x8 tile on the 3rd row from the front so it is centered horizontally. Then repeat symmetrically to the back.

16-17. Place a black 2x2 round plate with 6 arms on the 2 leftmost columns so it is centered vertically. Then repeat symmetrically to the right.

18-19. Place your part on the back 7 rows of the previous build so it is centered horizontally.

20-24. Bring back your main build so it is horizontal and the swords are on the right side. Now horizontally place the back row of your part on the front row of the main build so it is centered horizontally.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets, there are no ads.