

60454 Holiday Adventure Camper Van

Adapted by John Le and tested by Jolene Nemeth.

Kids can travel wherever their imaginations take them with the LEGO® City Holiday Adventure Camper Van toy (60454). This fun vacation vehicle set for ages 6 and up comes with lots of realistic features, including a modern living space with a kitchen, toilet, bunk beds and crib. The set also includes a table and 2 chairs for indoor and outdoor use, plus a toy guitar and campfire. Just add the mom and dad minifigures with their baby for imaginative play and storytelling.

Camper van toy playset – Youngsters can enjoy vacations every day with this LEGO® City Holiday Adventure Camper Van building set for kids aged 6 and up.

What's in the box? – This vehicle set includes everything kids need to build a camper van with a detailed living space, plus a campfire setting, 2 minifigures and a baby figure.

For kids who love imaginative play – The camper van opens up for full access to an interior living space with a kitchen, toilet, 2 bunk beds, a crib and a removable dining set for outdoor use.

Fun accessories – This camping toy comes with LEGO® minifigure accessories including a guitar, baby bottle, 2 mugs and croissant.

Dimensions – The model camper van in this 385-piece LEGO® City set measures over 3 in. (8 cm) high, 7 in. (18 cm) long and 2.5 in. (7 cm) wide.

The front of the box shows the holiday camper van parked in the forest! In the front, a family is sitting around a campfire, playing guitar, and enjoying the outdoors!

The back of the box shows the family in the camper van driving on a road through the mountains and forest!

The top of the box shows a real size image of a guitar.

The build is 385 pieces in total and is for ages 6+.

Bag 1 includes the pieces for the mom and a guitar, a campfire, and the holiday camper van.

Bag 2 includes the pieces for the holiday camper van.

Bag 3 includes the pieces for the dad, baby, table and chairs, and the holiday camper van.

Bag 4 includes the pieces for the holiday camper van.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.

- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same

thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, els and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/60454>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 4 bags labeled 1 to 4, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Mom, Campfire, and Holiday Camper Van

Group 1 - Page 7.

Group 2 - Steps 1-6.

Group 3 - Steps 1-10.

Group 4 - Steps 11-19.

Group 5 - Steps 20-24.

Group 6 - Step 25.

Group 7 - Step 26 and 1 red 1x1 round tile from Step 27.

Group 8 - Rest of Step 27 and Steps 28-39.

Group 9 - Steps 40-47.

Group 10 - Steps 48-54.

Bag 2 - Holiday Camper Van

Group 11 - Steps 55-65.

Group 12 - Steps 66-68 and 1 red 1x1 round tile from Step 69.

Group 13 - Rest of Step 69 and Steps 70-79.

Group 14 - Steps 80-96.

Group 15 - Steps 97-109.

Group 16 - Steps 110-111.

Bag 3 - Dad, Baby, Table and Chairs, and Holiday Camper Van

Group 17 - Page 111.

Group 18 - Steps 112-113.

Group 19 - Steps 114-126.

Group 20 - Steps 127-139.

Bag 4 - Holiday Camper Van

Group 21 - Steps 140-146.

Group 22 - Steps 147.

Group 23 - Steps 148-152.

Group 24 - Steps 153-168.

Group 25 - Steps 169-173.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Mom

Sub-build 1. Locate 1 purple pair of legs, 1 torso printed with a light brown and pink jacket with an orange stripe, 1 yellow head printed with eyes, eyelashes, and a smile, 1 brown hair, 1 light brown croissant, and 1 nougat guitar. Assemble your minifigure then attach the guitar and croissant to her hands! Now put her away while we make a campfire!

Group 2 - Campfire

1. Place a green 4x4 round plate in front of you. Place a dark grey 1x1 round tile on the left column of the back row. Then place a light grey 1x1 round plate to the right of the ppp.

2. Place a dark grey 1x1 round tile on the right column of the front row. Then place a light grey 1x1 round plate to the left of the ppp.

3. Place a dark grey 1x1 round tile on the front row of the leftmost column. Then place a light grey 1x1 round plate behind the ppp. Now repeat both parts symmetrically to the right.

4. Place a black 1x1 slope tile on the 2nd column from the left and 2nd row from the back so it slopes to the right. Now place a brown 1x1 tile with a clip to the right of the ppp so the clip hands face the front and back.

5. Place a black 1x1 slope tile on the 2nd column from the right and 2nd row from the front so it slopes to the left. Then place a brown 1x1 tile with a clip to the left of the ppp so the clip hands face the front and back.

6. Attach a transparent orange flame to the front clip so the flame is on the right and sticks up. Then attach 1 to the back clip so the flame is on the left and it sticks up. Now put your campfire away while we make the holiday camper van!

Group 3 - Holiday Camper Van

1. Horizontally place a yellow 2x3 plate in front of you.

2. Horizontally place a white 1x6 brick with pinholes on the back row so it overhangs 3 columns to the right. Then repeat symmetrically to the front.

3. Insert 2 black 2L pins into the 2 leftmost front-facing pinholes. Then repeat symmetrically to the back.

4. Horizontally attach the 2 rightmost pinholes of a light grey 1x16 brick with pinholes to the 2 front-facing pins. Then repeat symmetrically to the back.

5. Flip your build upside down so it is horizontal and the 1x16 bricks with pinholes are on the left. Now horizontally place a red 1x5 plate on the front left corner. Then repeat symmetrically to the back.

6. Vertically place a dark grey 2x6 plate with bricks with axle holes on the sides to the right of the 2 ppp so it is centered vertically. Now insert a tan 2L pin axle into the front-facing axle hole so the pin faces the front. Then repeat symmetrically to the back.

7. Vertically place a black 2x4 plate on the 2nd and 3rd columns from the right so it is centered vertically.

8. Let's make a part! Horizontally place a black 2x4 plate in front of you.

9. Vertically place a light grey 2x3 stair plate on the 2 leftmost columns so the taller side overhangs 1 row to the back. Then repeat symmetrically to the right.

10. Place a transparent orange 1x1 plate on the front left corner. Then horizontally place a black 1x3 rounded plate to the right of the ppp.

Group 4 - Holiday Camper Van

11. Place a tan 1x1 plate on the rightmost column on the 2nd row from the back. Then horizontally place a tan 1x2 plate with 2 side studs hanging down to the left of the ppp so the side studs face the front.

12. Horizontally place a light blue 1x2 tile printed with a solar battery upright on the front-facing side studs.

13. Place a white 1x1 brick on the front left corner. Then horizontally place a white 1x3x1 curved door on the front right corner so it opens to the front.

14. Flip your main build over so it is horizontal, right-side up, and the pins are on the left and face the front and back. Now horizontally place the back row of your part on the front left corner so it overhangs 2 rows to the front.

15. Vertically place a white 1x2 plate with 2x4 side studs hanging down on the leftmost column on the 2nd and 3rd rows from the front so the side studs face the left.

16. Horizontally place a blue 1x4 plate on the 2nd row from the front of the 5th, 6th, 7th, and 8th columns from the left.

17. Let's make a part! Horizontally place a black 2x8 plate in front of you.

18. Vertically place 4 light grey 2x3 stair plates, 1 to the right of the other, on top so the taller sides overhang 1 row to the back.

19. Place a black 1x1 plate with a side stud hanging down on the front right corner so the side stud faces the right.

Group 5 - Holiday Camper Van

20. Place a transparent orange 1x1 plate on the front left corner. Then horizontally place a black 1x4 tile with 2 studs to the right of the ppp. Now horizontally place a black 1x2 tile to the right of the ppp.

21. Place a white 1x1 brick on the front left corner. Then horizontally place a white 1x4 brick to the right of the ppp.

22. Horizontally place the back row of your part on the 3rd - 10th columns from the right of the front row so 2 rows overhang to the front.

23. Let's make a part! Horizontally place a black 2x4 plate in front of you.

24. Vertically place a light grey 2x3 stair plate on the 2 leftmost columns so the taller side overhangs 1 row to the back. Then repeat symmetrically to the right.

Group 6 - Holiday Camper Van

25. Place a transparent orange 1x1 plate on the front right corner. Then horizontally place a black 1x3 rounded plate to the left of the ppp.

Group 7 - Holiday Camper Van

26. Place a tan 1x1 plate on the leftmost column on the 2nd row from the back. Then horizontally place a tan 1x2 plate with 2 side studs hanging down to the right of the ppp so the side studs face the front.

27.1. Place a red 1x1 round tile upright on the left front-facing side stud.

Group 8 - Holiday Camper Van

27.2. Place a blue 1x1 round tile upright on the right front-facing side stud.

28. Place a white 1x1 brick on the front right corner. Then horizontally place a white 1x3x1 curved door on the front left corner so it opens to the front.

29. Rotate your main build 180 degrees. Then horizontally place your part on the front right corner so it overhangs 2 rows to the front.

30. Vertically place a white 1x2 plate with 2x4 side studs hanging down on the rightmost column on the 2nd and 3rd rows from the front so the side studs face the right.

31. Horizontally place a blue 1x4 plate on the 2nd row from the front of the 5th, 6th, 7th, and 8th columns from the right.

32. Let's make a part! Horizontally place a black 2x8 plate in front of you.

33. Vertically place 4 light grey 2x3 stair plates, 1 to the right of the other, on top so the taller sides overhang 1 row to the back.

34. Place a transparent orange 1x1 plate on the front right corner. Then place a white 1x1 brick on top of the ppp.

35. Place a black 1x1 plate with a side stud hanging down on the front left corner so the side stud faces the left. Then horizontally place a black 1x2 tile to the right of the ppp.

36. Horizontally place the back row of your part on the 3rd - 10th columns from the left of the front row so 2 rows overhang to the front.

37. Horizontally place a blue 2x3 tile on the 4th, 5th, and 6th columns from the left so it is centered vertically.

38. Place a green 1x1 round brick on the front row of the leftmost column. Then vertically place a light grey 1x2 brick to the right so it overhangs 1 row to the front. Now repeat both parts symmetrically to the back.

39. Vertically place a dark red 1x2 plate on the 2nd column from the left so it is centered vertically. Then vertically place a light grey 1x6 plate to the right of the ppp so it is centered vertically.

Group 9 - Holiday Camper Van

40. Place a tan 1x1 plate on the 2nd row from the front, on the 9th column from the right. Then repeat symmetrically to the back.

41. Horizontally place a tan 1x6 plate to the left of the ppp. Then horizontally place a black 1x2 plate with a rail to the left of the ppp so the rail faces the back.

42. Horizontally place a tan 4x8 plate in front of the 2 ppp. Then horizontally place another 1 to the right of the ppp.

43. Horizontally place a black 1x2 plate with a rail in front of the 4x8 plate on the 3rd and 4th columns from the left so the rail faces the front. Then horizontally place a dark red 1x2 plate to the right of the ppp.

44. Place a black 1x1 slope tile upright on the left-facing side stud on the front row so it slopes to the front. Then repeat symmetrically to the back.

45. Vertically place a dark grey 2x4 plate with bricks with axle holes on the sides underneath the leftmost column so it is centered vertically and 1 column is exposed to the left. Then insert a tan 2L pin axle into the front-facing axle hole of the ppp so the pin faces the front. Then repeat symmetrically to the back.

46. Horizontally place a light grey 2x3 stair plate on the 2 leftmost columns so it is centered vertically and the shorter side overhangs 1 column to the left.

47. Vertically place a blue 1x4 plate underneath the leftmost column so it is centered vertically.

Group 10 - Holiday Camper Van

48. Place a transparent orange 1x1 plate on the front left corner. Then repeat symmetrically to the back.

49. Horizontally place 4 black 1x2 plates with a pinhole underneath, 1 in front of the other, on the leftmost column so they are centered vertically, and the pinholes overhang to the left.

50. Vertically place a blue 1x4 plate on the 2nd column from the left.

51. Horizontally place a blue 2x3 tile to the right of the ppp so it is centered vertically.

52. Horizontally place a black 2x4 plate with a mudguard on the front row of the 2nd, 3rd, 4th, and 5th columns from the left so 1 row overhangs to the front and the mudguard faces the front. Then repeat symmetrically to the back.

53. Insert a white 1L pin with a stud into the leftmost front-facing pinhole so the stud faces the front. Then place a transparent blue 1x1 round plate upright on the ppp. Now repeat both parts symmetrically to the back.

54. Place a black 1x1 slope tile upright on the leftmost front-facing side stud so it slopes to the left. Then repeat symmetrically to the back.

Building Instructions (Bag 2, Book 1):

Group 11 - Holiday Camper Van

55. Vertically place a dark red 1x2 plate on the leftmost column so it is centered vertically. Then vertically place a dark red 1x2 plate on the front 2 rows of the 2nd column from the left. Then repeat symmetrically to the back.

56. Place a dark red 1x1 plate with 2 side studs sticking up on the front row of the leftmost column so the side studs face the front. Then repeat symmetrically to the back.

57. Vertically place a dark red 1x4 tile with 2 studs on the leftmost column.

58. Vertically place a dark red 1x2 slope tile upright on the leftmost front-facing side studs so it slopes to the left. Then repeat symmetrically to the back.

59. Place a dark red 1x1 slope tile on the front row of the leftmost column so it slopes to the back. Then repeat symmetrically to the back.

60. Vertically place a black 1x2 brick with a bar on the long side on the leftmost column of studs so it is centered vertically and the bar faces the left.

61. Rotate your build 180 degrees. Now horizontally place 2 lime green 2x6 plates, 1 in front of the other, on the 2nd - 7th columns of studs from the right so they are centered vertically.

62. Horizontally place 2 dark red 1x2 plates, 1 to the right of the other, in front of the 4 leftmost columns of the 2 ppp. Then repeat symmetrically to the back.

63. Vertically place a tan 1x6 plate to the left of the 4 ppp so it is centered vertically.

64. Vertically place a black 2x4 plate on the 7th and 8th columns of studs from the right so it is centered vertically. Then horizontally place a dark red 1x2 plate with 2x2 side studs hanging down in front of the ppp so the side studs face the front. Then repeat symmetrically to the back.

65. Vertically place 2 dark red 1x3 jumper plates, 1 in front of the other, to the right of the 3 ppp so they are centered vertically. Then vertically place 2 more, 1 in front of the other, to the right.

Group 12 - Holiday Camper Van

66. Vertically place a dark red 2x6 plate to the right of the 2 ppp so it is centered vertically.

67. Place a dark grey 2x2 sloped curved brick with 2 studs on the 2 rightmost columns of studs so it is centered vertically and it slopes to the right. Then horizontally place a dark grey 1x2 plate with a clip on the short side in front of the ppp so the clip faces the right. Then repeat symmetrically to the back.

68. Place a transparent orange 1x1 plate on the front right corner. Then repeat symmetrically to the back.

69.1. Place a red 1x1 round tile on the 2nd row from the front of the rightmost column of studs.

Group 13 - Holiday Camper Van

69.2. Place a light grey 1x1 round plate to the left of the ppp. Then place a blue 1x1 round tile on the 2nd row from the back of the rightmost column of studs. Then place a light grey 1x1 round plate to the left of the ppp.

70. Place a dark red 1x1 brick on the front row on the 2nd column of studs from the right. Then repeat symmetrically to the back.

71. Place a transparent light blue 1x1 plate with a tooth on the front right corner so the tooth faces the right. Then repeat symmetrically to the back.

72. Vertically place a dark red 1x6 brick on the 3rd column of studs from the right so it is centered vertically.

73. Horizontally place a dark red 1x4 angled sloped curved tile on the front right corner so the angled side faces the front and it slopes to the right. Make sure the leftmost column sits on the 1x6 brick. Then repeat symmetrically to the back.

74. Vertically place 2 black 1x2 log bricks, 1 in front of the other, on the rightmost column of studs so they are centered vertically.

75. Attach a black 2x2 plate with a bar underneath to the back right-facing clip so the studs face up and 1 column overhangs to the left over the 1x1 round tile.

76. Repeat the previous step symmetrically to the front.

77. Vertically place 2 dark red 1x2 slope tiles, 1 to the right of the other, on the 2 rightmost columns so they are centered vertically and both slope to the right.

78. Place a light grey 1x1 round plate on the 2nd row from the front, on the 2nd column from the right of the build. Then repeat symmetrically to the back.

79. Horizontally place the left column of a dark red 1x2 sloped curved tile on the 2 rightmost columns, on top of the ppp so it slopes to the right. Then repeat symmetrically to the front.

Group 14 - Holiday Camper Van

80. Rotate your build 180 degrees. Now vertically place a light grey 1x2 slope tile printed with 2 speedometers on the 2nd and 3rd rows from the front, on the 2nd column of studs from the left so it slopes to the right.

81. Vertically place a light grey 1x2 steering wheel on the 2nd and 3rd rows from the front, to the right of the ppp, so the wheel faces the right. Now vertically place a light grey 1x2 grill tile behind the ppp.

82. Place 2 silver mugs, 1 in front of the other, behind the 1x2 slope tile that is on the 2nd column of studs from the left so the handles face the right.

83. Vertically place a dark red 1x3 curved door on the front row in front of the 1x2 steering wheel that is on the left side so the door is on the left and overhangs to the front. Then repeat symmetrically to the back.

84. Place a black 1x1 plate with a side stud sticking up on the back row on the ppp so the side stud faces the back. Then repeat symmetrically to the front.

85-86. Vertically place the rightmost column of a transparent 3x6x2 windshield on top of the 2 ppp so it slopes to the left. Now vertically place a black 1x6 tile on top of the ppp.

87. Let's make a part! Horizontally place 2 black 1x1 plates with 2x6 side studs in front of you so the side studs face the back. Now horizontally place a tan 1x6 plate on top so it is centered horizontally.

88-89. Place 3 light grey 1x2 plates with 2x2 anti side studs, 1 to the right of the other, on the front row so the anti-studs face the front.

90. Horizontally place 2 brown 1x3 boxes, 1 to the right of the other, on top.

91. Vertically place your part to the right of the 1x3 jumper plates that are on the 5th and 6th columns from the left so it is centered vertically, the 2x6 side studs face up, and the anti-studs of the 1x1 plates with 2x6 side studs face the right.

92. Rotate the 1x3x1 curved door that is on the front row and to the left of the ppp, to the right so it is closed! Then repeat symmetrically to the back.

93. Place a dark red 1x1 slope tile upright on the front-facing side stud, underneath the windshield on the left side so it slopes to the left. Then repeat symmetrically to the right.

94. Rotate your build 180 degrees so the windshield is on the right. Now horizontally place a dark red 1x2 plate with 2x2 side studs hanging down on the 2nd row from the front, to the left of the 1x3x1 door that is on the right side, so the side studs face the front. The 2x2 side studs should sit above the 2x2 front-facing side studs. Now repeat symmetrically to the back. Then vertically place a dark red 1x4 tile with 2 studs in between the right column of the 2 ppp.

95. Horizontally place a tan 1x2 plate with 2x2 side studs sticking up on the 2nd row from the front, to the left of the 1x3x1 door that is on the right side so the 2x2 side studs sit above the 2x4 side studs. Then repeat symmetrically to the back.

96.1. Let's make a part! Horizontally place a tan 1x6 plate in front of you. Then place 2 dark red 2x2 sloped curved tiles, 1 to the right of the other, on the 4 leftmost columns so they slope and overhang to the front. Then place a dark red 2x2 sloped curved tile with a sticker on the 2 rightmost columns so it slopes and overhangs to the front.

96.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 6 on the 2x2 sloped curved tile. This sticker has orange and white mountains on it! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

96.3. Vertically place your part upright on the back-facing 2x6 side studs so it slopes to the right.

Group 15 - Holiday Camper Van

97.1. Let's make a part! Horizontally place a tan 1x6 plate in front of you. Then place 2 dark red 2x2 sloped curved tiles, 1 to the right of the other, on the 4 rightmost columns so they slope and overhang to the front. Then place a dark red 2x2 sloped curved tile with a sticker on the 2 leftmost columns so it slopes and overhangs to the front.

97.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 4 on the 2x2 sloped curved tile. This sticker has orange and white mountains on it! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

97.3. Vertically place your part upright on the front-facing 2x6 side studs so it slopes to the right.

98. Horizontally place a tan 1x2 slope brick on the 2nd row from the front, behind the ppp so it slopes to the right. Then repeat symmetrically to the back.

99. Horizontally place a white 2x4 brick with a mudguard on the front row of the 5th, 6th, 7th, and 8th columns from the left so it overhangs to the left, front, and right, and the mudguard faces the front. Then repeat symmetrically to the back.

100. Horizontally place a white 1x2 plate on the back row on the 4th and 5th columns from the left. Then horizontally place another 1 to the right so there is a 2 column gap in between them.

101. Horizontally place a white 1x2 plate on the front row on the 4th and 5th columns from the left. Then horizontally place a white 1x6 plate on the front row to the right of the ppp so there is a 2 column gap in between them.

102. Vertically place a light grey 1x4 brick behind the rightmost column of the ppp.

103. Vertically place a transparent blue 1x2 panel with 3 walls on the front 2 rows of the ppp so the long wall faces the left. Then place 2 light grey 1x1 bricks with a side stud and bottom lip, 1 in front of the other, behind the ppp so the side studs face the left.

104. Place a black 2x2 tile with a stud on top of the 2 ppp so there is no overhang. Now place a light blue 1x1 baby bottle behind the right column of the ppp so the handle faces the left. Now place a light grey 1x1 faucet in front of the right column of the previous 2x2 tile with a stud so the bar faces the left.

105.1. Let's make a part! Place a light grey 1x1 half cone brick in front of you. Then place a black 1x1 skate on top so the rounded lip faces the back. Now place a black 1x1 round plate with a bar hanging down on top so the bar is in the front.

105.2. This is a coffee pot! Place it on top of the 2x2 tile with a stud from the previous step so the bar faces the front.

106. Horizontally place a light grey 1x2 plate with an inverted slope on the 2nd row from the back and 9th column from the right, on top of the 1x2 slope brick that is to the left of the windshield on the right side so it slopes and overhangs to the left. Then repeat symmetrically to the front.

107. Vertically place a tan 1x6 arch brick on the right column of the 2 ppp so it is centered vertically. Now vertically place a tan 1x4 half cylinder brick on top of the ppp so it is centered vertically.

108. Horizontally place a white 2x4 sloped curved tile on the left-facing side studs so it is centered horizontally and slopes down.

109. Horizontally place a white 1x2 slope tile upright on the bottom row of left-facing side studs that are on the front 2 rows so it slopes down. Then repeat symmetrically to the back.

Group 16 - Holiday Camper Van

110. Horizontally place a transparent orange 1x2 plate upright on the left-facing side studs on the front 2 rows. Then horizontally place a transparent red 1x2 grill tile upright on the ppp. Then repeat both parts symmetrically to the back.

111. Vertically place a white 2x8 plate on the leftmost column so it is centered vertically and 1 column sits on the upright pieces. Then vertically place another 1 to the right.

Building Instructions (Bag 3, Book 1):

Group 17 - Dad, Baby, Table and Chair

Sub-build 2.1. Locate 1 tan pair of legs, 1 torso printed with a purple shirt and a teal jacket, 1 dark tan baby carrier, 1 yellow head printed with eyes, brown eyebrows and mustache, and 1 light brown hair. Assemble your minifigure and make sure the baby carrier faces the front!

Sub-build 2.2. Let's make a part! Place a little yellow baby head printed with eyes and a smile on top of a white baby body. Now place it inside the carrier so the hands face the front!

Sub-build 2.3. Let's make a part! Place a sand green 2x2 inverted tile in front of you. Then place a brown 2x2 tile with a stud and corner walls on top. Now flip it upside down. This is a table! Now place 2 sand blue 2x2 chairs next to it! Now put everything away while we continue the camper van!

Group 18 - Holiday Camper Van

112. Make sure your build is horizontal and the windshield faces the right. Now horizontally place a light grey 1x10 plate on the back left corner.

113. Place a light grey 1x1 round plate on the front left corner. Then place a transparent aqua 1x1 tile behind the ppp. Now vertically place a light grey 1x4 plate behind the ppp. Then place a transparent aqua 1x1 tile behind the ppp.

Group 19 - Holiday Camper Van

114. Horizontally place 2 light grey 1x6 tiles, 1 to the right of the other, to the right of the 1x1 round plate that is in the front left corner. Then place a light grey 1x1 tile to the right of the ppp.

115. Horizontally place a sand blue 1x3 tile on the 3rd row from the front, to the right of the leftmost column. Then horizontally place 2 light orange 2x3 tiles, 1 behind the other, behind the ppp.

116. Vertically place an orange 1x2x1 panel on the 2nd and 3rd rows from the back, to the right of the ppp so the wall faces the left. Then vertically place another 1 to the right so the wall faces the right.

117. Vertically place a tan 1x2 log brick on the 2nd and 3rd rows from the back, to the right of the ppp. Then place a dark grey 2x2 round plate to the right of the ppp. Now vertically place a tan 1x2 log brick to the right of the ppp.

118. Place a tan 2x2 tile with a round side on the 2nd and 3rd rows from the back, on the 2x2 round plate from the previous step so the round side faces the left.

119. Horizontally place an orange 1x2 sloped curved brick on the 4th row from the back, on the 5th and 6th columns from the left so it slopes to the back. Now place a light grey 1x1 tile to the right of the ppp. Then horizontally place a light grey 1x6 tile to the right of the ppp.

120. Horizontally place a tan 1x4x1 panel on the 5th row from the back, on the 7th, 8th, 9th, and 10th columns from the left so the wall faces the back. It should sit in front of a 1x1 tile and 1x6 tile.

121. Horizontally place a white 1x10 plate on the back left corner. Then vertically place a white 1x4 plate on the leftmost column in front of the ppp so it sits on the plate and tile.

122.1. Let's make a part! Horizontally place a black 1x4x6 door frame in front of you so the ridged side faces the front. Then attach a white door printed with orange mountains and red skies to the front of the ppp so it opens to the left. Now place a light grey 1x1 round plate upright on the front-facing side stud.

122.2. Horizontally place your part on the back row to the right of the 1x10 plate that is on the back left corner so the door faces the back.

123.1. Horizontally place a white 1x4x3 panel with a sticker on the back row to the left of the ppp so the wall faces the back.

123.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 5 on the white 1x4x3 panel. This sticker has orange and white mountains with red skies. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

124. Horizontally place a white 1x6 brick on the back left corner. Then vertically place a white 1x4 brick on the leftmost column in front of the ppp.

125. Horizontally place a white 1x4 plate on the back left corner. Then horizontally place a transparent 1x2x2 panel to the right of the ppp so the wall faces the back. Now vertically place a white 1x4 plate on the leftmost column in front of the back row.

126. Place a white 1x1x2 brick with 2 side studs on the leftmost column on the 3rd row from the front so the side studs face the front.

Group 20 - Holiday Camper Van

127. Let's make a part! Horizontally place a white 4x6 plate in front of you. Then vertically place a white 1x4 plate on the leftmost column.

128. Vertically place a sand blue 1x3 tile on the back right corner. Now vertically place 2 light orange 2x3 tiles, 1 to the right of the other, to the left of the ppp.

129. Place a short white 1x1 brick on the front right corner. Then horizontally place a white 1x4 plate to the left of the ppp.

130. Vertically place a white 1x4 brick on the leftmost column. Then horizontally place a white 1x4 brick on the front row to the right of the ppp.

131. Place a short white 1x1 brick on the front right corner.

132. Vertically place your part on the back left corner so the bricks are in the back left corner, and the front 5 rows overhang 3 columns to the right.

133.1. Let's make a part! Horizontally place a white 1x4 plate in front of you. Then horizontally place 2 white 1x2 grill tiles, 1 to the right of the other, on top.

133.2. Vertically place your part on the 2 side studs that are on the leftmost column.

134. Horizontally place a dark red 1x10 plate on the back left corner. Then vertically place a dark red 1x6 plate on the leftmost column in front of the ppp.

135. Vertically place a tan 1x2x3 panel in front of the back row on the 7th column from the left so the wall faces the left. Then vertically place another 1 to the right so there is a 2 column gap in between them and the wall faces the right.

136.1. Let's make a part! Horizontally place a white 1x4 plate in front of you. Then horizontally place a tan 1x4x3 panel with a sticker on top so the wall faces the front.

136.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 2 on the tan 1x4x3 panel. This sticker has a picture frame with the mom, dad, and baby on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

136.3. Horizontally place a tan 1x4x1 panel on top so the wall faces the front.

136.4. Horizontally place your part in front of the 2 ppp from Step 135 so the wall faces the front. It should not sit on any studs!

137. Vertically place a light grey 1x2 plate with a bar on the short side behind the leftmost column of the ppp so the bar faces the front. Then repeat symmetrically to the right.

138. Place a light grey 2x2 corner plate on the back 2 rows on the 7th and 8th columns from the left so it looks like the braille letter f. Then place another 1 to the right so it looks like the braille letter d.

139. Vertically place a tan 1x2 sloped curved tile on the 2nd and 3rd rows from the back on the 7th column from the left so it slopes to the front. Then vertically place another 1 on the 2nd and 3rd rows from the back on the 10th column from the left so it slopes to the front.

Building Instructions (Bag 4, Book 1):

Group 21 - Holiday Camper Van

140. Place a light grey 4x4 plate with an inverted curve on the back left corner so the inverted curve faces the front right. Then horizontally place a light grey 1x2 plate on the back row to the right of the ppp.

141. Place a white 2x2 corner tile on the back left corner so it looks like the braille letter f. Then horizontally place a white 1x4 tile with 2 studs on the back row to the right of the ppp. Now horizontally place a white 1x6 tile to the right of the ppp. Then place the back row of a white 2x2 corner tile to the right of the ppp so it looks like the braille letter d.

142. Place a white 1x1 tile in front of the right column of the ppp so there is a 4 row gap in between them. It should sit on a 1x2 plate with an inverted slope.

143.1. Let's make a part! Horizontally place a white 1x4x3 panel with 2 stickers in front of you.

143.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 7 on the white 1x4x3 panel. This sticker has a TV with a gorilla on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

143.3. Skip this step if you have already placed your stickers! Ask a helper to place sticker 3 on the white 1x4x3 panel. This sticker has a picture of white and orange mountains with red skies. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

144. Let's make a part! Horizontally place a white 1x10 plate in front of you. Then horizontally place your previous part on the 4 rightmost columns so the wall faces the front.

145.1. Horizontally place a white 1x4x3 panel with a sticker to the left of the ppp so the wall faces the front.

145.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 1 on the white 1x4x3 panel. This sticker has a picture of white and orange mountains with red skies. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

146.1. Let's make a part! Horizontally place a white 1x4 rounded plate in front of you. Then horizontally place a white 1x6 brick on top so it overhangs 2 columns to the right.

146.2. Horizontally stack 2 white 1x4 bricks on the 4 leftmost columns.

146.3. Horizontally place a transparent 1x2x2 panel on the 2 rightmost columns so the wall faces the front. Then horizontally place a dark red 1x2 rounded plate on the 2 leftmost columns.

146.4. Horizontally place the 2 rightmost columns of your part on the 2 leftmost columns of your previous part.

Group 22 - Holiday Camper Van

147. Horizontally place a dark red 1x2 plate with a rail on the 2 rightmost columns so the rail faces the front. Now horizontally place a dark red 1x10 plate to the left of the ppp so it is centered horizontally.

Group 23 - Holiday Camper Van

148. Place a light grey 1x1 round plate on the rightmost column. Then horizontally place a light grey 1x10 plate to the left of the ppp. Now horizontally place a light grey 1x2 plate to the left of the ppp.

149. Horizontally place a white 1x6 tile on the 6 rightmost columns. Then horizontally place another 1 to the left. Now place a white 1x1 tile to the left of the ppp.

150. Horizontally place your part on the front left corner of the main build so it sits on 1 stud and there is no overhang.

151. Vertically place a light grey 1x4 rounded plate on the front left corner.

152. Vertically place a white 1x2 rounded tile on the front left corner. Then vertically place a white 1x4 tile with 2 studs behind the ppp.

Group 24 - Holiday Camper Van

153. Let's make a part! Let's make the roof! Horizontally place a white 2x8 plate in front of you. Then place a transparent red 1x1 round tile on the back right corner. Then repeat symmetrically to the left.

154. Horizontally place a white 1x6 tile on the back row.

155. Vertically place a white 1x6 tile on the front left corner so it overhangs 5 rows to the front. Then repeat symmetrically to the right.

156. Rotate your part so it overhangs to the right. Now horizontally place a white 2x16 plate underneath the front row so 1 row is exposed to the back and 11 columns are exposed to the right. Then repeat symmetrically to the back.

157. Vertically place a light grey 4x6 tile with side studs on 3 sides on the 4 leftmost columns of studs so the tile side faces the right.

158. Vertically place a light grey 4x6 tile with side studs on 3 sides to the right of the ppp so the tile side faces the left. Then vertically place a light grey 2x6 plate to the right so it is centered vertically.

159. Horizontally place a dark tan 6x8 plate with a 4x6 gap and 2 clips to the right of the ppp so it is centered vertically, overhangs 1 column to the right and the clips are on the left.

160. Vertically place a white 2x8 plate underneath the rightmost column so it is centered vertically.

161. Horizontally place a white 1x4 tile with 2 studs on the front row on the 4th, 5th, 6th, and 7th columns from the right. Then horizontally place a white 1x10 sloped curved brick on top of the ppp so it slopes and attaches to 6 studs to the left of the ppp. Then repeat both parts symmetrically to the back.

162. Place a transparent orange 1x1 plate on the front row on the 3rd column from the right. Then repeat symmetrically to the back.

163. Horizontally place a white 1x4 sloped curved tile on the front right corner so it slopes to the right. Then place a white 1x1 tile to the left of the ppp. Now repeat both parts symmetrically to the back.

164. Vertically place 2 white 1x2 slope tiles, 1 in front of the other, on the rightmost column so they are centered vertically and slope to the right. Then place a transparent 1x1 slope tile in front of the 2 ppp so it slopes to the right. Then repeat symmetrically to the back.

165. Vertically place a white 5x6 car hood with a 3x4 gap and 4 studs on the 5 rightmost columns of studs so the studs are on the left. Now attach a transparent 3x4 panel to the left side of the gap.

166. Vertically place a white 4x6 car hood to the left of the 5x6 car hood with a gap so it is centered vertically and the studs are on the right.

167. Horizontally place 2 black 1x2 grill tiles, 1 in front of the other, to the left of the ppp so they are centered vertically.

168. Vertically place a black 1x2 jumper plate with a round side on the leftmost column of studs so it is centered vertically and the round side faces the right. Now place a white boomerang on top of the ppp so the ends face the front left and back left.

169. Flip your part over so it is horizontal and the sloped curved part is on the right. Now horizontally place a white 1x6 inverted sloped curved brick on the front right corner so it slopes to the right. Then repeat symmetrically to the back.

170. Vertically place a tan 1x6 plate on the 2nd column from the right so it is centered vertically. Now place 3 white 2x2 inverted sloped curved tiles, 1 in front of the other, on the 2 rightmost columns so they are centered vertically and slope to the right.

171. Flip your part over so it is right-side up, horizontal and the sloped curved side is on the right. Now horizontally place the leftmost column of your part on the leftmost column of the main build so it is centered vertically.

172. Let's make 4 identical parts! Attach 4 silver wheels to 4 black tires. Now you should have 4 identical parts! Attach them to the front-facing and back-facing pins so the studs face outwards.

173. Place a black 1x1 dish upright on each of the studs of the 4 ppp.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets, there are no ads.