

76935 NASCAR® Next Gen Chevrolet Camaro ZL1

Adapted by John Le and tested by Jolene Nemeth.

Boys and girls aged 9+ and NASCAR® fans can collect, build, play with and display this LEGO® Speed Champions NASCAR Next Gen Chevrolet Camaro ZL1 (76935) toy car for kids. This powerful race car decorated in vibrant colors and flames includes design details from real-life cars that race in the NASCAR Cup Series.

The NASCAR toy model car includes realistic features, such as the rear spoiler, front grille, hood, headlights and wheels, an interior featuring a roll cage, dashboard, gear shift and fire extinguisher, and authentic Camaro, Cup Series and NASCAR logos. The race car playset also comes with a NASCAR driver minifigure that kids can place behind the wheel to play out exciting races.

NASCAR® toy car for kids – LEGO® Speed Champions NASCAR Next Gen Chevrolet Camaro ZL1 race car toy for boys and girls aged 9+ and NASCAR fans.

1 minifigure – Collectible Chevy toy includes a NASCAR® driver minifigure with helmet that kids can place behind the wheel to stage their own NASCAR races.

Authentic Chevrolet details – NASCAR® Next Gen Chevrolet Camaro ZL1 race car model features distinctive rear spoiler, front grille, headlights and realistic interior details.

LEGO® toy car display model – After kids have raced the buildable model car they can proudly display it on a shelf or bedside table.

Measurements – This 328-piece buildable model car measures over 1.5 in. (4 cm) high, 6.5 in. (16 cm) long and 2.5 in. (7 cm) wide.

The front of the box shows a purple, teal, and light orange Chevrolet Camaro driving along the track! There is a crowd in the back cheering the driver on!

The back of the box shows the back of the camaro. It says camaro on the back and has a chevrolet logo which is a cross with a longer horizontal line!

The top of the box shows a real size image of a wheel!

The build is 328 pieces in total and is for ages 9+.

Bag 1 includes the pieces for the driver and camaro.

Bags 2-5 include the pieces for the camaro.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.

- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same

thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/76935>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 5 bags labeled 1 to 5, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Driver and Nascar Chevrolet Camaro

Group 1 - Pages 4-5.

Group 2 - Steps 1-8.

Group 3 - Steps 9-14.

Group 4 - Steps 15-19.

Group 5 - Steps 20-25.

Bag 2 - Nascar Chevrolet Camaro

Group 6 - Steps 26-36.

Group 7 - Steps 37-42.

Bag 3 - Nascar Chevrolet Camaro

Group 8 - Steps 43-44 and 1 black 1x2 slope tile from Step 45.

Group 9 - Rest of Step 45, Steps 46-48, and 2 purple 1x2 slope tiles from Step 49.

Group 10 - Rest of Step 49 and Steps 50-61.

Group 11 - Steps 62-65.

Group 12 - Steps 66-69.

Bag 4 - Nascar Chevrolet Camaro

Group 13 - Steps 70-77.

Group 14 - Steps 78-92.

Bag 5 - Nascar Chevrolet Camaro

Group 15 - Steps 93-111.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Driver

Sub-build 1.1. Locate 1 purple pair of legs, 1 white and teal torso printed with a jacket that says nascar, 1 yellow head printed with eyes and a smile, 1 light brown hair, and 1 silver wrench. Assemble your minifigure then attach the wrench to his hand!

Sub-build 1.2. Let's make a part! Place a purple helmet in front of you so the opening faces the front. Now attach a transparent face shield to the front of the helmet. You can switch this out with his hair if you like! Now put your minifigure away while we make the nascar!

Group 2 - Nascar Chevrolet Camaro

1. Horizontally place a black 6x12 car base with side studs in front of you. Now vertically place a teal 1x2 plate on the front 2 rows of the 4th column from the right. Then repeat symmetrically to the back.

2. Vertically place a light orange 1x2 jumper plate on top of each of the 2 ppp.

3. Vertically place a black 1x6 brick to the left of the 2 ppp.

4. Vertically place a black 2x6 plate with a round side on the 3rd and 4th columns from the right so it is centered vertically and the round side faces the left.

5. Place a black 1x1 round plate on the 2nd row from the front, on the 5th column from the right. Then repeat symmetrically to the back.

Group 3 - Nascar Chevrolet Camaro

6. Horizontally place a black 1x2 jumper plate on the back row on the 4th and 5th columns from the left. Then place a light grey 1x1 tile with a clip on top so the clip hands face the back left and front right. Now

place 2 more light grey 1x1 tiles with a clip, 1 in front of the other, on the back 2 rows on the 7th column from the left, so the clip hands face the front and back.

7. Place a dark grey 2x2 tile with 2 studs on the front 2 rows on the 5th and 6th columns from the left so the studs are on the right. Now place 2 short dark grey 1x1 bricks, 1 in front of the other, to the right of the ppp.

8. Attach a light grey 2L bar with a stop to the front clip that is on the 7th column from the left so the bar faces the left. Now attach a red candle stick to the left end of the ppp.

9. Horizontally place a black 1x2 jumper plate on the 3rd row from the front of the 4th and 5th columns from the left. Now place a light grey 1x1 round plate on the ppp. Then place a light grey 2L bar with a stop on top.

10. Vertically place a dark grey 1x2 rounded plate on the front 2 rows of the 4th column from the left. Then vertically place a light grey 1x2 steering wheel on top of the ppp so the wheel faces the right.

11.1. Let's make a part! Horizontally stack 2 dark grey 1x2 plates with 2 bars on the ends in front of you so the bars face the front. Now horizontally place a dark grey 1x2 rounded plate on top. Then horizontally place a dark grey 1x2 sloped curved brick on top so it slopes to the front.

11.2. Vertically place your part on the front 2 rows on the 6th column from the right so the bars face the left. This is a driver's car seat!

12.1. Let's make a part! Vertically place a dark grey 2x6 plate with bricks with axle holes on the sides in front of you. Now insert a tan 2L pin axle into the front-facing axle hole so the pin faces the front. Then repeat symmetrically to the back. Then place a black 2x2 corner plate on the 2nd and 3rd rows from the front so it looks like the braille letter f. Then repeat symmetrically to the back. Now vertically place a black 1x4 tile on the left column so it is centered vertically.

12.2. Vertically place your part underneath the leftmost column of the main build so it is centered vertically, and 1 column is exposed to the left.

13. Place a black 2x2 corner plate on the front 2 rows to the right of the ppp so it looks like the braille letter j and overhangs in the front left. Now place a light grey 1x1 round plate on the left column of the ppp. Now repeat both parts symmetrically to the back.

14. Vertically place a dark grey 1x2 rounded plate on the 4th column from the left so it is centered vertically.

Group 4 - Nascar Chevrolet Camaro

15. Place a black 1x1 round plate on the 2nd row from the back and 4th column from the left. Then place a dark grey 1x1 plate with a side stud sticking up in front of the ppp so the side stud faces the right. Now place a light grey 1x1 tile printed with a keypad upright on the right-facing side stud of the ppp. Now vertically place a black 1x2 jumper plate in front of the previous 1x1 plate with a side stud.

16.1. Let's make a part! Horizontally place a black 1x2 plate with 2 side studs sticking up in front of you so the side studs face the front. Then horizontally place a light grey 1x4 plate on top so it overhangs 2 columns to the right.

16.2. Horizontally place a black 1x2 plate with 2 side studs sticking up underneath the overhang so the side studs face the front.

16.3. Horizontally place a black 1x4 tile upright on the front-facing side studs.

16.4. Horizontally place 2 tan 1x2 plates with 2x2 anti side studs, 1 to the right of the other, on top so the anti-studs face the back.

16.5. Place the 2x4 anti-studs of your part on the 2nd and 3rd columns from the left so it is centered vertically and the studs face the left.

17. Place a teal 1x1 brick upright on the front left-facing side stud. Then repeat symmetrically to the back.

18.1. Let's make a part! Horizontally place a teal 1x2 plate in front of you. Then horizontally place a gold 1x2 plate with 2 side studs hanging down on top so the side studs face the front. Now horizontally place a black 1x2 plate with 2 side studs sticking up on top so the side studs face the front.

18.2. Horizontally place a dark grey 1x3 jumper plate upright on the bottom front-facing side studs so it is centered horizontally. Then horizontally place a teal 1x2 plate upright on the top front-facing side studs.

18.3. Vertically place your part upright on the middle 2 left-facing side studs so it is centered vertically.

19. Place a black 3x3 round tile printed with stripes and black stars on the 2 leftmost columns of studs so it is centered on the studs and centered vertically on the build!

Group 5 - Nascar Chevrolet Camaro

20. Let's make a part! Horizontally place a black 2x4 brick with a mudguard in front of you so the mudguard faces the front. Now place a light orange 1x1 plate on the front left corner. Then repeat symmetrically to the right.

21. Place 2 light grey 1x1 round plates with a bar, 1 to the right of the other, on the back left corner so the bars face the back. Now horizontally attach a dark grey 1x2 rounded plate to the back-facing bars so it goes all the way in and the studs face the back. Now repeat everything symmetrically to the right.

22. Place 2 light orange 2x2 tiles with 2 studs, 1 to the right of the other, on top so the studs are in the back.

23. Horizontally place 2 light orange 1x2 plates with 2x2 side studs sticking up, 1 to the right of the other, on top so the side studs face the front.

24. Horizontally place a teal 1x2 plate upright on the bottom front-facing side studs so it is centered horizontally.

25. Horizontally place your part upright on the left-facing side studs of the main build so it is centered vertically and the mudguard overhangs 1 row to the top.

Building Instructions (Bag 2, Book 1):

Group 6 - Nascar Chevrolet Camaro

26. Let's make a part! Place a black 1x1 round tile with a top-facing bar in front of you. Then horizontally place a black 1x5 rounded plate with an axle hole on top so it is centered horizontally.

27. Place a black 1x1 plate with a side stud sticking up underneath the 2nd column from the left so the side stud faces the front. Then repeat symmetrically to the right.

28. Place a black 1x1 round plate underneath the leftmost column. Then repeat symmetrically to the right.

29. Place a black 1x1 round plate on the leftmost column. Then repeat symmetrically to the right. Now horizontally place a black 1x3 rounded plate in between the 2 ppp.

30. Horizontally place a light orange 1x3 tile on top so it is centered horizontally. Now place a light orange 1x1 quarter circle tile to the left so the curve faces the back left. Then repeat symmetrically to the right.

31. Horizontally place 2 light orange 1x2 plates with 2x2 side studs hanging down, 1 to the right of the other, upright on the front-facing side studs so they are centered horizontally and the side studs face down.

32. Flip your part upside down so it is vertical, the 2x4 side studs face up and 4 studs face the right. Now vertically place a black 2x4 rounded tile on the right column so it is centered vertically and overhangs 1 column to the right. Now horizontally place 4 dark grey 1x2 rounded plates, 1 in front of the other, underneath the rightmost column so 1 column is exposed to the right.

33. Vertically place a black 1x2 grill tile on the leftmost column so it is centered vertically. Then place a black 1x4 curved tile in front of the ppp so it overhangs to the front and the curve faces the front left. Then repeat symmetrically to the back.

34. Flip your main build upside down so it is horizontal and the 4 top-facing bars are on the left. Now vertically place the rightmost column of your part on top of the 4 top-facing bars so it is centered vertically. Make sure it attaches to the leftmost column of studs too!

35. Let's make a part! Vertically place a black 1x6 tile in front of you. Then place a dark grey 1x1 brick with a side stud underneath the front row so the side stud faces the left. Then repeat symmetrically to the back. Now vertically place your part on the leftmost column of studs, to the right of the 2x4 rounded tile so it is centered vertically and the side studs face the left.

36. Flip your part over so it is right side up, horizontal, and the round side faces the left. Now horizontally place a black 2x4 brick with a mudguard on the front row, above the front-facing pin so it is centered horizontally to it, 1 column overhangs to the front, and the mudguard faces the front. Now horizontally place a teal 1x2 plate on the back row of the ppp so it is centered horizontally to it. Then repeat both parts symmetrically to the back.

Group 7 - Nascar Chevrolet Camaro

37.1. Let's make a part! Place a black 2x2 plate in front of you. Then vertically place a black 1x2 hinge base on the left column so the wall faces the left. Now vertically place a light orange 1x2 slope tile with a sticker on the right column so it slopes to the left.

37.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 26 on the light orange 1x2 slope tile. This sticker is half black, half light orange, and has a purple stripe. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

37.3. Vertically place a dark grey 1x2 plate with a bar underneath on top of the hinge base. Now place a teal 1x1 round plate on the front row of the ppp. Now vertically place a light orange 2x2 angled sloped curved tile with a sticker on top so it slopes and overhangs to the left and the angled side faces the back. Now bend the ppp to the right so it slopes to the top left.

37.4. Skip this step if you have already placed your sticker! Ask a helper to place sticker 26 on the light orange 2x2 angled sloped curved tile. This sticker has a black grill and a red light on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

37.5. Place your part upright on the front left-facing side stud so the 2x2 angled sloped curved tile faces the front left and the longer end of it is on the bottom.

38.1. Let's make a part! Place a black 2x2 plate in front of you. Then vertically place a black 1x2 hinge base on the right column so the wall faces the right. Now vertically place a light orange 1x2 slope tile with a sticker on the left column so it slopes to the right.

38.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 21 on the light orange 1x2 slope tile. This sticker is half black, half light orange, and has a purple stripe. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

38.3. Vertically place a dark grey 1x2 plate with a bar underneath on top of the hinge base. Now place a teal 1x1 round plate on the front row of the ppp. Now vertically place a light orange 2x2 angled sloped curved tile with a sticker on top so it slopes and overhangs to the right and the angled side faces the back. Now bend the ppp to the left so it slopes to the top right.

38.4. Skip this step if you have already placed your sticker! Ask a helper to place sticker 25 on the light orange 2x2 angled sloped curved tile. This sticker has a black grill and a red light on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

38.5. Place your part upright on the back left-facing side stud so the 2x2 angled sloped curved tile faces the back left and the longer end of it is on the bottom.

39. Place a dark grey 2x2 curved corner plate on the 2nd and 3rd rows from the front on the 2nd and 3rd columns from the left so the curve faces the front left. Make sure it sits on 2 studs! Now repeat symmetrically to the back. Now place a black 1x1 slope tile on the 4th stud from the left of the front row so it slopes to the front. Then repeat symmetrically to the back.

40. Vertically place a black 1x2 plate on the leftmost column so it is centered vertically. Now place the left column of a black 1x3 curved corner plate in front of the ppp so the curve faces the front left. It should only sit on 2 studs! Then repeat symmetrically to the back.

41.1. Vertically place a light orange 1x2 tile with a round side on the leftmost column so it is centered vertically and the round side faces the right. Now place a light orange 2x2 tile with 2 missing 1x1 quarter circle corners in front of the ppp so the right angles face the front left and back right. Then repeat symmetrically to the back.

41.2. Place a light orange 1x2 curved tile on the front left corner so the curve faces the front left. Then vertically place a light orange 1x2 tile with a round side behind the right column of the ppp so the curve faces the left. Then repeat both parts symmetrically to the back.

42.1. Horizontally place a black 2x3 tile with a sticker on the front 2 rows on the 3 leftmost columns of studs. Then repeat symmetrically to the back.

42.2. Skip this step if you have already placed your stickers! Ask a helper to place sticker 22 on each of the 2 black 2x3 tiles. These stickers have an orange flame on them. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Building Instructions (Bag 3, Book 1):

Group 8 - Nascar Chevrolet Camaro

43. Horizontally place 2 black 1x1 plates attached to 2x6 side studs on the front row, above the front-facing side studs so 1 column overhangs to the left. It should sit on 2 studs! Now horizontally place a light orange 1x6 plate upright on the middle row of front-facing side studs.

44. Horizontally place a black 1x2 plate with 2 side studs sticking up, upright on the 2 rightmost front-facing side studs that are on the bottom row so the side studs face down. Now place a black 1x1 plate with a side stud sticking up, upright to the left of the ppp so the side stud faces down. Then horizontally place 2 black 1x2 plates with 2 side studs sticking up, upright to the left of the ppp so the side studs face down.

45.1. Horizontally place a black 1x2 slope tile with a sticker upright on the top left front-facing side studs so it slopes to the top.

45.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 20 on the black 1x2 slope tile. This sticker says nascar and cup series on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Group 9 - Nascar Chevrolet Camaro

45.3. Horizontally place a purple 1x2 slope tile with a sticker, upright on the top row of front-facing side studs to the right of the ppp so it slopes to the top. Then horizontally place a purple 1x2 slope tile upright to the right of the ppp so it slopes to the top.

45.3. Skip this step if you have already placed your sticker! Ask a helper to place sticker 17 on the purple 1x2 slope tile. This sticker has a bunch of black dots in a grid pattern on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

46.1. Horizontally place a purple 2x6 tile with a sticker upright on the 6 leftmost columns of front-facing side studs.

46.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 15 on the purple 2x6 tile. This sticker has an orange and purple flame on it and says 94 in teal. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

47. Rotate your main build 180 degrees so it is horizontal and the pins are on the right and face the front and back. Horizontally place 2 black 1x1 plates attached to 2x6 side studs on the front row, above the front-facing side studs so 1 column overhangs to the right. It should sit on 2 studs! Now horizontally place a light orange 1x6 plate upright on the middle row of front-facing side studs.

48. Horizontally place a black 1x2 plate with 2 side studs sticking up, upright on the 2 leftmost front-facing side studs that are on the bottom row so the side studs face down. Now place a black 1x1 plate with a side stud sticking up, upright to the right of the ppp so the side stud faces down. Then horizontally place 2 black 1x2 plates with 2 side studs sticking up, upright to the right of the ppp so the side studs face down.

49.1. Horizontally place a purple 1x2 slope tile upright on the top left front-facing side studs so it slopes up. Now horizontally place a purple 1x2 slope tile with a sticker upright to the right of the ppp so it slopes up.

49.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 16 on the purple 1x2 slope tile. This sticker has a bunch of black dots in a grid pattern on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Group 10 - Nascar Chevrolet Camaro

49.3. Horizontally place a black 1x2 slope tile with a sticker upright on the front-facing side studs to the right of the ppp so it slopes up.

49.4. Skip this step if you have already placed your sticker! Ask a helper to place sticker 18 on the black 1x2 slope tile. This sticker says nascar and cup series on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

50.1. Horizontally place a purple 2x6 tile with a sticker upright on the 6 rightmost columns of front-facing side studs.

50.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 14 on the purple 2x6 tile. This sticker has an orange and purple flame on it and says 94 in teal. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

51.1. Let's make a part! Horizontally place a black 1x6 plate in front of you. Then horizontally place a dark grey 1x2 rounded plate on the 2 leftmost columns. Then repeat symmetrically to the right.

51.2. Stack 2 black 1x1 round plates on the 3rd column from the left. Then place a light grey 1x1 tile with a clip to the right so the clip hands face the front and back.

51.3. Place a black 2x2 corner plate on the 2 leftmost columns so it overhangs 1 row to the back and looks like the braille letter h. Then repeat symmetrically to the right.

51.4. Vertically place your part to the right of the steering wheel so it is centered vertically and the overhang faces the right.

52. Place a black 2x2 triangle tile on the back right corner of the ppp so the right angle faces the back right. Then repeat symmetrically to the front. Now place a red 1x1 tile behind the left column of the ppp.

53.1. Vertically place a black 1x2 slope tile with a sticker behind the ppp so there is a 1 row gap in between them and it slopes to the right.

53.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 30 on the black 1x2 slope tile. This sticker has white and lime green meters and dials on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

54. Let's make a part! Vertically place a dark grey 2x6 plate with bricks with axle holes on the sides in front of you. Then insert a tan 2L pin axle into the front-facing axle hole so the pin faces the front. Then repeat symmetrically to the back.

55. Place a purple 2x2 plate on top so it is centered vertically.

56. Vertically place a dark grey 1x2 rounded plate on the left column so it is centered vertically.

57. Horizontally place a dark grey 1x3 plate on the 2nd row from the front so it overhangs 1 column to the left. Now place a black 1x1 round plate on the leftmost column of the ppp. Then place a light grey 1x1 round plate with a bar on top of the ppp so the bar faces the left. Now repeat everything symmetrically to the back.

58. Vertically place your part underneath the 2 leftmost columns of the main build so it is centered vertically and 1 column is exposed to the left and the bars face the left.

59. Vertically place a black 2x4 plate on the 2nd and 3rd columns from the left so it is centered vertically.

60. Vertically place a gold 1x2 plate with 2 side studs hanging down on the 2nd column from the left so it is centered vertically and the side studs face the left. Now horizontally place a black 2x4 plate to the right of the ppp so it is centered vertically.

61. Vertically place a black 1x6 brick on the rightmost column of the ppp.

Group 11 - Nascar Chevrolet Camaro

62. Vertically place a dark grey 1x2 rounded plate to the left of the ppp so it is centered vertically. Now place a short light blue 1x1 round brick with a side stud in front of the ppp so the side stud faces the front. Then horizontally place a light grey 1x4 plate to the left of the ppp. Now repeat both parts symmetrically to the back.

63. Attach a lime green 1x1 round plate to each of the left-facing bars so the studs face the left. Make sure they go all the way in! Now horizontally place a black 1x2x1 panel with 3 walls upright on the middle 2 left-facing side studs so the wall faces up.

64. Vertically place a black 2x4 plate on the 2nd and 3rd columns from the left so it is centered vertically. Now vertically place 2 light grey 1x4 plates, 1 to the right of the other, to the right of the ppp so they are centered vertically.

65. Let's make a part! Vertically place a black 1x6 plate in front of you. Then vertically place a black 1x2 plate with a bar on the long side on top so it is centered vertically and the bar faces the right.

Group 12 - Nascar Chevrolet Camaro

66. Place a black 1x1 round plate on the back row. Then horizontally place a dark grey 1x2 rounded plate in front of the ppp so it overhangs 1 column to the right. Now repeat both parts symmetrically to the front.

67. Vertically place a black 1x2 grill tile on the left column so it is centered vertically.

68. Place 2 black 1x1x1 corner panels, 1 in front of the other, on the front left corner so the corner walls face the front right. Now repeat symmetrically to the back.

69. Vertically attach the right column of your part upright on the left-facing bars so it is centered vertically and hangs 1 row down.

Building Instructions (Bag 4, Book 1):

Group 13 - Nascar Chevrolet Camaro

70.1. Let's make a part! Place a purple 1x1 plate with 2 side studs sticking up in front of you so the side studs face the back. Then place a transparent black 1x1 brick on top. Now vertically place a purple 1x2 tile with a sticker on top so it overhangs 1 row to the front.

70.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 7 on the purple 1x2 tile. This sticker has an orange flame on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

70.3. Place your part upright on the 2 front-facing side studs that are on the 5th column of studs from the left so the tile faces the front and the studs face up.

71.1. Let's make a part! Place a purple 1x1 plate with 2 side studs sticking up in front of you so the side studs face the front. Then place a transparent black 1x1 brick on top. Now vertically place a purple 1x2 tile with a sticker on top so it overhangs 1 row to the back.

71.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 8 on the purple 1x2 tile. This sticker has an orange flame on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

71.3. Place your part upright on the 2 back-facing side studs that are on the 5th column of studs from the left so the tile faces the front and the studs face up.

72.1. Let's make a part! Horizontally place a light orange 2x4 brick with a mudguard in front of you so the mudguard faces the back. Now place a teal 1x1 plate on the back left corner. Then horizontally place a dark grey 1x2 jumper plate on the front left corner. Now place a purple 2x2 corner plate on the 2 rightmost columns so it looks like the braille letter j.

72.2. Horizontally place your part on the back row above the back-facing pin so it is centered horizontally to it, overhangs 1 column to the left and 1 row to the back, and the mudguard faces the back.

73.1. Let's make a part! Horizontally place a light orange 2x4 brick with a mudguard in front of you so the mudguard faces the front. Now place a teal 1x1 plate on the front left corner. Then horizontally place a dark grey 1x2 jumper plate on the back left corner. Now place a purple 2x2 corner plate on the 2 rightmost columns so it looks like the braille letter d.

73.2. Horizontally place your part on the front row above the front-facing pin so it is centered horizontally to it, overhangs 1 column to the left and 1 row to the front, and the mudguard faces the front.

74. Horizontally place a teal 1x2 plate behind the 2 rightmost columns of the previous part. Then repeat symmetrically to the back.

75.1. Let's make a part! Horizontally place a teal 2x4 plate in front of you. Then vertically place a teal 1x2x1 panel on the leftmost column so the wall faces the left. Now vertically place 2 teal 1x2 plates with 2x2 side studs sticking up, 1 in front of the other, underneath the leftmost column so they are centered vertically and the side studs face the left.

75.2. Place your part on the 4 leftmost columns of studs so it is centered vertically and the side studs face the left.

76. Vertically place a light orange 1x6 plate on the 5th column from the left so it is centered vertically. Then place a purple 1x1 quarter circle tile in front of the ppp so the curve faces the front right. Then repeat symmetrically to the back.

77. Place a purple 2x2 plate on the back 2 rows to the left of the ppp. Then horizontally place a light grey 1x2 plate with a bar on the short side in front of the ppp so the bar faces the left. Then repeat both parts symmetrically to the front. Now place a purple 2x2 plate in between the 4 ppp so it is centered vertically.

Group 14 - Nascar Chevrolet Camaro

78. Place a black 1x1 plate with a vertical tooth on the front row of the 6th column from the left so the tooth faces the right. Now place the right column of a black 2x2 corner plate behind the ppp so it looks like the braille letter j. Then place a black 1x1 round plate behind the right column of the ppp. Now place the right column of a black 2x2 corner plate behind the ppp so it looks like the braille letter j.

79. Horizontally place a purple 1x2 plate on the 2nd row from the front on the 4th and 5th columns from the left. Then repeat symmetrically to the back.

80. Vertically place a black 1x3 plate on the 6th column from the left and 2nd, 3rd, and 4th rows from the front. Now place a dark grey 1x1 plate with a side stud sticking up behind the ppp so the side stud faces the right. Now place a dark grey 1x1 tile upright on the right-facing side stud.

81. Place a transparent black 1x1 plate on the front row of the 6th column from the left. Then vertically place the front row of a transparent black 1x2 plate to the left. Now repeat both parts symmetrically to the back.

82.1. Vertically place a purple 1x2 plate with 2 1x3 angled sloped curved bricks on the back 4 rows on the 3rd and 4th columns from the left so the studs are on the left and it slopes to the right.

82.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 13 on the purple 1x2 plate with 2 1x3 angled sloped curved bricks. This sticker has a teal and purple gradient on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

83.1. Vertically place a purple 1x2 plate with 2 1x3 angled sloped curved bricks in front of the ppp so the studs are on the left and it slopes to the right.

83.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 9 on the purple 1x2 plate with 2 1x3 angled sloped curved bricks. This sticker has a teal and purple gradient on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

84. Place a teal 1x1 brick on the front row on the 2nd column from the left. Then repeat symmetrically to the back.

85.1. Let's make 2 identical parts! Place a teal 1x1 brick with a side stud and bottom lip in front of you so the side stud faces the front. Then place a light orange 1x1 round tile with a top-facing bar on top. Now place the side stud of a purple 1x1 plate with a side stud hanging down on top of the ppp so the stud faces the front.

85.2. Now you should have 2 identical parts! Horizontally place 1 part on its side on the 3 leftmost columns of the 2nd row from the front so the anti-stud of the brick with a side stud and bottom lip faces the left. Then repeat symmetrically to the back.

86. Horizontally place 3 teal 1x2x1 panels, 1 in front of the other, upright on the top row of left-facing side studs so they are centered horizontally and the walls face up.

87. Place a teal 1x1 slope tile on the 2nd row from the front of the leftmost column so it slopes to the left. Then horizontally place a purple 1x2 plate to the right of the ppp. Now repeat both parts symmetrically to the back.

88. Horizontally place 2 black 1x2 plates with an inverted slope, 1 in front of the other, on the 6th and 7th columns from the left so they are centered vertically and slope to the right. Now place a black 1x1 round plate in front of the left column of the 2 ppp. Then repeat symmetrically to the back.

89. Place 2 black 2x2 sloped curved tiles, 1 in front of the other on the 5th and 6th columns from the left so they are centered vertically and slope to the left.

90. Horizontally place a transparent black 1x2 brick in front of the 2 ppp. Then place a transparent black 1x1 brick to the left of the ppp. Now repeat both parts symmetrically to the back.

91. Vertically place a purple 1x6 tile on the right column of the 1x2 bricks from the previous step so it is centered vertically.

92.1. Horizontally place a purple 1x4 sloped curved brick with a sticker to the left of the front row of the ppp so it slopes to the left.

92.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 10 on the purple 1x4 sloped curved brick. This sticker has a teal and purple gradient on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

92.3. Repeat the previous step symmetrically to the back.

92.4. Skip this step if you have already placed your sticker! Ask a helper to place sticker 12 on the purple 1x4 sloped curved brick. This sticker has a teal and purple gradient on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Building Instructions (Bag 5, Book 1):

Group 15 - Nascar Chevrolet Camaro

93. Place a teal 1x1 brick with a side stud on the front left corner so the side stud faces the left. Then repeat symmetrically to the back.

94.1. Let's make a part! Horizontally place a transparent 2x3 tile with 2 clips in front of you so the clips face the right. Now place a transparent 2x2 inverted round tile with a rounded bottom underneath the front left corner so 1 row is exposed to the front. Then repeat symmetrically to the back. Now place a transparent 2x2 corner sloped curved tile with a stud on the front left corner so the stud is in the back right. Now repeat symmetrically to the back.

94.2. Vertically attach the clips of your part to the left-facing bar so the tile side faces up. Now flip your part up so the anti-studs face the left.

95.1. Let's make a part! Place a teal 1x1x2 brick with 2 side studs in front of you so the side studs face the right. Now place a teal 1x2x2 brick with 2x2 side studs and a sticker upright on the right-facing side studs so the side studs face the front.

95.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the teal 1x2x2 brick with 2x2 side studs. This sticker has orange flames on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

95.2. Place a short light blue 1x1 round brick with a side stud on the top right front-facing side stud so the side stud faces up. Now vertically place a teal 1x2 slope tile on the right-facing side studs so it slopes up.

95.3. Place your part upright on the left-facing side stud that is on the front row so it hangs 2 rows down, the 2x2 side studs face the back, and the 1x2 tile faces down.

96.1. Let's make a part! Place a teal 1x1x2 brick with 2 side studs and a sticker in front of you so the side studs face the left.

96.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 29 on the teal 1x1x2 brick with 2 side studs. This sticker has a yellow gas cap on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

96.3. Place a teal 1x2x2 brick with 2x2 side studs and a sticker upright on the left-facing side studs so the side studs face the front.

96.4. Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the teal 1x2x2 brick with 2x2 side studs. This sticker has orange flames on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

96.5. Place a short light blue 1x1 round brick with a side stud on the top left front-facing side stud so the side stud faces up. Now vertically place a teal 1x2 slope tile on the left-facing side studs so it slopes up.

96.6. Place your part upright on the left-facing side stud that is on the back row so it hangs 2 rows down, the 2x2 side studs face the front, and the 1x2 tile faces down.

97. Let's make a part! Horizontally place a dark grey 1x2 plate with 2x4 side studs hanging down in front of you so the side studs face the front. Now horizontally place a teal 1x2 plate upright on the top row of front-facing side studs so it is centered horizontally.

98.1. Horizontally place a teal 2x4 tile with a sticker upright on the bottom row of front-facing side studs so 1 row overhangs to the bottom

98.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 28 on the teal 2x4 tile. This sticker says Camaro on it and has a black logo which looks like a cross with a longer horizontal part. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

99.1. Horizontally place a teal 1x2 tile upright on the front-facing side studs so it is centered horizontally. Then horizontally place a teal 1x3 sloped curved brick with a sticker upright on the top left front-facing side stud so it slopes and overhangs 2 columns to the left.

99.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 5 on the teal 1x3 sloped curved brick. This sticker says ZLO on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

99.3. Horizontally place a teal 1x3 sloped curved brick with a sticker upright on the top right front-facing side stud so it slopes and overhangs 2 columns to the right.

99.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 6 on the teal 1x3 sloped curved brick. This sticker has a black background and says nascar on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

100. Flip your part upside down so it is horizontal and the tiles face the back. Now horizontally place a lime green 1x2 plate with a clip on the long side on the front row so the clip faces the front. Then horizontally place a black 1x2 panel with 3 walls underneath your part so it is centered horizontally and the wall faces the front.

101. Attach the clip of your part to the left-facing bar so it is centered horizontally and attaches to the studs.

102.1. Let's make a part! Horizontally place a teal 1x2 plate in front of you. Then place a teal 2x2 sloped curved tile with a sticker on top so it slopes and overhangs to the front. Now place it upright on the front left-facing side stud so it slopes to the front and there is no overhang.

102.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the teal 2x2 sloped curved tile. This sticker has a red rear light on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

103.1. Let's make a part! Horizontally place a teal 1x2 plate in front of you. Then place a teal 2x2 sloped curved tile with a sticker on top so it slopes and overhangs to the front. Now place it upright on the back left-facing side stud so it slopes to the back and there is no overhang.

103.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the teal 2x2 sloped curved tile. This sticker has a red rear light on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

104.1 Let's make a part! Horizontally place a transparent black 1x4x3 panel with a sticker in front of you so the wall faces the front. Now horizontally place a transparent black 1x2 plate on top so it is centered horizontally.

104.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 19 on the transparent black 1x4x3 panel. This sticker says cup series on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

105. Place a black 1x1 plate with a clip on the leftmost column so the clip faces the back. Then repeat symmetrically to the right. Now horizontally place a transparent black 1x4x1 panel on top so the wall faces the front.

106. Attach the clips of your part to the top-facing bars that are on the leftmost stud column so it is centered vertically and the anti-studs of the 1x4x3 panel face the right.

107. Let's make 3 identical parts! Attach a light grey 3L bar to a bar holder with a bar. Now you should have 4 identical parts! Rotate your main build 180 degrees. Now attach the bars of your parts on each of the 3 top-facing clips that are on the back 2 rows behind the driver seat area so the 3L bars face up.

108-109. Bend the 3L bar of the middle ppp to the front right. Now bend the 4L bar of the leftmost ppp to the right. Then bend the 3L bar of the rightmost ppp to the front.

110.2. Let's make a part! Vertically place a transparent black 6x6 windshield with a sticker in front of you so it slopes to the left.

110.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 27 on the transparent black 6x6 windshield. This sticker says camaro on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

110.3. Vertically place a purple 2x6 tile with a sticker on top of the ppp so it is centered vertically.

110.4. Skip this step if you have already placed your sticker! Ask a helper to place sticker 11 on the purple 2x6 tile. This sticker says 94 in teal and has orange flames on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

110.5. Place your part on top to the right of the 3x3 rounded tile that is on the left side so it is centered vertically, slopes to the left, and the rightmost column sits on 2 studs.

111.1. Let's make 4 identical parts! Insert a black wheel into a black tire and orient it so the stud faces up. Now place a black 2x2 round rim printed with the word camaro in yellow on top.

111.2. Now you should have 4 identical parts! Attach them to the front and back facing pins so the rims face outwards.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 4 LEGO Speed Champions Theme kits:

76934 Ferrari F40 Supercar

76935 NASCAR® Next Gen Chevrolet Camaro ZL1

76924 Mercedes-AMG G 63 & Mercedes-AMG SL 63

76923 Lamborghini Lambo V12 Vision GT Super Car