

30688 Tropical Toucan 3-in-1.

Set adapted by Todd Kubo and Tested by Natalie Charbonneau.

This fantastic 3in1 playset lets animal fans build a cute Tropical Toucan with a flower before rebuilding it into a fish swimming among corals, or a penguin.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

For builders with low vision, or a sighted building partner who may want to follow along with the printed visual instructions that come with each set, PDF versions are always online at [\[https://www.lego.com/en-us/service/buildinginstructions/30688\]](https://www.lego.com/en-us/service/buildinginstructions/30688): As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals. Be sure for this build to download the main instruction. There are 2 additional builds that can be completed with the same pieces in the polybag, but sadly only 1 model can be completed at a time. The other instructions can also be found at the URL provided.

To begin a successful build, it helps to sort the pieces into groups, bags or small containers. Have a sighted friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted into groups according to the building steps in the set. Doing this in advance makes locating the pieces easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers or meaningful names. The parts will be collected into a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2 and 3, and put them in one container.

This colorful polybag features a photo of the completed Tropical Toucan on a perch. The LEGO logo and the word "Creator" to the right indicating the theme of the set. A yellow arrow pointed down has the text "3 in 1" directing you to smaller photos of a tropical fish with a coral base and then another arrow directing you to the penguin alternate builds for this polybag.

For this small set, there are a few steps where there are the same bricks, but in different colors. Since the number of building steps are limited for the size of the set. We recommend sorting these into separate piles and letting the builder know where the specific color of those bricks is located.

The build is 59 pieces and recommended for ages 6+.

1 Polybag - 5 groups of bricks.

Group 1, contains bricks for Steps 1 through 4.

Group 2, contains bricks for Steps 5 through 8.

Group 3, contains bricks for Steps 9 and 10.

Group 4, contains bricks for Steps 11 and 12.

Group 5, contains bricks for Step 13.

Ready to build your Tropical friend? Let's get started!

Group 1, Steps 1 through 4. Build the Toucan body!

1. Place 1 white 4x2 inverted double slope with 2x2 recessed center horizontally in front of you. This piece has inverted slope sides that angle upward, they should be to the left and right. Place 1 light grey 1x4 modified plate with offset studs vertically centered on the right column of the 2x2 recessed center. There will be studs slightly offset to the left, overhanging the back and the front by 1 row.

2. Sorting note: these pieces should be in different piles or locations. Locate 2 white 1x2 plates and 1 yellow 1x2 plate. Stack the 2 1x2 white plates vertically on top of each other. Then place the stacked part vertically centered on the left column of the 2x2 recessed center to the left of the 1x4 plate. Place the 1x2 yellow plate vertically centered on the 1x4 plate in the right column of the 2x2 recessed center.

3. Locate 2 white 2x2 tall bricks with 4 studs, 1 black 1x2 brick, 1 black 2x3 slope and 1 black 3x4 wedge plate with notch. Place the 1st 2x2 tall brick horizontally aligned to the left, on the back rows, leftmost 2 studs, with the 4 studs facing back. Place the 2nd 2x2 tall brick symmetrically on the front side. Place the 1x2 brick vertically and vertically centered to the right of the 2 tall bricks.

Make a part. Orient the 3x4 wedge to have the point to the left and the notch on the right. Place the 2x3 slope horizontally and horizontally aligned with the notch on the right, on top of the 3x4 wedge with the slope facing right. This piece will overhang 1 column to the left.

Then place the left column anti-stud side of the 2x3 slope to the right of the 1x2 brick on the rightmost column of the body build. The left side 2x2 section will be 2 plates higher than the right side 2x2 section of studs. The body has tail feathers!

4. Locate 1 white 2x2 brick and 1 black 2x2x2 slope. Place the 2x2 brick on the leftmost 2x2 section of studs. Place the 2x2x2 slope on the right 2x2 section of studs with the slope facing right. The left most 2x2 section of studs is now 1 plate lower than the right column of studs.

Group 2, Steps 5 through 8. Build the Toucan wings!

5.1. Make a part. Locate 1 black 1x2 plate and 1 black 2x2 corner plate. With the 2x2 corner plate oriented to have the corner to the back left (it will look like the Braille letter F) , place the 1x2 plate horizontally on the back row. The front stud should be uncovered.

5.2. Locate 1 black 3x2 left curved slope wedge with no studs and angled corner. The part has a "stair-step" anti-stud side of the piece. Place it on top of the PPPs with the curved slope facing front and the angle to the front right.

Rotate the part upright with the angle on the right, and place it horizontally on the right column of the front facing 4 studs. The angle of the slope should slightly mirror the sloped back of the Toucan build.

Locate 1 black 1x2 curved slope with no studs and place it vertically on the left column of the front facing studs, with the curve to the left.

6.1. Make a part. Locate 1 black 1x2 plate and 1 black 2x2 corner plate. With the 2x2 corner plate oriented to have the corner to the back right (it will look like the Braille letter D), place the 1x2 plate horizontally on the back row. The front stud should be uncovered.

6.2. Locate 1 black 3x2 right curved slope wedge with no studs and angled corner. This is a mirror part of the other 3x2 curved slope wedge with no studs and angled corner. Place it on top of the PPPs with the curved slope facing front and the angle to the front left.

Rotate the Toucan body so that the sloped back faces left. Then rotate the part upright, and place it horizontally on the left column of the now front facing 4 studs. The angle of the slope should slightly mirror the sloped back of the Toucan build.

Locate 1 black 1x2 curved slope with no studs and place it vertically on the right column of the front facing studs, with the curve to the right.

7. Locate 2 white 1x2 bricks with 1 side stud. Place the 1st 1x2 brick horizontally on the rightmost studs of the back row, with the side stud facing back. Place the 2nd 1x2 brick symmetrically on the front.

8. Locate 2 black 2x1x1 1/3 curved slopes with recessed stud, 1 black 1x2 plate and 2 white 2x2 round tiles with eye with metallic light blue iris and black pupil print. Place the 1x2 plate vertically on the rightmost column. Place the 1st 2x1x1 1/3 curved slope with recessed stud horizontally on the back row, to left of the PPP connecting to the left and the slope facing left. Place the 2nd 2x1x1 1/3 slope in front of the PPP in the same orientation.

Place the 1st 2x2 round eye printed tile on the side stud facing the front, with the pupil of the eye looking to the lower right. Place the 2nd 2x2 round eye printed tile symmetrically on the side stud facing the back. Set the Toucan body aside.

Group 3, Steps 9 and 10. Build the beak of the Toucan and finish the bird.

9.1. Make a part. Locate 1 yellow 1x4 plate and 1 black 1x1 plate. Orient the 1x4 plate horizontally, and then place the 1x1 plate on the rightmost stud.

9.2. Sorting note: these pieces should be in different piles or locations. Locate 1 light yellow 1x1 brick, 1 light orange 1x1 brick, 1 orange 1x1 brick, 1 black 1x1 plate and 1 black 2x1x1 1/3 curved slope with recessed stud. Place the 1x1 light yellow brick on the leftmost stud, then place the light orange 1x1 brick to the right. Place the orange 1x1 brick to the right of the PPP. Place the 2x1x1 1/3 curved slope with recessed stud on the rightmost stud, with the curved slope overhanging to the right and the slope facing right. Then place the 1x1 plate on the rightmost recessed stud.

9.3. Locate 1 yellow 1x2 plate and place it horizontally, on the leftmost studs of the beak build.

9.4. Locate 1 black 2x2 plate with rounded end and pin hole. Orient the piece horizontally with the pin hole on the right. Connect the pin hole on top of the leftmost stud, with the 2x2 section of the plate overhanging to the left.

9.5. Locate 1 yellow 1x4 curved slope tile and place it horizontally aligned with the rightmost stud, connecting to the left. The left side of the curved slope will not have a stud to connect to, but will keep the piece placed in the previous step secured on the beak. Locate 1 black 1x2 plate and place it vertically aligned on the right column of the 2x2 section overhanging on the left side. The beak is complete, next to connect to the body and finish our Toucan!

Locate the Toucan body and orient it horizontally with the tail feathers on the left. Place the beak part on the 2x2 section of studs on the top of the head, the rounded end with pin hole overhanging on the right. The beak should be pointed to the right.

10. Locate 2 yellow 2x1 plates with slope. This plate has a 45-degree slope on one end and 1 single stud on the other. Connect the plate section of the 1st 2x1 plate with slope horizontally on the overhanging round anti-stud at the bottom front of the build with the slope facing right. Connect the 2nd 2x1 plate with slope horizontally symmetrically on the back.

That's it! Your tropical Toucan bird is complete! Now let's build the tropical perch our bird occupies!

Group 4, Steps 11 and 12. Build the tropical perch!

11.1. Make a part. Locate 1 yellow 1x2 plate and 2 brown 2x1 plates with slope. Orient the 1x2 plate horizontally, then place the 2 2x1 plates with slope vertically, side-by-side on the 1x2 plate, with the slopes overhanging to the back and facing back.

11.2. Locate 1 lime green 3x6 half round plate with 1x2 cutout. Orient the 3x6 so that the half round curve is to the back and the 1x2 cutout is in front. Place the 1x2 plate part from the previous step, horizontally into the 1x2 cutout and connect the slopes to the 3x6 half round plate. The slopes will still face back.

11.3. Locate 2 brown 2x1 plates with slope. Place the 1st 2x1 plate with slope vertically on the column to the left of and aligned with the connected 2x1 plates with slope in the center of the part. Place the 2nd 2x1 plate with slope vertically on the column to the right of the connected plates in the center of the part. The completed part will have 4 2x1 plates with slope pieces side-by-side and aligned to the front with the slopes all facing the back.

11.4. Locate 2 dark grey 1x2 plates with a vertical clip on the short side, and 1 brown 1x4 rounded plate. Place the 1st 1x2 plate with a vertical clip on the short side horizontally on the left 2 studs of the front row with the end vertical clip to the left. Place the 2nd 1x2 plate with a vertical clip on the short side symmetrically on the right side of the front row. Then place the 1x4 rounded plate horizontally aligned on top of the PPPs.

Now rotate the part so that the half round curve is to the front. Place your Toucan horizontally on its perch connecting the claws to the 1x4 rounded plate!

12. Locate 1 green 1L bar with angled stud and clip the bar into the vertical clip on the right and turn the angled stud to point to the front right.

Group 5, Step 13. Finish the build! Add a tropical flower to the perch!

13.1. Make a part. Locate 1 dark pink 2x2 round plate and 1 red leaf plate. Place the leaf plate on 1 of the studs of the 2x2 round plate and rotate the 3 leaves to point away from the center of the round plate.

13.2. Locate 3 red leaf plates. Continue placing the leaf plates on the remaining studs of the 2x2 round plate, with the 3 leaves of each leaf plate to all point away from the center of the 2x2 round plate.

13.3. Locate 1 dark pink 2x2 round plate and place it on top of all the 4 leaf plates pointed away from the center of the part. Locate 1 light yellow 1x1 round plate with petals and connect it in the center of the 2x2 round plate, using the friction of the 4 studs to keep this in place

13.4. Locate 1 green 3x4 plant leaf and 1 green 1L bar with angled stud. Orient the 3x4 plant leaf with the "stem" on the right and the rays of the leaf pointing to the left. Insert the 1L bar vertically into the leftmost open stud of the plant leaf, with the angled stud to the front. Place the flower part just completed, center tube of the 2x2 round plate on the bottom on top of the angled stud.

Then connect the stem of the part vertically onto the angled stud on the lower right of the perch to the right of the Toucan, and rotate the flower to face front.

That's it! Congratulations you've completed the Tropical Toucan! The main build of this Creator 3-in-1 Polybag is done! Unfortunately, you can't build the additional models of the polybag without taking this build apart, so once you're ready, separate the bricks and sort them again to build the next model!

Alternate build 1 – The Penguin.

1 Polybag – 3 Groups of bricks.

Group 1 contains bricks for Steps 1 through 5.

Group 2 contains bricks for Steps 6 through 11.

Group 3 contains bricks for Steps 12 through 17.

Let's build the Penguin!

Group 1, Steps 1 through 5

1. Place 1 white 4x2 inverted double slope with 2x2 recessed center horizontally in front of you. This piece has inverted slope sides that angle upward, they should be to the left and right.

2. Locate 1 brown 1x4 rounded plate and place it vertically centered on the right column of the 2x2 recessed center section of the PPP. This will overhang by 1 row to the front and back and be 1 plate high off the table.

3. Locate 2 brown 2x1 plates with slope. This plate has a 45-degree slope on one end and 1 single stud on the other. Connect the 1st 2x1 plate to the anti-stud side of the round plate overhanging in the back row, with the slope facing to the left. Connect the 2nd 2x1 plate to the anti-stud side of the round plate overhanging in the front row, with the slope facing to the left.

4. Locate 1 black 1x2 brick and 1 white 1x2 plate. Place the 1x2 brick vertically on the left column of the 2x2 recessed center section of the build. Place the 1x2 plate vertically on the left most column of the Penguin build.

5. Locate 2 brown 2x1 plates with slope. Place the 1st 2x1 plate with slope vertically on the back 2 studs of the right column of the 2x2 recessed center section, with the slope facing the back. Place the 2nd 2x1 plate with slope symmetrically in front of the PPP. The pieces should not overhang.

Group 2, Steps 6 through 11.

6. Locate 2 black 1x2 plates and 1 white 2x2 brick. Place the 1st 1x2 plate horizontally on the leftmost studs of the back row. Place the 2nd 1x2 plate symmetrically in front of the PPP. Place the 2x2 brick aligned on the 2x2 section to the right of the 2 plates. The left side 2x2 section should be 1 plate lower than the right 2x2 section.

7. Locate 1 black 2x2x2 slope and 2 white 2x2 tall bricks with 4 studs. Place the 2x2x2 slope on top of the left 2x2 section, with the slope facing left. Place the 1st 2x2 tall brick horizontally on the back row of the right 2x2 section with the 4 studs facing back. Place the 2nd 2x2 tall brick symmetrically in front of the PPP with the 4 studs facing front.

8. Locate 1 black 1x1 plate and place it on the lower left stud of the front facing 2x2 section of studs.

9. Locate 1 black 3x2 right curved slope wedge with no studs and angled corner and rotate it vertically so the slope is to the front and towards the ceiling, then place the 1x1 anti stud section of the 3x2 curved slope on the 1x1 with the angled corner to the top right. This will not completely cover the top right stud and the lower row of the piece will not connect to any studs.

10. Rotate the Penguin build 180-degrees so the back is now the front. Locate 1 black 1x1 plate and place it on the lower right stud of the front facing 2x2 section of studs.

11. Locate 1 black 3x2 left curved slope wedge with no studs and angled corner and rotate it vertically so the slope is to the front and towards the ceiling, then place the 1x1 anti stud section of the 3x2 curved slope on the 1x1 with the angled corner to the top left. This will not completely cover the top left stud and the lower row of the piece will not connect to any studs.

Group 3, Steps 12 through 17.

12. Rotate the Penguin build back 180-degrees so the slope is once again facing left. Place 1 white 1x2 plate vertically on the rightmost column.

13. Locate 2 yellow 2x1 plates with slope, 1 yellow 1x2 plate and 1 black 1x2 plate. Place the 1x2 black plate vertically aligned on top of the PPP. Place the 1x2 yellow plate vertically to the left of the last piece placed. Place the 1st 2x1 plate with slope horizontally on the back stud of the leftmost column with the slope overhanging 1 stud left, facing left. Place the 2nd 2x1 plate with slope symmetrically in front of the PPP with the slope overhanging 1 stud left, facing left.

14. Locate 2 white 1x2 bricks with 1 side stud. Place the 1st 1x2 brick horizontally on the leftmost studs of the back row, with the side stud facing back. Place the 2nd 1x2 brick symmetrically in front of the PPP with the side stud facing front.

15. Locate 2 black 2x1x1 1/3 curved slopes with recessed stud. Place the 1st 2x1x1 1/3 curved slope with recessed stud horizontally on top of the back stud of the right column of the pieces placed in the previous step, connecting to the right. and the slope facing right. Place the 2nd 2x1x1 1/3 slope in front of the PPP, connecting to the right and slope facing right.

16. Locate 2 white 2x2 round tiles with eye with metallic light blue iris and black pupil print. Place the 1st 2x2 round eye printed tile on the side stud facing the front, with the pupil of the eye looking to the lower left. Place the 2nd 2x2 round eye printed tile symmetrically on the side stud facing the back.

17. Locate 1 black 1x2 curved slope with no studs and place it vertically centered on the leftmost column, with the curve to the left. Locate 1 black 1x2 plate and place it vertically to the right of the PPP.

There you go! The Penguin is complete!

Now let's move off the land and away from the avian builds and make another alternate model. This time we'll build a tropical fish and some reef scenery!

Alternate build 2 – The Tropical fish.

1 Polybag – 3 Groups of bricks.

Group 1 contains bricks for Steps 1 through 6.

Group 2 contains bricks for Steps 7 through 12.

Group 3 contains bricks for Steps 13 through 15.

Group 4 contains bricks for Steps 16 through 22.

Let's build the Tropical fish!

Group 1, Steps 1 through 6. Build the Coral base.

1. Locate 1 dark pink 2x2 round plate and 2 black 2x2 corner plates. Place the front stud of the 1st 2x2 corner plate (will look like the Braille letter D) vertically on the right back stud of the 2x2 round plate. Place the 2nd 2x2 corner plate symmetrically in front of the PPP with the corner to the front. (will look like Braille letter J)

2. Locate 4 brown 2x1 plates with slope. Connect the 1st 2x1 plate with slope horizontally under the left stud of the back row, with the slope facing left. Connect the 2nd 2x1 plate with slope horizontally under the right stud of the back row, with the slope facing right. Connect the 3rd 2x1 plate with slope under the left stud of the front row, with the slope facing left. Connect the 4th 2x1 plate with slope under the right stud of the front row, with the slope facing right.

3. Locate 1 brown 1x4 round plate and place it vertically on top of the right column.

4. Locate 2 black 1x1 plates and 1 black 1x2 curved slope with no studs. Place the 1x2 curved slope vertically and vertically centered on top of the PPP with the curve facing right. Place the 1st 1x1 plate on the left recessed back stud of the left column. Place the 2nd 1x1 plate on the left recessed front stud of the left column.

5. Locate 1 white 2x2 tall brick with 4 studs and place it vertically centered on the left column recessed studs on top of the left edge of the 2x2 round plate, with the 4 studs facing left.

6. Locate 2 dark grey 1x2 plates with vertical end clip. Place the 1st 1x2 plate horizontally on the back row with the clip to the left. Place the 2nd 1x2 plate horizontally aligned on the front row with the clip to the left.

Group 2, Steps 7 through 12. Continue building the Coral base.

7. Locate 1 black 1x2 curved slope with no studs and place it vertically on the back column of the 4 studs facing left on the left, with the curve to the back.

8. Locate 2 black 2x1x1 1/3 curved slopes with recessed stud. Place the 1st 2x1x1 1/3 curved slope with recessed stud vertically on top of the back 2 studs of the left column and the slope facing back. Place the 2nd 2x1x1 1/3 slope symmetrically in front of the PPP.

9. Locate 1 light grey 1x4 modified plate with offset studs. Connect the offset stud of one end of the 1x4 plate vertically, with the offset to the back, on the front column, on the top stud of the 4 studs facing left on the left.

10. Locate 1 black 2x1x1 1/3 curved slope with recessed stud. Place the part with the curve at the bottom and the stud facing left.

11. Locate 2 green 1L bars with angled stud and 2 red leaf plates. Place the 1st 1L bar into the clip in the leftmost back row, with the angled stud to the back left. Place the 2nd 1L bar symmetrically into the clip in the leftmost front row. Place the 1st red leaf plate onto the angled stud of the 1L bar in the back row, with the leaf points turned up. Place the 2nd leaf plate on the middle stud of the front column of the 4 studs facing left on the left, with the leaf points turned up.

12. Make a part. Locate 1 green 3x4 plant leaf and 2 red leaf plates. Orient the 3x4 plant leaf with the "stem" on the right and the rays of the leaf pointing to the left. Place the 1st leaf plate on the stud in the rightmost column, with the leaves pointed left. Place the 2nd leaf plate on the leftmost stud of the plant leaf part, with the leaves pointed left. Rotate the part vertically, and connect the bottom stud of the part on top of the angled stud in the front left. The part should have the leaf points up towards the ceiling.

Group 3, Steps 13 through 15. Build the Tropical fish!

13. Place 1 white 4x2 inverted double slope with 2x2 recessed center horizontally in front of you. This piece has inverted slope sides that angle upward, they should be to the left and right. Place 1 white 2x2 brick in the center.

14. Locate 1 white 1x2 plate and 1 yellow 1x2 plate. Place the 1x2 white plate vertically on the leftmost column. Place the 1x2 yellow plate symmetrically on the rightmost column.

15. Locate 1 yellow 1x4 plate and 2 yellow 1x2 plates. Place the 1x4 plate horizontally on the back row. Place the 2 1x2 plates horizontally side-by-side and in front of the PPP.

Group 4, Steps 16 through 22.

16. Locate 1 black 2x2 plate with rounded end and pin hole, 1 black 1x2 plate and 2 yellow 2x1 plates with slope. Place the 2x2 plate with rounded end horizontally aligned on the left 2 columns, with the pin hole overhanging to the left. Place the 1x2 black plate vertically to the right of the PPP. Place the 1st 2x1 plate with slope on the back stud of the right column, with the slope overhanging to the right and facing right. Place the 2nd 2x1 plate with slope in front of the PPP, with the slope overhanging to the right and facing right.

17. Locate 2 white 1x2 bricks with side stud and 1 black 1x2 brick. Place the 1x2 brick vertically on the rightmost column. Place the 1st 1x2 brick horizontally on the back row, to the left of the 1x2 vertical brick, with the side stud facing the back. Place the 2nd 1x2 brick horizontally symmetrically in front of the PPP.

18. Locate 2 white 2x2 round tiles with eye with metallic light blue iris and black pupil print. Place the 1st 2x2 round eye printed tile on the side stud facing the front, with the pupil of the eye looking to the upper left. Place the 2nd 2x2 round eye printed tile on the side stud facing the back, with the pupil of the eye looking to the upper right.

19. Locate 1 black 2x3 slope and 1 black 2x2x2 slope. Place the 2x2x2 slope on the leftmost column, overhanging the pin hole on the left, and the slope facing left. Place the 2x3 slope horizontally aligned to the right of the PPP, with the slope facing right.

20. Locate 1 dark pink 2x2 round plate and place it on top of the 2x2 section at the top of the fish build.

21. Rotate the fish build 90-degrees so the 2x2 round plate is vertical, and facing the left. Connect the 1x4 plate with offset stud (vertically oriented with the stud facing left) in the middle of the coral base into the pin hole, now on the bottom of the fish build and open to the right.

22. Make a part. Locate 1 white 2x2 tall brick with 4 side studs, 1 lime green 3x6 half round plate with 1x2 cutout and 1 black 3x4 wedge plate with notch. Lay the 2x2 tall brick horizontally so the 4 studs are facing the ceiling and the 2 studs are to the left. Place the 3x6 half round plate vertically centered on top of the 2x2 tall brick, with the curve to the left and the notch on the right. Place the 3x4 wedge plate vertically centered on top of the PPP, with the 2x2 pointing to the left and the notch aligning with the notch of the 3x6 round plate beneath.

Turn the part vertically upright and connect the 2 vertical studs on the left of the part to the right side, back column of the fish build. The studs of the part should face the front.

That's it! You've finished the alternate model #2 and have now built all 3 models of the 3 in 1 Tropical Toucan Polybag! Thank you for building!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.