

## **40807 Birthday Numbers**

Adapted by John Le and tested by Natalie Charbonneau.

Celebrate birthdays with the LEGO® Birthday Numbers (40807) building set for kids aged 6 and up. Featuring 10 buildable animal numbers, this set lets boys and girls have fun assembling colorful digits before using them as birthday cake toppers or animal decor.

Animal lovers will enjoy creating the 10 numbers and discovering the cute creatures they're based on – a dog, duck, crab, rooster, toucan, flamingo, crocodile, spider, whale and snake. Kids can build these learning toys independently or multiply the fun by sharing them with friends and family. Once they're complete, the numbers become a colorful animal display that can be rearranged to celebrate many birthdays to come – take a memorable photo of the young builder with the numbers every year and watch them grow!

As well as making a cool birthday gift that can be enjoyed every year, this learning toy set is an excellent educational gift that encourages kids to practice their numeracy skills and expand their animal knowledge.

Animal numbers – Multiply kids' creativity with this LEGO® Birthday Numbers building set for boys and girls aged 6 and up.

10 animal figures – The set includes 10 different animals: a dog, duck, crab, rooster, toucan, flamingo, crocodile, spider, whale and snake.

Celebrate birthdays – Use the numbers as birthday decorations or birthday cake toppers or to count down to birthdays.

Animal decor – Each number is built on a baseplate, making them easy to display proudly as LEGO® decor once they're complete.

Dimensions – Each animal number measures over 2.5 in. (7.5 cm) high, 1.5 in. (4.5 cm) wide and 1 in. (3 cm) deep.

The front of the box shows the numbers 0 - 9 and each number is based on a different animal such as a dog, duck, crab, rooster, toucan, flamingo, crocodile, spider, whale and snake.

The back of the box shows all the numbers. It also shows that 1 number is 2.5 inches high, and 1x5 inches wide!

The top of the box shows a real size image of a yellow 1x1 round tile printed with an eye.

The build is 281 pieces in total and is for ages 6+.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.

- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

**Axles** - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

**Pins** - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

**Technic brick** - a brick which contains one or more holes which accept technic pins.

**Lift-arms** - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same

thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, els and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/40807>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 5 bags labeled 1 to 5, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Number 1: Dog, Number 2: Duck

Group 1 - Steps 1-19.

Group 2 - Steps 1-5 and 1 dark tan 1x2 brick from Step 6.

Group 3 - Rest of Step 6 and Steps 7-9.

Group 4 - Steps 10-12.

Group 5 - Steps 13-16.

Bag 2 - Number 3: Crab, Number 4: Rooster

Group 6 - Step 1 and 1 red 1x2 inverted slope brick and 1 red 1x2 brick from Steps 2-4.

Group 7 - Rest of Steps 2-4 and Steps 5-7.

Group 8 - Step 8 and 1 transparent 1x2 brick from Step 9.  
Group 9 - Rest of Step 9, Step 10, and 1 red 1x2 slope brick from Step 11.  
Group 10 - Rest of Step 11 and Steps 12.  
Group 11 - Steps 1-11.  
Group 12 - Step 12.

Bag 3 - Number 5: Toucan, Number 6: Flamingo

Group 13 - Steps 1-10.  
Group 14 - Steps 11-14.  
Group 15 - Steps 15-17.  
Group 16 - Steps 1-3 and 2 transparent 1x2 bricks from Steps 4-5.  
Group 17 - Rest of Steps 4-5, Steps 6-7, and 1 pink 1x2 brick from Step 8.  
Group 18 - Rest of Step 8 and Steps 9-13.

Bag 4 - Number 7: Crocodile, Number 8: Spider

Group 19 - Steps 1-9.  
Group 20 - Steps 10-19.  
Group 21 - Step 1 and 1 black 1x2 inverted slope brick, and 1 black 1x1 brick from Steps 2-3.  
Group 22 - Rest of Steps 2-3, Step 4, and 1 black 1x2 slope brick from Step 5.  
Group 23 - Rest of Step 5, Step 6, and 1 brown 1x2 inverted slope brick, 1 brown 1x1 plate, 1 brown 1x1 brick, 1 black 1x2 tile, and 1 black 1x2 slope brick from Steps 7-11.  
Group 24 - Rest of Steps 7-11.

Bag 5 - Number 9: Whale, Number 0: Snake

Group 25 - Steps 1-8 and 1 blue 1x2 brick from Step 9.  
Group 26 - Rest of Step 9 and Steps 10-11.  
Group 27 - Steps 12-13.  
Group 28 - Steps 1-3, and 2 light yellow 1x2 bricks from Step 4.  
Group 29 - Rest of Step 4.  
Group 30 - Step 5.  
Group 31 - 1 magenta 1x2 brick from Step 6.  
Group 32 - Rest of Step 6 and Steps 7-10.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Number 1: Dog

1. Horizontally place a lime green 4x6 plate in front of you. Then horizontally place a light brown 1x2 brick on the 2nd row from the back so it is centered horizontally.
2. Place a brown 1x1 plate on the back row on the 3rd column from the right. Then horizontally place a brown 1x3 sloped curved brick on the back right corner so it slopes to the right.
3. Place a brown 1x1 plate on the 3rd row from the front on the 2nd column from the right. Then vertically place a light brown 1x1 plate with a 1x1 sloped curved brick on top of the ppp so it slopes and overhangs to the front. Now repeat both parts symmetrically to the left.

4. Horizontally place 2 light brown 1x1 plates with a 1x1 sloped curved brick, 1 to the right of the other, on the 2nd row from the back so they are centered horizontally and slope outwards to the left and right.

5. Horizontally stack 2 light brown 1x2 bricks on the 2nd row from the back, on top of the 2 ppp, so they are centered horizontally.

6.1. Let's make a part! Horizontally place a dark brown 1x2 plate in front of you. Then vertically place 2 light brown 1x1 plates with a 1x1 sloped curved brick, 1 to the right of the other, on top so they slope and overhang to the front. Now horizontally place a dark brown 1x2 plate on top.

6.2. Place the back row of your part on the stack of 2 1x2 bricks that is on the 2nd row from the back so they are centered horizontally and slope and overhang to the front.

7. Let's make a part! Horizontally place a light brown 1x2 brick in front of you. Then horizontally place a light brown 1x2x2 brick with 2x2 side studs on top so the side studs face the front.

8. Place a brown 1x1 round plate with a bar on the left column so the bar faces the left.

9. Place a light brown 1x1 plate with 2 side studs hanging down on the right column so the side studs face the right.

10. Horizontally place a dark brown 1x2 plate on top.

11. Vertically place a brown 1x3 sloped curved brick upright on the 2 right-facing side studs so it slopes up and overhangs 1 row to the bottom.

12. Place 2 white 1x1 round tiles printed with a black eye, 1 to the right of the other, upright on the top row of front-facing side studs.

13. Place a dark brown 2x2 plate upright on the front-facing side studs so 1 row overhangs to the bottom.

14. Horizontally place a dark brown 1x2 plate upright on the top row of front-facing side studs.

15. Horizontally place a brown 1x2 jumper plate with a round side, upright on the bottom row of front-facing side studs so the round side faces down.

16. Horizontally place a brown 1x2 jumper plate with a round side, upright on the top row of front-facing side studs so the round side faces up.

17. Place a black 1x1 round plate upright on the top front-facing side stud. Then place a red 1x1 tile with a round side upright below the ppp so the round side faces down.

18. Horizontally place your part on the 2nd row from the back so it is centered horizontally and the upright tiles face the front.

19. Attach a clip of a light brown 1x1 plate with a clip to the left-facing bar so the stud faces the top left. Now horizontally place a brown 1x3 sloped curved brick on top of the ppp so it slopes and overhangs 2 columns to the left. This is a dog shaped like the number 1! Now put it away while we make the next part!

Group 2 - Number 2: Duck

1. Horizontally place a light blue 4x6 plate in front of you. Then horizontally place a blue 1x5 plate on the 5 leftmost columns on the 2nd row from the back.
2. Place a dark tan 1x1 brick on the 2nd row from the back on the 4th column from the left. Then horizontally place a dark tan 1x2 inverted slope brick to the right of the ppp so it slopes to the right.
3. Place a dark tan 1x1 brick on the leftmost column on the 2nd row from the back. Then horizontally place a dark tan 1x2 brick with side studs on 2 long sides to the right of the ppp so the side studs face the front and back.
4. Horizontally place a dark tan 1x3 sloped curved brick upright on the front-facing side studs so it slopes to the left and overhangs 1 column to the right. Then repeat symmetrically to the back.
5. Horizontally place a dark tan 1x4 plate on the 2nd row from the back, on the 4 rightmost columns.
- 6.1. Horizontally place a dark tan 1x2 brick on the 2nd row from the back, on the 2 leftmost columns.

Group 3 - Number 2: Duck

- 6.2. Horizontally place a transparent 1x2 brick on the 2nd row from the back, on the 2 rightmost columns.
7. Place a transparent 1x1 round brick on the left column of the ppp.
- 8.1. Let's make a part! Horizontally place a brown 1x3 plate in front of you. Then horizontally place a brown 1x2 slope brick on the 2 leftmost columns so it slopes to the left. Then horizontally place a brown 1x2 inverted slope brick to the right of the ppp so it slopes and overhangs to the right.
- 8.2. Horizontally place your part on the 2nd row from the back, on the 2 leftmost columns so the inverted slope overhangs 2 columns to the right.
9. Horizontally place a white 1x4 plate on top of the 2nd row from the back so it is centered horizontally.

Group 4 - Number 2: Duck

10. Place a transparent 1x1 round brick on the leftmost column of the ppp. Then horizontally place a green 1x2 slope brick to the right of the ppp so it slopes to the left. Then horizontally place a green 1x2 inverted slope brick to the right so it slopes and overhangs to the right.
11. Place a transparent 1x1 round brick on top of the 1x1 round brick that is on the 2nd row from the back and 2nd column from the left. Now horizontally place a green 1x2 slope brick to the right of the ppp so it slopes to the left and there is no overhang. Then place a green 1x1 brick to the right of the ppp.
12. Let's make a part! Horizontally place a green 1x6 plate in front of you. Then horizontally place a green 1x2 slope brick on the 2 rightmost columns so it slopes to the right.

Group 5 - Number 2: Duck

13. Place a light orange 1x2 slope brick on the 2 leftmost columns so it slopes to the left. Then place a lime green 1x1 brick with a side stud to the right of the ppp so the side stud faces the front. Now place a green 1x1 brick to the right of the ppp.

14. Horizontally place a green 1x4 tile on top so there is no overhang.

15. Place a white 1x1 round tile with an eye upright on the front-facing side stud.

16. Horizontally place your part on the 2nd row from the back so it is centered horizontally and the eye faces the front. The rightmost column should sit on a 1x1 brick! Now put your duck shaped like a number 2 away while we make the next part!

Building Instructions (Bag 2, Book 1):

Group 6 - Number 3: Crab

1. Horizontally place a tan 4x6 plate in front of you. Then horizontally place a red 1x2 brick on the 2nd row from the back so it is centered horizontally.

2.1. Horizontally place a red 1x2 inverted slope brick to the right of the ppp so it slopes to the right.

You will have an extra red 1x2 brick. Save it for later!

Group 7 - Number 3: Crab

2.2. Horizontally place a dark red 1x2 inverted slope brick on the 2nd row from the back, to the left of the 1x2 brick so it slopes to the left.

3. Horizontally place a red 1x6 plate on the 2nd row from the back so it is centered horizontally.

4. Horizontally place a red 1x2 brick from group 6 on the 2 rightmost columns of the ppp. Now horizontally place a transparent 1x2 brick to the left of the ppp. Then horizontally place a dark red 1x2 slope brick to the left of the ppp so it slopes to the left.

5. Horizontally place a dark red 1x2 slope brick on the 2nd row from the back on the rightmost column so it slopes and overhangs to the right. Then horizontally place a dark red 1x2 inverted slope brick on top of the ppp so it slopes to the right.

6.1. Let's make a part! Horizontally place a red 1x2 plate in front of you. Then horizontally place a red 1x2x2 brick with 2x2 side studs on top so the side studs face the front. Now place 2 white 1x1 round tiles printed with an eye, 1 above the other, upright on the left column of front-facing side studs.

6.2. Horizontally place your part on the 2nd row from the back, to the left of the 1x2 inverted slope brick that is on the right so the side studs face the front.

7. Horizontally place a red 1x3 plate on the 2nd row from the back on the 2nd to 4th columns from the right.

Group 8 - Number 3: Crab

8. Horizontally stack 2 transparent 1x2 bricks, on the 2nd row from the back, to the left of the ppp. Then horizontally place a transparent 1x2 plate on top of the ppp.

You will have an extra transparent 1x2 brick. Save it for later!

#### Group 9 - Number 3: Crab

9. Horizontally place a red 1x2 brick on the 2nd row from the back on the 2nd and 3rd columns from the right. Then horizontally place a transparent 1x2 brick from group 8 to the left of the ppp. Now horizontally place a dark red 1x2 inverted slope brick to the left of the ppp so it slopes and overhangs to the left.

10. Horizontally place a red 1x6 plate on top of the 3 ppp.

11.1. Horizontally place a red 1x2 slope brick on the 2 rightmost columns of the ppp so it slopes to the right.

#### Group 10 - Number 3: Crab

11.2. Horizontally place a red 1x2 brick to the left of the ppp. Now horizontally place a dark red 1x2 slope brick to the left of the ppp so it slopes to the left.

12. Horizontally place a red 1x4 tile on top of the 3 ppp. Now put your crab away while we make the next part!

#### Group 11 - Number 4: Rooster

1. Horizontally place a dark tan 4x6 plate in front of you. Then horizontally place a light yellow 1x2 slope brick on the 2nd row from the back, on the 2nd and 3rd columns from the right so it slopes to the left.

2. Horizontally place a transparent 1x2 brick to the left of the ppp.

3. Horizontally place a green 1x6 brick on the 2nd row from the back so it is centered horizontally.

4. Horizontally stack 2 transparent 1x2 bricks on the 2nd row from the back so they are centered horizontally.

5. Horizontally place a lime green 1x2x2 slope brick to the left of the 2 ppp so it slopes to the left.

6. Let's make a part! Place a teal 1x1 brick with a side stud in front of you so the side stud faces the front. Then place a teal 1x1x2 brick with 2 side studs on top so the side studs face the front.

7. Place a teal 1x1x2 brick with 2 side studs on top so the side studs face the front.

8. Place a teal 1x1 slope tile on top so it slopes to the right.

9. Lay your part on its side so the 5 studs face up and the slope tile faces the right. Now horizontally place a dark blue 1x5 plate on top.



10. Vertically place 5 teal 1x2 angled sloped curved tiles, 1 to the right of the other, on top so they slope and overhang to the front. This is the rooster's tail!

11. Place your part upright on the 2nd row from the back, on the 2nd column from the right so the angled sloped curved tiles face the front.

12.1. Let's make a part! Horizontally place a yellow 1x2x2 slope brick in front of you so it slopes to the left. Then place a brown 1x1 brick with a side stud on each side on top.

12.2. Place a light orange 1x1 pyramid tile upright on the left-facing side stud. Then place a white 1x1 round tile printed with an eye upright on the front-facing side stud. Then repeat symmetrically to the back.

12.3. Place a red 1x1 slope tile upright on the right-facing side stud so it slopes down. Then place another 1 on top so it slopes to the right. This is the rooster's head!

12.4. Horizontally place your part on the 2nd row from the back on the 2nd and 3rd columns from the left of the build so it slopes to the left. Now put your rooster away while we make the next part!

Building Instructions (Bag 3, Book 1):

Group 13 - Number 5: Toucan

1. Horizontally place a green 4x6 plate in front of you. Then horizontally place a black 1x2 brick on the 2nd row from the back so it is centered horizontally.

2. Horizontally place a black 1x2 inverted slope brick to the left of the ppp so it slopes to the left. Then repeat symmetrically to the right.

3. Horizontally place a black 1x6 plate on the 2nd row from the back so it is centered horizontally.

4. Place a black 1x1 brick on the rightmost column of the ppp. Then horizontally place a dark grey 1x2 brick with a side stud to the left of the ppp so the side stud faces the front.

5. Horizontally place a black 1x2 slope brick on the 2nd row from the back, on the 2 rightmost columns so it slopes to the right. Then horizontally place a black 1x2 inverted slope brick to the left of the ppp so it slopes and overhangs to the left.

6. Horizontally place a black 1x1 tile with a 1x1 slope tile upright on the front-facing side stud so it slopes to the right and overhangs 1 column to the left.

7. Stack 2 transparent 1x1 round bricks on the 2nd row from the back and 2nd column from the left.

8. Horizontally place a black 1x4 plate on the 2nd row from the back so it is centered horizontally.

9. Horizontally place a transparent 1x1 round brick on the rightmost column of the ppp. Now horizontally place a black 1x2 slope brick to the left of the ppp so it slopes to the right. Now horizontally place a black 1x2 inverted slope brick to the left of the ppp so it slopes and overhangs to the left.

10. Horizontally place a white 1x3 brick on the 2nd row from the back, on top of the 2 ppp. Then place a transparent 1x1 round brick to the right of the ppp so it sits on the 1x1 round brick.

#### Group 14 - Number 5: Toucan

11. Let's make a part! Horizontally place a dark orange 1x6 plate in front of you. Then horizontally place an orange 1x4 plate on the 4 rightmost columns.

12. Horizontally place a light orange 1x2 plate on top so it is centered horizontally on the part.

13. Place a black 1x1 brick on the leftmost column. Then place a light blue 1x1 brick with a side stud to the right of the ppp so the side stud faces the front. Now place a light orange 1x1 plate to the right of the ppp.

14. Horizontally place a yellow 1x3 sloped curved brick on the 3 rightmost columns so it slopes to the right.

#### Group 15 - Number 5: Toucan

15. Horizontally place a black 1x2 plate on the 2 leftmost columns. Then place a yellow 1x1 tile to the right of the ppp.

16. Place a white 1x1 round tile printed with an eye upright on the front-facing side stud.

17. Horizontally place your part on the 2nd row from the back so it is centered horizontally and slopes to the right. Now put your toucan away while we make the next part!

#### Group 16 - Number 6: Flamingo

1. Horizontally place a light blue 4x6 plate in front of you. Then horizontally place a pink 1x2 brick on the 2nd row from the back so it is centered horizontally.

2. Horizontally place a pink 1x2 inverted slope brick to the left of the ppp so it slopes to the left. Then repeat symmetrically to the right.

3. Horizontally place a pink 1x6 plate on the 2nd row from the back so it is centered horizontally.

4.1. Horizontally place a transparent 1x2 brick on the 2nd row from the back so it is centered horizontally.

#### Group 17 - Number 6: Flamingo

4.2. Horizontally place a pink 1x2 brick to the left of the ppp. Then repeat symmetrically to the right.

5. Horizontally place a transparent 1x2 brick on the 2nd row from the back so it is centered horizontally. Then horizontally place a pink 1x2 brick to the left of the ppp. Then repeat symmetrically to the right.

6. Horizontally place a pink 1x6 plate on top of the 3 ppp so it is centered horizontally.

7. Horizontally place a pink 1x4 brick on the 4 leftmost columns of the ppp. Now horizontally place a pink 1x2 slope brick to the right of the ppp so it slopes to the right.

8.1. Horizontally place a pink 1x2 brick on the 2nd row from the back, on the 2 leftmost columns.

#### Group 18 - Number 6: Flamingo

8.2. Horizontally place a transparent 1x2 brick to the right of the ppp.

9. Horizontally place a pink 1x4 plate on top of the 2 ppp.

10. Horizontally place a pink 1x2 slope brick on the 2 leftmost columns of the ppp so it slopes to the left. Then place a pink 1x1 brick to the right of the ppp. Now place a white 1x1 brick with 2 side studs to the right of the ppp so the side studs face the front and right.

11. Place a pink 1x1 tile on the 2nd row from the back on the 2nd column from the left so it sits on the 1x2 slope brick. Now horizontally place a pink 1x2 tile to the right of the ppp.

12. Place a white 1x1 round tile printed with an eyelash upright on the front-facing side stud.

13. Place a short white 1x1 brick upright on the right-facing side stud. Then vertically place a black 1x1 tile with a 1x1 slope tile upright on the ppp so it slopes up and overhangs 1 row to the bottom. Now put away your flamingo while we build the next part!

#### Building Instructions (Bag 4, Book 1):

#### Group 19 - Number 7: Crocodile

1. Horizontally place a blue 4x6 plate in front of you. Then horizontally place a light green 1x2 plate on the 2nd row from the back, on the 2 rightmost columns.

2. Horizontally place a brown 1x2 plate with a clip on the short side on top of the ppp so the clip faces the left.

3.1. Let's make a part! Horizontally place a light green 1x2 brick in front of you. Then place a tan 1x1 brick on the left column. Now place a green 1x1 brick with a side stud on the right column so the side stud faces the right.

3.2. Horizontally place your part on the 2nd row from the back, on the 2 rightmost columns so the side stud faces the right.

4. Let's make a part! Horizontally place a light green 1x2 plate in front of you. Then place a tan 1x1 brick on the left column.

5. Place a green 1x1 brick with a side stud on the right column so the side stud faces the right.

6. Horizontally place a brown 1x2 plate with a clip on the short side on top so the clip faces the left.

7. Place a tan 1x1 brick on the left column. Then place a green 1x1 brick with a side stud to the right so the side stud faces the right.

8. Horizontally place a light green 1x2 plate on top.

9. Horizontally place your part on the 2nd row from the back, on the 2 rightmost columns so the side studs face the right.

Group 20 - Number 7: Crocodile

10. Horizontally stack 2 transparent 1x2 plates on the 2nd row from the back, on the 2 leftmost columns.

11. Horizontally place a transparent 1x2x5 brick on top of the ppp.

12. Let's make a part! Horizontally place a green 1x6 plate in front of you. Then horizontally place a green 1x4 plate on the 4 leftmost columns.

13. Place 4 white 1x1 plates with a tooth, 1 to the right of the other, on the 4 leftmost columns so the teeth face the front.

14. Horizontally place a green 1x4 plate on the 4 leftmost columns.

15. Place a green 1x1 brick with a side stud on the rightmost column so the side stud faces the right. Then place another 1 to the left so the side stud faces the front.

16. Horizontally place a green 1x6 plate on top.

17. Place a white 1x1 round tile printed with an eye upright on the front-facing side stud.

18. Horizontally place your part on the 2nd row from the back so it is centered horizontally and the side stud faces the right.

19. Place a light green 1x1 pyramid tile upright on each of the 4 right-facing side studs. Now put away your part while we make the next one!

Group 21 - Number 8: Spider

1. Horizontally place a light brown 4x6 plate in front of you. Then horizontally place a transparent 1x2 brick on the 2nd row from the back so it is centered horizontally.

2.1. Horizontally place a black 1x2 inverted slope brick to the left of the ppp so it slopes to the left. Then place a black 1x1 brick on the left column of the ppp.

Group 22 - Number 8: Spider

2.2. Horizontally place a brown 1x2 inverted slope brick on the 2nd row from the back, on the 2 rightmost columns so it slopes to the right. Then place a brown 1x1 brick on the right column of the ppp.

3. Horizontally place 2 transparent 1x2 bricks, 1 to the right of the other, on the 2nd row from the back so they are centered horizontally.

4. Horizontally stack 2 transparent 1x2 plates on the 2nd row from the back so they are centered horizontally. Now place 2 red 1x1 plates with a tooth, 1 to the right of the other, on top of the ppp so the teeth face the front.

5.1. Horizontally place a black 1x2 slope brick on the 2nd row from the back, on the 2 leftmost columns so it slopes to the left.

#### Group 23 - Number 8: Spider

5.2. Horizontally place a brown 1x2 slope brick on the 2nd row from the back, on the 2 rightmost columns so it slopes to the right.

6. Horizontally place a brown 1x4 brick with 4 side studs on the 2nd row from the back so it is centered horizontally and the side studs face the front. Then place 4 black 1x1 round tiles printed with a white eye upright on the front-facing side studs.

You will have an extra 1 brown 1x2 inverted slope brick, 1 brown 1x1 plate, 1 brown 1x1 brick, 1 black 1x2 tile, and 1 black 1x2 slope brick. Save them for later!

#### Group 24 - Number 8: Spider

7. Horizontally place a transparent 1x2 brick on the 2nd row from the back so it is centered horizontally. Now horizontally place a brown 1x2 inverted slope brick from group 23 to the left of the ppp so it slopes to the left. Then repeat symmetrically to the right using a black 1x2 inverted slope brick.

8. Horizontally place 2 transparent 1x2 bricks, 1 to the right of the other, on the 2nd row from the back, so they are centered horizontally. Now place a brown 1x1 brick from group 23 to the left of the 2 ppp. Then repeat symmetrically to the right using a black 1x1 brick.

9. Horizontally stack 2 transparent 1x2 plates, on the 2nd row from the back so they are centered horizontally. Then place a brown 1x1 plate from group 23 on the left column of the ppp. Now place a black 1x1 plate to the right of the ppp.

10. Horizontally place a brown 1x2 slope brick from group 23 on the 2 leftmost columns on the 2nd row from the back so it slopes to the left. Then repeat symmetrically to the right using a black 1x2 slope brick.

11. Horizontally place a brown 1x2 tile from group 23 on the left 2 studs of the 2nd row from the back. Then horizontally place a black 1x2 tile to the right of the ppp. Now put your spider away while we make the next part!

#### Building Instructions (Bag 5, Book 1):

#### Group 25 - Number 9: Whale

1. Horizontally place a dark blue 4x6 plate in front of you. Then horizontally place a blue 1x4 brick on the 4 leftmost columns on the 2nd row from the back.

2. Horizontally place a light blue 1x2 inverted slope brick to the right of the ppp so it slopes to the right.
3. Horizontally place a light blue 1x2 slope brick on the 2 leftmost columns on the 2nd row from the back so it slopes to the right. Then horizontally place another 1 to the right so there is a 1 column gap in between them and it slopes to the left. Then vertically place a dark blue 1x3 inverted slope brick to the right of the ppp so it slopes and overhangs 2 rows to the front.
4. Horizontally place a blue 1x2 brick on the 2nd row from the back, on the 2 rightmost columns.
5. Stack 2 transparent 1x1 round bricks on the 2nd row from the back, on the 3rd column from the left.
6. Let's make a part! Horizontally place a dark blue 1x5 plate in front of you.
7. Horizontally place a blue 1x4 brick on the 4 rightmost columns. Then horizontally place a light blue 1x2 inverted slope brick to the left of the ppp so it slopes and overhangs to the left.
8. Horizontally place a light blue 1x6 plate on top.
- 9.1. Horizontally place a blue 1x2 brick on the 2 leftmost columns.

#### Group 26 - Number 9: Whale

- 9.2. Horizontally place a mint blue 1x2 brick with a side stud on the 2 rightmost columns so the side stud faces the front. Then horizontally place a transparent 1x2 brick to the left of the ppp.
10. Horizontally place a light blue 1x6 plate on top.
11. Place a white 1x1 round tile printed with a black eye upright on the front-facing side stud.

#### Group 27 - Number 9: Whale

12. Horizontally place a blue 1x2 brick on top so it is centered horizontally. Then horizontally place a light blue 1x2 slope brick to the left of the ppp so it slopes to the left. Now repeat symmetrically to the right.
13. Horizontally place a blue 1x2 tile on the 2 leftmost columns. Now horizontally place a dark blue 1x2 jumper plate to the right of the ppp. Then place a transparent aqua 1x1 round plate on top of the ppp.
14. Horizontally place your part on the 2nd row from the back so it is centered horizontally and the upright 1x1 round tile faces the front.
15. Place a transparent aqua flame on top of the 1x1 round plate that is on the 2nd row from the back so it faces the right. This is the whale's water spout! Now put it away while we make the next part!

#### Group 28 - Number 0: Snake

1. Horizontally place a green 4x6 plate in front of you. Then horizontally place a magenta 1x2 brick on the 2nd row from the back so it is centered horizontally.

2. Horizontally place a light yellow 1x2 inverted slope brick to the left of the ppp so it slopes to the left. Then repeat symmetrically to the right.

3. Horizontally place a light yellow 1x6 plate on the 2nd row from the back so it is centered horizontally.

You will have 2 extra magenta 1x2 bricks. Save them for later!

Group 29 - Number 0: Snake

4.1. Let's make a part! Horizontally place a magenta 1x2 brick from group 28 in front of you. Then horizontally place a light yellow 1x2 brick on top.

4.2. Horizontally place a magenta 1x2 plate on top. Then horizontally place a light yellow 1x2 brick on top. Now horizontally place a magenta 1x2 brick from group 28 on top.

4.3. Horizontally place your part on the 2 leftmost columns on the 2nd row from the back.

Group 30 - Number 0: Snake

5.1. Let's make a part! Horizontally stack 2 transparent 1x2 bricks in front of you. Then horizontally place a transparent 1x2 plate on top. Now horizontally stack 2 more transparent 1x2 bricks on top.

5.2. Horizontally place your part on the 2nd row from the back so it is centered horizontally.

Group 31 - Number 0: Snake

6.1. Let's make a part! Horizontally place a magenta 1x2 brick in front of you.

Group 32 - Number 0: Snake

6.2. Horizontally place a light yellow 1x2 brick on top. Then horizontally place a magenta 1x2 plate on top.

6.3. Horizontally place a light yellow 1x2 brick on top. Then horizontally place a magenta 1x2 slope brick on top so it slopes to the left.

6.4. Horizontally place your part on the 2nd row from the back, on the 2 rightmost columns so it slopes to the left.

7. Horizontally place a light yellow 1x4 plate on the 2nd row from the back, on the 4 leftmost columns.

8. Horizontally place a magenta 1x2 slope brick on the 2 leftmost columns of the ppp so it slopes to the left. Now place a magenta 1x1 brick with a side stud to the right of the ppp so the side stud faces the front. Then place another 1 to the right of the ppp so the side stud faces the right.

9. Horizontally place a light yellow 1x3 tile on top of the 3 ppp.

10. Place a yellow 1x1 round tile printed with an eye upright on the front-facing side stud. Then attach a light orange stem into the right-facing side stud. This is the snake's split tongue!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at [info@bricksfortheblind.org](mailto:info@bricksfortheblind.org) and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets, there are no ads!