43274 Minnie's Pet Hotel

Adapted by John Le and tested by Natalie Charbonneau.

Fans of Disney's Mickey Mouse Clubhouse aged 4 years old and up can embrace nurturing play as they learn to build with this LEGO® I Disney Minnie's Pet Hotel (43274) building set. The small kids' buildable gift-giving idea has a 2-level hotel with a slide, play kitchen and bunny hutch, a car with a small trailer and lots more. It includes Minnie Mouse and Daisy Duck LEGO I Disney minifigures, plus Figaro, Creampuff and Mama Bunny LEGO I Disney pet characters.

Disney's Mickey Mouse Clubhouse toy building playset for kids – Thrill preschool girls and boys aged 4 years old and up with this Minnie's Pet Hotel buildable set that meets a child's passion for play.

In the box – This LEGO® I Disney building set has a modular pet hotel with a slide, play kitchen and bunny hutch, plus a car, trailer, 2 LEGO I Disney minifigures and 3 LEGO I Disney pet characters.

Small, feature-packed building toy – The modular pet hotel has a working seesaw and separates into 2 levels, the bunny hutch detaches from the hotel, and the trailer can be hooked to the car.

LEGO® story-starter elements – This building set lets Disney fans use their imaginations to dive into petcare fun like grooming the pets with the brusher making them snacks in the play kitchen.

Measurements – 161-piece LEGO® I Disney building set includes a pet hotel with a slide and bunny hutch that, together, measure over 7 in. (19 cm) high, 9 in. (23 cm) wide and 5 in. (12 cm) deep.

The front of the box shows the pet hotel in the background. It is equipped with 2 floors and has a slide! The first floor has a kitchen, and the top floor has a grooming and play area! In the front, Minnie Mouse is driving around a cat with a car while Daisy Duck is feeding food to a cat!

The back of the box shows all the accessories that the set comes with! It comes with a kitchen, slide, grooming and play area, car, tunnel, food, pets, 2 minifigures, and accessories!

The top of the box shows a real size image of Minnie Mouse!

The build is 161 pieces in total and is for ages 4+.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.

- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic[™] part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic[™].

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (https://www.lego.com/en-us/service/buildinginstructions/43274) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

Group 11 - Pages 4-5. Group 12 - Pages 6-41.

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 3 bags labeled 1 to 3, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

```
Bag 1 - Minnie Mouse, Tunnel, Trailer, and Car
Group 1 - Pages 6-9.
Group 2 - Pages 10-23.
Group 3 - Pages 24-33.
Group 4 - Pages 34-47.
Group 5 - Pages 48-69.

Bag 2 - Daisy Duck, Kitchen and SlideGrooming and Play Area
Group 6 - Pages 4-5.
Group 7 - Pages 6-9.
Group 8 - Pages 10-27.
Group 9 - Pages 28-49.
Group 10 - Pages 50-70.

Bag 3 - Dog, Grooming and Play Area
```

Group 13 - Pages 42-69.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Minnie Mouse

- 6-7. Locate 1 white pair of legs printed with black and pink boots, 1 pink skirt printed with white paw prints, 1 pink and black torso printed with a white collar, 1 tan and black mouse head, and 1 pink bowtie. Assemble your minifigure then place the bowtie on top of her head.
- 8-9. Place a light grey rabbit next to your minifigure, then attach a lime green pair of cherries to an orange carrot, then attach it to your minifigure's hand! Now put everything away while we make the tunnel!

Group 2 - Tunnel

- 10-11. Place a lime green 6x6 quarter circle plate in front of you so the round side faces the front left. Now horizontally place 2 light blue 2x3 plates, 1 to the right of the other, on the back 2 rows.
- 12-13. Vertically place a tan 1x2 brick with a bar on the short side on the back right corner so the bar faces the front. Now horizontally place a tan 1x2 panel with 3 walls on the back row to the left of the ppp so the long wall faces the back. Now horizontally place a tan 1x2 tile in front of the ppp.
- 14-15. Vertically place a light brown 1x2 slope tile on the back left corner so it slopes to the left. Now vertically place a tan 1x2 brick with a bar on the short side to the right of the ppp so there is a 1 column gap in between them and the bar faces the front.
- 16-17. Attach the clip of a yellow 1x2 plate with a clip on the short side to the left front-facing bar so it sits to the right and the studs face the front.
- 18-19. Vertically place a light purple 1x2 brick on the back right corner. Then vertically place another 1 on the back 2 rows on the 4th column from the right.
- 20-21. Horizontally place 2 light purple 1x4 arch bricks, 1 in front of the other, on top of the 2 ppp.
- 22-23. Horizontally place a pink 2x3 plate on the back right corner.

Group 3 - Tunnel

- 24-25. Vertically place a pink 1x2 plate with a clip on the long side to the left of the ppp so the clip faces the left.
- 26-27. Place 2 dark pink 2x2 tiles with a stud, 1 to the right of the other, on the back right corner.
- 28-29. Horizontally hold a thin light brown ladder upright and vertically with the rungs pointed front to back. Use the top rung and attach it to the left-facing clip so it hangs down and touches the 1x2 slope tile.

- 30-31. Place a green 2x2 round tile with a stud on the front right corner. Then place a green 1x1 round plate with 3 leaves on the leftmost column, in front of the 1x2 slope tile so the leaves face the front left.
- 32-33. Place your previously made orange carrot part on the front right corner on top of the 2x2 round tile with a stud. Now put your tunnel away while we make the car!

Group 4 - Trailer

- 34-35. Place a white 4x4 plate in front of you. Then horizontally place a white 1x4 lattice panel on the back row so the wall faces the back.
- 36-37. Horizontally place a pink 2x3 plate on the 2nd and 3rd rows from the front, on the 3 leftmost columns. Then vertically place a dark grey 1x2 plate with a ball on the long side to the right of the ppp so the ball faces the right. Now place 2 dark pink 2x2 tiles with a stud, 1 to the right of the other, on top of the 2 ppp.
- 38-39. Horizontally place a white 1x4 lattice panel on the front row so the wall faces the front.
- 40-41. Flip your sub-build upside down so the ball faces the left. Now vertically place a black 1x4 plate with 2 pins on the rightmost column so the pins face the front and back.
- 42-43. Place a short black 2x2 ridged brick on the 2 leftmost columns so it is centered vertically. Then place a white 2x2 inverted round tile with a rounded bottom on top of the ppp.
- 44-45. Let's make 2 identical parts! Insert a white wheel into a black tire. Now you should have 2 identical parts! Attach 1 to the front-facing pin. The wheels only go on one way, so if it doesn't work, turn the wheels around and try the other side! Then repeat symmetrically to the back.
- 46-47. Now flip it over so it is right side up and the ball faces the right. Now put it away while we make the rest of it!

Group 5 - Car

- 48-49. Horizontally place a teal 2x6 plate in front of you. Then place a light grey 2x2 plate with 2 small pins underneath the 2 rightmost columns so the pins face the front and back.
- 50-51. Place a light grey 2x2 plate with 2 small pins underneath the 2 leftmost columns so the pins face the front and back.
- 52-53. Place a 2x2 plate with wings on the 2 rightmost columns so it slopes to the right. Then place a yellow 2x2 tile with 2 studs to the left of the ppp so the studs are on the right.
- 54-55. Place a light grey 2x2 plate with a socket on the 2 leftmost columns so the socket faces the left.
- 56-57. Vertically place a pink 1x2 slope tile on the rightmost column so it slopes to the right.
- 58-59. Vertically place a white 1x2 steering wheel to the left of the ppp so the wheel faces the left.

- 60-61. Place a white 2x2 plate with wings on the 2 leftmost columns so the wings are in the front and back and slope to the left.
- 62-63. Vertically place a white 1x2 jumper plate on the leftmost column. Then vertically place a gold 1x2 grill tile to the right of the ppp.
- 64-67. Let's make 4 identical parts! Insert 4 white wheels into 4 black tires. Now you should have 4 identical parts! Now attach them to the front-facing and back-facing pins.
- 68-69. Bring back your trailer you previously made and attach the ball to the left-facing socket of your current build. Now put them away while we make the next part!

Building Instructions (Bag 2, Book 1):

Group 6 - Daisy Duck

4-5. Locate 1 white pair of legs printed with orange tipped shoes, 1 light purple skirt, 1 torso printed with a white and light purple dress, 1 white duck head printed with blue eyes, an orange beak, 1 pink bowtie, and 1 black and white cat. Assemble your minifigure, then put the bowtie on her head, and the cat by her side! Make sure the skirt goes on the legs!

Group 7 - Kitchen Sink

- 6-7. Let's make a part! Horizontally place a white 2x3x2 cabinet in front of you so the cabinet faces the front. Now insert a pink drawer into the top front-facing row of the cabinet! Then horizontally place a transparent agua 1x2 tile on the front right corner.
- 8-9. Horizontally place a gold 1x2 tile with a faucet on the back right corner so the spout faces the front. Now put your part away while we make the kitchen and slide!

Group 8 - Kitchen and Slide

- 10-11. Horizontally place a mint blue 8x16 plate with a rounded side and 2 1x4 gaps in front of you so the rounded side faces the back.
- 12-13. Horizontally place a teal 1x4 plate on the back row so it is centered horizontally.
- 14-15. Vertically place a pink 1x4 brick on the front right corner.
- 16-17. Place a pink 1x6 curved brick on the back right corner, behind the ppp so the curve faces the back right.
- 18-19. Vertically place a pink 1x2 brick on the back 2 rows to the left of the ppp.
- 20-21. Horizontally place a pink 1x4 brick on the back row to the left of the ppp. Now horizontally place a pink 1x2 brick to the left of the ppp.
- 22-23. Vertically place a pink 1x2 brick on the back 2 rows to the left of the ppp.

- 24-25. Place a pink 1x6 curved brick on the back left corner to the left of the ppp so the curve faces the back left. Then place a white 1x1 brick with a clip on the leftmost column, in front of the ppp so the clip faces the left.
- 26-27. Vertically place a pink 1x2 brick on the front left corner. Then place a pink 1x1 brick behind the ppp.

Group 8 - Kitchen and Slide

- 28-29. Place a light purple 2x2 round tile with a stud on the front 2 rows on the 2nd and 3rd columns from the left. Then place another 1 on the 2x2 studs that are behind the ppp so there is a 1 row gap and it is 1 column to the right.
- 30-31. Place a pink 3x3 heart-shaped plate on the front 3 rows on the 4th to 6th columns from the left so the right corner faces the front left. Now place a light purple 2x2 round tile with a stud to the right of the back 2 rows of the ppp.
- 32-33. Place a white 2x2 plate on the front 2 rows on the 2nd and 3rd columns from the right.
- 34-37. Horizontally place a teal 2x8x6 window frame on the back 2 rows so it is centered horizontally and the window is in the back. Now attach a pink window frame printed with a kitchen counter, pots, pans, and a dog food dispenser to the front of the window so the print faces the front.
- 38-39. Place a transparent aqua 1x6x6 curved panel on the back left corner so the curve faces the back left. Then repeat symmetrically to the right.
- 40-41. Vertically place a pink 1x4x5 panel with a window on the front left corner so the wall faces the left. Then repeat symmetrically to the right.
- 42-43. Vertically place a teal 1x4 plate on the front right corner.
- 44-47. Vertically place the top column of a dark pink slide on the front right corner so the slide is on the right and it curves to the front. Now vertically place a pink 1x4 brick underneath the bottom column of the slide.
- 48-49. Vertically place a teal 1x4 plate on top of the slide!

Group 10 - Kitchen and Slide

- 50-51. Vertically place a pink 1x4 brick on the front left corner.
- 52-53. Place a white 1x8 curved plate on the back right corner so there are 3 free rows in front. Then vertically place a white 1x3 plate in front of the rightmost column of the ppp.
- 54-55. Vertically place a white 1x3 plate on the front left corner. Then place a white 1x8 curved plate on the back left corner so the curve faces the back left. Now horizontally place a white 1x6 tile on the back row to the right of the ppp.

- 56-57. Let's make a part! Place a white 2x2x2 cabinet in front of you so the opening faces the front. Now attach a transparent cabinet door to the front. Now place a white bone inside, then place a light purple 2x2 round tile with a stud on top of the cabinet. Now close the door!
- 58-59. Place your part on the front 2 rows on the 2nd and 3rd columns of studs from the right so the door opens to the left.
- 60-61. Place a black pot on top of the previous part so the handle faces the left.
- 62-63. Place a light grey whisk inside the ppp.
- 64-65. Place a white 1x1 bowl on the front row on the 4th column from the left. Then place another 1 behind it so there is a 1 row gap between them. Now place 1 more on the 2nd row from the front, on the 6th column from the left.
- 66-67. Place a light brown 1x1 round tile printed with a tan top and brown spots on top of each of the 3 ppp. This is dog food!
- 68-70. Locate the previous sink you made and horizontally place it on the 5th and 6th rows from the front, on the 5th to 7th columns of studs from the right so the drawer faces the front. There should be a 1 row gap in between this and the back window! Now put your build away while we make the next part!

Building Instructions (Bag 3, Book 1):

Group 11 - Dog

4-5. Place a light purple and white dog printed with eyes and whiskers in front of you. Now place a pink bowtie on top of it. Now place a pink brush next to her! Now put everything away while we make the top floor!

Group 12 - Grooming and Play Area

- 6-7. Horizontally place a mint blue 8x16 plate with a rounded side and 2 1x4 gaps in front of you so the rounded side faces the back.
- 8-9. Horizontally place a teal 1x4 plate on the back row so it is centered horizontally.
- 10-11. Vertically place a tan 1x4x3 window frame on the front right corner so the ridged side faces the left.
- 12-13. Place a transparent aqua 1x6x6 curved panel on the back right corner, behind the ppp so the curve faces the back right.
- 14-17. Horizontally place a teal 2x8x6 window frame on the back 2 rows, to the left of the ppp, so it is centered horizontally and the window is in the back. Now attach a pink window frame printed with a cat tower and bird house to the front of the window so the print faces the front.
- 18-19. Place a transparent aqua 1x6x6 curved panel on the back left corner, to the left of the ppp so the curve faces the back left.

- 20-21. Place a pink 1x1x6 pillar on the leftmost column in front of the ppp.
- 22-23. Vertically place a nougat 1x2 plate on the rightmost column on the 3rd and 4th rows from the front. Then vertically place a magenta 1x4 leaf plate in front of the ppp so the leaf end overhangs to the front.
- 24-25. Vertically place a nougat 1x3x2 inverted arch brick on the rightmost column, in front of the 1x6x6 curved panel so it slopes to the front.
- 26-27. Place a magenta 1x4 leaf plate on top of the ppp so the leaf end faces the front left.
- 28-29. Place a magenta 1x4 leaf plate on top of the back stud of the ppp so the leaf end faces the right.
- 30-31. Place a white 1x8 curved plate on the back right corner so the front row sits on the ppp and the curve faces the back right.
- 32-33. Place a white 1x8 curved plate on the back left corner so the curve faces the back left and there is no overhang. Then horizontally place a white 1x6 plate on the back row to the right of the ppp.
- 34-35. Horizontally place a pink 1x2 plate on the back row so it is centered horizontally.
- 36-37. Horizontally place a dark pink 1x2x2 brick with a rounded part on top of the ppp so the rounded part faces the front.
- 38-39. Horizontally place a pink 1x3x2 sloped curved brick to the left of the ppp so it slopes to the left. Then repeat symmetrically to the right.
- 40-41. Horizontally place 2 white 1x2 sloped curved tiles, 1 to the right of the other, on the back row so they are centered horizontally and slope outwards to the left and right.
- Group 13 Grooming and Play Area
- 42-43. Horizontally place a white 1x2 brick on the 2nd row from the back so it is centered horizontally.
- 44-45. Place a tan 2x2 brick with a pin in front of the ppp so the pin faces the front.
- 46-47. Place a white 1x2 jumper plate on the front row of the ppp. Then place a white 2x2 plate behind the ppp.
- 48-49. Place a transparent pink heart with a bar on top of the 1x2 jumper plate from the previous step so it is horizontal.
- 50-51. Let's make a part! Horizontally place a light purple 2x6 plate in front of you. Now place a yellow 2x2 tile with 2 studs on the 2 leftmost columns so the studs are in the front. Then repeat symmetrically to the right. Now horizontally place a black 2x4 plate with a pinhole underneath the part so it is centered horizontally.
- 52-53. Horizontally attach the pinhole of your part to the front-facing pin so the studs of the 2x2 tiles with 2 studs are in the front.

54-55. Place a yellow 2x2 crate in front of the 1x6x6 curved panel that is in the back right corner so it sits on the 2x2 studs that is surrounded by tile. Now horizontally place a white 1x4 lattice panel on the front row so it is centered horizontally and the wall faces the front.

56-57. Let's make a part! Stack 2 nougat 2x2 round ridged bricks. Now horizontally place a magenta 1x2 panel with 3 walls on the back row so the long wall faces the back. Then repeat symmetrically to the front.

58-59. Place your part on the 2 leftmost columns on the 2nd and 3rd rows from the front so the long walls of the panels face the front and back.

60-61. Let's make a part! Place a nougat 2x2 round ridged brick in front of you. Now horizontally place a magenta 1x2 panel with 3 walls on the back row so the long wall faces the back. Then repeat symmetrically to the front.

62-63. Place your part on the front 2 rows to the right of the previous part so the long walls of the panels face the front and back. This is a cat tower!

64-65. Place a gold pair of scissors in the 2x2 crate that is in the back right corner.

66-69. Horizontally attach a large dark pink bowtie-shaped plastic film to the 2x2 rounded part of the 1x2x2 brick that is centered horizontally on the back row so the larger rounded parts face up.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our <u>Builders page</u>. It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please signup for our newsletter and follow us on <u>Facebook</u> and <u>Instagram</u> to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 3 LEGO Disney Theme kits:

43256 Anna's Sleigh Adventure

43264 Toy Story Celebration Train & RC Car

43274 Minnie's Pet Hotel