

21274 The Warden Encounter

Adapted by John Le and tested by Jolene Nemeth.

The Warden Encounter (21274) is a LEGO® gamer toy that takes Minecraft® players on an action-packed mining adventure in the deep, dark lush cave. This collectible hands-on Minecraft toy for boys and girls makes a great birthday, holiday or any-day gaming gift for kids aged 7 and up.

Set in a lush cave containing collectible diamonds and amethysts, this versatile LEGO building toy includes a Minecraft Silent Ranger minifigure, a chicken mob and a large, buildable Minecraft Warden figure with posable head, arms and legs. Game-play features include a hand-triggered TNT explosion and a falling arms rock. Accessories include a health-restoring golden carrot and potion.

Minecraft® lush cave battle – The Warden Encounter collectible LEGO® video game merch for boys and girls aged 7 and up takes kids into a perilous lush cave to battle a large Minecraft Warden figure.

Minecraft® toy figures – This LEGO® set includes a Minecraft Silent Ranger minifigure, a Minecraft chicken and a large, buildable Minecraft Warden toy with posable head, arms and legs.

Minecraft® Warden battle toy – Kids use the exploding-TNT and falling-rock functions as they mine diamonds in the lush cave and battle the large Warden figure.

Creative toys and authentic accessories – This versatile playset includes familiar details from the game to inspire imaginative play, such as the health-restoring golden carrot and potion.

238-piece set – The buildable LEGO® Minecraft® Warden toy stands over 3.5 in. (9 cm) tall.

The front of the box shows a silent ranger minifigure exploring a deep dark lush cave! He is collecting valuables such as diamonds and amethyst but he has to be careful because a warden is lurking nearby!

The back of the box shows the silent ranger minifigure using TNT to blow up the warden! Careful though because the cave is going to come crashing down!

The top of the box shows a real size image of the silent ranger minifigure.

The build is 238 pieces in total and is for ages 7+.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the

table.

- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ell and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/21274>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 3 bags labeled 1 to 3, 2 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Silent Ranger Minifigure and Cave

Group 1 - Pages 5-6.

Group 2 - Steps 1-7.

Group 3 - Step 8.

Group 4 - Step 9.

Group 5 - Steps 10-14.

Group 6 - Steps 15-18.

Bag 2 - Cave

Group 7 - Steps 19-24.

Group 8 - Step 25.

Group 9 - Steps 26-27.

Group 10 - Steps 28-36.

Group 11 - Step 37.

Group 12 - Steps 38-45.

Group 13 - Steps 46-59 and 1 transparent aqua 1x1 plate from Step 60.

Group 14 - Rest of Step 60 and Step 61.

Bag 3 - Chicken and Warden

Group 15 - Steps 1-5.

Group 16 - Steps 1-10.

Group 17 - Steps 11-12.

Group 18 - Steps 13-15 and 1 black 1x2 plate from Step 16.

Group 19 - Rest of Step 16 and Step 17.

Group 20 - Steps 18-21.

Group 22 - Steps 22-25 and 2 tan 2x3 tiles from Step 26.

Group 21 - Rest of Step 26 and Steps 27-35.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Silent Ranger Minifigure

Sub-build 1. Locate 1 brown pair of legs, 1 sand green torso printed with a dark green vest and a dark red belt, 1 light tan square head printed with red hair and a sand green hoodie, and 1 magenta crossbow. Assemble your minifigure then attach the crossbow to his hand!

Sub-build 2. Let's make a part! Attach a brown stem to a gold carrot and place it next to your minifigure!

Sub-build 3. Now let's make another part! Place a transparent red head in front of you. Then place a transparent 1x1 round tile with an upright bar on top so the anti-stud faces up. Now place a brown 1x1 round plate on top of the ppp. This is a potion! Now put everything away while we make the cave!

Group 2 - Cave

1. Horizontally place a dark blue 6x10 plate in front of you. Then place a dark blue 2x2 plate on the back left corner.

2. Horizontally place a teal 1x2 tile with 2 teeth on the back left corner so the taller tooth is on the left. Then place another 1 in front of the ppp so the taller tooth is on the right.

3. Horizontally place a dark grey 1x2 brick on the back row to the right of the 2 ppp.

4. Place a dark grey 2x2 brick on the back row to the right of the ppp so 1 row overhangs to the back. Now place a dark grey 2x2 plate underneath the overhang so 1 row is exposed to the back. Then horizontally place a dark grey 1x2 brick on the back row of the ppp.

5. Horizontally place a dark grey 1x10 brick on the 8 rightmost columns of the 5th row from the front so 2 columns overhang to the right.

6. Place a transparent blue 2x2 slope brick on the 2 rightmost columns of the 6x10 plate, in front of the ppp so it slopes to the front. Then place a tan 2x2 brick with a vertical groove on each side to the left of the ppp.

7. Horizontally place a transparent blue 2x4 plate on the front right corner so 2 columns overhang to the right.

Group 3 - Cave

8.1. Let's make a part! Horizontally place a dark grey 2x4 plate in front of you. Then vertically place another 1 on the 2 rightmost columns so 2 rows overhang to the front.

8.2. Stack 2 dark grey 2x2 plates on the back right corner.

8.3. Vertically place a dark grey 1x2 brick on the back 2 rows on the 2nd column from the left.

8.4. Rotate your part 90 degrees counterclockwise so it overhangs 2 columns to the right. Now place the front row of your part underneath the back row of the 2 rightmost columns.

Group 4 - Cave

9. Place a dark blue 2x2 plate on the back 2 rows of the 3rd and 4th columns from the left. Then horizontally place a dark grey 4x8 plate on the back 4 rows to the right of the ppp. Now place a dark blue 2x2 plate on the 2nd row from the front and the 7th and 8th columns from the left.

Group 5 - Cave

10. Horizontally place a black 4x8 plate underneath the 2 rightmost columns of the front 2 rows so 6 columns are exposed to the right and 2 rows are exposed to the back.

11. Place a dark grey 2x2 plate on the 3rd and 4th rows from the front of the 7th and 8th columns from the right. Then place a dark grey 2x2 brick on top of the ppp.

12.1. Place a dark blue 1x1 quarter circle tile on the front left corner so the curve faces the back right. Then place a teal 1x1 round tile to the right of the ppp. Now place a dark blue 1x1 quarter circle tile behind the ppp so the curve faces the front left. Then place a mint blue 1x1 round plate to the left of the ppp.

12.2. Place a mint blue 1x1 round plate on the leftmost column of the back row. Then place a dark blue 1x1 quarter circle tile in front of the ppp so the curve faces the back right. Now place a teal 1x1 round tile to the right of the ppp. Then place a dark blue 1x1 quarter circle tile behind the ppp so the curve faces the front left.

12.3. Place a mint blue 1x1 round plate on the 3rd row from the front, on the 7th column from the left. Then place a dark blue 1x1 quarter circle tile behind the ppp so the curve faces the front right. Then place a teal 1x1 round tile to the right of the ppp. Now place a dark blue 1x1 quarter circle tile in front of the ppp so the curve faces the back left.

13. Place a tan 2x2 tile with a stud and corner walls on the back 2 rows of the 3rd and 4th columns from the left so it sits to the right of the plates with teeth. Then place a black 2x2 round tile printed with light blue diamonds on the ppp.

14. Place a transparent blue 2x2 tile with a stud on the 3rd and 4th columns from the right of the 3rd and 4th rows from the back. Then place 2 transparent blue 1x1 slope tiles, 1 to the right of the other, in front of the ppp so they slope to the front. They should sit on top of a 2x2 slope brick! This is a water stream!

Group 6 - Cave

15. Place a white 2x2 brick on the 5th and 6th columns from the right of the back 2 rows so it sits behind the 2x2 tile with a stud. Then place a white 2x2 tile with a stud on top of the ppp.

16. Vertically place the back 2 rows of a dark grey 2x4 brick on the 2 rightmost columns of the 3rd and 4th rows from the back so it sits to the right of the water stream!

17. Place a teal 1x1 round tile on the front right corner of the ppp. Then place a dark blue 1x1 quarter circle tile to the left of the ppp so the curve faces the back right. Now place a mint blue 1x1 round plate behind the ppp. Then place a dark blue 1x1 quarter circle tile to the right of the ppp so the curve faces the front left.

18. Place a purple 1x1 plate on the front row on the 6th column from the right. Then place another 1 on the 2nd row from the front, on the 5th column from the right.

Building Instructions (Bag 2, Book 1):

Group 7 - Cave

19. Horizontally place a transparent orange 6x8 plate underneath the 2 rightmost columns of the back 2 rows so 2 rows are exposed to the back and 6 columns are exposed to the right.

20. Vertically place a dark grey 2x4 plate on the back 2 rows of the 7th and 8th columns from the right so 2 rows overhang to the back. Then vertically place a dark grey 2x4 tile with 2 studs in front of the ppp so there are 2 free rows in between them.

21. Place a white 2x2 brick on the front 2 rows of the ppp. Then place a white 2x2 tile with a stud on top of the ppp.

22. Horizontally place a dark grey 4x8 plate underneath the back 2 rows so 2 rows are exposed to the back and 6 columns are exposed to the right.

23. Place a brown 2x2x2 crate on the back left corner of the ppp.

24. Place a light grey 2x2 plate on the 3rd and 4th rows from the back of the 2 rightmost columns. Then vertically place a dark grey 2x4 tile with 2 studs in front of the ppp. Now vertically place a dark grey 2x4 tile with 2 studs on the 3rd and 4th columns from the right of the 3rd - 6th rows from the back. Then vertically place another 1 to the left of the ppp.

Group 8 - Cave

25. Stack 5 dark grey 2x2 bricks in front of the 2x2x2 crate that is on the back left corner of the back 2 rows.

Group 9 - Cave

26.1. Let's make a part! Vertically place an orange 1x2 brick in front of you. Then place an orange 2x2 brick on top so 1 column overhangs to the left.

26.2. Place an orange 2x2 slope brick underneath the overhang so it slopes to the left. Now place an orange 2x2 brick on top.

26.3. Place an orange 2x2 corner brick on top so it looks like the braille letter j. Now place a transparent orange 1x1 brick on the back left corner. Then place an orange 2x2 brick on top.

26.4. Vertically place your part in front of the previous stack of 5 2x2 bricks so it slopes to the front. This is a lava fall!

27.1. Let's make a part! Place a green 2x2 flower brick in front of you. Then place a sand green 1x1 brick with 2 side studs on top so the side studs face front and back. Now place a light orange 1x1 round tile upright on the front-facing side stud. Then repeat symmetrically to the back.

27.2. Place a green 2x2 flower brick on top. Now place a sand green 1x1 brick with 2 side studs on top so the side studs face left and right. Now place a light orange 1x1 round tile upright on the left-facing side stud. Then repeat symmetrically to the right. Now place a green 2x2 plant on top.

27.3. Place your part on the back stud of the 2x4 tile with 2 studs that is on the 5th and 6th columns from the right. so the bottom upright round tiles face the front and back.

Group 10 - Cave

28.1. Let's make a part! Place a light grey 2x2 plate in front of you. Then place a light blue 1x1 round plate on the back right and front left corners. Now place a light grey 1x1 plate on the front right and back left corners.

28.2. Place a light blue 1x1 round plate on the front right and back left corners. Then place a light grey 1x1 plate on the front left and back right corners. Now place a light grey 2x2 tile with a stud on top.

28.3. Place your part on the 3rd and 4th rows from the back of the 3rd and 4th columns from the right.

29. Let's make a part! Place a light grey 2x2 brick in front of you.

30. Vertically place a dark grey 1x2 brick with a pinhole on the left column. Then repeat symmetrically to the right.

31. Place a light grey 2x2 plate on top.

32. Insert a dark grey 5.5L axle with a stop into the left-facing pinhole so the side with the stop faces the left. Make sure the axle goes all the way through!

33. Attach a red 1L bushing to the end of the right-facing axle.

34. Place your part on the back right corner so the bushing faces the back.

35. Vertically place a light grey 1x2x2 panel on the rightmost column in front of the previous part so the wall faces the right. Then vertically place another 1 to the left so the wall faces the left.

36. Vertically place a dark grey 2x4 plate on the back right corner.

Group 11 - Cave

37.1. Let's make a part! Place a black 2x2 round plate in front of you. Then place a red 2x2 plate on top of the ppp.

37.2. Horizontally place a white 1x2 brick printed with TNT on the front row so the print faces the front. Then repeat symmetrically to the back. Now place a red 2x2 tile with a stud on top.

37.3. Place your part on the 2 rightmost columns on the 5th and 6th rows from the back so the print faces the front. It should sit on the back 2 rows of the 2x4 tile with a stud!

Group 12 - Cave

38. Place a dark grey 2x2 brick in front of the previous part. Then place a dark grey 2x2 tile with a stud on top of the ppp.

39. Let's make a part! Place a dark grey 2x2 brick in front of you. Then vertically place a dark grey 1x2 plate on the left column.

40. Place a light grey 1x1 brick on the front left corner. Then repeat symmetrically to the back.

41. Vertically place a dark grey 1x2 plate on the left column.

42. Place a dark grey 1x1x1 2/3 brick with 2 side studs on the front right corner so the side studs face the front. Then place 1 on the back right corner so the side studs face the right.

43. Place a light orange 1x1 round tile upright on the bottom front-facing side stud. Then place another 1 upright on the bottom right-facing side stud.

44. Place a green 2x2 corner plate upright on the front-facing side stud so it looks like the braille letter f and there is no overhang. Now place 1 upright on the right-facing side stud so it looks like the braille letter f and there is no overhang.

45. Place your part on the 2 rightmost columns on the 3rd and 4th rows from the back so the upper upright 1x1 round tile faces the right.

Group 13 - Cave

46. Let's make a part! Horizontally place a dark grey 2x12 plate in front of you. Then place a light grey 1x1 brick on the back left corner.

47. Horizontally place a light grey 1x4 brick on the back row to the right of the ppp. Now vertically place a light grey 1x2 brick with 2 pinholes on the front left corner so 1 row overhangs to the front.

48. Vertically place a dark grey 2x4 plate underneath the front left corner so 1 column is exposed to the right.

49. Place a dark grey 1x1 brick with an axle hole on the 3rd row from the front of the leftmost column so the axle hole faces left and right. Then place another 1 to the right of the ppp so the axle hole faces left and right.

50. Place a light grey 2x2 brick on the front 2 rows.

51. Insert a light grey 3L axle into the right-facing axle hole so it goes all the way in and sticks out the left side. Now horizontally attach a rubber black double axle connector to the left-facing axle so the other axle hole faces the back.

52.1. Let's make a part! Vertically place a light grey thin double axle connector in front of you so the axle holes face left and right. Now insert a dark grey 4L axle with a stop into the front left-facing axle hole so it goes all the way through.

52.2. Vertically attach the front pin hole of a light grey 1x2 brick with 2 pinholes to the axle.

52.3. Vertically place your part on the front row of the 5th column from the left so 1 row overhangs to the front and the axle faces the right.

53. Insert a dark grey 8L axle with a stop into the back right-facing pinhole so the axle goes all the way through the 1x2 bricks with 2 pinholes and axle connector and sticks out the left side.

54. Attach a light grey ball to the left-facing axle.

55. Place a light grey 1x1 brick on the back row on the 3rd column from the right. Then horizontally place a light grey 1x4 brick to the left of the ppp.

56. Place a light grey 2x2 corner brick on the 2 rightmost columns so it looks like the braille letter d. Then horizontally place a light grey 1x4 brick on the front row on the 2nd to 5th columns from the right.

57. Horizontally place 3 dark grey 2x4 tiles with 2 studs, 1 to the right of the other, on the back 2 rows so there is no overhang. Now place a dark grey 1x1 tile on the front row of the 5th column from the left. Now vertically place a dark grey 2x4 tile with 2 studs on the front left corner.

58. Horizontally place the back 2 rows of your part on the 3rd and 4th rows from the back of the 8 rightmost columns so 4 columns overhang to the right.

59. Let's make a part! Place a pink 2x2 round flower brick upside down in front of you. Then place an orange 1x1 round flower plate on top so it is centered. Now attach your part to the anti-studs of the 2 rightmost columns so it attaches to the previous part.

You will have an extra transparent aqua 1x1 plate. Save it for later!

Group 14 - Cave

60.1. Let's make a part! Place a dark brown 1x1 telescope bar in front of you. Now place a transparent 1x1 plate on top. Then place a transparent aqua 1x1 plate from group 13 on top of the ppp.

60.2. This is a torch! Now place it on the left stud of the leftmost horizontal 2x4 tile with 2 studs that is on the 3rd and 4th rows from the back.

61.1. Let's make a part! Place a light grey 2x2 plate in front of you. Then vertically place a light grey 1x2 brick with 2 pin holes on the left column. Then repeat symmetrically to the right. Now place a light grey 2x2 tile with a stud on top.

61.2. Attach the back left-facing pinhole of your part to the right-facing axle that is on the right side. Now you can make this fall by pulling the ball that is on the left-facing side to the left. Now put your build away while we make the next part!

Building Instructions (Bag 3, Book 2):

Group 15 - Chicken

1. Let's make a chicken! Place a light orange 1x1 round plate in front of you. Then place a white 1x1 brick with a side stud on each side on top.

2. Place a white 1x1 tile upright on the front-facing side stud. Then repeat symmetrically to the back.

3. Attach the hole of a white 1x1 neck bracket with a side stud upright on the left-facing side stud so the side stud faces up. Then repeat symmetrically to the right.

4. Place a white 1x1 plate with a chicken head printed with a light orange nose and 2 black eyes on top so the nose faces the front.

5. Locate 2 white 1x1 round plates and a white egg and place them next to your chicken! The 1x1 round plates are feathers! Now put everything away while we make the warden!

Group 16 - Warden

1. Horizontally place a dark blue 2x4 plate in front of you. Then vertically place a teal 1x2 plate on the rightmost column. Then repeat symmetrically to the left.

2. Vertically place a dark blue 2x4 plate on top so it is centered horizontally and 2 rows overhang to the back.

3. Horizontally place a dark blue 2x4 plate with angled sides and 2x2 studs underneath the back 2 rows so it is centered horizontally and the shorter side faces the back.

4. Vertically place a light grey 1x2 plate with a socket on the long side on the left column of the back 2 rows so the socket faces the left. Then repeat symmetrically to the right.

5. Place a black 2x2 plate on the back 2 rows.

6. Horizontally place a black 1x4 plate with a ball and bar on the long side on the back row so it is centered horizontally and the ball faces the back. Then horizontally place a dark blue 1x4 plate in front of the ppp.

7. Horizontally place a tan 1x2 brick with an axle hole on the front row so it is centered horizontally. Then horizontally place another 1 behind the ppp.

8. Vertically place a dark blue 1x2 brick on the front left corner. Then repeat symmetrically to the right.

9. Vertically place a dark blue 2x4 tile printed with light blue ribs and a light blue core on the 2 leftmost columns. Then repeat symmetrically to the right.

10. Insert a black 3L pin axle into the front-facing axle hole so the pin faces the front.

Group 17 - Warden

11. Flip your part upside down so the pin faces the right. Now place a tan 1x1 plate on the anti-stud in between the 2 leftmost columns so it is centered vertically. Then vertically place a tan 1x2 plate on the 2nd column from the right so it is centered vertically.

12. Let's make a part! Horizontally place a tan 1x2 plate in front of you. Then horizontally place a dark blue 1x2x1 2/3 brick with 2x2 side studs on top so the side studs face the front.

Group 18 - Warden

13. Horizontally place a black 1x2 plate on top.

14. Horizontally place a black 1x2 plate with a stud and pinhole on top so the pinhole is on the right. Now vertically place a dark blue 2x3 tile upright on the 2x2 front-facing side studs so 1 row overhangs to the top.

15. Insert a black pin connector with 2 pins into the back-facing pinhole so the pinhole faces up and down.

You will have an extra black 1x2 plate. Save it for later!

Group 19 - Warden

16.1. Let's make another part! Horizontally place a tan 1x2 plate in front of you. Then horizontally place a dark blue 1x2x1 2/3 brick with 2x2 side studs on top so the side studs face the front. Now horizontally place a black 1x2 plate on top. Then horizontally place a black 1x2 plate with a stud and pinhole on top so the pinhole is on the left. Now vertically place a dark blue 2x3 tile upright on the 2x2 front-facing side studs so 1 row overhangs to the top.

16.2. Attach the pinhole of your part to the back-facing pin of your previous part so the upright 2x3 tile faces the back.

17. These are the legs! Now orient your part so it is horizontal and the pinhole is in the front and faces up. Now horizontally insert the pin of your build into the top-facing pinhole so the upright 2x4 tiles face the front.

Group 20 - Warden

18. Let's make 2 identical parts! Horizontally place a teal 1x2 plate in front of you. Then horizontally place a dark blue 1x2 brick on top.

19. Horizontally place a dark blue 1x2 plate with 2x2 side studs hanging down on top so the side studs face the front.

20. Horizontally place a dark blue 1x2 brick on top.

21. Horizontally place a teal 1x2 plate on top.

Group 22 - Warden

22. Horizontally place a teal 1x2 plate with 2x2 side studs hanging down on top so the side studs face the front.

23. Horizontally place a tan 1x2 plate with 2 upright side studs on top so the side studs face the front.

24. Horizontally place a tan 1x2 brick with an axle hole on top. Then insert a light grey 1L axle with a ball into the back-facing axle hole.

25. Horizontally place a dark blue 1x2 plate with 2 side studs hanging down on top so the side studs face the front.

26.1. Vertically place a tan 2x3 tile upright on the top 3 rows of front-facing side studs.

Group 23 - Warden

26.2. Vertically place a dark blue 2x3 tile upright on the front-facing side studs.

27. Now you should have 2 identical parts! These are the arms! Attach the ball of 1 part to the left-facing socket so the tiles face the left. Then repeat symmetrically to the right.

28. Let's make a part! Place a dark blue 3x3 plate in front of you. Then horizontally place a teal 1x2 plate on the 2 rightmost columns of the 2nd row from the front.

29. Horizontally place a light grey 1x2 plate with a socket on the short side on top of the ppp so the socket faces the left. Then horizontally place a teal 1x2 plate on top of the ppp.

30. Place a teal 1x1 brick on the front right corner. Then repeat symmetrically to the back.

31. Vertically place a teal 1x2 plate with 2 angled studs on the front row so it is centered horizontally and overhangs 3 rows to the front. Make sure the 1x2 plate sticks out to the left. Now orient it so it overhangs to the front right. Then repeat symmetrically to the back.

32. Place a dark blue 1x1 brick on the front left corner. Then repeat symmetrically to the back.
33. Place a dark blue 1x1 plate to the right of each of the 2 ppp.
34. Vertically place a dark blue 2x3 tile printed with a black and light blue mouth on the 2 leftmost columns so it is centered vertically. Then vertically place a teal 1x3 tile to the right of the ppp.
35. This is the Warden's head! Attach the left-facing socket to the top-facing ball of the build so the tiles face the front!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 6 LEGO Minecraft Theme kits:

21274 The Warden Encounter

21276 The Creeper™

21277 The Pickaxe Mine

21279 The Enderman Tower

21275 The TNT Jungle House

21278 The Pillager Outpost and Ravager