### 31137 Adorable Dogs

Adapted by John Le and tested by Natalie Charbonneau.

Dog-lovers and kids aged 7+ can enjoy fun playtimes with a selection of cute breeds in this LEGO® Creator 3in1 Adorable Dogs (31137) building set. It features a beagle, a poodle and a Labrador with posable heads, tails and ears, plus accessories including a food bowl, brush, toy rabbit, ball and dogwalking leash to add extra fun to kids' make-believe stories.

The canine action never has to end with 3 collections of dogs to build in this brilliant LEGO Creator 3in1 playset. Kids can build a beagle, a poodle and a Labrador, rebuild them into a miniature schnauzer and a pug, or transform them into a husky and a long-haired dachshund.

3in1 building set – Kids can create 3 different groups of dogs with this fantastic LEGO® Creator 3in1 Adorable Dogs (31137) playset.

A range of dog toys – Dog-lovers can build and play with 3 different groups: a beagle, a poodle and a Labrador; a miniature schnauzer and a pug; or a husky and a long-haired dachshund.

Posable toys – All of the dogs in the 3 sets have a posable head, tail and ears and can fold their legs and paws to either sit or stretch out.

Fun accessories – All 3 groups of dogs come with accessories such as a food bowl, rubber bone, ball, hairbrush, toy rabbit or dog-walking leash.

A simple build – This 475-piece dog toy set lets kids aged 7+ experience build-and-play fun and is a gift idea for any occasion for passionate dog-lovers.

Play and display – Measuring over 3 in. (8 cm) high, 5.5 in. (14 cm) long and 1.5 in. (5 cm) wide, the beagle model is a portable size for dog fans to take on their travels or proudly display at home.

The front of the box shows 3 cute doggies at a park! There is a poodle, beagle, and a Labrador! They have a bowl of food, a bone, ball, and a stuffed animal to play with!

The back of the box shows a poodle and beagle eating food from the bowl. There is a Labrador in the back playing catch with the ball!

The top of the box shows a real size image of a white 1x1 round tile printed with an eye.

The build is 475 pieces in total and is for ages 7+.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back

- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic<sup>™</sup> part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic<sup>™</sup>.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<a href="https://www.lego.com/en-us/service/buildinginstructions/31137">https://www.lego.com/en-us/service/buildinginstructions/31137</a>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

### Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 3 bags labeled 1 to 3, 3 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

```
Bag 1 - Beagle, Stuff Bunny Toy, and Food Bowl
Group 1 - Steps 1-12.
Group 2 - Steps 13-28.
Group 3 - Steps 29-45.
Group 4 - Steps 1-7.
Group 5 - Steps 1-3.
Bag 2 - Labrador, Bone, and Ball
Group 7 - Steps 1-11.
Group 8 - Steps 12-33.
Group 9 - Steps 34-56.
```

Group 10 - Steps 57-61. Group 11 - Steps 1-3. Bag 3 - Poodle, Brush, and Leash

Group 12 - Steps 1-17.

Group 13 - 1 light blue 1x2 tile, 2 light blue 1x3 sloped curved bricks, and 2 light blue 1x1 slope tiles from Step 18-20.

Group 14 - Rest of Steps 18-20 and Steps 21-38.

Group 15 - Steps 39-49.

Group 16 - Steps 50-57.

Group 17 - Steps 58-68.

Group 18 - Steps 1-4.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Beagle

- 1. Horizontally place a white 2x8 plate in front of you.
- 2. Horizontally place a nougat 1x2 brick with a pinhole on the back right corner. Then repeat symmetrically to the front.
- 3. Vertically place a black 1x2 log brick on the 3rd column from the right. Then place a black 2x2 plate to the left of the ppp.
- 4. Vertically place a black 1x2 log brick on the 3rd column from the left. Now horizontally place a nougat 1x2 brick with a pinhole on the front left corner. Then repeat symmetrically to the back.
- 5. Vertically place a light grey 1x2 plate with a socket on the long side on the leftmost column so the socket faces the left. Then place a black 2x2 plate to the right of the ppp. Now place a nougat 1x2 plate with a clip on the long side on the rightmost column so the clip faces the right and the clip hands face up and down. Then place a black 2x2 plate to the left of the ppp.
- 6.1. Let's make 2 identical parts! Horizontally place a light grey 1x2x2/3 brick with 2x2 side studs in front of you so the side studs face the front. Then horizontally place a black 1x2 plate upright on the bottom row of front-facing side studs. Now place 2 black 1x1 slope tiles, 1 to the right of the other, on the top row of front-facing side studs so they slope up.
- 6.2. Now you should have 2 identical parts! Horizontally place 1 part on the front row so it is centered horizontally and the side stude face the front. Then repeat symmetrically to the back.
- 7. Vertically place a black 1x2 plate on the 3rd column from the left. Then repeat symmetrically to the right.
- 8. Horizontally place a black 2x4 sloped curved tile on the 4 rightmost columns so it slopes to the right
- 9. Vertically place a black 1x2 plate on the 4th column from the left. Then horizontally place 2 black 1x3 sloped curved bricks, 1 in front of the other, on the 3 leftmost columns so they slope to the left.

### Group 2 - Beagle

- 10.1. Let's make a part! Vertically place a black 1x2 plate in front of you. Then place 2 white 1x4 inverted sloped curved bricks, 1 in front of the other, on top so they slope and overhang 3 columns to the right.
- 10.2. Place a white 2x2 plate on the 2 leftmost columns.
- 10.3. Place a white 2x2 plate underneath the leftmost column so 1 column is exposed to the left. Now place a white 2x2 inverted slope brick on the leftmost column so it slopes and overhangs to the left.
- 10.4. Horizontally place your part underneath the 6 leftmost columns of the main build so the 2x2 inverted slope brick is on the left.
- 11. Place a black 2x2 angled sloped curved tile upright on the 2 front-facing side studs so it slopes down. Then repeat symmetrically to the back.
- 12.1. Let's make a part! Horizontally place a black 1x2 plate with 2 bars on the short ends in front of you. Then place a black 1x1 quarter circle tile on the left column so the curve faces the front left. Then place another 1 to the right so the curve faces the back right.
- 12.2. Attach a bar holder with a clip to the right-facing bar so the bar holder faces the top right. Now insert a white 1x1 light cover with a bar to the bar holder. This piece is a bar with a rounded tip.
- 12.3. Attach the left-facing bar of your part to the right-facing clip of the main build so the light cover faces the bottom right.

### Group 3 - Beagle

- 13. Let's make 2 identical parts! Horizontally place a nougat 1x2 brick with a pinhole in front of you. Then insert a black 2L pin into the back-facing hole.
- 14. Horizontally place a nougat 1x5 plate underneath your part so 3 columns are exposed to the left.
- 15. Horizontally place a white 1x2 plate with a bar on the short side on the 2 leftmost columns so the bar faces the left. Then place a white 1x1 plate to the right of the ppp.
- 16. Horizontally place a white 1x3 slope brick on the 3 leftmost columns so it slopes to the left.
- 17. Horizontally place a black 1x2 plate with 2x2 side studs hanging down on the 2 rightmost columns so the side studs face the front.
- 18. Place a nougat 2x2 round tile upright on the 2x2 facing side studs. Then horizontally place a nougat 1x3 tile on the 3 rightmost columns.
- 19. Vertically attach a white 1x2 plate with a clip on the long side to the left-facing bar so the studs face up. Then vertically place a white 1x2 sloped curved brick on top of the ppp so it slopes to the right.

- 20. Now you should have 2 identical parts! These are the legs! Attach the back-facing pin of each of your parts to each of the 2 front-facing pinholes of the main build so they are vertical and stand on the 1x2 sloped curved bricks.
- 21. Let's make 2 identical parts! Horizontally place a nougat 1x2 brick with a pinhole in front of you. Then insert a black 2L pin into the back-facing hole.
- 22. Horizontally place a nougat 1x5 plate underneath your part so 3 columns are exposed to the right.
- 23. Horizontally place a white 1x2 plate with a bar on the short side on the 2 rightmost columns so the bar faces the right. Then place a white 1x1 plate to the left of the ppp.
- 24. Horizontally place a white 1x3 slope brick on the 3 rightmost columns so it slopes to the right.
- 25. Horizontally place a black 1x2 plate with 2x2 side studs hanging down on the 2 leftmost columns so the side studs face the front.
- 26. Place a nougat 2x2 round tile upright on the 2x2 facing side studs. Then horizontally place a nougat 1x3 tile on the 3 leftmost columns.
- 27. Vertically attach a white 1x2 plate with a clip on the long side to the right-facing bar so the studs face up. Then vertically place a white 1x2 sloped curved brick on top of the ppp so it slopes to the left.
- 28. Now you should have 2 identical parts! These are the legs! Rotate your main build 180 degrees so the legs are in the back. Now attach the back-facing pin of each of your parts to each of the 2 front-facing pinholes of the main build so they are vertical and stand on the 1x2 sloped curved bricks.

## Group 4 - Beagle

- 29. Let's make a part! Let's make the head! Place a brown 2x2 plate with 2 side studs in front of you so the side studs face the front. Then horizontally place a dark grey 1x2 plate with a ball on the long side on the back row so the ball faces the back.
- 30. Horizontally place a white 2x4 plate with inverted sloped sides underneath your part so it is centered horizontally.
- 31. Horizontally place a dark tan 1x4 plate on the back row. Then horizontally stack 2 nougat 1x4 bricks on top of the ppp.
- 32. Horizontally place 2 white 1x2 bricks with 2 side studs, 1 to the right of the other, on the front row so the side studs face the front.
- 33. Horizontally place 2 nougat 1x2x2/3 bricks with 2x2 side studs, 1 to the right of the other, on the front row so the side studs face the front.
- 34. Horizontally place a nougat 1x2 plate with a bar on the short side on the back left corner so the bar faces the left. Then repeat symmetrically to the right.
- 35. Place a nougat 2x2 plate on top so it is centered horizontally.

- 36. Place a nougat 2x2 sloped curved tile on the 2 leftmost columns so it slopes to the left. Then repeat symmetrically to the right.
- 37.1. Let's make a part! Place a nougat 3x3 quarter circle plate in front of you so the right angle faces the back right. Now vertically place a nougat 1x2 plate with a clip on the long side on the back right corner so the clip faces the right and the clip hands face up and down. Then place a nougat 2x2 sloped curved tile on the back right corner so it slopes to the left.
- 37.2. Attach the clip of your part to the left-facing bar so the studs face up.
- 38.1. Let's make a part! Place a nougat 3x3 quarter circle plate in front of you so the right angle faces the back left. Now vertically place a nougat 1x2 plate with a clip on the long side on the back left corner so the clip faces the left and the clip hands face up and down. Then place a nougat 2x2 sloped curved tile on the back left corner so it slopes to the right.
- 38.2. Attach the clip of your part to the right-facing bar so the studs face up. Now lower it all the way down so the studs face the right. Then repeat symmetrically to the left.
- 39. Place 2 white 2x2 round tiles printed with black and blue eyes, 1 to the right of the other, upright on the top 2 rows of front-facing side studs.
- 40. Place a white 2x2 round plate upright on the bottom row of front-facing side studs so it is centered horizontally and 1 row overhangs to the bottom. Now horizontally place a white 1x2 log brick upright above the ppp so it is centered horizontally. Now place a white 1x1 plate upright to the left and right of the ppp.
- 41. Place a white 2x2 corner sloped curved brick upright on the top 2 rows of the 2 leftmost columns of front-facing side studs so it slopes to the bottom left. Then repeat symmetrically to the right.
- 42. Horizontally place a white 1x2 jumper plate upright on the 2 ppp. Then place a black 1x1 round tile upright on top of the ppp.
- 43. Place a pink 1x1 quarter circle tile upright on the leftmost front-facing side stud on the bottom row so the curve faces the bottom left. Then repeat symmetrically to the right. This is the tongue!
- 44. Rotate your part 180 degrees. Now hang a light blue disc with a bar to the front-facing ball so the bar faces down. Now attach a light grey 1x1 plate with a clip to the bar so it hangs down and the stud faces the back. Then place a light grey 1x1 round tile printed with a bone upright on the ppp. This is a dog collar!
- 45. Bring back your main build and orient it so it is horizontal and the socket faces the left. Now attach the ball of your part to the left-facing socket! Now put away your dog while we make a bunny toy!

Group 5 - Stuff Bunny Toy

1. Horizontally place a light blue 2x4 plate in front of you.

- 2. Place a black 1x1 round plate with a bar on the front right corner so the bar faces the front right. Then repeat symmetrically to the back.
- 3. Horizontally place a black 2x3 plate on the 3 leftmost columns.
- 4. Horizontally place a light blue 2x4 plate on top.
- 5. Place 2 white 1x1 round tiles printed with a black eye, 1 in front of the other, on the rightmost column. Then vertically place a light blue 1x2 jumper plate to the left of the 2 ppp.
- 6. Place a black 1x1 quarter circle tile on top of the ppp so the right angle faces the left. Now place 2 light blue 1x1 half cylinder bricks, 1 in front of the other, on the leftmost column so they slope to the front and back.
- 7.1. Let's make 2 identical parts! Horizontally place a light blue 1x2 plate with a clip on the short side in front of you so the clip faces the left and the clip hands face up and down. Now place a pink 1x1 tile with a round side on the left column so the round side faces the left. Then repeat symmetrically to the right.
- 7.2. Now you should have 2 identical parts! These are the ears! Attach the clips of your parts to the 2 right-facing bars so they face the front right and back right. Now put your stuffed animal away while we make the food bowl!

Group 6 - Food Bowl

- 1. Place a light blue 6x6 round plate in front of you.
- 2. Place a light purple 1x3 sloped curved brick on the front left corner so it slopes to the front left. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.
- 3. Place 6 light orange 1x1 round plates and 6 nougat 1x1 round plates in the middle! They should not attach to any studs! Now put everything away while we make the next part!

Building Instructions (Bag 2, Book 1):

Group 7 - Labrador

- 1. Horizontally place a tan 2x10 plate in front of you.
- 2. Horizontally place a tan 1x2 brick with a pinhole on the back right corner. Then repeat symmetrically to the front.
- 3. Vertically place a tan 1x2 log brick on the 3rd column from the right. Then place 2 nougat 2x2 plates, 1 to the right of the other, to the left of the ppp.
- 4. Horizontally place a tan 1x2 brick with a pinhole on the back left corner. Then repeat symmetrically to the front. Now vertically place a tan 1x2 log brick to the right of the 2 ppp.
- 5. Vertically place a light grey 1x2 plate with a socket on the long side on the leftmost column so the socket faces the left. Then place a nougat 2x2 plate to the right of the ppp. Now vertically place a nougat

- 1x2 plate with a clip on the long side on the rightmost column so the clip faces the right and the clip hands face up and down. Then place a nougat 2x2 plate to the left of the ppp.
- 6. Horizontally place 2 black 1x2x2/3 bricks with 2x2 side studs, 1 to the right of the other, on the front row so together they are centered horizontally and the side studs face the front. Then repeat symmetrically to the back.
- 7. Vertically place a tan 1x2 plate on the 3rd column from the left. Then repeat symmetrically to the right.
- 8. Horizontally place 2 tan 1x4 sloped curved bricks, 1 in front of the other, on the 4 rightmost columns so they slope to the right. Then repeat symmetrically to the left.
- 9. Place a tan 2x2 tile with 2 studs in between the 4 ppp so the studs are on the left.
- 10.1. Let's make a part! Vertically place a tan 1x2 plate in front of you. Then horizontally place 2 dark tan 1x4 inverted sloped curved bricks, 1 in front of the other, on top so they slope and overhang 3 columns to the right.
- 10.2. Place a nougat 2x2 plate on the 2 leftmost columns.
- 10.3. Horizontally place a nougat 2x6 plate underneath the leftmost column so 5 columns are exposed to the left.
- 10.4. Place a tan 2x2 inverted slope brick on the leftmost column so it slopes and overhangs to the left. Then horizontally place a tan 2x4 brick to the right of the ppp.
- 10.5. Horizontally place your part underneath the build so it is centered horizontally and the 2x2 inverted slope brick is on the left.
- 11.1. Let's make a part! Horizontally place a nougat 1x5 plate in front of you. Then horizontally place a nougat 1x2 plate with a bar on the short side on the 2 leftmost columns so the bar faces the left. Then horizontally place a tan 1x2 plate to the right of the ppp.
- 11.2. Horizontally place a tan 1x3 tile on the 3 leftmost columns. Then horizontally place a nougat 1x2 sloped curved tile to the right of the ppp so it slopes to the right.
- 11.3. Horizontally attach the bar of your part to the right-facing clip so it slopes to the right. This is the tail!

#### Group 8 - Labrador

- 12. Let's make 2 identical parts! Horizontally place a tan 1x2 brick with a pinhole in front of you. Then insert a black 2L pin into the back-facing hole.
- 13. Horizontally place a tan 1x6 plate underneath your part so 4 columns are exposed to the left.
- 14. Horizontally place a tan 1x2 plate with a bar on the short side on the 2 leftmost columns so the bar faces the left. Then horizontally place a tan 1x2 plate to the right of the ppp.
- 15. Horizontally place a tan 1x4 slope brick on the 4 leftmost columns so it slopes to the left.

- 16. Horizontally place a tan 1x2 plate with 2x2 side studs hanging down on the 2 rightmost columns so the side studs face the front.
- 17. Horizontally place a tan 1x3 tile on the 3 rightmost columns. Now place a tan 2x2 round tile upright on the front-facing side studs.
- 18. Vertically attach a nougat 1x2 plate with a clip on the long side to the left-facing bar so the studs face up. Then vertically place a tan 1x2 sloped curved brick on top of the ppp so it slopes to the right.
- 19. Now you should have 2 identical parts! Now attach the pins of your parts to the 2 front-facing pinholes so they are upright and stand on the 1x2 sloped curved bricks.
- 20. Let's make a part! Horizontally place a dark tan 1x4 plate in front of you.
- 21. Vertically place 2 tan 2x3 plates, 1 to the right of the other, underneath your part so together they are centered horizontally and vertically.
- 22. Place 2 tan 2x2 sloped curved tiles, 1 to the right of the other, on the back 2 rows so they slope to the back.
- 23. Place 2 nougat 1x2 plates with spikes, 1 to the right of the other, on the front row so together they are centered horizontally and the spikes overhang to the front.
- 24. Horizontally place a tan 1x3 tile on the front left corner. Then place a tan 1x1 quarter circle tile to the right of the ppp so the curve faces the front right.
- 25. Horizontally place the back 2 rows of your part upright on the 2x4 front-facing side studs so the spikes hang down.
- 26. Let's make 2 identical parts! Horizontally place a tan 1x2 brick with a pinhole in front of you. Then insert a black 2L pin into the back-facing hole.
- 27. Horizontally place a tan 1x6 plate underneath your part so 4 columns are exposed to the right.
- 28. Horizontally place a tan 1x2 plate with a bar on the short side on the 2 rightmost columns so the bar faces the right. Then horizontally place a tan 1x2 plate to the left of the ppp.
- 29. Horizontally place a tan 1x4 slope brick on the 4 rightmost columns so it slopes to the right.
- 30. Horizontally place a tan 1x2 plate with 2x2 side studs hanging down on the 2 leftmost columns so the side studs face the front.
- 31. Horizontally place a tan 1x3 tile on the 3 leftmost columns. Now place a tan 2x2 round tile upright on the front-facing side studs.
- 32. Vertically attach a nougat 1x2 plate with a clip on the long side to the right-facing bar so the studs face up. Then vertically place a tan 1x2 sloped curved brick on top of the ppp so it slopes to the left.

33. Now you should have 2 identical parts! Rotate your main build 180 degrees. Now attach the pins of your parts to the 2 front-facing pinholes so they are upright and stand on the 1x2 sloped curved bricks.

Group 9 - Labrador

- 34. Let's make a part! Horizontally place a dark tan 1x4 plate in front of you.
- 35. Vertically place 2 tan 2x3 plates, 1 to the right of the other, underneath your part so together they are centered horizontally and vertically.
- 36. Place 2 tan 2x2 sloped curved tiles, 1 to the right of the other, on the back 2 rows so they slope to the back.
- 37. Place 2 nougat 1x2 plates with spikes, 1 to the right of the other, on the front row so together they are centered horizontally and the spikes overhang to the front.
- 38. Horizontally place a tan 1x3 tile on the front right corner. Then place a tan 1x1 quarter circle tile to the left of the ppp so the curve faces the front left.
- 39. Horizontally place the back 2 rows of your part upright on the 2x4 front-facing side studs so the spikes hang down.
- 40. Let's make a part! Let's make the dog's head! Place a brown 2x2 plate with 2 side studs in front of you so the side studs face the front. Then horizontally place a dark grey 1x2 plate with a ball on the long side on the back row so the ball faces the back.
- 41. Horizontally place a tan 2x4 plate with inverted sloped sides underneath your part so it is centered horizontally.
- 42. Horizontally stack 2 tan 1x4 bricks on the back row.
- 43. Horizontally place 2 tan 1x2 bricks with 2 side studs, 1 to the right of the other, on the front row so the side studs face the front.
- 44. Horizontally place 2 tan 1x2x2/3 bricks with 2x2 side studs, 1 to the right of the other, on the front row so the side studs face the front.
- 45. Horizontally place a nougat 1x2 plate with a bar on the short side on the back left corner so the bar faces the left. Then repeat symmetrically to the right.
- 46. Place a tan 2x2 tile with 2 studs on top so it is centered horizontally and the studs are in the front.
- 47. Place a tan 2x2 sloped curved tile on the 2 leftmost columns so it slopes to the left. Then repeat symmetrically to the right.
- 48.1. Let's make a part! Place a nougat 3x3 quarter circle plate in front of you so the curve faces the back left. Now vertically place a nougat 1x2 plate with a clip on the long side on the front right corner so the clip faces the right and the clip hands face up and down. Then place a nougat 1x2 plate with spikes on the front right corner so the spikes face the left.

- 48.2. This is an ear! Attach the clip of your part to the left-facing bar so it hangs down and the side studs face left.
- 49.1. Let's make a part! Place a nougat 3x3 quarter circle plate in front of you so the curve faces the back right. Now vertically place a nougat 1x2 plate with a clip on the long side on the front left corner so the clip faces the left and the clip hands face up and down. Then place a nougat 1x2 plate with spikes on the front left corner so the spikes face the right.
- 49.2. This is an ear! Attach the clip of your part to the right-facing bar so it hangs down and the side studs face right.
- 50. Place 2 white 2x2 round tiles printed with black and blue eyes, 1 to the right of the other, upright on the top 2 rows of front-facing side studs. Now place a tan 1x1 quarter circle tile upright on the leftmost front-facing side stud so the curve faces the bottom right. Then repeat symmetrically to the right.
- 51. Let's make a part! Vertically place a tan 2x3 plate with a round side and a pinhole in front of you so the round side faces the front.
- 52. Place a tan 1x1x2/3 brick with 2 side studs on the back left corner so the side studs face the left. Then repeat symmetrically to the right.
- 53. Place a nougat 2x2 plate in front of the 2 ppp.
- 54. Horizontally place a tan 1x2 plate on the 2nd row from the front. Then place a pink 1x1 quarter circle tile on the front left corner so the curve faces the front left. Then repeat symmetrically to the right.
- 55. Place a black 1x1 brick with a side stud on the front stud of the left column so the side stud faces the left. Then repeat symmetrically to the right.
- 56.1. Let's make 2 identical parts! Horizontally place a tan 1x2 plate in front of you. Then place a tan 2x2 sloped curved tile on top so it slopes and overhangs to the back.
- 56.2. Now you should have 2 identical parts! Place 1 upright on the 3 right-facing side studs so it slopes up. Then repeat symmetrically to the left.

### Group 10 - Labrador

- 57. Horizontally place a tan 1x2 jumper plate on the back row. Then place a tan 1x1 quarter circle tile in front of the left column of the ppp so the curve faces the front right. Then repeat symmetrically to the right.
- 58. Place a black 1x1 round tile on the back row on top of the 1x2 jumper plate.
- 59. Horizontally place your part upright on the 2x2 front-facing side studs of your previous part so it is centered horizontally and the round side overhangs 1 row to the bottom.
- 60. Rotate your part 180 degrees. Now hang a light blue disc with a bar to the front-facing ball so the bar faces down. Now attach a light grey 1x1 plate with a clip to the bar so it hangs down and the stud faces

the back. Then place a light grey 1x1 round tile printed with a bone upright on the ppp. This is a dog collar!

61. Bring back your main build and orient it so it is horizontal and the socket faces the left. Now attach the ball of your part to the left-facing socket! Now put away your dog while we make a dog bone and ball!

### Group 11 - Bone and Ball

- 1. Horizontally place a lime green 2L axle connector in front of you. Now insert a black axle connector with 3 axles to the right-facing axle hole so the other axles face the back right and front right. Then repeat symmetrically to the left.
- 2. Attach a lime green ball to the front left axle. Then repeat symmetrically to the back. Now repeat both parts symmetrically to the right.
- 3. Now place your bone in front of you, then place a larger red ball next to it! Now put everything away while we make the next part!

Building Instructions (Bag 3, Book 1):

#### Group 12 - Poodle

- 1. Horizontally place a light grey 2x4 plate in front of you. Then horizontally place a mint blue 1x2 plate with 2x2 upright side studs on the back right corner so the side studs face the back. Then repeat symmetrically to the front.
- 2-4. Horizontally place a white 1x4 inverted sloped curved brick on the back right corner so 3 columns slope and overhang to the right. Then repeat symmetrically to the front.
- 5. Vertically place a light grey 1x2 plate on the 3rd column from the left.
- 6. Vertically place a white 1x2 log brick on the 2nd column from the left. Then horizontally place a white 2x3 plate to the right of the ppp.
- 7. Place a white 2x2 inverted slope brick on the leftmost column so it slopes and overhangs to the left.
- 8. Horizontally place a white 2x8 plate on top.
- 9. Horizontally place 2 white 1x2 bricks with a pinhole, 1 in front of the other, on the 2 rightmost columns. Then vertically place a white 1x2 log brick to the left of the 2 ppp.
- 10. Place a light blue 2x2 plate on the 4th and 5th columns from the right. Then place 1 upright on the 2x2 front-facing side studs. Then repeat symmetrically to the back.
- 11. Horizontally place a light blue 1x2 plate with 2x2 upright side studs on the front row so it is centered horizontally and the side studs face the front. Then repeat symmetrically to the back.
- 12. Place a light blue 2x2 plate on top of the 2 ppp. Then vertically place a white 1x2 log brick to the left of the ppp.

- 13. Horizontally place a white 1x2 brick with a pinhole on the front left corner. Then repeat symmetrically to the back.
- 14. Vertically place a light grey 1x2 plate with a socket on the long side on the leftmost column so the socket faces the left. Then horizontally place a light grey 2x6 plate to the right of the ppp. Now vertically place a white 1x2 plate with a clip on the long side on the rightmost column so the clip faces the right and the clip hands face up and down.
- 15. Horizontally place a white 2x10 plate on top.
- 16. Horizontally place 2 white 2x3 plates, 1 to the right of the other, on top so together they are centered horizontally.
- 17. Attach a barholder with a handle to the right-facing clip so the barholder faces the right. Now attach the bar of a light blue 1x1 round tile with an upright bar to the ppp so the anti-stud faces the right. Then attach a white ball to it so the anti-stud faces the right.

Group 13 - Poodle

18.1. Vertically place a light blue 1x2 tile on the 4th column from the left.

You will have 2 extra light blue 1x3 sloped curved bricks and 2 light blue 1x1 slope tiles, Save them for later!

Group 14 - Poodle

- 18.2. Vertically place a mint blue 1x2 tile on the 5th column from the left. Now place a white 1x1 round plate on the front left corner. Then place another 1 on the front row of the 3rd column from the left. Now place another 1 on the back row on the 2nd column from the left.
- 18.3. Place a white 1x1 round plate on the back right corner. Then place another 1 on the back row on the 3rd column from the right. Now place 1 on the front row on the 2nd column from the right.
- 19.1. Vertically place a light blue 1x3 sloped curved brick from group 13 upright on the top left front-facing side studs so it slopes up. Then place a light blue 1x1 slope tile from group 13 upright below the ppp so it slopes down.
- 19.2. Vertically place a mint blue 1x3 sloped curved brick upright on the top 3 front-facing side studs so it slopes up. Then place a mint blue 1x1 slope tile upright below the ppp so it slopes down.
- 20.1. Rotate your build 180 degrees. Vertically place a light blue 1x3 sloped curved brick from group 13 upright on the top right front-facing side studs so it slopes up. Then place a light blue 1x1 slope tile from group 13 upright below the ppp so it slopes down.'
- 20.2. Vertically place a mint blue 1x3 sloped curved brick upright on the top 3 front-facing side studs so it slopes up. Then place a mint blue 1x1 slope tile upright below the ppp so it slopes down.

- 21. Let's make 2 identical parts! Horizontally place a white 1x2 brick with a pinhole in front of you. Then insert a black 2L pin into the back-facing pinhole.
- 22. Horizontally place a white 1x6 plate underneath your part so 4 columns are exposed to the right.
- 23. Horizontally place a light grey 1x2 plate on top so it is centered horizontally.
- 24. Horizontally place a white 1x2 plate with a bar on the short end on the 2 rightmost columns so the bar faces the right. Now place a dark grey 1x1 plate on the 3rd column from the left.
- 25. Horizontally place a white 1x2 plate with 1x4 side studs hanging down on the 2nd and 3rd columns from the right so the side studs face the front. Now place a white 1x1 quarter circle tile on the rightmost column so the curve faces the back right.
- 26. Horizontally place a white 1x2 plate with 2x2 side studs hanging down on the 2 leftmost columns so the side studs face the front.
- 27. Place a white 1x1 quarter circle tile on the leftmost column so the curve faces the front left. Then horizontally place a white 1x1 tile with a 1x1 slope tile to the right of the ppp so it slopes to the right.
- 28. Vertically attach a clip of a white 1x2 plate with a clip on the long side to the right-facing bar so the studs face up. Then vertically place a white 1x2 sloped curved brick on top of the ppp so it slopes to the left.
- 29. Now you should have 2 identical parts! Attach the back-facing pins of your parts to the 2 front-facing pinholes so they are upright and sit on the 1x2 sloped curved bricks.
- 30. Let's make 2 identical parts! Horizontally place a white 1x2 brick with a pinhole in front of you. Then insert a black 2L pin into the back-facing pinhole.
- 31. Horizontally place a white 1x6 plate underneath your part so 4 columns are exposed to the left.
- 32. Horizontally place a light grey 1x2 plate on top so it is centered horizontally.
- 33. Horizontally place a white 1x2 plate with a bar on the short end on the 2 leftmost columns so the bar faces the left. Now place a dark grey 1x1 plate on the 3rd column from the right.
- 34. Horizontally place a white 1x2 plate with 1x4 side studs hanging down on the 2nd and 3rd columns from the left so the side studs face the front. Now place a white 1x1 quarter circle tile on the leftmost column so the curve faces the back left.
- 35. Horizontally place a white 1x2 plate with 2x2 side studs hanging down on the 2 rightmost columns so the side studs face the front.
- 36. Place a white 1x1 quarter circle tile on the rightmost column so the curve faces the front right. Then horizontally place a white 1x1 tile with a 1x1 slope tile to the left of the ppp so it slopes to the left.

- 37. Vertically attach a clip of a white 1x2 plate with a clip on the long side to the left-facing bar so the studs face up. Then vertically place a white 1x2 sloped curved brick on top of the ppp so it slopes to the right.
- 38. Now you should have 2 identical parts! Rotate your main build 180 degrees. Now attach the backfacing pins of your parts to the 2 front-facing pinholes so they are upright and sit on the 1x2 sloped curved bricks.

### Group 15 - Poodle

- 39. Let's make a part! Let's make the dog's head! Place a brown 2x2 plate with 2 side studs in front of you so the side studs face the front.
- 40. Horizontally place a white 2x4 plate with inverted slope sides underneath your part so it is centered horizontally.
- 41. Horizontally place 2 light grey 1x2 plates, 1 to the right of the other, on the back row.
- 42. Horizontally stack 2 light grey 1x4 bricks on the back row.
- 43. Horizontally place 2 white 1x2 bricks with 2 side studs, 1 to the right of the other, on the front row so the side studs face the front.
- 44. Horizontally place 2 white 1x2x2/3 bricks with 2x2 side studs, 1 to the right of the other, on the front row so the side studs face the front.
- 45. Horizontally place a white 1x2 plate with a bar on the short side on the back left corner so the bar faces the left. Then repeat symmetrically to the right.
- 46. Place a black 2x2 plate on top so it is centered horizontally.
- 47. Vertically place 2 light grey 1x2 plates, 1 to the right of the other, on top of the ppp.
- 48. Place a white 2x2 corner sloped curved brick on the back left corner so 1 row overhangs to the back and the curve faces the back left. Then repeat symmetrically to the right.
- 49. Repeat the previous step symmetrically to the front.

#### Group 16 - Poodle

- 50. Place a white 2x2 plate on top so it is centered.
- 51. Place a white 1x1 round plate on the back left corner. Then place 1 on the front right corner.
- 52.1. Let's make a part! Place a light grey 2x2 round inverted tile with a rounded bottom in front of you. Then vertically place a light grey 1x2 plate on the left column.
- 52.2. Vertically place a white 1x2 plate with a clip on the long side on the rightmost column so the clip faces the right and the clip hands face up and down.

- 52.3. Place a white 3x3 quarter circle plate on top so the right angle faces the back left, 1 column overhangs to the left, and 1 row overhangs to the front.
- 52.4. Place a white 1x1 round plate on the back left corner. Then repeat symmetrically to the front. Now place 1 on the 2nd column from the left so it is centered vertically.
- 52.5. Attach the clip of your part to the left-facing bar of your previous part so the curve faces the front right. This is an ear! Now lower it down!
- 53.1. Let's make a part! Place a light grey 2x2 round inverted tile with a rounded bottom in front of you. Then vertically place a light grey 1x2 plate on the right column.
- 53.2. Vertically place a white 1x2 plate with a clip on the long side on the leftmost column so the clip faces the left and the clip hands face up and down.
- 53.3. Place a white 3x3 quarter circle plate on top so the right angle faces the back right, 1 column overhangs to the right, and 1 row overhangs to the front.
- 53.4. Place a white 1x1 round plate on the back right corner. Then repeat symmetrically to the front. Now place 1 on the 2nd column from the right so it is centered vertically.
- 53.5. Attach the clip of your part to the right-facing bar of your previous part so the curve faces the front right. This is an ear! Now lower it down!
- 54. Place 2 white 2x2 round tiles printed with black and blue eyes, 1 to the right of the other, upright on the top 2 rows of front-facing side studs.
- 55. Horizontally place 2 white 1x2 inverted arch bricks, 1 to the right of the other, upright below the 2 ppp so they slope outwards to the left and right.
- 56. Horizontally place a white 1x2 jumper plate upright on the bottom row of front-facing side studs. Now place a pink 1x1 tile with a round side upright on the ppp so the round side faces down.
- 57. Horizontally place a white 1x2 jumper plate upright on the front-facing side studs. Now place a black 1x1 round tile upright on the ppp.

# Group 17 - Poodle

- 58. Rotate your part 180 degrees. Now hang a light blue disc with a bar to the front-facing ball so the bar faces down. Now attach a light grey 1x1 plate with a clip to the bar so it hangs down and the stud faces the back. Then place a light grey 1x1 round tile printed with a bone upright on the ppp. This is a dog collar!
- 59. Bring back your main build and orient it so it is horizontal and the socket faces the left. Now attach the ball of your part to the left-facing socket! Now put away your dog while we make a leash!
- 60. Let's make a part! Horizontally place a black 1x5 plate in front of you. Then place a dark grey 1x1 plate on the rightmost column.

- 61. Horizontally place a red 1x3 plate on the 3 leftmost columns.
- 62. Place a red 1x1 brick with a bar on the leftmost column so the bar faces the left. Then horizontally place a red 1x2 brick with 2 sides of side studs to the right of the ppp so the side studs face the front and back.
- 63. Horizontally place a red 1x3 plate on the 3 leftmost columns.
- 64. Horizontally place a dark grey 1x3x2 sloped curved brick on the rightmost column so it slopes to the right.
- 65. Horizontally place a dark grey 1x2 sloped curved tile on the 2nd and 3rd columns from the left so it slopes to the left.
- 66. Place a red 3x3 round tile upright on the 2 front-facing side studs so it is centered vertically and 1 column overhangs to the left. Then repeat symmetrically to the back.
- 67. Attach 1 end of a black rope to the top of the left-facing bar so the other end is on the left. Now insert a red 1x1 round tile with an upright bar into the leftmost bottom-facing bar hole of the ppp. Then place a nougat 1x1 round plate underneath the ppp.
- 68. This is the leash! Now put it away while we make a hair brush!

Group 18 - Brush

- 1. Horizontally place a black 2x3 plate in front of you. Then vertically place a purple 1x2 plate on the rightmost column.
- 2. Horizontally place a purple 2x3 plate with a round side and pinhole on the 2 leftmost columns so the round side overhangs 1 column to the left.
- 3. Place 3 black 1x1 tiles with a clip, 1 to the right of the other, on the front row so the clip hands face front and back. Then repeat symmetrically to the back.
- 4. Horizontally place a purple 1x4 plate underneath the pinhole so 3 columns are exposed to the left. Then horizontally place a purple 1x3 tile on top of the ppp. Now put everything away while we make the alternate builds!

Bags 1-3 - Pug and Miniature Schnauzer, Leash, and Bone

Group 1 - Steps 1-19.

Group 2 - Steps 20-28.

Group 3 - Steps 29-30.

Group 4 - Step 31.

Group 5 - Steps 32-33.

Group 6 - Steps 34-42.

Group 7 - Steps 1-9 and 1 light blue 1x2 tile from Step 10.

Group 8 - Rest of Step 10 and Steps 11-16.

Group 9 - Steps 17-30.

```
Group 10 - Steps 31-40.
```

Group 11 - Steps 41-45.

Group 12 - Steps 46-48.

Group 13 - Steps 1-3.

Building Instructions (Bags 1-3, Book 2):

Group 1 - Pug

- 1. Horizontally place a nougat 2x6 plate in front of you.
- 2. Horizontally place a tan 1x2 brick with a pinhole on the back right corner. Then repeat symmetrically to the front.
- 3. Horizontally place 2 tan 1x2 log bricks, 1 in front of the other, to the left of the 2 ppp.
- 4. Horizontally place a tan 1x2 brick with a pinhole on the back left corner. Then repeat symmetrically to the front.
- 5. Vertically place a light grey 1x2 plate with a socket on the long side on the leftmost column so the socket faces the left. Then horizontally place a tan 2x3 plate to the right of the ppp.
- 6. Horizontally place a tan 2x3 plate on the 3 leftmost columns.
- 7. Place a tan 2x2 tile with 2 studs on the 2 leftmost columns so the studs are on the left. Then horizontally place 2 tan 1x4 sloped curved bricks, 1 in front of the other, to the right of the ppp so they slope to the right.
- 8. Let's make 2 identical parts! Horizontally place a tan 1x2 brick with a pinhole in front of you. Then insert a black 2L pin into the back-facing pinhole.
- 9. Horizontally place a tan 1x2 plate with a bar on the short side underneath your part so the bar faces the right.
- 10. Horizontally place a tan 1x2 plate with 2x2 side studs hanging down on top so the side studs face the front
- 11. Place a tan 2x2 round tile upright on the front-facing side studs.
- 12. Vertically attach a nougat 1x2 plate with a clip on the long side to the right-facing bar so the studs face up. Then vertically place a tan 1x2 sloped curved brick on top so it slopes to the left.
- 13. Now you should have 2 identical parts! Horizontally place your main build in front of you so the socket faces the right. Then attach the pins of your part to the 2 front-facing pinholes so they are upright and they sit on the 1x2 sloped curved bricks and they slope to the right.
- 14. Let's make 2 identical parts! Horizontally place a tan 1x2 brick with a pinhole in front of you. Then insert a black 2L pin into the back-facing pinhole.

- 15. Horizontally place a tan 1x2 plate with a bar on the short side underneath your part so the bar faces the left.
- 16. Horizontally place a tan 1x2 plate with 2x2 side studs hanging down on top so the side studs face the front
- 17. Place a tan 2x2 round tile upright on the front-facing side studs.
- 18. Vertically attach a nougat 1x2 plate with a clip on the long side to the left-facing bar so the studs face up. Then vertically place a tan 1x2 sloped curved brick on top so it slopes to the right.
- 19. Now you should have 2 identical parts! Horizontally place your main build in front of you so the socket faces the left. Then attach the pins of your part to the 2 front-facing pinholes so they are upright and they sit on the 1x2 sloped curved bricks and they slope to the left.

#### Group 2 - Pug

- 20. Let's make a part! Let's make the head! Place a black 2x2 plate in front of you. Then horizontally place a dark grey 1x2 plate with a socket on the long side on the back row so the socket faces the back.
- 21. Horizontally place a tan 1x2 plate on the front row.
- 22. Horizontally place a tan 2x4 plate with inverted sloped sides underneath your part so it is centered horizontally.
- 23. Horizontally place a tan 1x4 brick on the back row.
- 24. Horizontally place a nougat 1x2 brick with a pinhole on the back row so it is centered horizontally. Then place a black 1x1 tile with a clip to the left of the ppp so the clip hands face left and right. Then repeat symmetrically to the right.
- 25. Horizontally place 2 tan 1x2x2/3 bricks with 2x2 side studs, 1 to the right of the other, on the front row so the side studs face the front.
- 26. Place a tan 2x2 sloped curved tile on top so it is centered horizontally and slopes to the front.
- 27.1. Let's make 2 identical parts! place a black 1x1 round plate with a bar in front of you so the round side faces the left. Now place a black 1x1 slope tile on top of the ppp so it slopes to the left.
- 27.2. Now you should have 2 identical parts! Attach 1 to the back left top-facing clip so the slope tile faces the bottom left. Then repeat symmetrically to the right. These are the ears!
- 28. Place a tan 1x1 quarter circle tile on the front left corner so the curve faces the front left. Then repeat symmetrically to the right.
- 29. Lay your part on its side so it is horizontal, the studs face up, and the anti-studs face the front. Now vertically place a tan 2x3 plate on top so it is centered horizontally. Now vertically place a black 1x2 plate on the back left corner. Then repeat symmetrically to the right.

- 30. Horizontally place a tan 1x2 jumper plate on the back row so it is centered horizontally. Then horizontally place a tan 1x2 plate in front of the ppp.
- 31. Place a black 1x1 quarter circle tile on the back row on top of the 1x2 jumper plate so the right angle faces the front. Now place another 1 on the front row of the leftmost column so the curve faces the back left. Then place a white 1x1 round tile printed with a black and white eye behind the ppp. Now repeat both parts symmetrically to the right. Now place a pink 1x1 tile with a round side on the right column of the front row so the round side faces the front.
- 32. Lift your part upright and orient it so it is horizontal and the socket faces the front. Now hang a light blue disc with a bar to the front-facing ball so the bar faces down. Now attach a light grey 1x1 plate with a clip to the bar so it hangs down and the stud faces the back. Then place a light grey 1x1 round tile printed with a bone upright on the ppp. This is a dog collar!
- 33. Bring back your main build and orient it so it is horizontal and the socket faces the left. Now attach the ball of your part to the left-facing socket! Now put away your dog while we make a leash!
- 34. Let's make a part! Horizontally place a black 1x5 plate in front of you. Then place a dark grey 1x1 plate on the rightmost column.
- 35. Horizontally place a red 1x3 plate on the 3 leftmost columns.
- 36. Place a red 1x1 brick with a bar on the leftmost column so the bar faces the left. Then horizontally place a red 1x2 brick with 2 sides of side studs to the right of the ppp so the side studs face the front and back.
- 37. Horizontally place a red 1x3 plate on the 3 leftmost columns.
- 38. Horizontally place a dark grey 1x3x2 sloped curved brick on the rightmost column so it slopes to the right.
- 39. Horizontally place a dark grey 1x2 sloped curved tile on the 2nd and 3rd columns from the left so it slopes to the left.
- 40. Place a red 3x3 round tile upright on the 2 front-facing side studs so it is centered vertically and 1 column overhangs to the left. Then repeat symmetrically to the back.
- 41. Attach 1 end of a black rope to the top of the left-facing bar so the other end is on the left. Now insert a red 1x1 round tile with an upright bar into the leftmost bottom-facing bar hole of the ppp. Then place a nougat 1x1 round plate underneath the ppp.
- 42. This is the leash! Now put it away while we make another dog!

#### Group 7 - Miniature Schnauzer

1. Horizontally place a white 2x8 plate in front of you. Then horizontally place a white 1x2 brick with a pinhole on the back right corner. Then repeat symmetrically to the front. Now repeat everything symmetrically to the left.

- 2. Vertically place a white 1x2 log brick on the 3rd column from the right. Then repeat symmetrically to the left.
- 3-4. Horizontally place a tan 1x2 brick with 2 side studs on the front row so it is centered horizontally and the side studs face the front. Then repeat symmetrically to the back.
- 5. Vertically place a white 1x2 plate with a clip on the long side on the rightmost column so the clip faces the right. Then place a white 2x2 plate to the left of the ppp.
- 6. Horizontally place a white 2x3 plate on the 3 rightmost columns.
- 7. Horizontally place 2 light grey 1x4 bricks, 1 in front of the other, on the 2nd to 5th columns from the left.
- 8. Vertically place a black 1x2 plate with 2x2 side studs hanging down on the leftmost column so the side studs face the left.
- 9. Vertically place a light grey 1x2 plate on the leftmost column. Then vertically place a light grey 1x2 plate with a socket on the long side on top of the ppp so the socket faces the left.
- 10.1. Horizontally place a light blue 1x2 tile upright on the top row of left-facing side studs.

Group 8 - Miniature Schnauzer

- 10.2. Horizontally place a mint blue 1x2 tile upright on the left-facing side studs.
- 11. Horizontally place a light grey 1x2 plate on the front row on the 2nd and 3rd columns from the right. Then repeat symmetrically to the back.
- 12. Horizontally place a light grey 2x6 plate on the 6 leftmost columns.
- 13.1. Let's make a part! Horizontally place a light grey 2x4 plate in front of you. Then horizontally place a white 1x2 log brick on the front row so it is centered horizontally. Then repeat symmetrically to the back. Now place a white 2x2 inverted slope brick on the leftmost column so it slopes and overhangs to the left. Then repeat symmetrically to the right.
- 13.2. Horizontally place your part underneath the 6 leftmost columns.
- 14. Place a white 2x2 plate upright on the front-facing side studs so 1 row overhangs to the bottom. Then repeat symmetrically to the back.
- 15. Place a mint blue 1x1 slope tile on the front left corner so it slopes to the back. Then repeat symmetrically to the back.
- 16. Horizontally attach a white 1x2 plate with a bar on the short side to the right-facing clip so the studs face up. Then horizontally place another 1 on top of the ppp so the bar faces the right. This is a tail!

Group 9 - Miniature Schnauzer

- 17. Let's make 2 identical parts! Horizontally place a white 1x2 brick with a pinhole in front of you. Then insert a black 2L pin into the back-facing pinhole.
- 18. Horizontally place a white 1x4 inverted sloped curved brick underneath your part so it slopes and overhangs 2 columns to the right.
- 19. Horizontally place a white 1x2 plate with a bar on the short side on the 2 rightmost columns so the bar faces the right.
- 20. Horizontally place a white 1x2 plate with 2x2 side studs hanging down on the 2 leftmost columns so the side studs face the front.
- 21. Place a white 1x1 plate on the leftmost column. Then horizontally place a white 1x1 tile with a 1x1 slope tile to the right of the ppp so it slopes to the right.
- 22. Vertically attach a white 1x2 plate with a clip on the long side to the right-facing bar so the studs face up. Then vertically place a white 1x2 sloped curved brick on top of the ppp so it slopes to the left.
- 23. Now you should have 2 identical parts! These are the legs! Rotate your main build 180 degrees so the tail faces the left. Now attach the pins of your parts to the 2 front-facing pinholes so they are upright and sit on the 1x2 sloped curved bricks.
- 24. Let's make 2 identical parts! Horizontally place a white 1x2 brick with a pinhole in front of you. Then insert a black 2L pin into the back-facing pinhole.
- 25. Horizontally place a white 1x4 inverted sloped curved brick underneath your part so it slopes and overhangs 2 columns to the left.
- 26. Horizontally place a white 1x2 plate with a bar on the short side on the 2 leftmost columns so the bar faces the left.
- 27. Horizontally place a white 1x2 plate with 2x2 side studs hanging down on the 2 rightmost columns so the side studs face the front.
- 28. Place a white 1x1 plate on the rightmost column. Then horizontally place a white 1x1 tile with a 1x1 slope tile to the left of the ppp so it slopes to the right.
- 29. Vertically attach a white 1x2 plate with a clip on the long side to the left-facing bar so the studs face up. Then vertically place a white 1x2 sloped curved brick on top of the ppp so it slopes to the right.
- 30. Now you should have 2 identical parts! These are the legs! Rotate your main build 180 degrees so the tail faces the right. Now attach the pins of your parts to the 2 front-facing pinholes so they are upright and sit on the 1x2 sloped curved bricks.

## Group 10 - Miniature Schnauzer

31. Let's make a part! Place a brown 2x2 plate with 2 side studs in front of you so the side studs face the front. Then horizontally place a dark grey 1x2 plate with a ball on the long side on the back row so the ball faces the back.

- 32. Horizontally place a white 2x4 plate with inverted sloped sides underneath your part so it is centered horizontally.
- 33. Horizontally place 2 white 1x2 bricks with 2 side studs, 1 to the right of the other, on the back row so the side studs face the back. Then repeat symmetrically to the front.
- 34. Horizontally place a light grey 1x2 plate on the back row so it is centered horizontally. Then place a dark grey 1x1 plate to the left of the ppp. Then repeat symmetrically to the right.
- 35. Horizontally place a white 1x2 inverted arch brick on the back left corner so it slopes to the left. Then repeat symmetrically to the right.
- 36. Horizontally place a black 1x2 plate with bars on the ends on the back row so it is centered horizontally.
- 37. Horizontally place 2 light grey 1x2x2/3 bricks with 2x2 side studs, 1 to the right of the other, on the front row so the side studs face the front.
- 38. Vertically place a light grey 1x2 plate on the 2nd column from the left. Then repeat symmetrically to the right.
- 39.1. Let's make 2 identical parts! Horizontally place a light grey 1x2 plate in front of you. Then horizontally place a white 1x2 plate with a clip on the long side on top so the clip faces the front and the clip hands face up and down. Now horizontally place a white 1x2 sloped curved brick on top so it slopes to the front.
- 39.2. Now you should have 2 identical parts! Attach the clip of 1 part to the right-facing bar so the sloped curved brick faces the bottom right. Then repeat symmetrically to the left. These are the ears!
- 40. Lay your part on its side so the side studs face up and the ears face the back left and back right. Now place 2 white 2x2 round tiles printed with black and blue eyes, 1 to the right of the other, on the back 2 rows.

## Group 11 - Miniature Schnauzer

- 41. Let's make a part! Place a white 2x2 round plate in front of you. Then horizontally place a black 1x2 plate on the back row.
- 42. Place a white 3x3 quarter circle plate underneath the leftmost column so the curve faces the back left, 1 column is exposed to the left, and 1 row is exposed to the back. Then repeat symmetrically to the right.
- 43. Place a white 2x2 corner sloped curved brick on the back 2 rows of the 2nd and 3rd columns from the left so it slopes to the back left. Then repeat symmetrically to the right.
- 44. Horizontally place a white 1x2 jumper plate on top of the ppp. Now place a black 1x1 round tile on top of the ppp.

45. Place 2 white 1x1 quarter circle tiles, 1 in front of the other, on the front left corner so the curve faces the back left. Then place another 1 on the front row to the right of the ppp so the curve faces the front right. Now repeat everything symmetrically to the right.

Group 12 - Miniature Schnauzer

- 46. Place a pink 1x1 quarter circle tile on the left stud of the front row so the curve faces the front left. Then repeat symmetrically to the right.
- 47. Horizontally place the back row of your part on the front row of your previous part so it is centered horizontally.
- 48. Attach the bottom-facing ball of your part to the left-facing socket of the main build.

Group 13 - Bone

- 1. Horizontally place a lime green 2L axle connector in front of you. Now insert a black axle connector with 3 axles to the right-facing axle hole so the other axles face the back right and front right. Then repeat symmetrically to the left.
- 2. Attach a lime green ball to the front left axle. Then repeat symmetrically to the back. Now repeat both parts symmetrically to the right.
- 3. Now put your bone away while we make the next set of alternate instructions!

```
Bags 1-3 - Husky and Long Haired Dachshund, Food Bowl, and Ball
Group 1 - Steps 1-5.
Group 2 - Steps 6-12.
Group 3 - Steps 13-18.
Group 4 - Steps 19-23.
Group 5 - Steps 24-25.
Group 6 - Steps 26-29.
Group 7 - Steps 30-31.
Group 8 - Steps 32-39.
Group 9 - Steps 40-43.
Group 10 - Step 1 and 1 tan 1x2 brick with a pinhole from Step 2.
Group 11 - Rest of Step 2 and Step 3.
Group 12 - Steps 4-9.
Group 13 - Steps 10-21.
Group 14 - Steps 22-31.
Group 15 - Step 32.
Group 16 - Steps 33-34.
```

Building Instructions (Bags 1-3, Book 3):

Group 1 - Husky

Group 17 - Steps 1-3.

- 1. Horizontally place a light grey 2x6 plate in front of you. Then horizontally place 2 white 1x2 log bricks, 1 to the right of the other, on the front row so they are centered horizontally. Then repeat symmetrically to the back.
- 2-3. Place a white 2x2 inverted slope brick on the rightmost column so it slopes and overhangs to the right. Then repeat symmetrically to the left.
- 4. Horizontally place a white 2x8 plate on top.
- 5. Horizontally place a white 1x2 brick with a pinhole on the back right corner. Then repeat symmetrically to the front.

## Group 2 - Husky

- 6. Vertically place a black 1x2 log brick on the 3rd column from the right. Now vertically place 2 light grey 1x2 plates, 1 to the right of the other, to the left of the ppp.
- 7. Horizontally place a white 1x2 brick with a pinhole on the back left corner. Then repeat symmetrically to the front. Now vertically place a black 1x2 log brick to the right of the 2 ppp.
- 8. Vertically place a white 1x2 plate with a clip on the long side on the rightmost column so the clip faces the right and the clip hands face up and down. Now place a white 2x2 plate to the left of the ppp. Now vertically place a light grey 1x2 plate with a socket on the long side on the leftmost column so the socket faces the left. Then place a white 2x2 plate to the right of the ppp.
- 9. Place a white 2x2 plate on the 2 leftmost columns. Then vertically place a black 1x2 plate on the 3rd column from the left. Then repeat symmetrically to the right.
- 10. Horizontally place a light grey 1x2x2/3 brick with 2x2 side studs on the front row so it is centered horizontally and the side studs face the front. Then repeat symmetrically to the back.
- 11. Horizontally place a black 2x3 plate on the 3 leftmost columns.
- 12. Horizontally place a black 2x3 plate on the 2nd to 4th columns from the left. Now horizontally place a black 2x4 sloped curved tile on the 4 rightmost columns so it slopes to the right.

## Group 3 - Husky

- 13. Place a black 2x2 plate upright on the 2x2 front-facing side studs. Then place a black 2x2 angled sloped curved tile upright on the bottom row of front-facing side studs so the angled side slopes and overhangs 1 row to the bottom. Then repeat both parts symmetrically to the back.
- 14.1. Let's make a part! Horizontally place a white 1x4 inverted sloped curved brick in front of you so it slopes to the right. Then horizontally place a white 1x2 plate with a bar on the short side on the 2 leftmost columns so the bar faces the left. Now horizontally place 2 white 1x2 inverted arch bricks, 1 to the right of the other, on top so they slope to the left.
- 14.2. Horizontally attach the bar of your part to the right-facing clip so the studs face up. This is the tail!

- 15. Let's make 2 identical parts! Horizontally place a white 1x2 brick with a pinhole in front of you. Then insert a black 2L pin into the back-facing pinhole.
- 16. Horizontally place a white 1x6 plate underneath your part so 4 columns are exposed to the right.
- 17. Horizontally place a white 1x2 plate with a bar on the short side on the 2 rightmost columns so the bar faces the right. Then horizontally place a light grey 1x2 plate to the left of the ppp.
- 18. Horizontally place a black 1x2 plate with 2x2 side studs hanging down on the 2 leftmost columns so the side studs face the front. Then horizontally place a white 1x3 slope brick to the right of the ppp so it slopes to the right.

Group 4 - Husky

- 19. Place a black 1x1 slope tile on the leftmost column so it slopes to the left. Then horizontally place a black 1x2 plate to the right of the ppp.
- 20. Vertically attach a white 1x2 plate with a clip on the long side to the right-facing bar so the studs face up. Now vertically place a white 1x2 sloped curved brick on top of the ppp so it slopes to the left.
- 21. Now you should have 2 identical parts! These are the legs! Rotate your main build 180 degrees so it is horizontal and the socket faces the right. Now attach the back-facing pin of each of your parts to each of the 2 front-facing pinholes of the main build so they are vertical and stand on the 1x2 sloped curved bricks.
- 22. Let's make 2 identical parts! Horizontally place a white 1x2 brick with a pinhole in front of you. Then insert a black 2L pin into the back-facing pinhole.
- 23. Horizontally place a white 1x6 plate underneath your part so 4 columns are exposed to the left.

Group 5 - Husky

- 24. Horizontally place a white 1x2 plate with a bar on the short side on the 2 leftmost columns so the bar faces the left. Then horizontally place a light grey 1x2 plate to the right of the ppp.
- 25. Horizontally place a black 1x2 plate with 2x2 side studs hanging down on the 2 rightmost columns so the side studs face the front. Then horizontally place a white 1x3 slope brick to the left of the ppp so it slopes to the left.

Group 6 - Husky

- 26. Place a black 1x1 slope tile on the rightmost column so it slopes to the right. Then horizontally place a black 1x2 plate to the left of the ppp.
- 27. Vertically attach a white 1x2 plate with a clip on the long side to the left-facing bar so the studs face up. Now vertically place a white 1x2 sloped curved brick on top of the ppp so it slopes to the right.
- 28. Now you should have 2 identical parts! These are the legs! Rotate your main build 180 degrees so it is horizontal and the socket faces the left. Now attach the back-facing pin of each of your parts to each of

the 2 front-facing pinholes of the main build so they are vertical and stand on the 1x2 sloped curved bricks.

29. Let's make a part! Let's make the head! Place a black 2x2 plate in front of you. Then horizontally place a dark grey 1x2 plate with a ball on the long side on the back row so the ball faces the back.

Group 7 - Husky

- 30. Horizontally place a tan 1x2 plate on the front row.
- 31. Horizontally place a white 2x4 plate with inverted slope sides underneath your part so it is centered horizontally.
- 32. Horizontally place 2 light grey 1x2 plates, 1 to the right of the other, on the back row.
- 33. Horizontally place a light grey 1x4 brick on the back row.
- 34. Horizontally place 2 light grey 1x2 bricks with 2 side studs, 1 to the right of the other, on the front row so the side studs face the front.
- 35. Horizontally place a white 1x2 brick with 2 side studs on the back row so it is centered horizontally and the side studs face the back. Now place a black 1x1 tile with a clip to the left of the ppp so the clip hands face left and right. Then repeat symmetrically to the right.
- 36. Horizontally place a light grey 1x2 plate on the back row so it is centered horizontally. Then horizontally place 2 black 1x2x2/3 bricks with 2x2 side studs, 1 to the right of the other, on the front row so the side studs face the front.
- 37. Place a black 2x2 plate on top so it is centered horizontally. Then place a black 1x1 quarter circle tile on the front left corner so the curve faces the front left. Then repeat symmetrically to the right.
- 38.1. Let's make 2 identical parts! Place a black 1x1 round plate with a bar in front of you so the bar faces the right. Then horizontally place a black 1x3 sloped curved brick on top so it slopes and overhangs 2 columns to the left.
- 38.2. Now you should have 2 identical parts! Attach the bar of 1 part to the back right clip so it slopes up and the tile side faces the right. Then repeat symmetrically to the left. These are the ears!
- 39.1. Let's make a part! Let's make the snout! Horizontally place a white 1x2x2/3 brick with 2x2 side studs in front of you so the side studs face the front. Then horizontally place a white 1x2 jumper plate on top. Then place a black 1x1 round tile on top. Now vertically place a white 1x2 sloped curved brick upright on the left column of front-facing side studs so it slopes to the left. Then repeat symmetrically to the right.
- 39.2. Place your part upright on the bottom row of front-facing side studs of your previous part so it is centered horizontally and the sloped curved bricks overhang 1 row to the bottom.
- 40. Place 2 white 2x2 round tiles printed with black and light blue eyes, 1 to the right of the other, upright on the top 2 rows of front-facing side studs. Now place a white 1x1 quarter circle tile upright on the leftmost front-facing side stud so the curve faces the bottom left. Then repeat symmetrically to the right.

- 41. Rotate your part 180 degrees so the ball faces the front. Now hang a light blue disc with a bar to the front-facing ball so the bar faces down. Now attach a light grey 1x1 plate with a clip to the bar so it hangs down and the stud faces the back. Then place a light grey 1x1 round tile printed with a bone upright on the ppp. This is a dog collar!
- 42. Bring back your main build and orient it so it is horizontal and the socket faces the left. Now attach the ball of your part to the left-facing socket!
- 43. Place a red ball in front of your dog! Now put them away while we make another dog!

Group 10 - Long Haired Dachshund

1. Horizontally place a tan 2x10 plate in front of you. Then horizontally place a tan 1x2 brick with a pinhole on the back right corner. Then repeat symmetrically to the front.

Group 11 - Long Haired Dachshund

- 2. Vertically place a nougat 1x2 brick with a pinhole on the 3rd column from the right. Then repeat symmetrically to the left.
- 3. Horizontally place a nougat 1x4 brick on the front row so it is centered horizontally. Then repeat symmetrically to the back.

Group 12 - Long Haired Dachshund

- 4. Horizontally place a tan 1x2 brick with a pinhole on the front left corner. Then repeat symmetrically to the back.
- 5. Vertically place a nougat 1x2 plate with a clip on the long side on the rightmost column so the clip faces the right and the clip hands face up and down. Then horizontally place a nougat 1x5 plate on the front row to the left of the ppp. Then repeat symmetrically to the back.
- 6. Vertically place a light grey 1x2 plate with a socket on the long side on the leftmost column so the socket faces the left. Then horizontally place a tan 2x3 plate to the right of the ppp.
- 7. Place 4 nougat 2x2 plates, 1 to the right of the other, on top so together they are centered horizontally.
- 8. Place a nougat 2x2 sloped curved tile on the 2 rightmost columns so it slopes to the right. Then repeat symmetrically to the left. Now horizontally place a nougat 2x4 plate on top so it is centered horizontally.
- 9.1. Let's make a part! Let's make the tail! Horizontally place a nougat 1x2 plate with a bar on the short side in front of you so the bar faces the right. Then place a tan 1x1 quarter circle tile on the left column so the curve faces the back left. Then place another 1 to the right so the curve faces the front right.
- 9.2. Horizontally place a dark tan 1x4 inverted sloped curved brick underneath your part so it slopes and overhangs 2 columns to the left. Now horizontally place a nougat 1x2 plate with a bar on the short side on the 2 leftmost columns so the bar faces the left. Then horizontally place 1 more on top of the ppp so the bar faces the right.

- 9.3. Place a tan 1x1 quarter circle tile on the leftmost column so the curve faces the front left. Then place another 1 to the right so the curve faces the back right.
- 9.4. This is the tail! Now rotate your main build 180 degrees so the bar faces the left. Now attach the right-facing clip of your part to the left-facing bar so the tiles are on top.

### Group 13 - Long Haired Dachshund

- 10. Let's make 2 identical parts! Let's make the legs! Horizontally place a nougat 1x2 brick with a pinhole in front of you. Then insert a black 2L pin into the back-facing pin hole.
- 11. Horizontally place a tan 1x2 plate with a bar on the short side underneath your part so the bar faces the right.
- 12. Horizontally place a tan 1x2 plate with 2x2 side studs hanging down on top so the side studs face the front.
- 13. Place a nougat 2x2 round tile upright on the front-facing side studs.
- 14. Vertically attach the clip of a nougat 1x2 plate with a clip on the long side to the right-facing bar so the studs face up. Then vertically place a tan 1x2 sloped curved brick on top so it slopes to the left.
- 15. Now you should have 2 identical parts! Attach the pins of your 2 parts to the 2 front-facing pinholes so they are upright and stand on the 1x2 sloped curved bricks!
- 16. Let's make 2 identical parts! Let's make the legs! Horizontally place a nougat 1x2 brick with a pinhole in front of you. Then insert a black 2L pin into the back-facing pin hole.
- 17. Horizontally place a tan 1x2 plate with a bar on the short side underneath your part so the bar faces the left.
- 18. Horizontally place a tan 1x2 plate with 2x2 side studs hanging down on top so the side studs face the front
- 19. Place a nougat 2x2 round tile upright on the front-facing side studs.
- 20. Vertically attach the clip of a nougat 1x2 plate with a clip on the long side to the left-facing bar so the studs face up. Then vertically place a tan 1x2 sloped curved brick on top so it slopes to the right.
- 21. Now you should have 2 identical parts! Rotate your main build 180 degrees so the socket faces the left. Then attach the pins of your 2 parts to the 2 front-facing pinholes so they are upright and stand on the 1x2 sloped curved bricks!

## Group 14 - Long Haired Dachshund

22. Let's make a part! Let's make the head! Place a brown 2x2 plate with 2 side studs in front of you so the side studs face the front. Then horizontally place a dark grey 1x2 plate with a ball on the long side on the back row so the ball faces the back.

- 23. Horizontally place a tan 2x4 plate with inverted sloped sides underneath your part so it is centered horizontally.
- 24. Horizontally place a dark tan 1x4 plate on the back row so it is centered horizontally.
- 25. Horizontally place a tan 1x4 brick on the back row.
- 26. Horizontally place 2 tan 1x2 bricks with 2 side studs, 1 to the right of the other, on the front row so the side studs face the front.
- 27. Horizontally place a nougat 1x2 plate with a bar on the short side on the front left corner so the bar faces the left. Then repeat symmetrically to the right.
- 28. Place a nougat 2x2 plate so it is centered horizontally.
- 29. Place a nougat 2x2 sloped curved tile on the 2 leftmost columns so it slopes to the left. Then repeat symmetrically to the right.
- 30.1. Let's make 2 identical parts! Horizontally place a nougat 1x2 plate with a clip on the long side in front of you so the clip faces the front and the clip hands face up and down. Now place a nougat 1x2 plate with spikes on top so the spikes overhang 1 row to the back.
- 30.2. Now you should have 2 identical parts! Attach the clip of 1 part to the right-facing bar so the studs face the right and the spikes hang down. Then repeat symmetrically to the left.
- 31. Place a tan 2x2 tile with 2 studs upright on the front-facing side studs so it is centered horizontally and the studs are on the bottom. Then place a white 1x1 round tile with a black eye upright on the front-facing side stud to the left of the ppp. Then repeat symmetrically to the right.

## Group 15 - Long Haired Dachshund

- 32.1. Let's make a part! Horizontally place a tan 1x2 plate in front of you. Then place a tan 2x2 sloped curved tile on top so it slopes and overhangs 1 row to the front.
- 32.2. Place a tan 1x1x2/3 brick with 2 side studs underneath the left column so 1 stud faces the front and the anti-stud faces the back. Then repeat symmetrically to the right.
- 32.3. Horizontally place a tan 1x2 jumper plate upright on the 2 front-facing side studs. Now place a black 1x1 round tile upright on the front-facing side stud.
- 32.4. Place your part upright on the front-facing side studs of your previous part so it is centered horizontally and the sloped curved tile is on top.

## Group 16 - Long Haired Dachshund

33. Rotate your part 180 degrees so the ball faces the front. Now hang a light blue disc with a bar onto the front-facing ball so the bar faces down. Now attach a light grey 1x1 plate with a clip to the bar so it

hangs down and the stud faces the back. Then place a light grey 1x1 round tile printed with a bone upright on the ppp. This is a dog collar!

34. Bring back your main build and orient it so it is horizontal and the socket faces the left. Now attach the ball of your part onto the left-facing socket! Now put away your dog while we make the food bowl!

Group 17 - Food Bowl

- 1. Place a light blue 6x6 round plate in front of you.
- 2. Place a light purple 1x3 sloped curved brick on the front left corner so it slopes to the front left. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.
- 3. Place 6 light orange 1x1 round plates and 6 nougat 1x1 round plates in the middle! They should not attach to any studs!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our <u>Builders page</u>. It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please signup for our newsletter and follow us on <u>Facebook</u> and <u>Instagram</u> to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 3 LEGO Creator 3 in 1 Theme kits:

31130 Sunken Treasure Mission

31132 Viking Ship and the Midgard Serpent

31131 Downtown Noodle Shop