

40821 Love Bears

Adapted by John Le and tested by Jolene Nemeth.

The Love Bears toy building kit (40821) is a Valentine's Day gift, or any-day treat, featuring 2 cute bears with flowers and other romantic accessories. This adorable animal toy makes a fun bedroom display for your special someone or for kids aged 9 and up.

Celebrate Valentine's Day with a buildable toy gift featuring 2 delightful, love-struck bears with heart-shaped noses, flowers, a heart-shaped balloon and a box of chocolates. Love will be in the air wherever they are displayed! Standing over 3 in. (9 cm) tall, the 2 bears can be detached from the base and displayed independently. Their arms can be moved up and down and so can their paws.

Valentine's Day gift – Love Bears for kids and adults features 2 love-struck bears with romantic accessories for your special someone or for girls and boys aged 9 and up.

Bear toy building kit – The brick-built figures come with heart-shaped noses, flowers, a heart-shaped balloon and a box of chocolates, and because they are a pair, couples can build one each.

Valentine's decor bedroom display – The 2 LEGO® bears have movable arms and hands, and they can be detached from their base to be displayed independently.

More collectible characters – These brick-built figures can be played with and displayed with other LEGO® buildable figures (sold separately), including other special-day celebration sets.

Measurements – The set includes 287 pieces and measures over 3 in. (9 cm) high, 6 in. (16 cm) wide and 1 in. (5 cm) deep.

The front of the box shows a brown bear and panda bear holding hands with a heart in between them!

The back of the box shows the 2 bears together holding hands!

The top of the box shows a real size image of a pink 1x1 heart-shaped tile.

The build is 287 pieces in total and is for ages 9+.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.

- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/40821>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2 and 3, and put them in one container.

This LEGO set comes with 5 bags labeled 1 to 5, 2 sets of identical instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Brown Bear

Group 1 - 1 white 2x3 plate from Step 1.

Group 2 - Rest of Step 1 and Steps 2-5.

Group 3 - Steps 6-9

Group 4 - Step 10.

Group 5 - Steps 11-13.

Bag 2 - Brown Bear

Group 6 - Steps 14-27.

Group 7 - Steps 28-32 and 4 pink 1x1 round flower plates from Step 33.

Group 8 - Rest of Step 33.

Bag 3 - Panda Bear

Group 9 - 1 tan 2x3 plate from Step 34.

Group 10 - Rest of Step 34 and Steps 35-38.

Group 11 - Step 39.

Group 12 - Steps 40-46.

Bag 4 - Panda Bear

Group 13 - Steps 47-58 and 1 white 1x3 plate from Step 59.

Group 14 - Rest of Step 59 and Steps 60-65.

Bag 5 - Grass Area

Group 15 - Steps 66-72 and 1 green 1x1 plate and 1 green 1x1 round flower plate from Step 73.

Group 16 - 1 pink 1x1 round flower plate from Step 73.

Group 17 - 1 red 1x1 round flower plate from Step 73.

Group 18 - Rest of Step 73 and Step 74.

Group 19 - 1 pink 1x1 round flower plate from Step 75.

Group 20 - Rest of Step 75 and 1 purple 1x1 round flower plate from Step 76.

Group 21 - 2 red 1x1 round flower plates from Step 76.

Group 22 - Rest of Step 76 and Steps 77-79.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Brown Bear

1.1. Let's make a brown bear! Horizontally place a white 2x3 plate in front of you.

Group 2 - Brown Bear

1.2. Horizontally place a tan 2x3 plate on top of the ppp.

2. Place a dark brown 1x1 brick with 2 side studs on the front left corner so the side studs face the front and left. Then repeat symmetrically to the back. Now repeat everything symmetrically to the right. Then place a white 1x1 brick with a side stud on the front row so it is centered horizontally and the side stud faces the front. Then repeat symmetrically to the back.

3. Horizontally place a brown 2x3 brick on top.

4. Flip your build upside down so it is horizontal. Now vertically stack 2 brown 1x2 plates on top so they are centered horizontally.

5. Vertically place a brown 1x2x2/3 brick with 2x2 side studs on the leftmost column so the side studs face the left. Then vertically place a brown 1x2 rounded plate on the leftmost column. Now repeat both parts symmetrically to the right.

Group 3 - Brown Bear

6.1. Flip your build over so it is right side up and horizontal. Now let's make 2 identical parts! Horizontally place a brown 2x3 plate in front of you. Then vertically place a brown 1x2 plate on top so it is centered horizontally. Now horizontally place 2 brown 1x2 sloped curved tiles, 1 in front of the other, on the leftmost column so they slope and overhang to the left. Then repeat symmetrically to the right.

6.2. Now you should have 2 identical parts! Vertically place 1 upright on the 6 left-facing side studs so there is no overhang. Then repeat symmetrically to the right.

7.1. Let's make a part! Horizontally place a brown 1x3 plate in front of you. Then vertically place 3 brown 1x2 sloped curved tiles, 1 to the right of the other, on top so they slope and overhang to the back.

7.2. Vertically place 3 brown 1x1 plates with a 1x1 slope tile, 1 to the right of the other, underneath the front row so the slope tiles are exposed to the front. Now horizontally place a brown 2x3 plate underneath the back row so 1 row is exposed to the back.

7.3. Vertically place your part upright on the front-facing side studs so the studs are on top. They should sit above the front-facing side studs.

8. Vertically place a brown 1x2 plate on top so it is centered horizontally. Now vertically place a brown 1x2 plate with a clip on the long side to the left of the ppp so the clip faces the left and the clip hands face up and down. Then repeat symmetrically to the right.

9. Vertically place a brown 1x2 sloped curved tile upright on the front-facing side stud so it is centered horizontally and 1 row slopes and overhangs to the top. Now vertically place a brown 1x2 angled sloped curved tile to the left of the ppp so it slopes and overhangs to the top and the angled part faces the left. Then repeat symmetrically to the right.

Group 4 - Brown Bear

10.1. Let's make a part! Place a tan 3x3 plate in front of you.

10.2. Horizontally place a tan 1x2 sloped curved tile on the leftmost column so it is centered vertically and slopes and overhangs to the left. Then repeat symmetrically to the right.

10.3. Place a tan 1x1 plate on top so it is centered. Now place a tan 1x1 tile on the front row so it is centered horizontally. Then repeat symmetrically to the back.

10.4. Horizontally place a tan 1x2 angled sloped curved tile on the front left corner so it slopes and overhangs to the left and the angled part faces the front left. Then repeat symmetrically to the back. Now repeat both parts symmetrically to the right.

10.5. Rotate your main build 180 degrees. Now vertically place your part upright on the front-facing side studs so it is centered vertically on them.

11. Horizontally attach a brown 1x1 plate with 2 bars to the left-facing clip so the stud faces up. Now place a brown 1x1 tile on top of the ppp. Then repeat both parts symmetrically to the right.

12.1. Let's make a part! Place a brown 2x2 inverted sloped curved tile in front of you so it slopes to the left. Now vertically place a brown 1x2 plate with a clip on the long side on the rightmost column so the clip faces the right and the clip hands face up and down. Now place a brown 2x2 plate on top so there is no overhang.

12.2. Vertically place a tan 1x2 tile with a round side on the rightmost column so the round side faces the left. Then place 2 tan 1x1 round tiles, 1 in front of the other, on the leftmost column.

12.3. Attach the clip of your part to the right-facing bar so the round tiles face down.

13.1. Let's make a part! Place a brown 2x2 inverted sloped curved tile in front of you so it slopes to the left. Now vertically place a brown 1x2 plate with a clip on the long side on the rightmost column so the clip faces the right and the clip hands face up and down.

13.2. Horizontally place a nougat 1x2 plate with a stud and an upright clip on the back row so the clip is on the left. Now place a nougat 1x1 plate on the front right corner. Then place a tan 1x1 round tile to the left of the ppp.

13.3. Attach the right-facing clip of your part to the left-facing bar so the studs face down.

Building Instructions (Bag 2, Book 1):

Group 6 - Brown Bear

14. Let's make a part! Horizontally place a brown 2x3 plate in front of you. Then vertically place a dark grey 1x2x2/3 brick with side studs on 3 sides on the leftmost column so the 2x2 side studs face the left. Then repeat symmetrically to the right.

15. Place a light grey 1x1x2/3 brick with 2 side studs on the front row so it is centered horizontally and the side studs face the front. Then repeat symmetrically to the back.

16. Horizontally place a dark tan 1x3 rounded plate on the front row. Then repeat symmetrically to the back.

17. Horizontally place a brown 1x3 plate on the back row. Then place a brown 1x1 plate on the front row so it is centered horizontally.

18. Vertically place a brown 1x2 plate on top so it is centered horizontally.

19. Vertically place a brown 1x2 jumper plate on top so it is centered horizontally. Now place a brown 1x1 slope tile on the back right corner so it slopes to the right. Then repeat symmetrically to the left.

20. Place 3 brown 1x1 slope tiles, 1 to the right of the other, upright on the bottom row of front-facing side studs so they slope down. Now place 2 more, 1 in front of the other, upright on the bottom row of right-facing side studs so they slope down. Then repeat symmetrically to the left.

21.1. Let's make a part! Vertically place a brown 1x2 plate in front of you. Now horizontally place a brown 1x2 sloped curved tile on the back row so it slopes and overhangs to the left. Then horizontally place a brown 1x2 angled sloped curved tile in front of the ppp so it slopes and overhangs to the left and the angled part faces the front left.

21.2. Place your part upright on the 2 right-facing side studs so it slopes up.

22.1. Let's make a part! Vertically place a brown 1x2 plate in front of you. Now horizontally place a brown 1x2 sloped curved tile on the back row so it slopes and overhangs to the right. Then horizontally place a

brown 1x2 angled sloped curved tile in front of the ppp so it slopes and overhangs to the right and the angled part faces the front right.

22.2. Place your part upright on the 2 left-facing side studs so it slopes up.

23.1. Let's make a part! Horizontally place a brown 1x3 plate in front of you. Then vertically place 3 brown 1x2 sloped curved tiles, 1 to the right of the other, on top so they slope and overhang to the back.

23.2. Horizontally place your part upright on the front-facing side studs so it slopes up.

24. Place a black 1x1 round plate with a bent bar on the front left corner so the stud faces the top left. Then place a brown 1x1 ball on top of the ppp. Now repeat both parts symmetrically to the right.

25. Let's make another part! Place a brown 3x3 plate in front of you.

26. Horizontally place a brown 2x3 plate on the back 2 rows.

27. Vertically place a brown 1x2 jumper plate on the back 2 rows so it is centered horizontally. Then place a brown 1x1 slope tile in front of the ppp so it slopes to the front. Now place a brown 1x1 quarter circle tile on the front left corner so the curve faces the front left. Then repeat symmetrically to the right.

Group 7 - Brown Bear

28. Rotate your part 180 degrees. Now place a brown 1x1 tile with a round side on the front left corner so the round side faces the left. Then place a white 1x1 round tile printed with an eye behind the ppp. Now repeat both parts symmetrically to the right.

29. Place a dark tan 2x2 round tile with a stud on top of the 1x2 jumper plate so it is centered on the stud. Now place a tan 2x2 dish on top of the ppp.

30. Place a pink 1x1 heart-shaped tile on top of the ppp so the tip faces the front.

31. This is the face! Now bring back your previous part and rotate it 180 degrees so the side studs face the front. Now place your current part upright on the front-facing side studs so it is centered vertically on them and the tip of the heart faces down.

32. Bring back your main build and orient it so it is horizontal and the single side stud faces the front. Now place your part on top so it is centered horizontally on it and the heart tile faces the front.

You will have 4 pink 1x1 round flower plates. Save them for later!

Group 8 - Brown Bear

33.1. Let's make a part! Place a green 1x1 round plate in front of you. Then place a pink 1x1 round flower plate from group 7 on top.

33.2. Place a green 3L bar underneath your part. Then place a green 1x1 round plate on top.

33.3. Place a green plant with 6 stems on top.

33.4. Place 3 red 1x1 round flower plates, 1 on each of the 3 top-facing stems. Then place 3 pink 1x1 round flower plates from group 7, 1 on each of the rest of the stems.

33.5. This is a bouquet of roses! Now attach the 3L bar of your part to the leftmost down-facing clip so the flowers face the front! Now put your bear away while we make another!

Building Instructions (Bag 3, Book 1):

Group 9 - Panda Bear

34.1. Let's make a panda bear! Horizontally place a tan 2x3 plate in front of you.

Group 10 - Panda Bear

34.2. Horizontally place a white 2x3 plate on top.

35. Place a dark grey 1x1 brick with 2 side studs on the front left corner so the side studs face the front and left. Then repeat symmetrically to the back. Now repeat everything symmetrically to the right. Then place a tan 1x1 brick with a side stud on the front row so it is centered horizontally and the side stud faces the front. Then repeat symmetrically to the back.

36. Horizontally place a black 2x3 brick on top.

37. Flip your build upside down so it is horizontal. Now vertically stack 2 black 1x2 plates on top so they are centered horizontally.

38. Vertically place a black 1x2x2/3 brick with 2x2 side studs on the leftmost column so the side studs face the left. Then vertically place a black 1x2 rounded plate on the leftmost column. Now repeat both parts symmetrically to the right.

Group 11 - Panda Bear

39.1. Flip your build over so it is right side up and horizontal. Now let's make 2 identical parts! Horizontally place a black 2x3 plate in front of you. Then vertically place a white 1x2 plate on top so it is centered horizontally. Now horizontally place 2 black 1x2 sloped curved tiles, 1 in front of the other, on the leftmost column so they slope and overhang to the left. Then place a white 2x2 sloped curved tile on the rightmost column so it slopes and overhangs to the right.

39.2. Now you should have 2 identical parts! Vertically place 1 upright on the 6 left-facing side studs so there is no overhang and the 2x2 sloped curved tile faces up. Then repeat symmetrically to the right.

Group 12 - Brown Bear

40.1. Let's make a part! Horizontally place a white 1x3 plate in front of you. Then vertically place 3 white 1x2 sloped curved tiles, 1 to the right of the other, on top so they slope and overhang to the back.

40.2. Vertically place 3 white 1x1 plates with a 1x1 slope tile, 1 to the right of the other, underneath the front row so the slope tiles are exposed to the front. Now horizontally place a white 2x3 plate underneath the back row so 1 row is exposed to the back.

40.3. Vertically place your part upright on the front-facing side studs so the studs are on top. Your part should sit 1 row above the front-facing side studs.

41. Vertically place a black 1x2 plate on top so it is centered horizontally. Now vertically place a black 1x2 plate with a clip on the long side to the left of the ppp so the clip faces the left and the clip hands face up and down. Then repeat symmetrically to the right.

42. Vertically place a white 1x2 sloped curved tile upright on the front-facing side studs so it is centered horizontally and 1 row slopes and overhangs to the top. Now vertically place a white 1x2 angled sloped curved tile to the left of the ppp so it slopes and overhangs to the top and the angled part faces the left. Then repeat symmetrically to the right.

43.1. Let's make a part! Horizontally place a white 2x4 plate in front of you.

43.2. Place a white 2x2 sloped curved tile on the back row so it is centered horizontally and slopes and overhangs to the back. Then repeat symmetrically to the front.

43.3. Vertically place a white 1x2 angled sloped curved tile on the front right corner so it slopes and overhangs to the front and the angled part faces the front right. Then repeat symmetrically to the back. Now repeat both parts symmetrically to the left.

43.4. Rotate your main build 180 degrees. Now horizontally place your part upright on the front-facing side studs so it is centered horizontally and 1 row sits above the front-facing side studs.

44. Horizontally attach a black 1x1 plate with 2 bars to the left-facing clip so the stud faces up. Now place a black 1x1 tile on top of the ppp. Then repeat both parts symmetrically to the right.

45.1. Let's make a part! Place a black 2x2 inverted sloped curved tile in front of you so it slopes to the left. Now vertically place a black 1x2 plate with a clip on the long side on the rightmost column so the clip faces the right and the clip hands face up and down. Now place a black 2x2 plate on top so there is no overhang.

45.2. Vertically place a white 1x2 jumper plate with a round side on the rightmost column so the round side faces the left. Then place 2 white 1x1 round tiles, 1 in front of the other, on the leftmost column.

45.3. Horizontally place a brown 1x2 tile printed with a chocolate bar on top so 1 column sits on the 1x1 round tiles that are to the left. Now attach the clip of your part to the right-facing bar so the 1x2 tile faces down.

46.1. Let's make a part! Place a black 2x2 inverted sloped curved tile in front of you so it slopes to the left. Now vertically place a black 1x2 plate with a clip on the long side on the rightmost column so the clip faces the right and the clip hands face up and down. Then place a black 2x2 plate on top.

46.2. Horizontally place a white 1x1 quarter circle tile on the front right corner so the curve faces the front left. Then place a white 1x1 round tile to the left of the ppp. Now repeat both parts symmetrically to the back.

46.3. Attach the right-facing clip of your part to the left-facing bar so the 1x1 round tiles face down.

Building Instructions (Bag 4, Book 1):

Group 13 - Panda Bear

47. Let's make a part! Horizontally place a black 2x3 plate in front of you. Then vertically place a dark grey 1x2x2/3 brick with side studs on 3 sides on the leftmost column so the 2x2 side studs face the left. Then repeat symmetrically to the right.

48. Place a light grey 1x1x2/3 brick with 2 side studs on the front row so it is centered horizontally and the side studs face the front. Then repeat symmetrically to the back.

49. Horizontally place a white 1x3 rounded plate on the front row. Then repeat symmetrically to the back.

50. Horizontally place a white 1x3 plate on the back row. Then place a white 1x1 plate on the front row so it is centered horizontally.

51. Vertically place a white 1x2 plate on top so it is centered horizontally.

52. Vertically place a white 1x2 jumper plate on top so it is centered horizontally. Now place a white 1x1 slope tile on the back right corner so it slopes to the right. Then repeat symmetrically to the left.

53. Place 3 white 1x1 slope tiles, 1 to the right of the other, upright on the bottom row of front-facing side studs so they slope down. Now place 2 more, 1 in front of the other, upright on the bottom row of right-facing side studs so they slope down. Then repeat symmetrically to the left.

54.1. Let's make a part! Vertically place a white 1x2 plate in front of you. Now horizontally place a white 1x2 sloped curved tile on the back row so it slopes and overhangs to the left. Then horizontally place a white 1x2 angled sloped curved tile in front of the ppp so it slopes and overhangs to the left and the angled part faces the front left.

54.2. Place your part upright on the 2 right-facing side studs so it slopes up.

55.1. Let's make a part! Vertically place a white 1x2 plate in front of you. Now horizontally place a white 1x2 sloped curved tile on the back row so it slopes and overhangs to the right. Then horizontally place a white 1x2 angled sloped curved tile in front of the ppp so it slopes and overhangs to the right and the angled part faces the front right.

55.2. Place your part upright on the 2 left-facing side studs so it slopes up.

56.1. Let's make a part! Horizontally place a white 1x3 plate in front of you. Then vertically place 3 white 1x2 sloped curved tiles, 1 to the right of the other, on top so they slope and overhang to the back.

56.2. Horizontally place your part upright on the front-facing side studs so it slopes up.

57. Place a black 1x1 round plate with a bent bar on the front left corner so the stud faces the top left. Then place a black 1x1 ball on top of the ppp. Now repeat both parts symmetrically to the right.

58. Let's make another part! Place a white 3x3 plate in front of you.

59.1. Horizontally place a white 1x3 plate on the back row.

Group 14 - Panda Bear

59.2. Horizontally place a black 1x3 plate on the 2nd row from the back.

60. Vertically place a white 1x2 jumper plate on the back 2 rows so it is centered horizontally. Then place a white 1x1 slope tile in front of the ppp so it slopes to the front. Now place a black 1x1 tile with a round side on the front left corner so the round side faces the front. Then repeat symmetrically to the right.

61. Rotate your part 180 degrees. Now place a white 1x1 quarter circle tile on the front left corner so the curve faces the front left. Then place a white 1x1 round tile printed with an eye behind the ppp. Now repeat both parts symmetrically to the right.

62. Place a white 2x2 round tile with a stud on top of the 1x2 jumper plate so it is centered on the stud. Now place a white 2x2 dish on top of the ppp.

63. Place a pink 1x1 heart-shaped tile on top of the ppp so the tip faces the front.

64. This is the face! Now bring back your previous part and rotate it 180 degrees so the side studs face the front. Now place your current part upright on the front-facing side studs so it is centered vertically on them and the tip of the heart faces down.

65. Bring back your main build and orient it so it is horizontal and the 2x2 sloped curved tiles face the front. Now place your part on top so it is centered horizontally on it and the heart tile faces the front. Now put your bear away while we make the grass area!

Building Instructions (Bag 5, Book 1):

Group 15 - Grass Area

66. Vertically place a light green 2x6 plate in front of you. Then horizontally place a green 1x3 slope brick on the back left corner so it slopes and overhangs 2 columns to the left. Then repeat symmetrically to the right.

67. Place the back row of a green 6x6 quarter circle plate underneath the 2 leftmost columns so the curve faces the front left. Then repeat symmetrically to the right.

68. Horizontally place 2 green 2x3 plates, 1 to the right of the other, on the 2nd and 3rd rows from the back so together they are centered horizontally.

69. Horizontally place a lime green 1x2 jumper plate on the back row so it is centered horizontally. Then horizontally place a lime green 1x2 slope tile in front of the ppp so it slopes to the front.

70. Place a green 1x1 slope tile on the back left corner so it slopes to the left. Then horizontally place a green 1x3 slope brick to the right of the ppp so it slopes to the right. Now repeat both parts symmetrically to the right.

71. Place a green 1x1 slope tile on the 2nd row from the back, on the 2nd column from the left so it slopes to the back. Now place a green 1x1 round flower plate to the right of the ppp. Then place a green 1x1 slope tile to the right of the ppp so it slopes to the back. Now repeat everything symmetrically to the right.

72. Horizontally place a green 1x3 plate on the 3rd row from the back, on the 2nd to 4th columns from the left. Then repeat symmetrically to the right.

73.1. Place a green 1x1 plate on the 2nd row from the back, on the 6th column from the right. Then place a green 1x1 round flower plate on top of the ppp.

Group 16 - Grass Area

73.2. Place a pink 1x1 round flower plate on top of the ppp.

Group 17 - Grass Area

73.3. Place a red 1x1 round flower plate on the 2nd row from the back, on the 6th column from the left.

Group 18 - Grass Area

73.4. Place a yellow 1x1 round flower plate on the 3rd row from the back, on the 7th column from the right.

74. Horizontally place a green 1x6 tile on the 3rd row from the front so it is centered horizontally. Now horizontally place a green 1x2 tile to the left of the ppp. Then place a green 1x1 quarter circle tile to the left of the ppp so the curve faces the front left. Now repeat both parts symmetrically to the right.

Group 19 - Grass Area

75.1. Place a pink 1x1 round flower plate on the 6th column from the right of the 2nd row from the front.

Group 20 - Grass Area

75.2. Place a purple 1x1 round flower plate to the left of the ppp.

75.3. Place a green 1x1 plate on the 4th column from the left of the 2nd row from the front. Now place a green 1x1 quarter circle tile to the left and right of the ppp so the curve of the left one faces the front left and the curve of the right one faces the front right. Now repeat all 3 parts symmetrically to the right.

76.1. Place a purple 1x1 round flower plate on the 2nd column from the right of the 2nd row from the front.

Group 21 - Grass Area

76.2. Place a red 1x1 round flower plate on the 4th column from the right of the 2nd row from the front. Then place another 1 on the 2nd column from the left of the 2nd row from the front.

Group 22 - Grass Area

76.3. Place a light yellow 1x1 round flower plate on the 4th column from the left of the 2nd row from the front. Then place another 1 on the 3rd column from the right of the front row.

77. Place a transparent 5L antenna on the back row so it is centered horizontally.

78.1. Let's make a part! Place a red 3x3 heart shaped plate in front of you so the right angle faces the front left. Now place a red 2x2 tile on the front left corner. Then horizontally place a red 1x2 tile with a round side on the back row so the round side faces the back. Then vertically place 1 on the rightmost column so the round side faces the right.

78.2. Flip your part upside down so the right angle faces the front left. Now place a gold 1x1 round plate with a clip underneath on the front left anti-stud. It should sit on the round anti-stud and the clip hands should face the front right and back left.

78.3. Attach the clip of your part to the top of the antenna so the right angle faces down and the tile side faces the front.

79. Now horizontally place 1 bear on the 2nd to 4th columns from the left of the 3rd and 4th rows from the back so it faces the front! Then repeat symmetrically to the right with the other bear! They should only attach to 2 studs each!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets, there are no ads.