

76448 Fawkes: Dumbledore's Phoenix

Adapted by John Le and tested by Natalie Charbonneau.

Let animal-loving young Harry Potter™ fans build their passion for the wizarding world with the LEGO® Harry Potter Fawkes™: Dumbledore's Phoenix toy building set (76448). The highly posable Fawkes figure has gripping talons to grab onto his perch or the brick-built Sorting Hat™ and Sword of Gryffindor™.

Phoenix toy building set for ages 8 plus – Nurture your youngster's passion for Harry Potter™ adventures with this LEGO® brick-built figure of Dumbledore's Phoenix Fawkes™.

Mythical creature toy figure – The Fawkes™ figure has a posable head, beak, wings and gripping talons, and he can be placed on the buildable perch with ashes elements underneath.

Treat toy for kids – This compact set offers a rewarding build for Harry Potter™ fans who are new to LEGO® building, and it has authentic details to inspire creative play.

Iconic accessories – This playful build-and-display set includes a brick-built Sorting Hat™ and the Sword of Gryffindor™, which Fawkes™ can grip in his talons, plus a baby Fawkes figure.

The front of the box shows the phoenix sitting on a perch trying to grab the sorting hat that is below it!

The back of the box shows the phoenix flying in the air flapping its wings!

The top of the box shows a brown 4x4 half dome brick with a hollow inside printed with the sorting hat face.

The build is 299 pieces in total and is for ages 8+.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the

bottom of a plate or brick.

- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, els and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray,

generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/76448>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2 and 3, and put them in one container.

This LEGO set comes with 5 bags labeled 1 to 5, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Perch

Group 1 - Steps 1-14.

Bag 2 - Fawkes

Group 2 - Steps 15-35.

Bag 3 - Fawkes

Group 3 - Steps 36-51.

Group 4 - Steps 52-62.

Group 5 - Steps 63-67.

Group 6 - Steps 68-83.

Bag 4 - Fawkes

Group 7 - Steps 84-97.

Group 8 - Steps 98-106.

Group 9 - Steps 107-111.

Group 10 - Steps 112-118.

Bag 5 - Sword of Gryffindor, Sorting Hat, and Baby Fawkes

Group 11 - Steps 1-10.

Group 12 - Steps 1-6 and 1 black 1x1 slope tile and a light orange 1x1 tile with a round side from Step 1.

Group 13 - Rest of Step 1 and Steps 2-5.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Perch

1. Horizontally place a light brown 1x6 plate in front of you. Then horizontally place a light grey 1x2 brick with a side stud on top so it is centered horizontally and the side stud faces the front.
2. Horizontally place a brown 1x3 brick on the 2 leftmost columns so 1 column overhangs to the left. Then repeat symmetrically to the right.
3. Horizontally place a light brown 1x6 plate on top so it is centered horizontally. Now place a lime green 1x1 round plate upright on the front-facing side stud.
4. Horizontally place a brown 1x6 brick on top so it is centered horizontally. Then horizontally place a light brown 1x6 plate on top of the ppp.
5. Vertically place a brown 1x8 plate underneath the leftmost column so 7 rows are exposed to the front. Now vertically place a brown 1x6 brick on the leftmost column so it is centered vertically. Now repeat both parts symmetrically to the right.
6. Vertically place a brown 1x4 tile on the back left corner. Then repeat symmetrically to the right.
7. Place a light brown 1x1 plate with 2 side studs hanging down on the leftmost column of the back row so the side studs face the left. Then vertically place a brown 1x2 plate upright on the left-facing side studs. Now place a light brown 1x1 round plate upright on the bottom left-facing side stud. Now repeat everything symmetrically to the right.
8. Horizontally place a brown 1x4 tile on the back row so it is centered horizontally. Then place a brown 1x1 slope tile to the left of the ppp so it slopes to the front. Then repeat symmetrically to the right.
- 9.1. Let's make a part! Horizontally place a brown 2L axle connector in front of you. Now insert a light grey 5L axle into the left-facing axle hole. Then repeat symmetrically to the right.
- 9.2. Attach the axle hole of a dark grey axle connector with a 2L bar to the left-facing axle so it goes all the way in and the bar is in the back and faces up and down. Then repeat symmetrically to the right.
- 9.3. Insert a gold 1L pin connector into the left-facing axle. Now attach a brown 1x1 brick with an axle hole to the left-facing axle so it goes all the way in and the anti-stud faces the back.
- 9.4. Insert a gold 1L pin connector into the right-facing axle. Now attach a brown 1x1 brick with an axle hole to the right-facing axle so it goes all the way in and the anti-stud faces the back.
- 9.5. Attach a gold 1x1 cone brick to the left-facing axle. Then repeat symmetrically to the right.
- 9.6. Horizontally place your part on the front row so it is centered horizontally. Now lift your part up so it is upright and the 1x1 slope tiles are on the bottom and face the front. The previous part you just placed should be on top and horizontal.

10. Vertically place a brown 1x4 tile upright on the left column of front-facing side studs. Then repeat symmetrically to the right.

11.1. Let's make a part! Horizontally place a light brown 1x6 plate in front of you. Then horizontally place a brown 1x6 brick on top.

11.2. Place a brown 1x1 plate with 2 side studs sticking up underneath the leftmost column so the side studs face the left. Now vertically place a brown 1x2 plate upright on the left-facing side studs. Then place a light brown 1x1 round plate upright on the top left-facing side stud. Now repeat everything symmetrically to the right.

11.3. Horizontally place your part upright on the back-facing anti-studs so it is centered horizontally and the anti-studs face the back.

12. Horizontally place a brown 1x4 rounded plate upright on the right-facing side studs so it is centered horizontally. Then horizontally place a gold 1x2 tile upright on the right-facing side studs so it is centered horizontally. Now repeat both parts symmetrically to the left.

13. Horizontally place a gold 1x1 tile with a 1x1 slope tile upright on the front 2 right-facing side studs so it slopes to the front. Then repeat symmetrically to the back.

14. Place a dark grey 3x3 dish on the top-facing 1x1 round plate so it is centered. Now put your perch away while we make Fawkes!

Building Instructions (Bag 2, Book 1):

Group 2 - Fawkes

15. Horizontally place a red 2x6 plate with inverted slope sides in front of you. Then horizontally place an orange 2x4 plate on top so it is centered horizontally.

16. Place a black 2x2 plate on the 2nd and 3rd columns from the right. Then horizontally place a yellow 1x2 plate with 2 side studs hanging down on the front row to the left of the ppp so the side studs face the front. Then repeat symmetrically to the back.

17. Horizontally place a light orange 2x6 plate on top.

18. Vertically place a dark grey 1x2 plate with a ball on the short side on the front row of the 2nd column from the left so 1 row overhangs to the front and the ball faces the front. Then repeat symmetrically to the back.

19. Place a red 1x2 brick with a pinhole and 1x2 plate on the 2 leftmost columns so it is centered vertically ,the brick is on the left, and the pinhole faces the left.

20. Vertically place a dark red 1x2 rounded plate on the 2nd column from the left so it is centered vertically.

21. Vertically place a red 1x1 tile with a 1x1 slope tile on the front 2 rows of the 2nd column from the left so it slopes to the front. Then repeat symmetrically to the back.

22.1. Let's make a part! Horizontally place a red 1x3 brick with 3 pinholes in front of you. Now insert a black 2L pin into the middle front-facing pinhole. Now horizontally attach a red 1x3 brick with 3 pinholes to the ppp so it is centered horizontally.

22.2. Horizontally place your part on the 2nd to 4th columns from the right.

23. Place a light orange 1x1 plate with 2 side studs hanging down on the front left corner so the side studs face the front. Then repeat symmetrically to the back. Now place another 1 on the front row on the 4th column from the right so the side studs face the front. Then repeat symmetrically to the back.

24. Place a black 2x2 plate on the 2nd and 3rd columns from the right. Now vertically place a yellow 1x2 plate with 2 side studs hanging down on the rightmost column so the side studs face the right.

25. Place a red 1x1 brick with a pinhole on the front right corner so the pinhole faces the front and back. Then repeat symmetrically to the back.

26. Place a red 2x2 curved corner plate upright on the front left front-facing side studs so the curved corner faces the bottom left.

27. Vertically place a transparent red 1x2 sloped curved tile upright on the top 2 side studs of the leftmost front-facing side studs so it slopes up. Now vertically place a red 2x3 wedge plate upright on the rightmost column of front-facing side studs so the angled side faces the right and the short end sticks up.

28. Rotate your build 180 degrees. Now place a red 2x2 curved corner plate upright on the front right front-facing side studs so the curved corner faces the bottom right.

29. Vertically place a transparent red 1x2 sloped curved tile upright on the top 2 side studs of the rightmost front-facing side studs so it slopes up. Now vertically place a red 2x3 wedge plate upright on the leftmost column of front-facing side studs so the angled side faces the left and the short end sticks up.

30. Horizontally place a light orange 2x4 plate on the 4 leftmost columns.

31. Vertically place a red 1x2 plate with 2x2 side studs hanging down on the leftmost column so the side studs face the left. Then place a black 2x2 plate to the right of the ppp.

32. Vertically place 2 red 1x2 plates with a stud and a clip, 1 to the right of the other, upright on the bottom 2 rows of left-facing side studs so the clips are on the bottom.

33. Place a light orange 2x2 sloped curved tile upright on the left-facing side studs so it slopes up.

34. Horizontally place a light orange 2x3 tile on the 3 leftmost columns. Then vertically place a light orange 3x4 sloped curved brick to the right of the ppp so it is centered vertically and slopes to the right.

35. Insert the blue 2L axle-pin combo into the right-facing pinhole so the axle faces the right. Now attach a red 2x2 curved trunk to the right-facing axle so the other end faces the bottom right. Now insert a red 2L pin axle into the right-facing axle-pin combo of the ppp so the pin faces the bottom right.

Building Instructions (Bag 3, Book 1):

Group 3 - Fawkes

36. Let's make a part! Place a light orange 1x1 plate with 2 side studs sticking up in front of you so the side studs face the back.

37. Horizontally place a red 1x3 brick with 3 pinholes on top so it is centered horizontally.

38. Horizontally place a light orange 1x2 plate with 2x2 side studs sticking up underneath the leftmost column so 1 column is exposed to the left and the side studs face the back. Then repeat symmetrically to the right.

39. Place a nougat 1x1 brick with an axle hole on the rightmost column so the axle hole faces the right.

40. Horizontally place an orange 1x4 plate on the 4 rightmost columns.

41. Place a transparent red 1x1 round plate on the leftmost column. Then place a red 1x1 brick with a pinhole on top of the ppp so the pinhole faces the front.

42. Insert 2 black 2L pins into the 2 leftmost front-facing pinholes so the pins face the front.

43. Horizontally place a red 1x2 plate with 2 side studs sticking up on the 2 leftmost columns so the side studs face the back. Now place a dark grey 1x1 plate with a side stud sticking up on the rightmost column so the side stud faces the back.

44. Horizontally place a dark red 1x2 rounded plate on the 2 leftmost columns. Then horizontally place a dark grey 1x3 inverted arch brick to the right of the ppp so it slopes to the left.

45. Place a red 1x1 tile with a round side on the leftmost column so the round side faces the left. Then place another 1 to the right of the ppp so the round side faces the right. Now place a dark grey 1x1 tile with a clip on the rightmost column so the clip hands face left and right.

46.1. Let's make a part! Horizontally place a red 1x4 plate with inverted sloped sides in front of you. Now horizontally place a dark red 1x2 rounded plate on top so it is centered horizontally. Now horizontally place a yellow 1x2 plate with 2 side studs hanging down on top so it is centered horizontally and the side studs face the back.

46.2. Horizontally place your part underneath the 4 leftmost columns so the side studs face the back.

47. Rotate your part 180 degrees so the side studs face the front. Now vertically place a dark grey 1x3 tile upright on the leftmost column of front-facing side studs.

48. Place a red 2x2 plate with a cutoff corner upright on the bottom 2 rows of the 2 rightmost columns of front-facing side stud so it looks like the braille letter d and the cutoff corner faces the bottom right. Then place another 1 upright to the left of the ppp so the cutoff corner faces the bottom left.

49. Vertically place a red 1x2 tile upright on the top right front-facing side studs. Then place a red 2x2 plate with a cutoff corner upright to the left of the ppp so it looks like the braille letter j and the cutoff

corner faces the top left. Then place a transparent red 1x1 quarter circle tile upright to the left of the bottom row of the ppp so the curve faces the top left.

50. Vertically attach the bar of a dark grey 1x2 plate with a bar on the long side to the top-facing clip so the plate is on the left. Now vertically place a black 1x2 plate with claws on top of the ppp so the claws overhang to the left.

51. Bring back your main build and orient it so it is horizontal and the pin faces the right. Now attach the back-facing pins of your part to the 2 leftmost front-facing pinholes so the claws face the top left. It should not be flat, it should be slanted when mounted.

Group 4 - Fawkes

52. Let's make a part! Let's make a leg. Place a light orange 1x1 plate with 2 side studs sticking up in front of you so the side studs face the back.

53. Horizontally place a red 1x3 brick with 3 pinholes on top so it is centered horizontally.

54. Horizontally place a light orange 1x2 plate with 2x2 side studs sticking up underneath the leftmost column so 1 column is exposed to the left and the side studs face the back. Then repeat symmetrically to the right.

55. Place a nougat 1x1 brick with an axle hole on the leftmost column so the axle hole faces the left.

56. Horizontally place an orange 1x4 plate on the 4 leftmost columns.

57. Place a transparent red 1x1 round plate on the rightmost column. Then place a red 1x1 brick with a pinhole on top of the ppp so the pinhole faces the front.

58. Insert 2 black 2L pins into the 2 rightmost front-facing pinholes so the pins face the front.

59. Horizontally place a red 1x2 plate with 2 side studs sticking up on the 2 rightmost columns so the side studs face the back. Now place a dark grey 1x1 plate with a side stud sticking up on the leftmost column so the side stud faces the back.

60. Horizontally place a dark red 1x2 rounded plate on the 2 rightmost columns. Then horizontally place a dark grey 1x3 inverted arch brick to the left of the ppp so it slopes to the right.

61. Place a red 1x1 tile with a round side on the rightmost column so the round side faces the right. Then place another 1 to the left of the ppp so the round side faces the left. Now place a dark grey 1x1 tile with a clip on the leftmost column so the clip hands face left and right.

62.1. Let's make a part! Horizontally place a red 1x4 plate with inverted sloped sides in front of you. Now horizontally place a dark red 1x2 rounded plate on top so it is centered horizontally. Now horizontally place a yellow 1x2 plate with 2 side studs hanging down on top so it is centered horizontally and the side studs face the back.

62.2. Horizontally place your part underneath the 4 rightmost columns so the side studs face the back.

Group 5 - Fawkes

63. Rotate your part 180 degrees so the side studs face the front. Now vertically place a dark grey 1x3 tile upright on the rightmost column of front-facing side studs.

64. Place a red 2x2 plate with a cutoff corner upright on the bottom 2 rows of the 2 leftmost columns of front-facing side stud so the cutoff corner faces the bottom left and it looks like the braille letter d. Then place another 1 upright to the right of the ppp so the cutoff corner faces the bottom right.

65. Vertically place a red 1x2 tile upright on the top left front-facing side studs. Then place a red 2x2 plate with a cutoff corner upright to the right of the ppp so the cutoff corner faces the top right and it looks like the braille letter h. Then place a transparent red 1x1 quarter circle tile upright to the right of the bottom row of the ppp so the curve faces the top right.

66. Vertically attach the bar of a dark grey 1x2 plate with a bar on the long side to the top-facing clip so the plate is on the right. Now vertically place a black 1x2 plate with claws on top of the ppp so the claws overhang to the right.

67. Bring back your main build and orient it so it is horizontal and the pin faces the right. Now attach the back-facing pins of your part to the 2 leftmost back-facing pinholes so the claws face the top left.

Group 6 - Fawkes

68. Let's make a part! Let's make a wing. Place a red 3x3 quarter circle plate in front of you so the round side faces the back right.

69. Vertically place a light grey 1x2 plate with a socket on the long side on the front left corner so the socket faces the left. Then vertically place a dark red 1x2 rounded plate to the right of the ppp.

70. Place a black 1x1 round plate with a bar on the front right corner so the bar faces the right. Then place another 1 behind the ppp so the bar faces the back right. Now place 1 on the back left corner so the bar faces the back. Then place another 1 to the right so the bar faces the back right.

71. Place a red 3x3 quarter circle plate on top so the curve faces the back right.

72.1. Let's make 2 identical parts! Horizontally place a red 2x3 wedge plate in front of you so the short side faces the right and the angled side faces the back. Now horizontally place a yellow 1x2 plate with a clip on the short side on the front left corner so the clip faces the left. Then horizontally place a transparent red 1x2 sloped curved tile on the front right corner so it slopes and overhangs to the right.

72.2. Now you should have 2 identical parts! Horizontally attach the clip of 1 part to the 1x1 round plate with a bar that is in the front right corner so it slopes to the right. Then attach the clip of another 1 to the bar behind the ppp so it slopes to the back right.

73.1. Let's make 2 identical parts! Let's make the feathers! Horizontally place a yellow 1x2 plate with a clip on the short side in front of you so the clip faces the left. Now place a transparent red 1x1 quarter circle tile on the left column so the curve faces the front left. Now horizontally place a transparent red 1x2 sloped curved tile to the right of the ppp so it slopes and overhangs to the right.

73.2. Now you should have 2 identical parts! Attach 1 part to the 1x1 round plate with a bar that is on the back left corner so it slopes to the back. Then attach another 1 to the bar to the right of the ppp so it slopes to the back right.

74. Flip your part over so the right angle of the 3x3 quarter circle plate faces the back right. Now place a transparent red 2x2 inverted round tile with a rounded bottom on top of the 2x2 anti-studs of the 3x3 quarter circle plate.

75. This is a wing with feathers! Flip your part over so it is right side up and the right angle of the 3x3 quarter circle plate faces the back left. Now bring back your main build and orient it upright so the pin is on the left and faces up. It should sit upright on its feet! Now attach the socket of your part to the front-facing ball so the studs face up.

76. Let's make a part! Let's make the phoenix's other wing! Place a red 3x3 quarter circle plate in front of you so the round side faces the back left.

77. Vertically place a light grey 1x2 plate with a socket on the long side on the front right corner so the socket faces the right. Then vertically place a dark red 1x2 rounded plate to the left of the ppp.

78. Place a black 1x1 round plate with a bar on the front left corner so the bar faces the left. Then place another 1 behind the ppp so the bar faces the back left. Now place 1 on the back right corner so the bar faces the back. Then place another 1 to the left so the bar faces the back left.

79. Place a red 3x3 quarter circle plate on top so the curve faces the back left.

80.1. Let's make 2 identical parts! Let's make the feathers! Horizontally place a red 2x3 wedge plate in front of you so the short side faces the left and the angled side faces the back. Now horizontally place a yellow 1x2 plate with a clip on the short side on the front right corner so the clip faces the right. Then horizontally place a transparent red 1x2 sloped curved tile on the front left corner so it slopes and overhangs to the left.

80.2. Now you should have 2 identical parts! Horizontally attach the clip of 1 part to the 1x1 round plate with a bar that is in the front left corner so it slopes to the left. Then attach the clip of another 1 to the bar behind the ppp so it slopes to the back left.

81.1. Let's make 2 identical parts! Let's make some more feathers! Horizontally place a yellow 1x2 plate with a clip on the short side in front of you so the clip faces the left. Now place a transparent red 1x1 quarter circle tile on the left column so the curve faces the back left. Now horizontally place a transparent red 1x2 sloped curved tile to the right of the ppp so it slopes and overhangs to the right.

81.2. Now you should have 2 identical parts! Attach 1 part to the 1x1 round plate with a bar that is on the back right corner so it slopes to the back. Then attach another 1 to the bar to the left of the ppp so it slopes to the back left.

82. Flip your part over so the right angle of the 3x3 quarter circle plate faces the back right. Now place a transparent red 2x2 inverted round tile with a rounded bottom on top of the 2x2 anti-studs of the 3x3 quarter circle plate.

83. This is a wing with feathers! Flip your part over so it is right side up and the right angle of the 3x3 quarter circle plate faces the back right. Now bring back your main build and orient it upright so the pin is on the right and faces up. It should sit upright on its feet! Now attach the socket of your part to the front-facing ball so the studs face up.

Building Instructions (Bag 4, Book 1):

Group 7 - Fawkes

84. Let's make a part! Let's make the head! Horizontally stack 2 dark red 1x2 rounded plates in front of you.

85. Place a red 1x1 brick with a side stud underneath the left column so the side stud faces the left. Then place a dark grey 1x1 brick with side studs on opposite sides underneath the right column so the side studs face front and back.

86. Place a pink 1x1 brick on the left column. Now place a lime green 1x1 brick with a pinhole on the right column so the pinhole faces the right.

87. Horizontally stack 2 dark red 1x2 rounded plates on top.

88. Place a red 1x1 brick with a side stud on top of the left column so the side stud faces the left. Then place a dark grey 1x1 brick with side studs on opposite sides on the right column so the side studs face front and back.

89. Let's make another part! Vertically place a dark red 1x2 rounded plate in front of you. Then place a light orange 2x2 corner plate on top so 1 column overhangs to the left and it looks like the braille letter d.

90. Place an orange 2x2 plate with 2 side studs underneath the left column so 1 row is exposed to the front, 1 column is exposed to the left, and the side studs face the front.

91. Place a light orange 2x2 corner plate on the left column so 1 column overhangs to the left and it looks like the braille letter f.

92. Horizontally place a dark grey 1x1 plate with a 1x1 slope tile underneath the back left corner so it slopes to the left.

93. Place a dark grey 1x1 plate with a side stud sticking up underneath the front left corner so the side stud faces the left.

94. Place a dark grey 1x1 round plate upright on the left-facing side stud. Now place a black 1x1 round tile printed with a white eye upright on the left-facing side stud.

95. Vertically place a red 1x2 slope tile on the leftmost column so it slopes to the left. Then vertically place a dark red 1x2 rounded plate to the right of the ppp. Now vertically place a red 1x2 slope tile on the rightmost column so it slopes to the left.

96. Horizontally place 2 red 1x2 sloped curved tiles, 1 in front of the other, on top of the 2nd and 3rd columns from the right so they slope to the right.

97. Orient your part so it is vertical, upright, the anti-studs face the back, and the 1x1 round tile faces up. Now vertically place your part upright on the front-facing side studs of the previous part so it is centered horizontally and the 1x1 round tile faces up.

Group 8 - Fawkes

98. Let's make a part! Vertically place a dark red 1x2 rounded plate in front of you. Then place a light orange 2x2 corner plate on top so 1 column overhangs to the right and it looks like the braille letter f.

99. Place an orange 2x2 plate with 2 side studs underneath the right column so 1 row is exposed to the front, 1 column is exposed to the right, and the side studs face the front.

100. Place a light orange 2x2 corner plate on the rightmost column so 1 column overhangs to the right and it looks like the braille letter d.

101. Horizontally place a dark grey 1x1 plate with a 1x1 slope tile underneath the back right corner so it slopes to the right.

102. Place a dark grey 1x1 plate with a side stud sticking up underneath the front right corner so the side stud faces the right.

103. Place a dark grey 1x1 round plate upright on the right-facing side stud. Now place a black 1x1 round tile printed with a white eye upright on the right-facing side stud.

104. Vertically place a red 1x2 slope tile on the rightmost column so it slopes to the right. Then vertically place a dark red 1x2 rounded plate to the left of the ppp. Now vertically place a red 1x2 slope tile on the leftmost column so it slopes to the right.

105. Horizontally place 2 red 1x2 sloped curved tiles, 1 in front of the other, on top of the 2nd and 3rd columns from the left so they slope to the left.

106. Bring back your previous part and orient it so the sloped curved tiles face the back. Now horizontally place your part upright on the front-facing side studs so it slopes up.

Group 9 - Fawkes

107.1. Let's make a part! Horizontally place a dark grey 1x2 plate with a stud and a clip in front of you so the clip is on the right. Now place a dark grey 1x1 brick with side studs on opposite sides on top so the side studs face front and back.

107.2. Place a black 1x1 slope tile on top so it slopes to the left. Now attach the bar of a black 1x1 round plate with a bar to the clip so it is upright and the stud faces the right.

107.3. Now bring back your previous part and orient it so it is horizontal and the 1x1 round tiles are in the front and face up. Now vertically place your part on top so it is centered horizontally and it slopes to the front.

108.1. Let's make a part! Let's make the top of the head. Horizontally place a black 1x3 plate in front of you. Then place a red 1x1 tile with a clip on top so it is centered horizontally and the clip hands face left and right. Then horizontally place a red 1x2 sloped curved tile on the left column so it slopes and overhangs to the left. Then repeat symmetrically to the right.

108.2. Lay your sub-assembly on its side so it is horizontal and the 1x1 slope tile faces the right and slopes up. Now horizontally place your part on top of the 2 studs that are on the middle row so it is centered vertically.

109.1. Let's make 2 identical parts! Let's make the feathers. Horizontally place a yellow 1x2 plate with a stud and clip in front of you so the clip is on the left. Then horizontally place a red 1x2 sloped curved tile on top so it slopes and overhangs to the right.

109.2. Horizontally place your part on the front row so it slopes and overhangs 1 column to right over the upright parts. It should only sit on 1 stud. Then repeat symmetrically to the back.

110.1. Let's make 3 identical parts! Let's make more feathers! Place a black 1x1 round plate with a bar in front of you so the bar faces the right. Now horizontally place a red 1x2 sloped curved tile on top so it slopes and overhangs to the left.

110.2. Now you should have 3 identical parts! Attach the bars of your parts to the 3 top-facing clips so the 1x2 sloped curved tiles face the left.

111. This is the bird head! Bring back your main build and orient it so the pin is on the left and sticks up. Now attach the bottom-facing pinhole of your part to the top-facing pin so the 1x1 slope tile faces the left.

Group 10 - Fawkes

112. Horizontally place a red 2x8 plate in front of you.

113. Horizontally place a red 2x2 plate with 1x4 extended angled sides on the 2nd and 3rd columns from the left so the extended sides face the right.

114. Place a yellow 1x2 plate with claws on the 2 leftmost columns so the claws face the left.

115. Place a black 2x2 plate on the 4th and 5th columns from the right. Now vertically place a red 2x4 trapezoid plate to the right of the ppp so it is centered vertically and the short side faces the right.

116. Horizontally place 2 black 1x2 plates with a bar on the short side, 1 in front of the other, on the rightmost column so they overhang 1 column to the right and the bars face the right.

117. Vertically place a light orange 1x2 jumper plate on the rightmost column. Now place a light orange 2x2 tile with a stud to the left of the ppp. Then horizontally place a light orange 2x4 tile with 2 studs to the left of the ppp.

118. Place 4 black 1x1 quarter circle tiles on top of the 3 ppp so the right angles face the right.

119.1. Bring back your main build and orient it so the wings face the front and back, and the head faces the left. Now horizontally attach the bars of your part to the 2 right-facing clips so it faces the right. This is the tail!

119.2. Bring back your perch and horizontally place it in front of you. Now place the feet of Fawkes on top of the 2 top-facing bars so the claws overhang to the front. Make sure the head faces the front! Now put your build away while we make the next part!

Building Instructions (Bag 5, Book 1):

Group 11 - Sword of Gryffindor

1. Place a transparent red 1x1 round plate in front of you. Then place a dark grey 1x1 round plate with a bar on top so the bar faces the right.
2. Place a transparent red 1x1 round plate on top.
3. Insert a dark grey 2L axle connector into the right-facing bar.
4. Insert a dark grey 4L bar into the right-facing axle connector. Now attach a dark grey 1x1 brick with an axle hole to the right-facing bar so it goes all the way in and the stud faces up.
5. Vertically attach a dark grey axle connector with 2 bar holes to the right-facing axle so it goes all the way in and the bar holes face front and back. Now attach a dark grey 1x1 round tile with an upright bar to the front-facing bar hole so the anti-stud faces the front. Then place a transparent red 1x1 round plate upright on the front-facing anti-stud. Now repeat both parts symmetrically to the back.
6. Insert a dark grey 1L pin with a stud into the right-facing bar so the pin faces the right.
7. Attach a light grey 2L pin connector to the right-facing pin. Then insert a black 2L pin into the right-facing pinhole.
8. Attach a light grey 2L pin connector to the right-facing pin. Now insert a black 2L pin into the right-facing pinhole.
9. Attach a light grey 2L pin connector to the right-facing pin. Now insert a dark grey 1L pin with a stud into the right-facing pinhole so the stud faces the right.
10. Place a light grey 1x1 cone brick upright on the right-facing side stud. Now put your sword away while we make the sorting hat!

Group 12 - Sorting Hat

1. Place a black 4x4 round plate upside down in front of you.
2. Place a light blue 2x2 round plate on top so it is centered.

3. Horizontally place a brown 3x6 plate with a 1x2 gap and a round side on the front 2 rows so it is centered horizontally and the round side overhangs 1 row to the front. Then repeat symmetrically to the back.
4. Flip your part over so it is right side up. Now place a light blue 2x2 round brick on top so it is centered horizontally and vertically.
5. Place a dark grey 4x4x2 half dome with a 2x2 gap printed with a scary face on top so it is centered and the print faces the front.
6. Insert a yellow 3L axle into the top-facing axle hole so it is centered. Now place a dark grey dragon tail on top so it curves to the right. Now insert a brown 2L bar with a stop into the top-facing bar hole of the ppp. Now put your sorting hat away while we make baby Fawkes!

You will have an extra black 1x1 slope tile and a light orange 1x1 tile with a round side. Save them for later!

Group 13 - Baby Fawkes

1. Place a pink 1x1 brick with a side stud on each side in front of you. Then place a light orange 1x1 tile with a round side from group 12 upright on the front-facing side stud so the round side faces down.
2. Place a red 1x1 tile with a round side upright on the left-facing side stud so the round side faces down. Then repeat symmetrically to the right. Now place another 1 upright on the back-facing side stud so the round side faces down.
3. Place a pink 1x1 brick with a side stud on each side on top.
4. Place a black 1x1 round tile with a white eye upright on the left-facing side stud. Then repeat symmetrically to the right.
5. Place a black 1x1 slope tile from group 12 upright on the front-facing side stud so it slopes up. Now place a red 1x1 slope tile upright on the back-facing side stud so it slopes up. Then place another 1 on top so it slopes to the front.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 5 LEGO Harry Potter Theme kits:

76435 Hogwarts™ The Great Hall

76454 Hogwarts™ The Main Tower

76426 Hogwarts™ Castle Boathouse

76447 Hogwarts™ Castle: Flying Lessons

76445 Hogwarts™ Castle: Herbology Class