

76970 Baby Dinosaur Dolores: Aquilops

Adapted by John Le and tested by Jolene Nemeth.

Adventures await kids and fans aged 7 and up who want to start or add to their dinosaur collection with this fun Baby Dinosaur Dolores: Aquilops (76970) LEGO® Jurassic World toy set. This play-and-display building kit features a brick-built baby Aquilops dinosaur figure for kids and a buildable plant with flowers. The Baby Dolores model has a movable head, arms and legs that encourage a range of poses, plus a moving tail and an opening jaw to show her delight when she eats her plant meal. Once playtime is over for the day, this cute dinosaur model can be placed on a shelf or desk to show it off.

Dinosaur playset for display – Treat kids aged 7 and up to this Baby Dinosaur Dolores: Aquilops dinosaur building toy so they can explore their love for dinosaurs and animal-care adventures.

Baby dinosaur toy set – Features a model of a baby Aquilops inspired by the Jurassic World Rebirth movie, plus a buildable plant with flowers to encourage role play and storytelling fun.

LEGO® dinosaur for adventurous play – With opening jaws and a movable head, tail, arms and legs, this Jurassic World Rebirth dinosaur building kit is flexible and built for endless imaginative play.

Features a cute dinosaur – The baby dinosaur figure offers kids lots of fun options for posing the model on display in their room once playtime is finished for the day.

Dinosaur dimensions – This Baby Dinosaur Dolores: Aquilops buildable toy includes 339 pieces and measures over 4.5 in. (11 cm) high, 7.5 in. (20 cm) long and 6 in. (15 cm) wide.

The front of the box shows baby dinosaur dolores aquilops! It is eating berries out of a bush!

The back of the box shows how the tail can move back and forth, and the head can move up and down!

The top of the box shows a real size image of a yellow 2x2 round tile

The build is 339 pieces in total and is for ages 7+.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.

- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- “Anti-stud” is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have

a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/76970>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 3 bags labeled 1 to 3, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Berry Bush and Aquilops

Group 1 - Pages 4-5.

Group 2 - Steps 1-2.

Group 3 - Steps 3-11.

Group 4 - Steps 12-15 and 2 tan 1x1 plates with a side stud hanging down from Step 16.

Group 5 - Rest of Step 16 and Steps 17-29.

Group 6 - Steps 30-32.

Group 7 - Step 33.

Group 8 - Step 34 and 2 brown 1x2 plates from Step 35.

Group 9 - Rest of Step 35 and 4 brown 1x1 slope tiles from Step 36.

Group 10 - Rest of Step 36, Step 37, and Steps 38-39.

Bag 2 - Aquilops

Group 11 - Steps 40-43 and 1 tan 2x4 plate from Step 44.

Group 12 - Rest of Step 44 and 2 tan 2x2 plates with a cutoff corner from Step 45.

Group 13 - Rest of Step 45 and Steps 46-62.

Bag 3 - Aquilops

Group 14 - Steps 63-78.

Group 15 - Steps 79-86.

Group 16 - Steps 87-95.

Group 17 - Step 96 and 2 dark tan 1x2 plates with 2x2 side studs hanging down from Step 97.

Group 18 - Rest of Step 97, Steps 98-101, and 1 nougat 1x2 plate and 1 nougat 1x1 quarter circle tile from Step 102.

Group 19 - Rest of Step 102 and Steps 103-106.

Group 20 - Steps 107-109, and 1 nougat 1x2 plate and 1 nougat 1x1 quarter circle tile from Step 110.

Group 21 - Rest of Step 110 and Steps 111-114.

Group 22 - Steps 115-127.

Group 23 - Steps 128-133.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Berry Bush

Sub-build 1.1. Let's make a part! Place a green 2x2 round plate in front of you. Then place a brown 1x1 round plate on the back left corner. Now place a brown 1x1 brick with a side stud and a bottom lip on top of the ppp so the side stud faces the front right. Then orient the part so the side stud faces the front.

Sub-build 1.2. Let's make another part! Horizontally place a green 2x4 leaf plate in front of you so the stud with the longer branch faces the right. Then place a red 1x1 round flower plate on the back right stud. Now place a green 1x1 round plate with 3 leaves on the rightmost column so the leaves face the right.

Sub-build 1.3. Place the leftmost stud of your part upright on the front facing side stud so the leaves face the top left.

Sub-build 1.4. Let's make another part! Horizontally place a green 2x4 leaf plate in front of you so the stud with the longer branch faces the right. Then place a red 1x1 round flower plate on the back right stud. Now place a green 1x1 round plate with 3 leaves on the front right stud so the leaves face the right. Then place another 1 on the leftmost stud so the leaves face the back right.

Sub-build 1.5. Place the leftmost stud of your part upright on the bottom right front-facing side stud so the leaves face the top right. Now put it away while we make Aquilops!

Group 2 - Aquilops

1. Horizontally place a tan 2x8 plate in front of you. Then horizontally place a tan 2x3 plate on the 3 rightmost columns.

2. Horizontally place a dark grey 1x2 plate with a ball on the long side on the front right corner so the ball faces the front. Then repeat symmetrically to the back. Now vertically place a light yellow 1x2 plate to the left of the 2 ppp.

Group 3 - Aquilops

3. Vertically place a red 1x2 plate on the 4th column from the right.

4. Place a tan 1x1 plate with a side stud hanging down on the front row on the 4th column from the right so the side stud faces the front. Then repeat symmetrically to the back.
5. Horizontally place a dark grey 1x2x2 brick with a pinhole and round lip on the long side on the front row on the 3rd and 4th columns from the left so the lip faces the front. Then repeat symmetrically to the back.
6. Vertically place a red 1x2 plate on the 2nd column from the left.
7. Place a tan 1x1 plate with a side stud hanging down on the front row on the 2nd column from the left so the side stud faces the front. Then repeat symmetrically to the back.
8. Vertically place a red 1x2 plate on top of the 2 ppp.
9. Vertically place a tan 1x2 brick with a side stud on the leftmost column so the side stud faces the left.
10. Vertically place a dark grey 1x2x2 brick with a pinhole and round lip on the rightmost column so the lip faces the right.
11. Horizontally stack 2 tan 2x3 plates to the left of the ppp.

Group 4 - Aquilops

12. Horizontally place a light yellow 1x2 plate on the front left corner. Then repeat symmetrically to the back. Now place a tan 1x1 slope tile upright on the left-facing side stud so it slopes down.
13. Horizontally place a light brown 1x6 plate on the front left corner. Then repeat symmetrically to the back. Now vertically place a light yellow 1x2 plate to the right of the 2 ppp.
14. Horizontally place a brown 2x4 plate with a vertical upright bar on the 4 leftmost columns so the bar faces the left. Then horizontally place a tan 2x3 plate to the right of the ppp.
15. Horizontally place a tan 1x2 plate with 2 side studs hanging down on the front right corner so the side studs face the front. Then horizontally place a tan 1x2 plate with 2x2 side studs hanging down to the left of the ppp. Now repeat both parts symmetrically to the back.
- 16.1. Place a tan 1x1 plate with a side stud hanging down on the front row of the 5th column from the right so the side stud faces the front. Then repeat symmetrically to the back.

Group 5 - Aquilops

- 16.2. Place a dark red 1x1 plate with a side stud hanging down on the front row of the 3rd column from the left so the side stud faces the front. Then repeat symmetrically to the back.
17. Place a dark red 1x1 plate with a side stud hanging down on the front left corner so the side stud faces the front. Then place a light brown 1x1 plate with 2 side studs hanging down to the right of the ppp so the side studs face the front. Now repeat both parts symmetrically to the back.

18. Horizontally place a nougat 1x6 plate upright on the top row of front-facing side studs so it is centered horizontally.

19. Vertically place a tan 1x2 tile upright on the 2 leftmost front-facing side studs that are on the bottom 2 rows. They should sit to the left of a round lip. Now vertically place another tan 1x2 tile upright to the right of the round lip.

20. Place a light yellow 1x1 quarter circle tile to the right of the top row of the ppp so the curve faces the bottom right.

21. Horizontally place a nougat 1x4 tile upright on the top row of front-facing side studs so it is centered horizontally. Now horizontally place a nougat 1x2 sloped curved tile upright to the left of the ppp so it slopes to the left. Then repeat symmetrically to the right.

22. Rotate your build 180 degrees. Horizontally place a nougat 1x6 plate upright on the top row of front-facing side studs so it is centered horizontally.

23. Vertically place a tan 1x2 tile upright on the 2 rightmost front-facing side studs that are on the bottom 2 rows. They should sit to the right of a round lip. Now vertically place another tan 1x2 tile upright to the left of the round lip.

24. Place a light yellow 1x1 quarter circle tile upright to the left of the top row of the ppp so the curve faces the bottom left.

25. Horizontally place a nougat 1x4 tile upright on the top row of front-facing side studs so it is centered horizontally. Now horizontally place a nougat 1x2 sloped curved tile upright to the left of the ppp so it slopes to the left. Then repeat symmetrically to the right.

26.1. Let's make a part! Place a tan 2x2 inverted tile in front of you. Then horizontally place 2 tan 1x4 inverted sloped curved bricks, 1 in front of the other, on the left column so they slope and overhang 3 columns to the left. Then repeat symmetrically to the right. Now horizontally place a tan 2x4 plate on top so it is centered horizontally.

26.2. Horizontally place your part underneath the build so it is centered horizontally.

27. Vertically place a dark red 3x4 angled sloped curved brick on the 3 rightmost columns so it is centered vertically and slopes to the right.

28. Place a dark red 2x2 slope brick on the front row to the left of the ppp so it slopes to the front and the front row sits on upright parts. Then repeat symmetrically to the back.

29. Vertically place a dark red 3x4 angled sloped curved brick on the 3 leftmost columns so it is centered vertically and slopes to the left.

Group 6 - Aquilops

30. Let's make a part! Vertically place a brown 1x2 plate in front of you.

31. Horizontally place 2 tan 1x4 inverted sloped curved bricks, 1 in front of the other, on top so they slope and overhang 3 columns to the left.

32. Horizontally place a tan 2x4 plate with a bar connector on the short side on top so 2 columns overhang to the right and the bar connector faces the right.

Group 7 - Aquilops

33. Vertically stack 2 tan 1x2 plates underneath the 2nd column from the right.

Group 8 - Aquilops

34. Vertically stack 2 brown 1x2 plates underneath the rightmost column.

35.1. Vertically place a brown 1x2 plate on the rightmost column. Then vertically place another 1 on the 3rd column from the right.

Group 9 - Aquilops

35.2. Vertically place a tan 1x2 plate on the 2nd column from the right.

36.1. Place a brown 1x1 slope tile on the front right corner so it slopes to the front. Then place another 1 on the front row on the 3rd column from the right so it slopes to the front. Then repeat both parts symmetrically to the back.

Group 10 - Aquilops

36.2. Place a tan 1x1 slope tile on the front row on the 2nd column from the right so it slopes to the front. Then repeat symmetrically to the back.

37. Place a tan 1x1 slope tile on the front row on the 3rd column from the left so it slopes to the front. Then repeat symmetrically to the back.

38. Horizontally place a tan 2x3 pentagonal tile on the 2 leftmost columns so the angled side overhangs 1 column to the left.

39. Horizontally attach the right-facing bar connector of your part to the left-facing bar of the main build. This is the tail! Now you can move it back and forth!

Building Instructions (Bag 2, Book 1):

Group 11 - Aquilops

40. Let's make 2 identical parts! Place a tan 2x2 plate with a cutoff corner in front of you so the cutoff corner faces the back left. Then place another 1 to the right of the ppp so the cutoff corner faces the back right.

41. Place a dark grey 2x2 brick with a pinhole and round dome with a pinhole that overhangs on top so it is centered horizontally and the dome overhangs to the back. Now insert the pin of a black round part with

2 pins to the bottom-facing pinhole of the dome so the other pin faces the back. Make sure the round part with the pin attaches to the dome!

42. Place a tan 1x1 brick on the front left corner. Then repeat symmetrically to the right.

43. Horizontally place 2 tan 1x2x2 bricks with 2x2 side studs hanging down, 1 to the right of the other, on the front row so the side studs face the front. Now horizontally place a light yellow 1x2 plate on the back row so it is centered horizontally.

44.1. Let's make a part! Horizontally place a tan 2x4 plate in front of you.

Group 12 - Aquilops

44.2. Horizontally place a nougat 2x4 plate on top of the ppp. Now vertically stack 2 red 1x2 plates on the leftmost column. Then repeat symmetrically to the right.

44.3. Horizontally place a white 1x2 brick with an angled part and pin on the back row so it is centered horizontally and the pin faces the back. Now place a short light grey 1x1 round brick with a side stud on the front row on the 2nd column from the right so the side stud faces the front. Then repeat symmetrically to the left.

44.4. Horizontally place a dark red 1x2 plate on the front row so it is centered horizontally. Horizontally place 2 dark red 1x1 plates with a short 1x1 sloped curved brick, 1 in front of the other, on the 2 rightmost columns so they slope to the right. Then repeat symmetrically to the left.

44.5. Place a dark red 2x2 tile on top.

44.6. Horizontally place your part upright on the front-facing side studs of your previous part so the pin faces down.

45.1. Place a tan 2x2 plate with a cutoff corner on the back left corner so the cutoff corner overhangs to the back left. Then repeat symmetrically to the right.

Group 13 - Aquilops

45.2. Place 2 dark red 2x2 plates with a cutoff corner, 1 to the right of the other, in front of the 2 ppp so the cutoff corner of the left one faces the back left, and the cutoff corner of the right one faces the back right.

46. Place a nougat 2x2 tile on top so it is centered on the studs. Now horizontally place a nougat 1x2 tile with a round side behind the ppp so the round side faces the back. Then repeat symmetrically to the front.

47. Now you should have 2 identical parts! Insert the bottom-facing pin of 1 part to the front-facing pinhole of your main build so the other pin faces down. Then repeat symmetrically to the back.

48. Let's make 2 identical parts! Horizontally place a nougat 1x2 plate in front of you.

49. Place a tan 1x1 plate with 2 upright side studs on the left column so the side studs face the left. Then repeat symmetrically to the right.

50. Horizontally place a dark grey 1x2x1 1/3 brick with a pinhole and round lip on top so the round lip faces the front.
51. Horizontally place a nougat 1x2 plate on top. Then horizontally place a black 1x2 brick with 2 side studs on the long side on top so the side studs face the front.
52. Place a tan 1x1 plate with a side stud hanging down on the left column so the side stud faces the left. Then repeat symmetrically to the right.
53. Vertically place a light grey 1x4 plate upright on the 3 right-facing side studs. Then repeat symmetrically to the left.
54. Vertically place a tan 1x2 plate with 1x4 side studs upright on the right-facing side studs so it is centered vertically and the side studs face the front. Then repeat symmetrically to the left.
55. Lay your part on its side so the side studs face up and the anti-studs face the front. Now place a tan 1x1 plate upright on the front right-facing side stud. Then repeat symmetrically to the left.
56. Rotate your part 180 degrees. Place a tan 1x1 plate with a side stud hanging down upright on the front left-facing side stud so the side stud faces the front. Then repeat symmetrically to the right.
57. Horizontally place a dark tan 1x2 jumper plate on the front-facing side studs so it is centered horizontally. Then place a tan 1x1 plate upright on the ppp.
58. Horizontally place a dark tan 1x2 jumper plate on the front row so it is centered horizontally.
59. Vertically place a tan 1x2 sloped curved tile on top of the ppp so it slopes and overhangs to the front. Then vertically place a tan 1x3 tile on the front left corner. Then repeat symmetrically to the right.
60. Place a tan 1x1 quarter circle tile on the back left corner so the curve faces the back left. Then repeat symmetrically to the right.
61. Place a black 1x1 dome upright on each of the 3 front-facing side studs. These are the toes!
62. Now you should have 2 identical parts! These are the feet! Orient your main build so the 2 pins face down and the tail faces the back. Now attach the left bottom-facing pin to the top facing pinhole with a lip so the domes face the front. Then repeat symmetrically to the right.

Building Instructions (Bag 3, Book 1):

Group 14 - Aquilops

63. Let's make a part! Horizontally place a tan 1x3 inverted tile in front of you.
64. Place a nougat 1x1 plate on the rightmost column. Then horizontally place a light grey 1x2 plate with a socket on the short side on the 2 leftmost columns so the socket faces the left.

65. Horizontally place a tan 1x4 hinge plate on the 2 rightmost columns so the hinge faces the back and 2 columns overhang to the right.

66. Place a dark red 2x2 angled sloped curved tile on the 2 leftmost columns so the angled side overhangs to the front and the short side is on the left. Now vertically place a nougat 1x2 sloped curved tile to the right of the ppp so it slopes and overhangs to the front.

67. Horizontally place a light grey 1x2 plate with a socket on the short side underneath the 2 rightmost columns so the socket faces the right.

68. Vertically place a tan 1x2 inverted sloped curved tile underneath the 2nd column from the right so it slopes and is exposed to the front. Now place a nougat 1x1 plate on the front row of the ppp.

69. Place a tan 2x2 plate with a cutoff corner on the 2 rightmost columns so the cutoff corner overhangs to the front right.

70. Attach the left-facing socket of your part to the left-facing ball of the main build so the other socket faces the front left. This is the socket with the 2x2 plate with a cutoff corner above it!

71. Let's make a part! Horizontally place a tan 1x3 inverted tile in front of you.

72. Place a nougat 1x1 plate on the leftmost column. Then horizontally place a light grey 1x2 plate with a socket on the short side on the 2 rightmost columns so the socket faces the right.

73. Horizontally place a tan 1x4 hinge plate on the 2 leftmost columns so the hinge faces the back and 2 columns overhang to the left.

74. Place a dark red 2x2 angled sloped curved tile on the 2 rightmost columns so the angled side overhangs to the front and the short side is on the right. Now vertically place a nougat 1x2 sloped curved tile to the left of the ppp so it slopes and overhangs to the front.

75. Horizontally place a light grey 1x2 plate with a socket on the short side underneath the 2 leftmost columns so the socket faces the left.

76. Vertically place a tan 1x2 inverted sloped curved tile underneath the 2nd column from the left so it slopes and is exposed to the front. Now place a nougat 1x1 plate on the front row of the ppp.

77. Place a tan 2x2 plate with a cutoff corner on the 2 leftmost columns so the cutoff corner overhangs to the front left.

78. Attach the right-facing socket of your part to the right-facing ball of the main build so the other socket faces the front right. This is the socket with the 2x2 plate with a cutoff corner above it!

Group 15 - Aquilops

79. Let's make 2 identical parts! Place a dark tan 1x1 plate with 2 upright side studs in front of you so the side studs face the right.

80. Place a tan 1x1 brick with side studs on 2 sides on top so the side studs face front and back.

81. Horizontally place a tan 1x2 sloped curved tile on top so it slopes and overhangs to the left.
82. Place a tan 1x1 brick with a pinhole underneath the leftmost column so the pinhole faces the left. Now insert a black 1L pin with a ball into the left-facing pinhole.
83. Place a tan 1x1 plate with a side stud hanging down underneath the rightmost column so the side stud faces the right.
84. Horizontally place a tan 1x2 inverted sloped curved tile underneath your part so it slopes to the left.
- 85.1. Lay your part on its side so the ball faces the back and the 3 side studs face the front. Now horizontally place a dark tan 1x3 rounded plate upright on the front-facing side studs. Then place a dark tan 1x1 round plate upright on the front-facing side studs so it is centered horizontally.
- 85.2. Place a black 1x1 dome upright on each of the 3 front-facing side studs.
86. Now you should have 2 identical parts! These are the hands! Horizontally attach the socket of 1 part to the left front-facing socket of the main build so the domes face the front. Then repeat symmetrically to the right.

Group 16 - Aquilops

87. Let's make a part! Horizontally place a tan 1x2 plate with 2x2 upright side studs in front of you so the side studs face the back.
88. Vertically place a light yellow 1x2 plate on the left column so 1 row overhangs to the front.
89. Horizontally place a tan 1x2 plate with 2x2 upright side studs underneath the front row so 1 column is exposed to the right and the side studs face the front.
90. Horizontally place a nougat 2x4 plate on the rightmost column so 3 columns overhang to the right. Then vertically place a dark tan 1x2 plate underneath the rightmost column.
91. Place a black 2x2 brick with a pinhole and vertical dome with a pinhole on the 2 leftmost columns so the dome overhangs to the left. Now attach the pin of a round part with 2 pins with a round part to the front-facing pinhole of the dome of the ppp so the other pin faces the left.
92. Place a tan 2x2 plate with 2 side studs on the 2 rightmost columns so the side studs face the right. Now vertically place a dark tan 1x2 plate to the left of the ppp.
93. Place a dark tan 2x2 plate on the 2nd and 3rd columns from the right.
94. Horizontally place a dark tan 1x2 plate with 2x2 side studs hanging down on the front row on the 2nd and 3rd columns from the right so the side studs face the front. Then repeat symmetrically to the back.
95. Horizontally place a tan 2x4 brick on the 4 leftmost columns.

96. Horizontally place a tan 2x4 plate on the 3 leftmost columns so 1 column overhangs to the left. Then vertically place a light yellow 1x2 plate to the right of the ppp.

97.1. Horizontally place a dark tan 1x2 plate with 2x2 side studs hanging down on the front row on the 2nd and 3rd columns from the left so the side studs face the front. Then repeat symmetrically to the back.

Group 18 - Aquilops

97.2. Horizontally place a dark red 1x2 plate with 2x2 side studs hanging down on the front row on the 2nd and 3rd columns from the right so the side studs face the front. Then repeat symmetrically to the back.

98. Vertically place a nougat 1x2 plate on the leftmost column.

99. Vertically place a tan 1x2 brick with 2 side studs on the long side on the rightmost column so the side studs face the right. Then vertically place a nougat 1x2 plate on top of the ppp.

100. Vertically place a tan 2x4 plate upright on the 2 leftmost columns of front-facing side studs. Now place a nougat 3x3 quarter circle plate upright on the 3 top rows of front-facing side studs to the right of the ppp so 1 column overhangs to the right and the curve faces the top right.

101. Place a dark red 2x2 plate with a cutoff corner upright on the top left front-facing side studs so 1 column overhangs to the left and the cutoff corner faces the bottom left. Then vertically place a nougat 1x2 plate upright below the right column of the ppp.

102.1. Horizontally place a nougat 1x2 plate on the top row of front-facing side studs on the 3rd and 4th columns from the left.

You will have an extra nougat 1x1 quarter circle tile. Save it for later!

Group 19 - Aquilops

102.2. Vertically place a dark red 1x2 plate upright below the left column of the ppp. Now place a nougat 1x1 quarter circle tile from group 18 upright on the rightmost front-facing side stud that is on the top row so the curve faces the top right.

103. Vertically place a nougat 1x2 tile with a round side upright on the rightmost column of front-facing side studs so the round side faces the right. Now place a light yellow 1x1 quarter circle tile upright to the left of the top row of the ppp so the curve faces the bottom left. Now vertically place the top row of a brown 1x2 hinge panel upright to the left of the ppp so the wall faces the left.

104. Place a brown 2x2 plate with a bar underneath upright on the ppp so 1 column overhangs to the right and the side studs face the front right.

105. Place a yellow 2x2 round tile printed with a black round eye with a white tip upright on the ppp.

106. Horizontally place a nougat 1x2 inverted half arch brick upright on the 2 leftmost front-facing side studs of the 2nd row from the top so it slopes to the right.

Group 20 - Aquilops

107. Horizontally place a nougat 1x2 inverted half arch brick upright on the 2 leftmost front-facing side studs of the top row so it slopes to the right. Now place a nougat 1x1 plate upright to the right of the ppp. Then place a nougat 1x1 quarter circle tile upright to the right of the ppp so the curve faces the top right.

108. Rotate your build 180 degrees. Vertically place a tan 2x4 plate upright on the 2 rightmost columns of front-facing side studs. Now place a nougat 3x3 quarter circle plate upright on the 3 top rows of front-facing side studs to the left of the ppp so 1 column overhangs to the left and the curve faces the top left.

109. Place a dark red 2x2 plate with a cutoff corner upright on the top right front-facing side studs so 1 column overhangs to the left and the cutoff corner faces the bottom right. Then vertically place a nougat 1x2 plate upright below the left column of the ppp.

110.1. Horizontally place a nougat 1x2 plate on the top row of front-facing side studs on the 3rd and 4th columns from the right.

You will have an extra nougat 1x1 quarter circle tile. Save it for later!

Group 21 - Aquilops

110.2. Vertically place a dark red 1x2 plate upright below the right column of the ppp. Now place a nougat 1x1 quarter circle tile from group 20 upright on the leftmost front-facing side stud that is on the top row so the curve faces the top left.

111. Vertically place a nougat 1x2 tile with a round side upright on the leftmost column of front-facing side studs so the round side faces the left. Now place a light yellow 1x1 quarter circle tile upright to the right of the top row of the ppp so the curve faces the bottom right. Now vertically place the top row of a brown 1x2 hinge panel upright to the right of the ppp so the wall faces the right.

112. Place a brown 2x2 plate with a bar underneath upright on the ppp so 1 column overhangs to the left and the side studs face the front left.

113. Place a yellow 2x2 round tile printed with a black round eye with a white tip upright on the ppp.

114. Horizontally place a nougat 1x2 inverted half arch brick upright on the 2 rightmost front-facing side studs of the 2nd row from the top so it slopes to the left.

Group 22 - Aquilops

115. Horizontally place a nougat 1x2 inverted arch brick upright on the 2 rightmost front-facing side studs of the top row so it slopes to the left. Now place a nougat 1x1 plate upright to the left of the ppp. Then place a nougat 1x1 quarter circle tile upright to the left of the ppp so the curve faces the top left.

116. Flip your part upside down so the pin faces the right. Now vertically place a red 1x2 plate with a bar on the long side on the 2nd column from the right so it is centered vertically and the bar faces the left. Now place a dark tan 2x2 inverted sloped curved tile on the 2 rightmost columns so it is centered vertically and slopes to the right.

117.1. Let's make a part! Vertically place a red 1x2 plate with 2 clips on the long side in front of you so the clips face the right. Then place a dark tan 2x2 angled sloped curved tile with 2 studs on top so it slopes and overhangs to the left.

117.2. Attach the clips of your part to the left-facing bar so the rounded tip faces the left.

118. Horizontally place a nougat 2x3 wedge plate upright on the top left front-facing side studs so the short side overhangs 1 column to the left and the angled side overhangs 1 row to the top.

119. Place a dark tan 2x2 plate upright on the top row of front-facing side studs on the 3rd and 4th columns from the left so 1 row overhangs to the top.

120. Place a dark red 2x2 plate with a cutoff corner upright on the 2 rightmost columns of front-facing side studs that are on the 2nd and 3rd rows from the top so the cutoff corner faces the top right. It should sit above the 1x2 inverted half arch brick.

121. Horizontally place a nougat 1x2 sloped curved tile upright to the left of the top row of the ppp so it slopes to the left. Now horizontally place a nougat 1x2 angled sloped curved tile above the ppp so the angled side is on top and it slopes to the left.

122. Place a tan 1x1 pyramid tile upright to the right of the ppp.

123. Rotate your build 180 degrees so the pin faces the left. Horizontally place a nougat 2x3 wedge plate upright on the top right front-facing side studs so the short side overhangs 1 column to the right and the angled side overhangs 1 row to the top.

124. Place a dark tan 2x2 plate upright on the top row of front-facing side studs on the 3rd and 4th columns from the right so 1 row overhangs to the top.

125. Place a dark red 2x2 plate with a cutoff corner upright on the 2 leftmost columns of front-facing side studs that are on the 2nd and 3rd rows from the top so the cutoff corner faces the top left. It should sit above the 1x2 inverted half arch brick.

126. Horizontally place a nougat 1x2 sloped curved tile upright to the right of the top row of the ppp so it slopes to the right. Now horizontally place a nougat 1x2 angled sloped curved tile above the ppp so the angled side is on top and it slopes to the right.

127. Place a tan 1x1 pyramid tile upright to the left of the ppp.

Group 23 - Aquilops

128.1. Let's make a part! Horizontally place a dark red 1x6 plate in front of you. Then horizontally place a dark red 1x2 plate on top so it is centered horizontally.

128.2. Vertically place 2 dark red short 1x3 inverted arch bricks, 1 to the right of the other, on top so together they are centered horizontally, and slope and overhang 2 rows to the front.

128.3. Horizontally place a nougat 3x6 trapezoid plate underneath the front 2 rows so it is centered horizontally and the short side is exposed 1 row to the front.

128.3. Place a dark red 2x2 corner slope brick on the back left corner so it slopes to the front left. Then repeat symmetrically to the right.

128.4. Horizontally place a red 1x2 plate on the back row so it is centered horizontally. Now place a dark red 1x1 slope tile to the left of the ppp so it slopes to the front. Then repeat symmetrically to the right.

128.5. Place 2 dark red 1x1 slope tiles, 1 to the right of the other, on the back row so together they are centered horizontally and slope to the front.

128.6. Bring back your previous part and orient it so it is right side up and the pin faces the back. Now horizontally place your part on the back 3 rows so it is centered horizontally and the short side faces the front.

129. Place a dark red 2x2 sloped curved tile on the 2nd and 3rd rows from the front so it is centered horizontally and slopes to the front.

130. Horizontally place a tan 1x2 tri slope tile on the front row so it is centered horizontally and slopes to the front. Now horizontally place another one upright on the top row of front-facing side studs so it slopes up.

131. Place a dark tan 2x2 double angled slope tile upright on the front-facing side studs so it is centered horizontally and the angled side faces down.

132. Bring back your main build and orient it so the tail faces the back. Now insert the back-facing pin of your part into the front-facing pinhole.

133. Place a red 1x1 round flower plate on the top-facing side stud of the hand that is on the right side!

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 5 LEGO Jurassic World Theme kits:

76970 Baby Dinosaur Dolores: Aquilops

76972 Raptor Off-Road Escape

76975 T. rex River Escape

76976 Spinosaurus & Quetzalcoatlus Air Mission

76973 Raptor & Titanosaurus Tracking Mission