

76972 Raptor Off-Road Escape

Adapted by John Le and tested by Jolene Nemeth.

Surprising adventures await kids and movie fans aged 6 plus in this Raptor Off-Road Escape (76972) LEGO® Jurassic World set, a dinosaur gift for boys and girls inspired by the Jurassic World Rebirth movie. After building the dinosaur playset, kids can play out favorite movie scenes or new stories with Reuben and Isabella Delgado minifigures, the Baby Dolores pet dinosaur figure and a Velociraptor figure with a movable jaw. The building kit includes a toy off-road vehicle and a tracking device, a bush with a 'surprise' push-scare effect that can be used with the Velociraptor during play – and much more.

Velociraptor toy set – Treat dinosaur fans aged 6 and up with this detailed Raptor Off-Road Escape set, made to meet kids' passions for fun hero toys, dinosaurs and adventure stories.

Creative building kit – Includes molded LEGO® dinosaur figures of a baby Aquilops and a Velociraptor, plus an off-road vehicle and Reuben and Isabella minifigures to spark dinosaur hunt play.

Dinosaur playset functions – The Velociraptor has a movable jaw and the bush has a 'surprise' function that makes the Velociraptor 'jump' out of the bush when you push the moving base section.

Storytelling toy for kids – The detailed dinosaur toy from the Jurassic World Rebirth movie includes a tracking device, syringe injector, syringe, licorice for Dolores and a steak for the Velociraptor.

Toy vehicle dimensions – The off-road vehicle included in this 285-piece building kit measures over 2.5 in. (7 cm) high, 5.5 in. (15 cm) long and 2.5 in. (6cm) wide.

The front of the box shows the raptor in his natural habitat! The 2 explorers are trying to feed baby dolores but the raptor ambushes them and they have to get in their car and escape!

The back of the box shows Isabella feeding some food to the Baby Dolores while Reuben is in the back luring the raptor away with a chicken leg!

The top of the box shows a real size image of Baby Dolores the pet dinosaur!

The build is 285 pieces in total and is for ages 6+.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.

- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/76972>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 3 bags labeled 1 to 3, 2 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Velociraptor and Habitat

Group 1 - Page 5.

Group 2 - Steps 1-10.

Group 3 - Steps 11-18 and 2 dark green 1x2 jumper plates from Step 19.

Group 4 - Rest of Step 19 and Steps 20-33.

Group 5 - Steps 34-41.

Bag 2 - Reuben and Car

Group 6 - Page 2.

Group 7 - Steps 1-4 and 1 red 2x3 brick from Step 5.

Group 8 - Rest of Step 5 and Steps 6-17.

Group 9 - Steps 18-30.

Group 10 - Steps 31-36 and 1 light grey 1x2 slope tile from Step 37.

Group 11 - Rest of Step 37 and 1 tan 2x6 plate from Step 38.

Group 12 - 1 black 2x6 plate from Step 38.

Group 13 - Rest of Step 38, Steps 39-44, and 1 light grey 1x2 slope tile from Step 45.

Group 14 - Rest of Step 45.

Bag 3 - Isabella Delgado, Baby Dolores, and Car

Group 15 - Page 48.

Group 16 - Steps 46-61.

Group 17 - Steps 62-67.

Group 18 - Steps 68-79.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Velociraptor

Sub-build 1. Place a dark tan velociraptor printed with a light grey back and dark grey stripes in front of you so the head faces the right. Now attach a dark tan lower jaw to the bottom of the right end so the short side faces the right. Make sure it clicks into place! Now put it away while we make the habitat!

Group 2 - Habitat

1. Place a green 8x8 plate with a round side in front of you so the round side faces the front. Then place a brown 2x2 brick on the back left corner. Then repeat symmetrically to the right.

2. Vertically place 2 dark green 2x3 pentagonal tiles, 1 to the right of the other, on the back 3 rows so they are centered horizontally and the angled sides face the front.

3. Place a light brown 2x2 tile with a round ridge on the back left corner. Then repeat symmetrically to the right.

4. Vertically place a dark green 2x3 pentagonal tile on the front 3 rows so it is centered horizontally and the angled side faces the front. Then vertically place another 1 behind the ppp so the angled side faces the back.

5. Place a dark grey 1x1 round tile on the 4th row from the back of the 3rd column from the left. Then repeat symmetrically to the right.

6. Place a light grey 1x1 slope tile on the 4th row from the back of the 2nd column from the left so it slopes to the left. Then repeat symmetrically to the right.

7. Place a light grey 1x1 slope tile on the 2nd row from the front of the 2nd column from the left so it slopes to the left. Then place a light brown 1x1 plate behind the ppp. Now repeat both parts symmetrically to the right.

8. Vertically place a light grey 1x4 brick with a horizontal groove on the front 3 rows of the 3rd column from the left so 1 row overhangs to the front and the groove faces the right. Then repeat symmetrically to the right.

9. Horizontally place a dark grey 1x1 tile with a 1x1 slope tile on the back row of the ppp so it slopes to the right and sits on a 1x1 plate. Then repeat symmetrically to the left.

10. Place a dark grey 1x1 round tile on the front row of the 3rd column from the left, on top of the 1x4 brick with a horizontal groove. Then vertically place a light grey 1x2 tile behind the part. Now repeat both parts symmetrically to the right.

Group 3 - Habitat

11. Let's make a part! Horizontally place a brown 1x8 plate with a rail in front of you so the rail faces the front.

12. Horizontally place a light grey 2x6 plate on top so it is centered horizontally and overhangs 1 row to the back.

13. Horizontally place a brown 1x8 plate with a rail underneath the back row so it is centered horizontally and the rail faces the back.

14.1. Let's make another part! Vertically place a brown 1x4 plate in front of you. Then place a brown 2x2 plate on top so it is centered vertically and overhangs 1 column to the right. Now vertically place a green 1x4 double sloped curved tile on the left column.

14.2. Vertically place your part on the leftmost column so the 1x4 sloped curved tile overhangs to the left.

15. Place a brown 2x2 plate on the 2nd and 3rd columns from the left.

16. Vertically place a brown 1x2 sloped curved brick on the 2nd column from the left so it slopes to the left. Then vertically place another 1 to the right so it slopes to the right.

17. Horizontally place 2 green 1x4 tiles with 2 studs, 1 in front of the other, to the right of the part.

18. Rotate your part 90 degrees counterclockwise so the 1x4 sloped curved tile is in the front. Now insert the rails of your part into the grooves of the 1x4 bricks with grooves that are on the front 4 rows so it goes all the way to the back.

You will have 2 extra dark green 1x2 jumper plates. Save them for later!

Group 4 - Habitat

19.1. Let's make a part! Place a brown 4x4 plate in front of you. Then vertically place a dark tan 1x2 plate with 2 upright side studs underneath the rightmost column so it is centered vertically and the side studs face the right. Now vertically place a black 2x4 plate underneath the 4x4 plate so it is centered horizontally and vertically.

19.2. Horizontally place a dark green 1x2 jumper plate from group 3 on the front left corner. Then repeat symmetrically to the back. Now horizontally place a light brown 1x2 jumper plate on the front right corner. Then repeat symmetrically to the back.

19.3. Rotate your main build 90 degrees so it is horizontal and the 1x4 double sloped curved tile is on the leftmost column. Now place your part on the rightmost column, on top of the 1x8 plates with rails, so it is centered vertically and the side studs face the right. Now push the part to the left so it goes into the bricks with the rail grooves!

20. Horizontally place a green 2x4 tile on the 2nd to 4th columns from the right so it is centered vertically.
21. Place a black 2x2 round plate with 6 arms on the front right corner on top of the 2x2 tile with a round ridge. Then repeat symmetrically to the back.
22. Place a brown 2x2 round tile with a stud on top of each of the 2 ppp.
23. Place a red 3L bar on top of each of the 2 ppp.
24. Place a dark green 1x1 round plate with an upright leaf on the rightmost column on the 4th row from the back so the leaf faces the back. Then place a lime green 1x1 round plate with 3 leaves upright on the back right-facing side stud so the leaves face up and to the front.
25. Let's make a part! Place a light brown 2x2 round plate in front of you. Then place a brown 2x2 round brick on top. Now place a light brown 2x2 round plate on top.
26. Vertically place a brown 1x2 half round brick on the left column so the round side faces the left. Then place a light brown 1x1 plate on the back right corner.
27. Place a brown 1x1 plate with 2 side studs hanging down on the front right corner so the side studs face the right.
28. Vertically place a brown 1x2 half round brick on the left column so the round side faces the left.
29. Vertically place a brown 1x2x2 brick with 2x2 side studs on the right column so the side studs face the right.
30. Place a light brown 2x2 round plate on top.
31. Vertically place a green 1x2 rounded plate with a clip and leaves upright on the top 2 rows of the front column of right-facing side studs so the leaves face up. Then place a lime green 1x1 round plate with 3 leaves upright on the bottom row of the ppp so the leaves face down.
32. Place a lime green 1x1 round plate with 3 leaves upright on the bottom right-facing side stud so the leaves face down.
33. Place your part on the back right corner so it is centered on the bar and the upright leaf plates face the right.

Group 5 - Habitat

34. Let's make a part! Place a light brown 2x2 round plate in front of you. Then place a brown 2x2 round brick on top. Now place a light brown 2x2 round plate on top.
35. Vertically place a brown 1x2 half round brick on the left column so the round side faces the left.
36. Vertically place a brown 1x2 plate on the right column.

37. Place a brown 1x1 plate with 2 side studs hanging down on the back right corner so the side studs face the right. Then place a light brown 1x1 plate on the front right corner.

38. Vertically place a brown 1x2 plate on the right column.

39. Place a light brown 2x2 round plate on top.

40. Vertically place a green 1x2 rounded plate with a clip and leaves upright on the right-facing side studs so the leaves face up. Then place a lime green 1x1 round plate with 3 leaves upright on the bottom row of the ppp so the leaves face down.

41. Place your part on the front right corner so it is centered on the bar and the upright leaf plates face the right.

Now you can horizontally place your velociraptor to the right of the 1x2 sloped curved bricks that are on the 2nd and 3rd columns from the left so it is centered vertically and the head faces the right. Now push the sloped curved bricks to the right to make the leaf plates rotate and the dinosaur go through them!

Building Instructions (Bag 2, Book 2):

Group 6 - Reuben

Sub-build 2. Locate 1 blue pair of legs printed with tan knee pads, 1 red torso printed with sweater, 1 tan head printed with a mustache, shaved beard, and 2 eyes, 1 black hair, 1 black walkie talkie, 1 orange pistol, and 1 light brown chicken leg. Assemble your minifigure and attach the walkie talkie and pistol to his hands! Then place the chicken leg next to him! Now put everything away while we make the car!

Group 7 - Car

1. Horizontally place a black 4x14 car base with axle holes in front of you. Now insert 2 tan 2L pin axles into the 2 front-facing axle holes so the pins face the front. Then repeat symmetrically to the back.

2. Vertically place a light grey 1x2 rounded plate on the leftmost column so it is centered vertically.

3. Place 2 dark grey 1x1 plates with a side stud hanging down, 1 in front of the other, on the leftmost column so they are centered vertically and the side studs face the left.

4. Horizontally place a black 1x2 slope tile upright on the 2 left-facing side studs so it slopes down.

5.1. Horizontally place a red 2x3 brick on the 2nd to 4th columns from the right so it is centered vertically.

Group 8 - Car

5.2. Place a blue 2x3 brick on the 2nd to 4th columns from the left so it is centered vertically. Then place a tan 6x6 plate to the right of the ppp so it is centered vertically.

6. Place a dark grey 1x1 plate with a side stud hanging down on the front row of the rightmost column so the side stud faces the right. Then repeat symmetrically to the back.

7. Place a black 1x1 slope tile upright on each of the right-facing side studs so it slopes down.
8. Place a light grey 2x2 plate on the rightmost column so it is centered vertically and overhangs to the right. Then place a black 2x2 plate with a socket on top so the socket faces the right. Now place a light grey 2x2 plate on top of the ppp.
9. Vertically place 2 dark grey 1x2 plates with 2x2 upright side studs, 1 in front of the other, on the leftmost column so they are centered vertically and the side studs face the left .
10. Horizontally place 2 black 2x6 plates, 1 in front of the other, to the right of the 2 ppp so they are centered vertically. Then horizontally place 2 more, 1 in front of the other, to the right of the 2 ppp so they are centered vertically.
11. Horizontally place 3 dark tan 1x2 plates with 2 upright side studs, 1 to the right of the other, on the front row so there is no overhang and the side studs face the front. Then repeat symmetrically to the back.
12. Horizontally place 2 tan 1x2 ingot tiles, 1 to the right of the other, upright on the front-facing side studs so they are centered horizontally on them. Then repeat symmetrically to the back.
13. Place a tan 1x1 tile with a round side upright on the leftmost front-facing side stud so the round side faces the left. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.
14. Horizontally place a lime green 2x4 brick on the 4 leftmost columns so it is centered vertically.
15. Horizontally place a black 1x4 brick with a groove in front of the ppp so the groove faces the front. Then repeat symmetrically to the back.
16. Vertically place a black 2x6 plate on the 5th and 6th columns from the left.
17. Vertically place 2 tan 1x3 jumper plates, 1 to the right of the other, to the right of the ppp. Then repeat again.

Group 9 - Car

18. Vertically place a tan 2x6 plate to the right of the 2 ppp.
19. Horizontally place a black 1x2 log brick on the front row to the right of the ppp. Then horizontally place a black 1x4 brick with a groove to the right of the ppp so the groove faces the front and overhangs 1 column to the right. Then repeat symmetrically to the back.
20. Horizontally place a dark grey 2x6 brick in between the 4 ppp so it is centered vertically and 1 column overhangs to the right, above the socket.
21. Vertically place a black 1x6 plate on the leftmost column so it is centered vertically.
22. Horizontally place 2 dark grey 2x3 plates, 1 in front of the other, to the right of the ppp so they are centered vertically.

23. Vertically place a light grey 1x4 brick to the right of the 2 ppp so it is centered vertically.
24. Vertically place a light grey 1x2 steering wheel on the 2nd and 3rd rows from the front, to the right of the ppp so the wheel faces the right. Now vertically place a dark grey 1x2 ingot tile behind the ppp.
25. Horizontally place a tan 1x2 inverted slope brick on the front row of the 5th column from the left so it slopes and overhangs to the left. Then repeat symmetrically to the back.
26. Place a short tan 1x1 brick on the back row to the right of the ppp. Then repeat symmetrically to the front.
27. Vertically place a tan 2x6 plate on the 4th and 5th columns from the left so it is centered vertically.
28. Horizontally place a tan 1x1 tile with a 1x1 slope tile on the front row on the 5th and 6th columns from the left so it slopes to the right. Then repeat symmetrically to the back.
29. Vertically place a light grey 1x2 slope tile on the 2nd and 3rd rows from the back, on the 5th column from the left so it slopes to the right.
- 30.1. Vertically place a light grey 1x2 slope tile with a sticker in front of the ppp so it slopes to the right.
- 30.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the light grey 1x2 slope tile. This sticker has a red dashboard on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
31. Vertically place a light grey 1x4 brick on the 7th column from the right so it is centered vertically.
32. Vertically place a dark grey 1x4 plate on the 6th column from the right so it is centered vertically.
33. Horizontally place 2 dark grey 2x3 plates, 1 in front of the other, on the 3rd to 5th columns from the right so they are centered vertically.
34. Place a dark grey 2x2 corner plate on the front right corner so it looks like the braille letter h. Then repeat symmetrically to the back.
35. Vertically place a dark grey 1x2 plate with 4 side studs on the rightmost column so it is centered vertically and the side studs face the right.
36. Horizontally place a tan 1x2 inverted slope brick on the front row of the 7th column from the right so it slopes and overhangs 1 column to the right. Then repeat symmetrically to the back.
- 37.1. Vertically place a light grey 1x2 slope tile on the 7th column from the right so it is centered vertically and slopes to the left.

Group 11 - Car

- 37.2. Vertically place a tan 1x2 slope tile in front of the ppp so it slopes to the left. Then repeat symmetrically to the back.

38.1. Vertically place a tan 2x6 plate to the right of the ppp so it is centered vertically.

Group 12 - Car

38.2. Vertically place a black 2x6 plate to the right of the ppp so it is centered vertically.

Group 13 - Car

38.3. Vertically place a red 2x6 plate to the right of the ppp so it is centered vertically.

39. Vertically place a dark grey 1x4 plate on the 6th column from the right so it is centered vertically.

40. Vertically place 2 dark grey 2x4 tiles with 2 studs, 1 to the right of the other, to the right of the ppp so they are centered vertically.

41. Vertically place a dark grey 1x2 ingot tile on the rightmost column so it is centered vertically. Now horizontally place a dark grey 1x2 sloped curved tile in front of the ppp so it slopes and overhangs to the right. Then repeat symmetrically to the back.

42. Vertically place a red 2x6 plate on the 2nd and 3rd columns from the left so it is centered vertically.

43. Horizontally place a dark grey 2x3 plate on the 2nd to 4th columns from the left so it is centered vertically.

44. Vertically place a tan 1x2 plate with a clip on the short side on the front 2 rows of the 4th column from the left so the clip faces the front and the clip hands face left and right. Then repeat symmetrically to the back.

45.1. Vertically place a light grey 1x2 slope tile on the 8th column from the right so it is centered vertically and slopes to the left.

Group 14 - Car

45.2. Vertically place a tan 1x2 slope tile in front of the ppp so it slopes to the left. Then repeat symmetrically to the back.

Building Instructions (Bag 3, Book 2):

Group 15 - Isabella Delgado and Baby Dolores

Sub-build 3. Locate 1 short light blue pair of legs, 1 pink torso printed with a yellow bird, 1 dark pink backpack, 1 tan head printed with eyes, smile, and eyelashes, 1 black hair, 1 red 1x1 round tile printed with a swirl, and 1 small light brown dinosaur. Assemble your minifigure, put the 1x1 round tile on her hand. This is a treat to give the dinosaur! Then place the dinosaur next to her, now put them away while we continue the car!

Group 16 - Car

46. Place a black 2x2 chair on the back 2 1x3 jumper plates that are on the 7th and 8th columns from the left so the back of the chair faces the right. Then repeat symmetrically to the front.

47. Place 2 black 1x1 slope tiles, 1 in front of the other, on the leftmost column so they are centered vertically and slope to the left. Then place a black 1x1 slope tile on the front left corner so it slopes to the left. Then repeat symmetrically to the back.

48. Horizontally place a dark grey 1x2 ingot tile on the 2nd row from the front of the 2nd and 3rd columns from the left. Then repeat symmetrically to the back.

49. Horizontally place a red 1x2 slope tile on the front row of the 2nd and 3rd columns from the left so it slopes to the left. Then repeat symmetrically to the back.

50. Vertically place a transparent black 2x6x2 windshield to the right of the 2 ppp so it is centered vertically and slopes to the left. Now vertically place a red 1x6 tile on top of the ppp so it is centered vertically.

51. Vertically place a red 1x2 plate to the left of the windshield so it is centered vertically. Then place a red 2x2 sloped curved tile printed with a T-Rex logo on top of the ppp so it is centered vertically and slopes to the left.

52. Place a tan 1x1 brick with a clip on the 6th column from the right of the front row so the clip faces the front and the clip hands face left and right. Then repeat symmetrically to the back.

53.1. Horizontally place a black 1x4 brick with a sticker on the front row to the right of the previous 1x1 brick with a clip so the sticker faces the front.

53.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the black 1x4 brick. This sticker has a tan side and a red side with 02 on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

54.1. Horizontally place a black 1x4 brick with a sticker on the back row to the right of the previous 1x1 brick with a clip so the sticker faces the back.

54.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the black 1x4 brick. This sticker has a tan side and a red side with 02 on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

55. Place a red 1x1 brick with a side stud and bottom lip on the front right corner so the side stud faces the right. Then place a transparent red 1x1 round tile upright on the right-facing side stud of the ppp. Now repeat both parts symmetrically to the back.

56. Horizontally place a black 1x3 plate on the front row on the 4th to 6th columns from the right so there is no overhang. Then repeat symmetrically to the back.

57. Horizontally place a tan 1x2 inverted slope brick on the leftmost column of the ppp so it slopes and overhangs to the left. Then repeat symmetrically to the front.

58. Place a tan 1x1 plate to the right of each of the 2 ppp.

59. Horizontally place a tan 1x1 tile with a 1x1 slope tile on the front row on top of the ppp and 1x2 inverted slope brick so it slopes to the right. Then repeat symmetrically to the back.

60. Vertically place a tan 1x6 tile to the left of the 2 ppp so it is centered vertically.

61. Vertically place a black 1x4x2 fence to the right of the ppp so it is centered vertically. Then vertically place a dark grey 1x2 ingot tile on top of the ppp so it is centered vertically. Now place a dark grey 1x1 round plate in front of the ppp. Then repeat symmetrically to the back.

Group 17 - Car

62. Place a black 1x1 slope tile on the 4th column from the right of the front row so it slopes to the right. Then repeat symmetrically to the back.

63.1. Let's make 2 identical parts! Place a black 1x1 tile with an upright clip in front of you so the clip hands face left and right. Now place a black bar bar holder with a handle on top so the bar holder faces up. Then place a black 2L bar with a stop on top.

63.2. Now you should have 2 identical parts! Place 1 part on the back row to the right of the ppp so the bar sticks up, and the clip hands are on the left and right. Then repeat symmetrically to the front.

64. Horizontally place a red 1x2 ingot tile on the front right corner. Then repeat symmetrically to the back.

65. Let's make a part! Horizontally place a black 2x4 plate in front of you.

66. Vertically place a light grey 1x2 jumper plate on the leftmost column. Then place a light grey 2x2 tile with a stud to the right of the ppp. Now vertically place a dark grey 1x2 plate with a bar on the long side on the rightmost column so the bar faces the right.

67. Place 2 dark grey 1x1 round plates, 1 in front of the other, on the leftmost column. Now place a dark grey 1x1 round plate on top of the 2x2 tile with a stud.

Group 18 - Car

68. Vertically place a dark grey 1x2 ingot tile on the leftmost column.

69.1. Vertically place a light grey 1x2 slope tile with a sticker on the rightmost column so it slopes to the right.

69.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 5 on the light grey 1x2 slope tile. This sticker has a red dashboard on it with a T-Rex. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

70.1. Let's make a part! Place a light grey 2x2 dish upside down in front of you. Then place a red 2L bar with a stop on top so the bar goes all the way down. Now attach a dark red 1x1 round plate with a bent bar to the bottom-facing bar.

70.2. Place the bent bar on top of the 1x1 round plate that is on the 2x2 tile with a stud so the other bar faces the top right.

70.3. Horizontally place your part on the back 2 rows of the 2x4 tiles with 2 studs that are on the right side so the 1x2 slope tile is on the right!

71.1. Let's make a part! Horizontally place a black 1x6 plate in front of you. Then place a dark grey 1x1 round plate with a horizontal bar on the leftmost column so the bar faces the back. Then repeat symmetrically to the right. Now horizontally place a black 1x4 tile with a sticker on top so it is centered horizontally.

71.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the black 1x4 tile. This sticker has 02 on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

71.3. Horizontally place your part upright on the right-facing side studs so it is centered horizontally and the bars face up.

72. Place a black 2x2 plate upright on the left-facing side studs so it is centered horizontally. Now vertically place a black 1x2 plate with a clip on the short side upright on the front column of left-facing side studs so the clip faces up and the clip hands face left and right. Then repeat symmetrically to the back.

73. Place 4 transparent 1x1 round tiles, 1 in front of the other, upright on the top row of left-facing side studs.

74.1. Let's make a part! Horizontally place a black 1x6 plate in front of you. Then place a dark grey 1x1 round plate with a horizontal bar on the leftmost column so the bar faces the back. Then repeat symmetrically to the right. Now horizontally place a black 1x4 tile with a sticker on top so it is centered horizontally.

74.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the black 1x4 tile. This sticker has 02 on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

74.3. Horizontally place your part upright on the left-facing side studs so it is centered horizontally and the bars face up.

75. Place a bar holder with a handle on top of each of the 2 leftmost top-facing clips from the previous part so the bar holder faces up. Now place a black 2L bar with a stop on top of each of the 2 ppp.

76. Attach the bar of a black 1x1 rounded plate with a handle to the front-facing clip that is in front of the windshield so the stud faces the left. Then place a red 1x1 tile upright on the left-facing side stud of the ppp. Now repeat both parts symmetrically to the back.

77.1. Let's make a part! Horizontally place a black rectangular bar grill with 4 studs in front of you. Now place a black 1x1 plate with an upright side stud on the front left corner so the side stud faces the front. Then place a transparent 1x1 round tile upright on the front-facing side stud. Now place a dark grey 1x1 tile with a round side on top of the front left corner so the round side faces the back. Then repeat everything symmetrically to the right.

77.2. Vertically place your part on the 7th column from the right so it is centered vertically, overhangs to the left and the upright round tiles face the left.

78. Attach a dark grey tranquilizer gun with a clip to the front-facing clip in front of the previous part so the clip faces the right. Now attach a yellow syringe to the back-facing clip so the tip faces down.

79. Let's make 4 identical parts! Insert 4 dark grey wheels into 4 black tires. Now attach them to the front-facing and back-facing pins so the hollow sides face outwards.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 5 LEGO Jurassic World Theme kits:

76975 T. rex River Escape

76972 Raptor Off-Road Escape

76970 Baby Dinosaur Dolores: Aquilops

76973 Raptor & Titanosaurus Tracking Mission

76976 Spinosaurus & Quetzalcoatlus Air Mission