76973 Raptor & Titanosaurus Tracking Mission

Adapted by John Le and tested by Jolene Nemeth.

Thrilling chases and action await kids and movie fans aged 7 and up in this Raptor & Titanosaurus Tracking Mission (76973) LEGO® Jurassic World building kit. The dinosaur gift for boys and girls features molded Titanosaurus and Velociraptor toy figures and 3 minifigures: Zora Bennett, Martin Krebs and Dr. Henry Loomis. The Velociraptor has a moving jaw and the Titanosaurus has a movable neck, head and tail. The interactive toy playset includes a charging station, an off-road vehicle with a trailer, a syringe case with 3 syringes, a motorcycle, buildable drone, camp area with falling tree function and more.

Dinosaur toy set – Appeal to Jurassic World Rebirth movie fans aged 7 and up with this Raptor & Titanosaurus Tracking Mission set and meet kids' passions for action and adventure toys and dinosaurs.

Dinosaur toys – Features molded LEGO® Titanosaurus and Velociraptor figures, plus 3 minifigures from the Jurassic World Rebirth movie to spark role play and endless stories.

Detailed playset – This LEGO® Jurassic World set includes a toy charging station with storytelling items, a camp area and tree, a small motorcycle toy, a drone and an off-road vehicle with a trailer.

Creative functions – The set includes a falling tree, a drone that attaches to the toy vehicle or the station roof, a Velociraptor with opening jaw and Titanosaurus with movable head, neck and tail.

Dimensions – The brick-built charging station toy in this 582-piece playset measures over 4 in. (10 cm) high, 8 in. (21 cm) wide and 6 in. (16 cm) deep and is packed with details to enhance the fun.

The front of the box shows a charging station in the background with a little store! In the front, a guy on a motorcycle and a girl on an off-road vehicle with a trailer are fighting a huge titanosaurus! In the back, another guy controlling a drone carrying a syringe is running away from a raptor!

The back of the box shows the titanosaurus knocking down a tree trying to chase after the off road vehicle! Luckily another person controlling a drone on his motorcycle is going to put it to sleep!

The top of the box shows a real size image of Zora Bennet!

The build is 582 pieces in total and is for ages 7+.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the

table.

- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic[™] part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic[™].

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (https://www.lego.com/en-us/service/buildinginstructions/76973) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 5 bags labeled 1 to 5, 3 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Titanosaurus, Raptor, Martin Krebs, Zora Bennett, Motorcycle, and Off Road Vehicle

Group 1 - Pages 6-8.

Group 2 - Page 9.

Group 3 - Left Minifigure on Page 10.

Group 4 - Right Minifigure on Page 10.

Group 5 - Steps 1-6.

Group 6 - Steps 1-16.

Group 7 - Steps 17-21.

Group 8 - Steps 22-26.

Group 9 - Steps 27-30.

Bag 2 - Dr. Henry Loomis and Camp

Group 10 - Page 2.

Group 11 - Steps 1-14 and 1 red 2L liftarm with an axle hole and pinhole from Step 15.

Group 12 - Rest of Step 15 and Steps 16-20.

Group 13 - Steps 21-27 and 2 dark green 1x2 sloped curved tiles from Steps 28-30.

Group 14 - Rest of Steps 28-30, Step 31, and 1 nougat 1x2 tile from Step 32.

Group 15 - Rest of Step 32, Steps 33-35, and 2 transparent orange 1x1 round tiles from Step 36.

Group 16 - Rest of Step 36 and Steps 37-40.

Bag 3 - Tree and Trailer

Group 17 - Steps 41-54.

Group 18 - Steps 55-56.

Group 19 - Steps 1-19.

Group 20 - Steps 20-30.

Bag 4 - Charging Station and Store

Group 21 - Steps 1-12.

Group 22 - Steps 13-20.

Group 23 - Steps 21-26, and 1 red 1x1 round brick from Step 27.

Group 24 - Rest of Step 27, Steps 28-30, and 1 transparent aqua 1x2 sloped curved tile from Step 31.

Group 25 - Rest of Step 31, Steps 32-35, and 1 black 1x2 tile from Step 36.

Group 26 - Rest of Step 36 and Steps 37-38.

Group 27 - Steps 39-49.

Bag 5 - Charging Station, Store, and Drone

Group 28 - Steps 50-60.

Group 29 - Steps 61-63.

Group 30 - Steps 64-71 and 1 green 1x1 round plate with 3 leaves from Step 72.

Group 31 - Rest of Step 72 and Steps 73-81.

Group 32 - Steps 82-88.

Group 33 - Steps 89-96.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Titanosaurus

Sub-build 1.1. Horizontally place a dark grey titanosaurus body printed with white stripes in front of you so the studs are on the left. Now attach a dark grey tail with white stripes to the right-facing pinhole so the end of the tail curves down.

Sub-build 1.2. Attach the pin of a dark grey neck with white stripes to the left-facing pinhole so the neck sticks up and the pinhole faces the left.

Sub-build 1.3. Let's make a part! Attach a dark grey jaw with teeth to the bottom of a titanosaurus head printed with a light brown cap. Now attach the pin of it to the left-facing pinhole of the neck. Now put it away while we make another dinosaur!

Group 2 - Raptor

Sub-build 2. Horizontally place a dark tan raptor printed with dark grey and light grey stripes in front of you so the head faces the left. Now attach a dark tan jaw to the bottom of the head. Now put it away while we make the next part!

Group 3 - Martin Krebs

Sub-build 3. Locate 1 tan pair of legs printed with a dark brown belt, 1 light tan torso printed with a white shirt, 1 light tan head printed with eyes, lips, brown eyebrows, and wrinkles, 1 brown hair, 1 brown 5L bar with a stop, 1 dark grey tranquilizer gun, and 1 mint blue needle. Assemble your minifigure, then attach the bar and tranquilizer gun to his hands! The bar is a walking stick! Now attach the needle to the clip of the gun so the needle tip faces the same direction as the muzzle of the gun! Then attach the stick to his other hand. Now put him away while we make another minifigure!

Group 4 - Zora Bennett

Sub-build 4.1. Locate 1 dark brown pair of legs printed with a dark grey belt, 1 light tan torso printed with a dark tan top with dark grey body armor, 1 light tan head printed with eyes, eyelashes, and light pink lips, 1 dark tan hair, 1 light grey lightsaber hilt, and 1 transparent yellow 1x1 round tile. Assemble your minifigure then place the round tile on top of the thicker side of the lightsaber hilt. This is a flashlight! Now attach it to her hand!

Sub-build 4.2. Locate 1 dark grey tranquilizer gun and 1 mint blue needle. Attach the needle to the clip of the gun so the needle tip faces the same direction as the muzzle. Then attach the handle to your minifigure! Now put everything away while we make the next part!

Group 5 - Motorcycle

- 1. Horizontally place a black motorcycle frame in front of you so the top-facing clip is on the right. Now horizontally place a red motorcycle body on top so the side stud faces the right.
- 2. Horizontally place a tan 1x2 rounded tile on the 2 leftmost columns.
- 3-4. Place a light grey 1x1 round plate upright on the lower front-facing side stud. Then repeat symmetrically to the back.
- 5. Place a transparent 1x1 round tile upright on the right-facing side stud. Now place black handle bars on top of the top-facing clip so they curve to the left.
- 6. Let's make 2 identical parts! Attach 2 silver wheels with tiny bars on the flat sides to 2 black tires. Now attach them to the 2 leftmost and 2 rightmost bottom-facing clips! Now put your motorcycle away while we make the next part!

Group 6 - Off Road Vehicle

- 1. Horizontally place a light grey 2x3 plate in front of you. Then vertically place a black 1x2 rounded plate on the leftmost column.
- 2. Vertically place a black 2x4 plate with 1x2 bricks on the short sides and 2 small pins underneath the 2 rightmost columns so it is centered vertically and the pins face the front and back.
- 3. Horizontally place a black 4x10 car base on the 2 rightmost columns so it is centered vertically and overhangs 8 columns to the right.

- 4. Place a yellow 2x2 plate underneath the 2 rightmost columns. Now vertically place a black 2x4 plate with 1x2 bricks on the short sides and 2 small pins underneath the 2 rightmost columns so it is centered vertically and the pins face the front and back.
- 5. Vertically place a red 1x2 steering wheel on the 5th column from the left so it is centered vertically and the wheel faces the right. Now vertically place a yellow 1x2 grill tile to the right of the ppp. Then place a yellow 2x2 plate to the right of the ppp.
- 6. Vertically place a tan 1x2 log brick on the 4th column from the right so it is centered vertically.
- 7. Place a yellow 2x2 plate on the 2nd and 3rd columns from the right so it is centered vertically. Then horizontally place a tan 1x3 plate on the front row on the 2nd to 4th columns from the right. Then repeat symmetrically to the back.
- 8. Vertically place a tan 2x4 plate on the 2nd and 3rd columns from the right.
- 9. Place a black 2x2 plate with a socket on the rightmost column so it is centered vertically, overhangs 1 column to the right, and the socket faces the right.
- 10. Place a light grey 1x1 plate with an upright side stud sticking up on the front right corner, in front of the ppp so the side stud faces the right. Now place a transparent red 1x1 round tile upright on the right-facing side stud of the ppp. Now repeat both parts symmetrically to the back.
- 11. Place a black 2x2 corner plate on the front 2 rows of the 2 rightmost columns so it looks like the braille letter f. Then repeat symmetrically to the back.
- 12. Horizontally place a dark grey 1x2 plate with 4 side studs hanging down on the front row on the 6th and 7th columns from the left so the side studs face the front. Then horizontally place 2 tan 1x2 ingot tiles, 1 to the right of the other, upright on the front-facing side studs. Now repeat everything symmetrically to the back.
- 13. Place a light grey 1x1 plate with an upright side stud on the leftmost column of the front row so the side stud faces the left. Then horizontally place a tan 1x3 plate to the right of the ppp. Now repeat both parts symmetrically to the back.
- 14. Horizontally place 2 red 1x2 plates with a stud and an upright clip, 1 in front of the other, on the 2 leftmost columns so they are centered vertically and the clips are on the right.
- 15. Horizontally place a red 1x3 tile on the front left corner. Then horizontally place a tan 1x4 tile with 2 studs to the right of the ppp. Now repeat both parts symmetrically to the back.
- 16.1. Vertically place a red 1x2 slope tile with a sticker on the leftmost column so it is centered vertically and slopes to the left.
- 16.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 3 on the red 1x2 slope tile. This sticker says 08 on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

- 17. Place a transparent 1x1 slope tile upright on the front left-facing side stud so it slopes to the front. Then repeat symmetrically to the back.
- 18. Place a black 2x2 plate with a cutoff corner on the front 2 rows on the 4th and 5th columns from the right so the cutoff corner faces the front left. Then repeat symmetrically to the back.
- 19. Place a yellow 2x2 round tile with a stud on the 2nd and 3rd columns from the right so it is centered vertically. Now horizontally place a black 1x2 rounded plate in front of the ppp. Then repeat symmetrically to the back.
- 20. Vertically place a light grey 1x2 plate with a clip on the short side on the front 2 rows on the 4th column from the right so the clip faces the front and the clip hands face left and right. Then repeat symmetrically to the back.
- 21. Horizontally place a black 1x3 inverted half arch brick on the front right corner so it slopes to the right. Then repeat symmetrically to the back.

Group 8 - Off Road Vehicle

- 22. Vertically stack 2 light grey 1x2 rounded plates, on the 4th column from the right so they are centered vertically.
- 23. Vertically place a black 1x4 tile on the 4th column from the right.
- 24. Let's make a part! Place a light grey 2x2 inverted round tile with a rounded bottom in front of you.
- 25. Horizontally place a red 1x2 plate with a bar on the short side on the back row so the bar faces the left. Then repeat symmetrically to the front.
- 26. Vertically place a black 1x2 plate with bars on the short sides on the left column. Now place a black 1x1 plate with a clip on the front right corner so the clip faces the front and the clip hands face up and down. Then repeat symmetrically to the back.

Group 9 - Off Road Vehicle

- 27. Vertically place a black 1x2 rounded plate on the right column. Now place a red 2x2 sloped curved tile printed with a T-rex on top so it slopes to the left.
- 28.1. Horizontally attach a tan 6L bar with a stop to the front-facing clip so the side with the stop faces the right. Then repeat symmetrically to the back.
- 28.2. Let's make a part! Horizontally place a dark grey 1x2 plate with angled studs on the sides in front of you so the 1x2 plate is in the front. Now horizontally place a light grey 1x2 tile printed with a yellow joystick on top so it is centered horizontally.
- 28.3. Now place a black 1x1 round plate with a hollow stud underneath the leftmost anti-stud. Then repeat symmetrically to the right.

- 28.4. Now horizontally attach the anti-studs of your part to the 2 right-facing bars so the 1x2 tile is on top.
- 29. Attach the left-facing bars of your part to the 2 top-facing clips that are on the 2nd column from the left so it slopes to the left.
- 30. Let's make 4 identical parts! Insert 4 black wheels into 4 black tires. Now attach them to the front-facing and back-facing pins so the hollow sides face outward. Now put your vehicle away while we make the next part!

Building Instructions (Bag 2, Book 2):

Group 10 - Dr. Henry Loomis

Sub-build 5. Locate a tan pair of legs, 1 light grey torso printed with a dark tan vest, 1 brown backpack, 1 light tan head printed with eyes, glasses, and a brown beard, 1 brown hair, 1 black camera, 1 transparent 1x1 round tile, and 1 light grey pair of binoculars. Assemble your minifigure, then place the 1x1 round tile on the camera, then attach it to his hand. Now attach the binoculars to his other hand! Now put him away so we can make the camp!

Group 11 - Camp

- 1. Place a dark tan 8x8 plate upside down in front of you. Now horizontally place a light grey 1x2 plate on the back left corner.
- 2. Vertically place a dark tan 2x6 plate in front of the ppp. Now horizontally place another 1 on the back right corner.
- 3. Horizontally place a dark grey 4x8 trapezoid plate on the front row so it is centered horizontally and the angled side overhangs 3 rows to the front. Now horizontally place a light grey 1x2 plate behind the 2 rightmost columns of the ppp.
- 4. Let's make another part! Place a tan 6x6 plate upside down in front of you. Then vertically place a light grey 1x2 plate on the back right corner.
- 5. Horizontally place a dark grey 2x6 plate to the left of the ppp so it overhangs 1 column to the left.
- 6. Vertically place a brown A-shaped plate on the front left corner so one 1x4 plate overhangs to the left and the short end faces the front.
- 7. Place a light grey 2x6 wedge plate on the front right corner so the angled side overhangs 1 row to the front and the short end overhangs 1 column to the right. Now place a brown 3x3 plate behind the 3 rightmost columns of the ppp so 1 column overhangs to the right.
- 8. Vertically place the 1x4 overhang that is on the left side of your part on the rightmost column of the previous part on the 3rd to 6th rows from the back so it faces the front right.
- 9.1. Flip your part over so the studs face up and it is horizontal in front of you and the 8x8 plate faces the back left. Make sure the 6x6 plate is in the front and straight. Make sure it is not diagonal!

- 9.2. Vertically place a light grey 1x2 plate on the front 2 rows on the 7th column from the right. Then vertically place the right column of a brown A-shaped plate behind the ppp so the short end faces the back.
- 10. Horizontally place a light grey 1x1 tile with a 1x1 slope tile on the front row on the 7th and 8th columns from the right so it slopes to the left.
- 11. Vertically place a brown 1x4 plate on the front 4 rows to the right of the ppp. Now place the left column of a black 2x2 plate with 2 side studs behind the ppp so the side studs face the back. Now place another 1 to the right of the ppp so the side studs face the back.
- 12. Place a brown 1x1 tile with an upright clip on the 2nd row from the front of the rightmost column so the clip hands face left and right. Now place another 1 on the front row of the 2nd column from the right so the clip hands face front and back. Then vertically place a brown 1x4 plate on the front 4 rows to the left of the ppp. Now vertically place a dark grey 2x3 plate to the left of the back 3 rows of the ppp.
- 13. Vertically place a light grey 1x2 slope brick on the back 2 rows of the 2nd column from the right so it slopes to the back. Now horizontally place a brown 1x4 plate to the left of the front row of the ppp. Then vertically place the front row of a light grey 1x2 slope brick to the left of the ppp so it slopes to the front. Now place a green 1x1 round plate with 3 leaves in front of the ppp so there is a 1 row gap and the leaves face the back left.
- 14. Vertically place a bone on the rightmost top-facing clip. Now place a brown 2x2 corner brick on the 3rd and 4th rows from the front, on the 3rd and 4th columns from the right so it looks like the braille letter d. Then place another 1 to the left of the ppp so it looks like the braille letter f.

You will have an extra red 2L lift arm with an axle hole and pinhole. Save it for later!

Group 12 - Camp

- 15.1. Let's make a part! Vertically place a brown 1x2 brick with 2 pinholes in front of you. Then insert a dark grey 4L axle with a stop into the front left-facing hole so the axle faces the right. Now attach the axle hole of a red 2L lift arm with an axle and pin hole from group 11 to the right-facing axle so the pinhole is in the back.
- 15.2. Attach the axle hole of a dark tan 2L lift arm with an axle and pin hole to the right-facing axle so the pinhole is in the front and faces left and right. Then vertically attach the front pinhole of a brown 1x2 brick with 2 pinholes to the right-facing axle.
- 15.3. Horizontally place your part on the 2nd column from the right of the front 2 rows.
- 16. Vertically place a dark green 1x4 tile on the front 4 rows on the 3rd column from the right, so it sits on the previous part.
- 17. Let's make a part! Horizontally place a black 2x3 plate with a pinhole in front of you so the pinhole is on the right.
- 18. Place a brown 2x2 round ridged brick on the 2 leftmost columns. Then place a brown 2x2 round tile with a pinhole on top of the ppp.

19. Insert a 3L axle with a stop into the leftmost bottom-facing pinhole so the axle sticks up through the ppp.

Group 13 - Camp

- 20. Place a brown 2x2 corner slope brick on the rightmost column so 1 column overhangs to the right and it slopes to the back right.
- 21.1. Let's make a part! Horizontally place a light grey 1x2 brick with a pinhole in front of you. Now insert a dark grey 4L axle with a stop into the back-facing hole so the axle faces the front. Now insert a black 1L bushing onto the front of the axle so it goes all the way to the back.
- 21.2. Insert the axle of your part into the back-facing pinhole so the axle faces the front. Now horizontally attach a light grey 1x2 brick with a pinhole to the front-facing axle.
- 22. Rotate your part so the 2x2 round ridged brick is in the front. Now horizontally place the back 2 rows of your part on the back 2 rows of the 3rd to 6th columns from the right. Now you can press on the 2L liftarm that overhangs to the front to flick the 2x2 round ridged brick to the back!
- 23. Horizontally place a light grey 1x1 tile with a 1x1 slope tile on the 2nd row from the back of the 2nd and 3rd columns from the right so it slopes to the right.
- 24. Attach a white bar with a bar holder to the top-facing clip that is on the front row so the bar hole faces the back. Now attach a white curved bar to the ppp so it curves down and to the back. This is a dinosaur bone!
- 25. Rotate your build 180 degrees and make sure the 6 leftmost columns are horizontal and vertical. Now horizontally place a dark green 1x2 sloped curved tile on the front row of the 6th and 7th columns from the left so it slopes to the right. Then vertically place another 1 behind the left column of the ppp so it slopes to the back. Now horizontally place the left column of a light grey 1x1 tile with a 1x1 slope tile behind the ppp so there is a 1 row gap in between them and it slopes to the right.
- 26. Horizontally place a dark tan 2x4 wedge plate upright on the 4 front-facing side studs so the angled side overhangs 1 row to the top, and the short end faces the left. Now horizontally place a dark green 1x2 sloped curved tile upright on the leftmost front-facing side stud so it slopes and overhangs to the left.
- 27. Orient your build so the 8 rightmost columns are now in rows and columns, and the trapezoid plate faces the front. Horizontally place a dark grey 1x2 plate with a stud and upright clip on the 2nd row from the back, on the 7th and 8th columns from the right so the clip is on the right. Now horizontally place another 1 in front of the ppp so there are 4 free rows in between them and the clip is on the right.
- 28.1. Vertically place a dark green 1x2 sloped curved tile on the back 2 rows on the 8th column from the right so it slopes to the back.

You will have an extra dark green 1x2 sloped curved tile. Save it for later!

Group 14 - Camp

- 28.2. Horizontally place a dark grey 1x2 sloped curved tile on the 7th and 8th columns from the right, on the 6th row from the back so it slopes to the right. Then vertically place another 1 in front of the left column of the ppp so it slopes to the front.
- 29. Horizontally place a dark grey 1x2 plate with a stud and an upright clip on the 2 rightmost columns on the 2nd row from the back so the clip is on the left. Now horizontally place another 1 in front of the ppp so there is a 4 row gap in between them and the clip is on the left. Then horizontally place another 1 in front of the ppp so there is a 1 row gap in between them and the clip is on the left.
- 30. Vertically place a dark grey 1x2 sloped curved tile on the back right corner so it slopes to the back. Then place a light grey 2x2 plate with a cutoff corner on the 2 rightmost columns in front of the ppp so the cutoff corner faces the front left corner. Now vertically place a dark green 1x2 sloped curved tile from group 13 on the rightmost column, on the 5th and 6th rows from the back so it slopes to the back.
- 31. Vertically place 2 tan 1x2 jumper plates, 1 to the right of the other, on the back 2 rows on the 4th and 5th columns from the right.

You will have an extra nougat 1x2 tile. Save it for later!

Group 15 - Camp

- 32. Horizontally place a white 1x2 slope tile on the 3rd row from the back, on the 4th and 5th columns from the right so it slopes to the front. Now horizontally place a sand blue 1x2 tile in front of the ppp. Then horizontally place a nougat 1x2 tile in front of the 2 ppp. Then horizontally place a sand blue 1x2 tile in front of the ppp. Then horizontally place a nougat 1x2 plate in front of the ppp.
- 33.1. Let's make a part! Place a maroon 4x4 angled slope brick in front of you so it is upside down and the angled side faces the back. Now horizontally place a nougat 1x2 plate on the front row so it is centered horizontally. Then place the side studs of a tan 1x2 plate with 2x2 upright side studs on the front 2 rows so it is centered horizontally and the anti-studs face the front.
- 33.2. Horizontally place your part on the back 2 rows on the jumper plates so the studs face the back and the angled tip faces up.
- 34.1. Let's make a part! Horizontally place a maroon 4x8 plate upside down in front of you. Now vertically place a light grey 1x2 plate with a bar on the short side on the front 2 rows on the 2nd column from the left so the bar faces the front. Then repeat symmetrically to the right.
- 34.2. Now flip it over so it is horizontal and the bars face the front. Then place a green 1x1 round plate with 3 leaves on the 2nd row from the front on the 2nd column from the right so the leaves face the back.
- 34.3. Vertically attach the bars of your part to the 2 top-facing clips that are on the 7th column from the right so the studs face the left.
- 35.1. Let's make a part! Horizontally place a maroon 4x8 plate upside down in front of you. Now vertically place a light grey 1x2 plate with a bar on the short side on the front 2 rows on the 2nd column from the left so the bar faces the front. Then repeat symmetrically to the right.

- 35.2. Now flip it over so it is horizontal and the bars face the front. Then place a black spider on the rightmost column on the 2nd row from the back.
- 35.3. Vertically place the bars of your part on the back 2 rightmost top-facing clips so the studs face the right.
- 35.4. Now bend the 2 4x8 plates you previously placed towards each other so they make a tent!
- 36.1. Place a transparent orange 1x1 round tile on the front row of the 4th column from the right. Then place another 1 on the 2nd row from the front of the 5th column from the right.

Group 16 - Camp

- 36.2. Place a transparent yellow 1x1 round tile on the front row of the 5th column from the right. Then place another 1 on the 2nd row from the front of the 4th column from the right. This is a campfire!
- 37. Place 2 brown 1x1 tiles with a clip, 1 in front of the other, on the front 2 rows of the 3rd column from the right so the clip hands face left and right. Then place 2 more, 1 in front of the other, on the front 2 rows to the left of the 1x1 round tiles so the clip hands face left and right.
- 38. Place a green 1x1 round plate with 3 leaves on the rightmost column on the 2nd stud from the front so the leaves face the front. Now attach a silver fork to the top-facing clip that is to the left of the ppp so the fork faces the front. Then horizontally attach a nougat ladder to the 4 top-facing clips that are on the front 2 rows. Now place a red 1x1 mug on the front stud of the 8th column from the right so the handle faces the right.
- 39. Attach a gold 1x1 round plate with a clip underneath to the leftmost vertical bar of the ladder. Then place another 1 on the 2nd vertical bar from the right of the ladder.
- 40. Place a black pan on top of the ppp so the handle faces the back. Now place a light brown chicken leg to the left so the bar faces the back right.

Building Instructions (Bag 3, Book 2):

Group 17 - Tree

- 41. Let's make a part! Let's make the tree! Horizontally place a bent brown 3L axle connector with a pinhole in front of you so the pinhole is in the back and faces up. Now insert a red 2L axle into the left-facing axle hole.
- 42. Horizontally attach a bent brown 3L axle connector with a pinhole to the left-facing axle so the pinhole is in the front and faces up.
- 43-46. Insert a red 2L axle into the left-facing axle hole. Then attach a brown 2L axle connector to the left-facing axle. Now repeat this entire step 3 more times.
- 47. Insert a light grey 3L axle into the left-facing axle hole. Then vertically attach a brown axle connector with 2 bar holes to the left-facing axle so the bar holes face the front and back.

- 48. Attach a brown bent 3L axle connector with a pinhole to the left-facing axle so the other axle hole faces the front left.
- 49. Insert a brown 2L bar with a stop into the front-facing bar hole. Now attach a bar holder with a handle to the ppp so the handle faces the front and is vertical. Now repeat both parts symmetrically to the back.
- 50. Insert a black axle connector with 3 axles into the left-facing axle hole so the other 2 axles face the front and back left.
- 51. Attach a brown bent 3L axle connector with a pinhole to the front-facing axle so the other axle hole faces the front left. Then attach 1 to the back left facing axle so the other axle hole faces the left.
- 52. Bring back your main build and orient it so the tent is in the front right corner and the other part is in the back left and the side studs of the front-facing 2x4 wedge plate face the front. Now place the right-facing axle hole of your part on top of the top-facing axle that is in the back so it is horizontal.
- 53. Insert a light grey 3L axle into the top front-facing axle hole of the part so it is centered vertically. Now attach a brown 1x1 cone brick to the front side of the ppp. Then repeat symmetrically to the back.
- 54. Insert a brown 2L bar with a stop into the front-facing 1x1 cone brick from the previous step. Now attach a bar holder with a handle to the ppp so the handle faces the front and is horizontal. Now repeat both parts symmetrically to the back.

Group 18 - Tree

- 55.1. Let's make 4 identical parts! Let's make the leaves! Place a green 5x6 leaf plate in front of you so the end stud with the long branch faces the front right. Now horizontally place the leftmost stud of a lime green 2x4 leaf plate on top of the middle stud of the ppp so the stud with the long branch faces the right.
- 55.2. Place a white flower on the back left stud. Then flip it upside down so the end stud with the long branch of the 5x6 leaf plate faces the back. Then place a brown claw with a bar on top of the middle antistud so the claw hands face front and back.
- 55.3. Now you should have 4 identical parts! Attach the claw of 1 part to the front-facing bar holder with a handle of the tree so the flower faces the top left. Then repeat symmetrically to the back. Now attach the claw of 1 to the right-facing bar holder of the tree so the flower is in the front and on top. Then repeat symmetrically to the left.
- 56.1. Let's make 2 identical parts! Place a green 5x6 leaf plate in front of you so the end stud with the long branch faces the front right. Now horizontally place the leftmost stud of a lime green 2x4 leaf plate on top of the middle stud of the ppp so the stud with the long branch faces the right.
- 56.2. Place a white flower on the back left stud. Then flip it upside down so the end stud with the long branch of the 5x6 leaf plate faces the back. Then place a brown 2L bar with a stop on top of the middle anti-stud.
- 56.3. Now you should have 2 identical parts! Place the bar of 1 part on the right top-facing axle hole of the tree so the flower is in the front and on top. Then repeat symmetrically to the left. Now put away your build while we make the next part!

Group 19 - Trailer

- 1. Horizontally place a tan 4x8 plate in front of you. Then vertically place a light grey 2x4 tile on the 2 rightmost columns.
- 2. Horizontally place a black 1x2 plate on the front left corner. Then horizontally place 2 light grey 1x2 grill tiles, 1 to the right of the other, to the right of the ppp. Now repeat everything symmetrically to the back.
- 3. Place 2 red 2x2 tiles with 2 studs, 1 to the right of the other, on the 3rd to 6th columns from the right so the studs are on the left.
- 4. Horizontally place a black 1x2 plate with a hitch and a ball on the leftmost column so it is centered vertically and the ball faces the left.
- 5. Horizontally place 2 red 1x1 plates with a 1x1 short sloped curved brick, 1 in front of the other, on the 2 leftmost columns so they are centered vertically and slope to the right.
- 6. Place 2 red 1x1 plates with a clip, 1 to the right of the other, on the front left corner so the clips face the front and the clip hands face left and right. Then repeat symmetrically to the back.
- 7. Place a light grey 2x2 corner tile on the front left corner so it looks like the braille letter h. Then repeat symmetrically to the back.
- 8. Flip your build upside down so it is horizontal, and the ball faces the right. Now vertically place 2 light grey 1x2 plates with 2 side studs sticking up, 1 in front of the other, on the leftmost column so the side studs face the left. Now vertically place a black 1x2 plate to the right of the 2 ppp so it is centered vertically.
- 9. Vertically place a black 1x4 plate with 2 small pins on the 3rd column from the left so the pins face front and back. Now vertically place a black 1x2 plate to the right of the ppp so it is centered vertically.
- 10. Horizontally place a light grey 2x4 plate on the 4 leftmost columns so it is centered vertically. Then horizontally place a dark grey 2x3 plate with a bar underneath on the 3 rightmost columns so it is centered vertically.
- 11. Place a transparent red 1x1 round tile upright on the front left-facing side stud. Then repeat symmetrically to the back.
- 12. Let's make a part! Attach a black wheel to a black tire. Now attach it to the front-facing pin so the hollow side faces the front. Then repeat symmetrically to the back.
- 13. Flip your build over so it is right side up, horizontal, and the hitch faces the left. Now attach a dark grey tranquilizer gun to the right front-facing clip so the clip faces the front. Then attach a light grey needle to the clip of the ppp so the tip faces down.
- 14. Let's make a part! Horizontally place a light grey 2x4 plate in front of you. Then vertically place a red 1x2 tile with an overhead bar on the leftmost column so it slopes to the left.

- 15. Place a red 2x2 round brick on top so it is centered horizontally. Now place a black 2x2 round tile with a stud on top of the ppp.
- 16. Vertically place a dark grey 1x2 hinge base on the rightmost column so the wall faces the left. Now vertically place a red 1x2 plate with a bar underneath on top of the ppp. Then vertically place a light grey 1x2 tile printed with a yellow joystick and buttons on top of the ppp.
- 17. Place a black 3L bar on top of the 2x2 round tile with a stud. Now place a black bar holder with a clip on top so the clip hands face the front right and back left.
- 18.1. Let's make another part! Place a dark grey 3x3 dish in front of you. Then place a light grey 1x1 rounded plate with a handle on top so the bar faces the front. Now attach a light grey 3L bar with a stud underneath the dish so the stud faces down.
- 18.2. Attach the bar of the 1x1 rounded plate with a handle to the top-facing clip of the ppp so the 3L bar with a stud faces up and to the front right. This is an antenna!
- 19. Vertically place your part on the 3rd and 4th columns from the left of the previous part so the antenna faces the front!

Group 20 - Trailer

- 20. Let's make a part! Place a dark grey 4x4 plate in front of you.
- 21. Vertically stack 2 yellow 1x3 plates on the back right corner.
- 22. Place 3 yellow 1x1 corner panels, 1 to the right of the other, on the back left corner, so the corner walls face the back left.
- 23. Vertically place 3 yellow 1x2 panels, 1 to the right of the other, on the 3 leftmost columns, on the 2nd and 3rd rows from the front so the walls face the left.
- 24. Horizontally place a light grey 1x4 plate on the front row.
- 25. Horizontally place a black 1x2 plate with a bar on the long side on the front row so it is centered horizontally and the bar faces the front. Then place a transparent orange 1x1 round plate on the front left corner. Then repeat symmetrically to the right.
- 26. Horizontally place a yellow 1x4 tile with 2 studs on the front row. Now vertically place a light grey 1x2 tile with a yellow joystick and buttons on the rightmost column so it is centered vertically. Then place a dark grey 1x1 tile on the back right corner.
- 27. Place a light grey 4x4 tile with 4 studs and a sticker on top so it is centered and the studs are in the front.
- 28. Skip this step if you have already placed your sticker! Ask a helper to place sticker 5 on the light grey 4x4 tile with 4 studs. This sticker has a yellow box with 2 black straps on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

- 29. This is a server box! Place your part on the 4 rightmost columns of the previous build so the bar faces the right.
- 30.1. Let's make a part! Place a yellow 2x2 inverted sloped curved tile in front of you so it slopes to the right. Now vertically place a light grey 1x2 plate with a bar on the long side on the left column so the bar faces the left. Then place a black 2x2 tile with a sticker on top.
- 30.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 4 on the black 2x2 tile. This sticker has a radar with a dinosaur on it! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 30.3. Attach the bar of your part to the front-facing clip so the 2x2 tile faces the left. Now put it away while we make the next part!

Building Instructions (Bag 4, Book 3):

Group 21 - Charging Station and Store

- 1. Horizontally place a light grey 8x16 plate in front of you. Then place a green 1x1 round plate with 3 leaves on the back left corner so the leaves face the back left. Then vertically place a dark grey 1x2 plate with a stud and an upright clip on the back 2 rows to the right of the ppp so the clip is in the back.
- 2. Vertically place a green 1x2 sloped curved tile on the back left corner so it slopes to the front. Now vertically place a black 1x4 rounded plate on the front left corner. Then vertically place another 1 to the right so there is a 1 column gap in between them.
- 3. Place 2 light brown 2x2 sloped curved tiles, 1 to the right of the other, to the right of the ppp so they slope and overhang to the front. Now place a black 1x1 round tile behind the rightmost column of the ppp.
- 4. Place 2 light brown 2x2 sloped curved tiles, 1 to the right of the other, to the right of the previous 2x2 sloped curved tiles so they slope and overhang to the front.
- 5. Vertically place 2 dark grey 1x2 grill tiles, 1 in front of the other, on the front 4 rows, on the 5th column from the right. Now place a green 1x1 quarter circle tile behind the ppp so the curve faces the back left.
- 6. Horizontally place a black 1x4 rounded plate on the 5th row from the front, on the 4 rightmost columns. Now vertically place a dark grey 1x2 plate with a stud and an upright clip on the back 2 rows, on the 4th column from the right so the clip is in the back.
- 7. Place a black 1x1 round tile on the 3rd row from the back, on the 8th column from the right. Now place the front row of a black 2x2 round tile to the left of the ppp. Then place a black 3x3 round tile in front of the 2 ppp.
- 8. Vertically place a black 1x8 plate on the front 4 rows of the 4th column from the right so it overhangs 4 rows to the front. Now place a tan 1x1 round brick on the 4th row from the front of the rightmost column.
- 9. Vertically place the back left corner of a light grey 4x12 plate underneath the overhang of the 1x8 plate from the previous step.

- 10. Vertically place a tan 2x6 brick on the 2nd and 3rd columns from the right, on the 5th to 10th rows from the back.
- 11. Place a black 2x2 plate on the front 2 rows of the 3rd and 4th columns from the right. Now vertically place a black 1x2 plate on the 4th column from the right, on the 7th and 8th rows from the front.
- 12. Horizontally place a white 1x4 brick on the 4 rightmost columns on the 4th row from the back. Now vertically place a white 1x10 brick in front of the leftmost column of the ppp.

Group 22 - Charging Station and Store

- 13. Horizontally place a light orange 1x2 plate on the 2 rightmost columns on the 4th row from the back. Then place a light orange 2x2 corner plate to the left of the ppp so it looks like the braille letter f. Now vertically place a light orange 1x8 plate in front of the left column of the ppp. Then place a green 1x1 round plate in front of the ppp.
- 14. Horizontally place a light orange 1x2 plate on the 2 rightmost columns on the 4th row from the back. Then place a light orange 2x2 corner plate to the left of the ppp so it looks like the braille letter f. Then place a green 1x1 round plate in front of the left column of the ppp. Now vertically place a light orange 1x8 plate in front of the ppp.
- 15. Horizontally place a white 1x2 brick on the 2 rightmost columns on the 4th row from the back. Then place the back row of a white 2x2 corner brick to the left of the ppp so it looks like the braille letter f. Now vertically place a white 1x6 brick in front of the left column of the ppp. Then place a green 1x1 quarter circle tile in front of the ppp so the curve faces the front left.
- 16. Vertically place a white 1x3 inverted slope brick on the 4th column from the right, on the 7th 9th rows from the front so it slopes to the back.
- 17.1. Let's make a part! Horizontally place a white 1x4 brick in front of you. Then horizontally place a white 1x2 brick on the 2 leftmost columns. Now horizontally place a light grey 1x2 brick with side studs on 2 sides to the right of the ppp so the side studs face the front and back. Then horizontally place a white 1x4 brick on top.
- 17.2. Horizontally place your part on the 4 rightmost columns, on the 4th row from the back so the side studs face the front.
- 18. Vertically place a transparent 1x4x3 panel in front of the leftmost column of the previous part so the wall faces the left. Now vertically place a white 1x2 inverted half arch brick in front of the ppp so it slopes to the front.
- 19. Vertically place a white 1x2x2 brick on top of the ppp.
- 20.1. Vertically place a transparent 1x4x3 panel with a sticker in front of the ppp so the wall faces the left.
- 20.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 1 on the transparent 1x4x3 panel. This has a no cellphone, icecream, or dinosaur policy! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.

Group 23 - Charging Station and Store

- 21. Horizontally place a black 1x2 brick on the 2 rightmost columns on the 4th row from the back. Now place the back row of a black 2x2 corner brick to the left of the ppp so it looks like the braille letter f. Then vertically place another black 1x2 brick in front of the left column of the ppp.
- 22. Rotate your build 90 degrees clockwise so the 2x2 sloped curved tiles slope to the left. Now place a green 1x1 round brick with 3 leaves on the front row on the 7th column from the right so the leaves face the front.
- 23. Place the front left corner of a light blue 3x3 plate on top of the ppp.
- 24. Horizontally place a dark grey 2x3x2 cabinet on the back 2 rows of the ppp so the opening faces the front. Now attach a transparent aqua cabinet door to the front so it opens to the right.
- 25. Horizontally place a tan hot dog bun on the front row on the 7th column from the right. Then horizontally place a sand green hotdog on top of the ppp. This is a moldy hotdog!
- 26.1. Place a light grey 2x2 tile with a sticker upright on the 2 left-facing side studs that are on the front 2 rows so 1 row overhangs to the top.
- 26.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 6 on the light grey 2x2 tile. This sticker has a picture of a hotdog and the word hotdog below it! Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 27.1. Place a red 1x1 round brick on the 2nd row from the front, on the 7th column from the right.

Group 24 - Charging Station and Store

- 27.2. Place a white 1x1 round tile with an upright bar on top of the ppp. Then place a yellow 1x1 round brick to the right of the ppp. Now place a white 1x1 round tile with an upright bar on top of the ppp. This is ketchup and mustard!
- 28. Horizontally place a dark grey 1x2 grill tile on the 3rd row from the front, on the 9th and 10th columns from the left. Then horizontally place a light orange 1x2 plate to the right of the ppp. Now horizontally place a dark grey 1x2 grill tile in front of the ppp.
- 29. Let's make a part! Horizontally stack 2 light blue 1x2 bricks and place them in front of you. Then horizontally place a tan 1x2x2 brick with 2x2 side studs on top so the side studs face the front.
- 30. Place a light grey 2x2 inverted slope brick on top of the ppp so it slopes and overhangs to the front.

You will have an extra transparent agua 1x2 sloped curved tile. Save it for later!

Group 25 - Charging Station and Store

31.1. Place a light grey 2x2 plate with 2 side studs upright on the front-facing side studs so the side studs face down. Now place a white 1x1 round tile with an upright bar on each of the 2 bottom-facing studs so the bars face down.

- 31.2. Vertically place a transparent aqua 1x2 sloped curved tile from group 24 upright on the 2 right front-facing side studs so it slopes up. Then vertically place a transparent yellow 1x2 sloped curved tile upright on the 2 front-facing side studs so it slopes up.
- 32. This is a slushie machine! Place your part on the 3rd row from the front, on the 11th and 12th columns from the left so the upright sloped curved tiles face the front.
- 33. Place a black 2x2 corner brick on the 3rd and 4th rows from the front, on the 10th and 11th columns from the left so it looks like the braille letter d. Then place another 1 to the right of the ppp so it looks like the braille letter f.
- 34. Horizontally place a black 1x2 brick in front of the 2 ppp so it is centered horizontally to them.
- 35. Horizontally place a tan 1x2 log brick on the front row on the 7th and 8th columns from the left. Now horizontally place another 1 behind the ppp so there is a 1 row gap in between them. Now horizontally place 2 dark grey 1x2 grill tiles, 1 to the right of the other, to the left of the ppp.

You will have an extra black 1x2 tile. Save it for later!

Group 26 - Charging Station and Store

- 36.1. Let's make a part! Horizontally place a light blue 2x3 plate in front of you. Then horizontally place a white 1x2 tile printed with a keyboard on the front right corner. Then horizontally place a light grey 1x2 jumper plate on the back right corner.
- 36.2. Place a lime green 1x1 round plate with 3 leaves on the front left corner so the leaves face the back left. Now place a light grey 1x1 tile with a clip on the 1x2 jumper plate so the clip hands face the front and back.
- 36.3. Attach a dark grey 1x1 rounded plate with a handle to the top-facing clip so the stud faces the front. Now horizontally place a black 1x2 tile upright on the front-facing side stud so it is centered horizontally.
- 36.4. This is a computer! Vertically place your part on the front 3 rows on the 7th and 8th columns from the left so the upright 1x2 tile faces the right.
- 37. Horizontally place a white 1x2 inverted half arch brick on the back row of the 2 leftmost columns so it slopes to the right. Then horizontally place a white 1x2 brick in front of the ppp.
- 38. Stack 2 light orange 2x2 plates on top of the 2 ppp.

Group 27 - Charging Station and Store

- 39. Place a light grey 2x2x2 cabinet on the front left corner so the opening faces the left. Now place a green 1x2 tile printed with money inside. Then attach a light grey cabinet door to the left-facing side of it and close it!
- 40. Place a dark grey 1x1 brick with a side stud and bottom lip on the front row on the 2nd column from the left so the side stud faces the right. Now horizontally place a white 1x2 brick on the back row of the 2

leftmost columns. Then place a white 2x2 corner brick in front of the ppp so it looks like the braille letter d. Now place a light grey 1x1 slope tile printed with a keypad on the leftmost column on the 2nd row from the front so it slopes to the left.

- 41. Place a green 1x1 round brick with 3 leaves on the back row of the leftmost column so the leaves face the back left. Then place a white 2x2 corner brick on the back 2 rows of the 2 leftmost columns so it looks like the braille letter j. Now place a light grey 2x2 inverted slope brick in front of the ppp so it slopes and overhangs to the left.
- 42. Rotate your build 180 degrees so the 1x4 rounded plate is on the front row. Now horizontally place a dark grey 1x2 grill tile upright on the 2 left-facing side studs that are on the back 2 rows. Now horizontally place a white 4x6 plate on the back 4 rows on the 4th to 9th columns from the left.
- 43.1. Let's make a part! Horizontally place a white 1x4x6 door frame in front of you so the ridged side faces the front. Now attach a transparent door with a sticker to the front so it opens to the right. Then place a light grey 1x1 round plate upright on the front-facing side stud.
- 43.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 2 on the transparent door. This sticker has a red sign that says closed. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 43.3. Horizontally place your part on the front row of the 3rd to 6th columns from the right so the door faces the front and opens to the right.
- 44. Vertically stack 2 white 2x4 bricks on the front 4 rows of the 2 rightmost columns.
- 45.1. Let's make a part! Horizontally place a black 1x8 plate in front of you. Then horizontally place a dark grey 1x2 plate with 2 side studs sticking up on the 2 leftmost columns so the side studs face the front.
- 45.2. Place a green 1x1 round plate on the rightmost column. Then horizontally place a black 2x4 plate to the left of the ppp so it overhangs 1 row to the front. Now place a green 1x1 round plate to the left of the ppp.
- 45.3. Horizontally place a black 1x8 plate on the back row. Then horizontally place a black 1x4 tile on the front row so there is no overhang. Now horizontally place a light grey 1x2 rounded plate upright on the front-facing side studs.
- 45.4. Horizontally place your part on the front row of the 2nd to 9th columns from the right so 1 row overhangs to the front and the side studs face the front.
- 46. Vertically place a black 1x2 brick on the 2nd and 3rd rows from the back of the 2nd column from the right.
- 47. Place 2 black 2x2 inverted slope bricks, 1 in front of the other, on the rightmost column so they slope and overhang to the right. Now place a green 1x1 round brick with 3 leaves to the left of the back row of the 2 ppp so the leaves face the back left.
- 48. Horizontally place a white 4x12 plate on the back 4 rows on the 12 rightmost columns.

49. Let's make 2 identical parts! Place a transparent yellow 1x1 round tile on top of a light grey 1x1 round plate with a bent bar. Now you should have 2 identical parts! Attach the bar of 1 part to the right front-facing side stud so the round tile faces the front right. Then repeat symmetrically to the left.

Building Instructions (Bag 5, Book 3):

Group 28 - Charging Station and Store

- 50. Vertically stack 6 light orange 1x3 bricks on the front 3 rows on the 4th column from the left.
- 51. Horizontally place a white 1x4x6 door frame on the 2nd row from the front, to the right of the 6 ppp so the ridged side faces the front.
- 52.1. Place a black 2x2 corner brick on the front 2 rows on the 4th and 5th columns from the left so it looks like the braille letter f. Now place a black 1x1 brick behind the left column of the ppp.
- 52.2. Horizontally place a black 1x2 inverted slope brick on the rightmost column of the 2nd row from the front so it slopes and overhangs to the right. Now horizontally place a black 1x2 brick with 2 side studs to the left of the ppp so the side studs face the front.
- 53. Let's make a part! Horizontally place a white 2x3 brick in front of you. Then horizontally place a dark grey 2x3 plate on top.
- 54. Vertically stack 2 white 1x3 rounded plates on the leftmost column so 1 row overhangs to the front. Then vertically stack 2 more on the rightmost column so they overhang 1 row to the back.
- 55. Vertically place a black 1x2 brick with 2 side studs on the back 2 rows of the leftmost column so the side studs face the left. Then vertically place another 1 on the front 2 rows of the rightmost column so the side studs face the right. Now horizontally place a transparent 1x2 tile upright on the 2 left-facing side studs. Then repeat symmetrically to the right.
- 56. Horizontally place a light orange 2x3 tile on top so it is centered horizontally.
- 57.1. Let's make 2 identical parts! Orient a black pistol so the handle faces the bottom left. Now place a light grey 1x1 round plate upright on the right-facing side stud. Then attach the end of a black whip to the ppp so the long bar faces down.
- 57.2. Now you should have 2 identical parts! Place the handle of the whip on the front left corner so the pistol overhangs to the left. Then repeat symmetrically on the back right corner. This is a charger for vehicles!
- 58. Vertically place your part on the 2nd and 3rd columns from the right of the front 3 rows so it sits in the door frame.
- 59. Place a green 1x1 round plate on the front row on the 4th column from the left. Then place the left column of a black 2x2 corner plate behind the ppp so it looks like the braille letter h. Now horizontally place a black 1x4 plate to the right of the front row of the ppp. Then place a lime green 1x1 round plate with 3 leaves upright on the left front-facing side stud so the leaves face the bottom right.

60. Vertically place a black 1x2 plate with a bar on the long side on the back 2 rows on the 4th column from the left so the bar faces the left.

Group 29 - Charging Station and Store

- 61. Let's make a part! Horizontally place a white 6x14 plate upside down in front of you. Then vertically place a green 1x6 plate on the leftmost column. Then repeat symmetrically to the right.
- 62. Horizontally place a black 1x12 plate on the front row so it is centered horizontally. Then repeat symmetrically to the back.
- 63. Flip your part over so it is right side up and horizontal. Vertically place a light orange 1x2 plate on the front left corner. Now vertically place 2 light grey 1x2 plates with 2x2 upright side studs sticking up, 1 in front of the other, behind the ppp so the side studs face the left. Now place a green 1x1 round plate on the back row to the right of the ppp.

Group 30 - Charging Station and Store

- 64. Place a green 1x1 round plate on the back row on the 2nd column from the right. Then horizontally place a light orange 1x2 plate with 2 clips on the long side to the left of the ppp so the clips face the back. Then horizontally place a light orange 1x6 plate to the left of the ppp. Now horizontally place a light orange 1x2 plate with 2 clips on the long side to the left of the ppp so the clips face the back.
- 65. Horizontally place 2 light orange 1x6 plates, 1 to the right of the other, on the front row so they are centered horizontally.
- 66. Vertically place a light orange 1x6 tile on the leftmost column. Now horizontally place a light orange 1x4 tile on the back row to the right of the ppp.
- 67. Vertically place a green 1x2 sloped curved tile on the back 2 rows on the 6th column from the left so it slopes to the front. Then place a green 1x1 quarter circle tile to the right of the back row of the ppp so the curve faces the front right. Now place a green 1x1 round tile in front of the ppp. Then horizontally place a light orange 1x6 tile on the back row on the 2nd to 7th columns from the right.
- 68. Place a brown 2x2 round ridged brick on the back left corner so it sits in front of and to the right of the tiles. Now place a brown 2x2 round tile with a stud on top of the ppp.
- 69. Vertically place a tan 2x4 tile to the right of the ppp. Now horizontally place a tan 1x2 jumper plate to the right of the front row of the ppp. Then place a tan 2x2 tile behind the ppp.
- 70. Vertically place 2 tan 2x4 tiles, 1 to the right of the other, to the right of the ppp so they are centered vertically. Now vertically place 2 dark grey 1x2 grill tiles, 1 in front of the other, to the right of the ppp.
- 71. Horizontally place a light orange 1x4 tile on the front row on the 3rd to 6th columns from the right. Then place a green 1x1 quarter circle tile to the left of the ppp so the curve faces the back right. Now horizontally place a light orange 1x6 tile to the left of the ppp.
- 72.1. Place a green 1x1 round plate with 3 leaves on the 2nd row from the front, on the 1x2 jumper plate that is on the 6th and 7th columns from the left so the leaves face the back left.

Group 31 - Charging Station and Store

- 72.2. Place a lime green 1x1 round plate with 3 leaves on the 2nd row from the back on the 8th column from the right so the leaves face the front right.
- 73. Bring back your main build and orient it so the door opens to the right. Now horizontally place your part on the 14 rightmost columns of the 4th to 9th rows from the front so the side studs face the right.
- 74. Rotate your build 90 degrees counterclockwise so the side studs of the previous part face the back. Now vertically place a green 1x2 sloped curved tile on the 2nd and 3rd rows from the front, on the 4th column from the right so it slopes to the front.
- 75. Place a green 1x1 plate with a side stud hanging down on the 4th row from the front, on the 3rd column from the left so the side stud faces the back. Then horizontally place a light orange 1x3 slope brick to the right of the ppp so it slopes to the left. Now horizontally place a light orange 1x6 brick to the right of the ppp.
- 76. Vertically place a light orange 1x2 brick on the front left corner. Then place the left column of a light orange 2x2 corner brick behind the ppp so it looks like the braille letter f.
- 77. Horizontally place a green 1x2 plate on the 2nd row from the front on the 8th and 9th columns from the right. Now place a dark grey 1x1 plate with a clip behind the left column of the ppp so the clip faces the left and the clip hands face the front and back.
- 78. Vertically place a light orange 1x4 tile on the leftmost column. Then place a green 1x1 quarter circle tile to the right of the back row of the ppp so the curve faces the back right. Now horizontally place a light orange 1x2 tile to the right of the ppp so there is a 3 column gap in between them. Then horizontally place a light orange 1x6 tile to the right of the ppp. Now vertically place a black 1x1 tile with a 1x1 slope tile in front of the rightmost column of the ppp so it slopes to the front.
- 79. Rotate your build 90 degrees clockwise so the clips face the front. Now attach a black ladder with 2 clips to the front-facing bar that is on the 2 leftmost columns so it hangs down.
- 80. Place a nougat 2x2 box on the front 2 rows on the 5th and 6th columns from the left. Now place a black 2x2 tile with a stud on top.
- 81.1. Let's make 2 identical parts! Horizontally place a brown bar holder with a handle in front of you so the bar hole faces the right and the handle is horizontal. Now insert a brown 6L bar with a stop into the bar hole so the side with a stop faces the left. Now attach a tan bar holder with a clip to the right-facing bar so the clip hands face up and down.
- 81.2. Now you should have 2 identical parts! Attach the handle of 1 part to the top-facing clip that is on the front row on the 4th column from the left so the clip faces the front. Then repeat for the clip that is on the front row on the 2nd column from the right.

- 82.1. Let's make a part! Horizontally place a teal 6x10 net in front of you. Now count 4 holes diagonally from the front right corner then place a light grey claw with a clip on top so the claw hands face left and right. Now attach a light grey 1x1 round plate to the bottom-facing bar of the ppp so the stud faces down.
- 82.2. Attach a dark tan snake to the top-facing claw.
- 82.3. Flip your part upside down so it is horizontal. Then attach the back bar of your part to the 2 front-facing clips of the 2 previous parts!
- 83. Now flip it up and attach the front bar of your previous part to the 4 front-facing clips that are on the roof.
- 84.1. Let's make a part! Place a transparent 1x1 round brick in front of you. Then place a dark grey lantern on top. Now attach a claw with a bar to the lantern so the bar faces up.
- 84.2. Attach the bar of your part to the bottom-facing side of the front right bar hole of the 6x10 net so it hangs down.
- 85.1. Let's make a part! Horizontally place a dark grey 2x3 plate in front of you. Then horizontally place a light grey 2x4 tile with a sticker on top so 1 column overhangs to the right.
- 85.2. Skip this step if you have already placed your sticker! Ask a helper to place sticker 7 on the light grey 2x4 tile. This sticker says Stego Stop N Go. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 85.3. Vertically place a dark grey 1x4 hinge plate underneath the rightmost column so it is shaped like a 2x2 plate and the round hinge part faces the front.
- 85.4. Place a light grey 2x2 tile with a sticker on top of the rightmost column so 1 column overhangs to the right. Then place a green 1x1 round plate with 3 leaves underneath the back right corner so the leaves face the right.
- 85.5. Skip this step if you have already placed your sticker! Ask a helper to place sticker 8 on the light grey 2x2 tile. This sticker is green and has a yellow dinosaur foot print on it. Make sure the sticker is placed on correctly and is oriented on the build correctly, ask a sighted person to check.
- 85.6. Rotate your main build so it is horizontal and the net faces the left. Now horizontally place the 4 leftmost columns of your part upright on the 2x4 front-facing side studs so the 2x2 tile overhangs to the right.
- 86. Place a brown 3L bar on top of the 2x2 round tile with a stud that is behind the ppp.
- 87. Horizontally place the left stud of a green 1x2 rounded plate with a large leaf on top of the ppp so the leaf faces the right. Then horizontally place the right stud of a green 1x2 rounded plate with a large leaf on top of the previous 3L bar so the leaf faces the left.
- 88. Place a lime green 1x1 round plate with 3 leaves on the rightmost stud of the 2 ppp so the leaves face the right. Then horizontally place the right stud of a green 1x2 rounded plate with a large leaf on top of the previous 3L bar so the leaf faces the back left. Now place another lime green 1x1 round plate with 3

leaves upright on the front-facing side stud that is on the 3rd column from the right so the leaves face the bottom right.

Group 33 - Drone

- 89. Let's make a part! Let's make a drone! Place a red 1x1 plate with an upright side stud in front of you so the side stud faces the left. Then place a red 1x1 brick with an axle hole on top so the hole faces the front and back.
- 90. Place a black 1x1 plate with a side stud hanging down on top so the side stud faces the left.
- 91. Place a light grey 1x1 tile with an upright clip on top so the clip hands face front and back.
- 92. Lay your part on its side so the studs face up and the clip faces the right. Now vertically place a dark grey 1x3 plate with 1 stud and 2 upright clips on the right column so it is centered vertically. Now horizontally place a tan 1x2 sloped curved tile on top so it slopes to the left.
- 93.1. Let's make 2 identical parts! Place light grey handlebars in front of you so the bars are in the back and stick up. Now place a black steering wheel on the left bar. Then repeat symmetrically to the right.
- 93.2. Now you should have 2 identical parts! Attach the front thin bar of 1 part to the front top-facing clip so the steering wheels are in the front and face up. Then repeat symmetrically to the back.
- 94. Attach a black 1x1 round plate with a bent bar to the right-facing clip so the stud is on top and faces the top right. Now place a light grey 1x1 tile with an upright clip on top of the ppp so the clip hands face front and back. Now attach a yellow needle to the ppp so the tip faces the right.
- 95. Insert the axle of a transparent 6L curved bar with an axle and a 1x1 round plate into the front-facing axle hole so it curves down to the front and the stud faces the right.
- 96. Attach the curved bar of your part to the clip that is on the 3rd row from the back and 11th column from the right of the main build so the drone is in the back right.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our <u>Builders page</u>. It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please signup for our newsletter and follow us on <u>Facebook</u> and <u>Instagram</u> to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 5 LEGO Jurassic World Theme kits:

76975 T. rex River Escape

76972 Raptor Off-Road Escape

76970 Baby Dinosaur Dolores: Aquilops

76973 Raptor & Titanosaurus Tracking Mission

76976 Spinosaurus & Quetzalcoatlus Air Mission