76320 Iron Man & War Machine vs. Hammer Drones

Adapted by John Le and tested by Jolene Nemeth.

Iron Man & War Machine vs. Hammer Drones (76320) is a buildable Super Hero toy for kids who like battle action with LEGO® I Marvel collectibles. With fun features and cool weapons, this small gift for kids makes an ideal Super Hero present for boys and girls aged 7 years old and up.

This buildable toy recreates the epic battle scene from Marvel Studios' Iron Man 2 movie. It comes with Iron Man and War Machine minifigures and 2 buildable Hammer Drones. The Hammer Drones are fully jointed so kids can pose the buildable figures for realistic dynamic play. The green Hammer Drone has a spring shooter on its shoulder. The blue Hammer Drone has a push shooter on each shoulder. War Machine has red hand and feet blasters and a stud shooter on his shoulder. Iron Man has blue hand and feet blasters and can hold laser beam elements. For added digital fun, builders can zoom in, rotate models in 3D and track their progress using the intuitive LEGO Builder app. Contains 204 pieces.

Build-and-play Super Hero toy – Iron Man & War Machine vs. Hammer Drones is a small gift for kids featuring buildable battle toys for boys and girls aged 7 years old and up.

LEGO® I Marvel minifigures – Includes an Iron Man minifigure with blue hand and feet blasters and laser beam weapons and a War Machine minifigure with red hand and feet blasters and a stud shooter.

Buildable action toys – The Hammer Drones are fully jointed so kids can pose the buildable figures for realistic dynamic play.

Robots built for battle – The green Hammer Drone has a spring shooter on its shoulder and the blue Hammer Drone has a push shooter on each shoulder.

Super Hero present – Treat kids who like Iron Man, battle action or Marvel movies to this build-and-play toy for boys and girls aged 7 years old and up.

204-piece buildable playset – With the green Hammer Drone standing over 3.5 in. (10 cm) tall, this versatile construction playset is convenient to pick up and play wherever kids go.

The front of the box shows Iron Man and War Machine flying through the city and shooting at 2 hammer drones!

The back of the box shows War Machine shooting at 1 hammer drone while Iron Man is using his hand lasers to shoot the other one!

The top of the box shows a real size image of Iron Man.

The build is 204 pieces in total and is for ages 6+.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.

- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic[™] part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic[™].

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-

arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (https://www.lego.com/en-us/service/buildinginstructions/76320) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 4 bags labeled 1 to 4, 2 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Iron Man and Hammer Drone

Group 1 - Pages 5-7.

Group 2 - Steps 1-16 and 1 dark grey 1x1 tile printed with a white and light blue vertical eye from Step 17.

Group 3 - Rest of Step 17.

Bag 2 - Hammer Drone

Group 4 - Steps 18-19.

Group 5 - Steps 20-24.

Group 6 - Steps 25-29.

Group 7 - Steps 30-34.

Group 8 - Steps 35-40.

Bag 3 - War Machine and Hammer Drone

Group 9 - Pages 3-5.

Group 10 - Steps 1-16 and 1 dark grey 1x1 tile printed with a white and light blue vertical eye from Step 17

Group 11 - Rest of Step 17.

Bag 4 - Hammer Drone

Group 12 - Steps 18-19.

Group 13 - Steps 20-24.

Group 14 - Steps 25-29.

Group 15 - Steps 30-34.

Group 16 - Steps 35-40.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Iron Man

Sub-build 1.1. Locate 1 dark red pair of legs printed with gold and grey armor, 1 dark red torso printed with red armor and a silver core, 1 light tan head printed with eyes, lips, and a blue screen on his face, 1 dark red helmet, and 1 gold faceshield. The blue screen is the suit's HUD! Assemble your minifigure then put him in front of you.

Sub-build 1.2. Place a transparent aqua 1x1 round plate on each of his hands. Then place a transparent aqua 1x1 round brick below each of his feet! These are the boosters to help him fly!

Sub-build 1.3. Let's make 2 identical parts! Place a transparent red 4L bar on top of a transparent 1x1 round plate with a bent bar. Now you should have 2 identical parts! These are lasers! You can replace the 1x1 round plates on his hands with these if you want to! Now put him away while we make a hammer drone!

Group 2 - Hammer Drone

- 1. Vertically place a dark tan 2x3 plate in front of you. Then horizontally place a black 1x2 plate with a ball on each of the short ends on the back row.
- 2. Vertically place a dark grey 1x3 plate on the front right corner so 1 row overhangs to the front. Then repeat symmetrically to the left.
- 3. Horizontally place a black 1x4 rounded plate underneath the front row so it is centered horizontally.
- 4. Place a light grey 1x1 rounded plate with a handle on the front right corner so the handle faces the back right. Then repeat symmetrically to the left.

- 5. Vertically place a dark tan 2x3 plate on the back 3 rows so it is centered horizontally. Then horizontally place a black 1x4 rounded plate on the front row so it is centered horizontally.
- 6. Vertically place 2 sand green 1x2 ingot tiles, 1 to the right of the other, on the back 2 rows.
- 7. Place 2 sand green 1x1 slope tiles, 1 to the right of the other, on the 2nd row from the front so they slope to the back.
- 8. Horizontally place 2 dark tan 1x2 plates with 2 side studs hanging down, 1 to the right of the other, on the front row so they are centered horizontally and the side studs face the front.
- 9. Horizontally place a dark tan 1x2 jumper plate on the front row so it is centered horizontally.
- 10. Vertically place a dark grey 1x2 angled sloped curved tile on the front right corner so it slopes and overhangs to the back and the angled side faces the back right. Then repeat symmetrically to the left.
- 11. Flip your build upside down so the side studs face the front. Now horizontally place 2 dark grey 1x2 plates with 2 upright side studs, 1 to the right of the other, on the front row so they are centered horizontally and the side studs face the front.
- 12. Place a dark grey 2x2 inverted sloped curved tile on the front 2 rows so it is centered horizontally and slopes to the back.
- 13. Lift your part up so it is upright and horizontal, the 2x4 side studs face up, and 1 side stud faces the front. Now place a transparent aqua 1x1 round plate upright on the front-facing side stud.
- 14. Place a sand green 2x2 plate on the 2 leftmost columns. Then horizontally place a sand green 1x2 plate on the front right corner. Then horizontally place a dark tan 1x2 plate with a clip on the short end on the back right corner so the clip faces the right and the clip hands face up and down.
- 15. Place a dark tan 2x2 tile with a stud on top so it is centered horizontally. Then vertically place a sand green 1x2 slope tile to the left of the ppp so it slopes to the left. Then repeat symmetrically to the right.
- 16. Place a light grey 2x2 dish on top so it is centered horizontally and vertically.

You will have an extra dark grey 1x1 tile printed with a white and light blue vertical eye. Save it for later!

Group 3 - Hammer Drone

- 17.1. Let's make a part! Place a dark grey 1x1 brick with a side stud on each side in front of you. Then place a dark grey 1x1 tile printed with a white and light blue vertical eye upright on the front-facing side stud. Now place a sand green 1x1 tile on top. Then place another 1 on the right-facing side stud and 1 on the back-facing side stud.
- 17.2. Place a black 1x1 round plate with a horizontal bar upright on the left-facing side stud so the bar faces up. This is the drone's head! Place your part on top so it is centered horizontally and the bar is on the left and sticks up!

Building Instructions (Bag 2, Book 1):

Group 4 - Hammer Drone

- 18. Let's make a part! Let's make a leg! Horizontally place a sand green 1x3 plate in front of you. Then place a transparent red 1x1 round plate on the rightmost column.
- 19. Horizontally place a dark tan 1x4 hinge plate on the 2 leftmost columns so it overhangs 2 columns to the left and the round hinge part faces the back.

Group 5 - Hammer Drone

- 20. Place a light grey 1x1 round plate underneath the 2nd column from the left.
- 21. Horizontally place a light grey 1x2 plate with a socket on the short end on the 2 leftmost columns so the socket faces the left. Then horizontally place a sand green 1x2 ingot tile on top of the ppp.
- 22. Place a dark grey 1x1 plate with a side stud hanging down on the rightmost column so the side stud faces the front. Then horizontally place a dark tan 1x2 plate with 2 side studs hanging down to the left of the ppp so the side studs face the front.
- 23. Place a sand green 1x1 slope tile upright on the rightmost front-facing side stud so it slopes to the left. Then horizontally place a sand green 1x2 ingot tile upright on the front-facing side studs to the left of the ppp.
- 24. Horizontally place a dark tan 1x2 plate with 2 side studs hanging down on the 2 rightmost columns so the side studs face the back. Then place a sand green 1x1 tile to the left of the ppp.

Group 6 - Hammer Drone

- 25. Place a transparent red 1x1 round plate upright on the rightmost back-facing side stud. Then horizontally place a sand green 1x2 sloped curved tile upright on the 2 rightmost back-facing side studs so it slopes to the left.
- 26. Horizontally place a sand green 1x2 ingot tile on the 2 rightmost columns.
- 27. Attach the socket of your part to the bottom right-facing ball so it is upright, 2 ingot tiles face the right, and 1 slope tile faces the front.
- 28. Let's make a part! Let's make another leg! Horizontally place a sand green 1x3 plate in front of you. Then place a transparent red 1x1 round plate on the leftmost column.
- 29. Horizontally place a dark tan 1x4 hinge plate on the 2 rightmost columns so it overhangs 2 columns to the right and the round hinge part faces the back.

Group 7 - Hammer Drone

30. Place a light grey 1x1 round plate underneath the 2nd column from the right.

- 31. Horizontally place a light grey 1x2 plate with a socket on the short end on the 2 rightmost columns so the socket faces the right. Then horizontally place a sand green 1x2 ingot tile on top of the ppp.
- 32. Place a dark grey 1x1 plate with a side stud hanging down on the leftmost column so the side stud faces the front. Then horizontally place a dark tan 1x2 plate with 2 side studs hanging down to the right of the ppp so the side studs face the front.
- 33. Place a sand green 1x1 slope tile upright on the leftmost front-facing side stud so it slopes to the right. Then horizontally place a sand green 1x2 ingot tile upright on the front-facing side studs to the right of the ppp.
- 34. Horizontally place a dark tan 1x2 plate with 2 side studs hanging down on the 2 leftmost columns so the side studs face the back. Then place a sand green 1x1 tile to the right of the ppp.

Group 8 - Hammer Drone

- 35. Place a transparent red 1x1 round plate upright on the leftmost back-facing side stud. Then horizontally place a sand green 1x2 sloped curved tile upright on the 2 leftmost back-facing side studs so it slopes to the right.
- 36. Horizontally place a sand green 1x2 ingot tile on the 2 leftmost columns.
- 37. Attach the socket of your part to the bottom left-facing ball so it is upright, 2 ingot tiles face the left, and 1 slope tile faces the front.
- 38.1. Let's make 2 identical parts! Let's make the arms! Horizontally place a sand green 1x2 plate in front of you. Then place a light grey 1x1 plate with a clip on the leftmost column so the clip faces the left and the clip hands face the front and back. Then place a dark grey 1x1 plate with a clip on the rightmost column so the clip faces the right and the clip hands face up and down. Now horizontally place a sand green 1x2 ingot tile on top.
- 38.2. Now you should have 2 identical parts! Attach the right-facing clip of 1 part to the bottom left-facing clip that is on the left-facing side so the other clip faces the bottom left, and the ingot tile faces the front. Then repeat symmetrically to the right.
- 39.1. Let's make a part! Let's make the mech's shoulder blaster! Vertically place a dark grey and light grey 1x4 brick with a bar shooter in front of you so the larger hole faces the front. Then vertically place a sand green 1x2 ingot tile on the front 2 rows. Now vertically place a dark tan 1x2 plate with 2 side studs hanging down on the back 2 rows so the side studs face the right. Then vertically place a dark grey 1x2 plate with 2 upright side studs underneath the back 2 rows so the side studs face the right.
- 39.2. Vertically place a dark grey 1x2 plate with a bar on the short end upright on the back column of right-facing side studs so the bar faces down. Then place a sand green 2x2 sloped curved tile upright on the right-facing side studs so it slopes to the front.
- 39.3. Attach the bar of your part to the top right-facing clip so the studs face the right and the 2x2 sloped curved tile faces down.

40. Insert a transparent red 8L bar with a rounded tip into the front-facing hole of the 1x4 bar shooter brick so the rounded tip faces the front. Now put it away while we make the next part!

Building Instructions (Bag 3, Book 2):

Group 9 - War Machine

Sub-build 1.1. Locate 1 dark grey pair of legs printed with light grey armor, 1 dark grey torso printed with armor, and 1 red core, 1 transparent neck bracket with a 1x2 rounded plate, 1 brown head printed with eyes and lips, 1 dark grey helmet, and 1 light grey face shield printed with red eyes. Assemble your minifigure, put the neck bracket on his neck, and secure it with his head, then place him in front of you so the side studs face the back.

Sub-build 1.2. Place a transparent red 1x1 round plate on each of his hands. Then place a transparent red 1x1 round brick below each of his feet! These are the boosters to help him fly!

Sub-build 1.3. Horizontally place a black 1x2 plate with a clip on the short end upright on the back-facing side studs so the clip faces the left and the clip hands face the front and back. Now attach a dark grey stud shooter to the left-facing clip so it is on top and the barrel faces the front. Then vertically insert a dark grey trigger into the top of the ppp so the round side faces down. Now locate 2 transparent red 1x1 round plates. You can insert these into the barrel of the stud shooter and shoot them out! Now put him away while we make a hammer drone!

Group 10 - Hammer Drone

- 1. Vertically place a dark blue 2x3 plate in front of you. Then horizontally place a black 1x2 plate with a ball on each of the short ends on the back row.
- 2. Vertically place a dark grey 1x3 plate on the front right corner so 1 row overhangs to the front. Then repeat symmetrically to the left.
- 3. Horizontally place a black 1x4 rounded plate underneath the front row so it is centered horizontally.
- 4. Place a light grey 1x1 rounded plate with a handle on the front right corner so the handle faces the back right. Then repeat symmetrically to the left.
- 5. Vertically place a dark blue 2x3 plate on the back 3 rows so it is centered horizontally. Then horizontally place a black 1x4 rounded plate on the front row so it is centered horizontally.
- 6. Vertically place 2 sand blue 1x2 ingot tiles, 1 to the right of the other, on the back 2 rows.
- 7. Place 2 sand blue 1x1 slope tiles, 1 to the right of the other, on the 2nd row from the front so they slope to the back.
- 8. Horizontally place 2 dark blue 1x2 plates with 2 side studs hanging down, 1 to the right of the other, on the front row so they are centered horizontally and the side studs face the front.
- 9. Horizontally place a dark blue 1x2 jumper plate on the front row so it is centered horizontally.

- 10. Vertically place a dark grey 1x2 angled sloped curved tile on the front right corner so it slopes and overhangs to the back and the angled side faces the back right. Then repeat symmetrically to the left.
- 11. Flip your build upside down so the side studs face the front. Now horizontally place 2 dark grey 1x2 plates with 2 upright side studs, 1 to the right of the other, on the front row so they are centered horizontally and the side studs face the front. Then horizontally place a sand blue 1x2 plate on the 2nd row from the front.
- 12. Horizontally place 2 dark blue 1x2 plates with 2 side studs hanging down, 1 to the right of the other, on the front row so the side studs face the front.
- 13. Place a dark blue 2x2 inverted sloped curved tile on the front 2 rows so it is centered horizontally and slopes to the back.
- 14. Lift your part up so it is upright and horizontal, the 3x4 side studs face up, and 1 side stud faces the front. Now place a transparent aqua 1x1 round plate upright on the front-facing side stud.
- 15. Horizontally place 2 sand blue 1x2 plates with a stud and a slope tile, 1 in front of the other, on the front left corner so they slope to the left. Then repeat symmetrically to the right.
- 16. Place a dark blue 2x2 tile with a stud on top so it is centered horizontally. Then place a light grey 2x2 dish on top of the ppp.

You will have an extra dark grey 1x1 tile printed with a white and light blue vertical eye. Save it for later!

Group 11 - Hammer Drone

- 17.1. Let's make a part! Place a dark grey 1x1 brick with a side stud on each side in front of you. Then place a sand blue 1x1 tile printed with a white and light blue vertical eye upright on the front-facing side stud. Now place a sand blue 1x1 tile on top. Then place another 1 on the right-facing side stud and 1 on the back-facing side stud.
- 17.2. Place a black 1x1 round plate with a horizontal bar upright on the left-facing side stud so the bar faces up. This is the drone's head! Place your part on top of the 2x2 dish so the bar is on the left and sticks up!

Building Instructions (Bag 4, Book 2):

Group 12 - Hammer Drone

- 18. Let's make a part! Let's make a leg! Horizontally place a sand blue 1x3 plate in front of you. Then place a transparent red 1x1 round plate on the rightmost column.
- 19. Horizontally place a dark blue 1x4 hinge plate on the 2 leftmost columns so it overhangs 2 columns to the left and the round hinge part faces the back.

Group 13 - Hammer Drone

20. Place a light grey 1x1 round plate underneath the 2nd column from the left.

- 21. Horizontally place a light grey 1x2 plate with a socket on the short end on the 2 leftmost columns so the socket faces the left. Then horizontally place a sand blue 1x2 ingot tile on top of the ppp.
- 22. Place a dark grey 1x1 plate with a side stud hanging down on the rightmost column so the side stud faces the front. Then horizontally place a dark blue 1x2 plate with 2 side studs hanging down to the left of the ppp so the side studs face the front.
- 23. Place a sand blue 1x1 slope tile upright on the rightmost front-facing side stud so it slopes to the left. Then horizontally place a sand blue 1x2 ingot tile upright on the front-facing side studs to the left of the ppp.
- 24. Horizontally place a dark blue 1x2 plate with 2 side studs hanging down on the 2 rightmost columns so the side studs face the back. Then place a sand blue 1x1 tile to the left of the ppp.

Group 14 - Hammer Drone

- 25. Place a transparent red 1x1 round plate upright on the rightmost back-facing side stud. Then horizontally place a sand blue 1x2 sloped curved tile upright on the 2 rightmost back-facing side studs so it slopes to the left.
- 26. Horizontally place a sand blue 1x2 ingot tile on the 2 rightmost columns.
- 27. Attach the socket of your part to the bottom right-facing ball so it is upright, 2 ingot tiles face the right, and 1 slope tile faces the front.
- 28. Let's make a part! Let's make another leg! Horizontally place a sand blue 1x3 plate in front of you. Then place a transparent red 1x1 round plate on the leftmost column.
- 29. Horizontally place a dark blue 1x4 hinge plate on the 2 rightmost columns so it overhangs 2 columns to the right and the round hinge part faces the back.

Group 15 - Hammer Drone

- 30. Place a light grey 1x1 round plate underneath the 2nd column from the right.
- 31. Horizontally place a light grey 1x2 plate with a socket on the short end on the 2 rightmost columns so the socket faces the right. Then horizontally place a sand blue 1x2 ingot tile on top of the ppp.
- 32. Place a dark grey 1x1 plate with a side stud hanging down on the leftmost column so the side stud faces the front. Then horizontally place a dark tan 1x2 plate with 2 side studs hanging down to the right of the ppp so the side studs face the front.
- 33. Place a sand blue 1x1 slope tile upright on the leftmost front-facing side stud so it slopes to the right. Then horizontally place a sand blue 1x2 ingot tile upright on the front-facing side studs to the right of the ppp.
- 34. Horizontally place a dark blue 1x2 plate with 2 side studs hanging down on the 2 leftmost columns so the side studs face the back. Then place a sand blue 1x1 tile to the right of the ppp.

Group 16 - Hammer Drone

- 35. Place a transparent red 1x1 round plate upright on the leftmost back-facing side stud. Then horizontally place a sand blue 1x2 sloped curved tile upright on the 2 leftmost back-facing side studs so it slopes to the right.
- 36. Horizontally place a sand blue 1x2 ingot tile on the 2 leftmost columns.
- 37. Attach the socket of your part to the bottom left-facing ball so it is upright, 2 ingot tiles face the left, and 1 slope tile faces the front.
- 38.1. Let's make 2 identical parts! Let's make the arms! Horizontally place a sand blue 1x2 plate in front of you. Then place a light grey 1x1 plate with a clip on the leftmost column so the clip faces the left and the clip hands face the front and back. Then place a dark grey 1x1 plate with a clip on the rightmost column so the clip faces the right and the clip hands face up and down. Now horizontally place a sand blue 1x2 ingot tile on top.
- 38.2. Now you should have 2 identical parts! Attach the right-facing clip of 1 part to the bottom left facing clip that is on the left-facing side so the other clip faces the bottom left, and the ingot tile faces the front. Then repeat symmetrically to the right.
- 39.1. Let's make a part! Let's make the mech's shoulder missiles! Horizontally place a dark blue 1x6 plate in front of you. Then horizontally place a sand blue 1x2 ingot tile on top so it is centered horizontally.
- 39.2. Horizontally place a dark blue 1x2 brick with a pinhole on the 2 leftmost columns. Then horizontally place a sand blue 1x2 ingot tile on top of the ppp. Now repeat both parts symmetrically to the right.
- 39.3. Horizontally place your part on the back row so it is centered horizontally.
- 40.1. Let's make 2 identical parts! Let's make the missiles! Place a light grey 4L bar with a stud in front of you so the stud faces the left. Now place a black 1x1 round plate with a hollow stud upright on the left-facing side stud. Then place a transparent red bar with a light cover on the ppp. This piece is a bar with a rounded tip.
- 40.2. Now you should have 2 identical parts! Insert the bar of your part into the left front-facing pinhole of the previous part so the rounded tip faces the front. Then repeat symmetrically to the right.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our <u>Builders page</u>. It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please signup for our newsletter and follow us on <u>Facebook</u> and <u>Instagram</u> to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 4 LEGO Marvel Theme kits:

76313 MARVEL Logo & Minifigures

76314 Captain America: Civil War Action Battle

76310 Iron Man Car & Black Panther vs. Red Hulk

76307 Iron Man Mech vs. Ultron