

## **40820 Up-Scaled Santa Minifigure**

Adapted by Catherine Green and tested by Jolene Nemeth.

Ho, ho, ho! This fun Christmas toy adds a jolly touch to indoor Christmas decorations and with a LEGO® Santa Claus figure to build. The LEGO Up-Scaled Santa Minifigure set (40820) is a fun way for kids aged 10 and up and adult Christmas lovers to embrace the holiday spirit. It features a LEGO minifigure-style Santa in an up-scaled size to create an eye-catching piece of decor. Just like a traditional minifigure, this model has moving arms and can be posed to sit or stand.

Enjoy building the Santa decoration, which includes the big guy's classic red outfit and hat, plus his cheery eyes and white beard. Sit or stand the Santa Claus model on a shelf or table to create fun Christmas decor and get everyone in the holiday spirit.

This set makes a joyful Christmas gift for kids and adults, either for the big day or during Advent. Add to Christmas decorations indoors with a model you can bring out year after year.

Measurements – This 761-piece Christmas toy set features a Santa figure who stands over 10.5 in. (27 cm) high.

The front of the box shows a large Santa minifigure wearing his classic outfit of black boots, red pants, a red coat with white fur trim across the waist, a black belt with gold buckle and a red hat with white fur trim and a white bobble. Santa has a white beard and mustache, white eyebrows, black eyes and a yellow face.

The back of the box shows the Santa minifigure sitting down. In the top right there is a smaller image of the minifigure standing that shows that the arms, hands and legs can move. This image also includes the dimensions of the figure as 27.3cm/ 10.7 in. tall and 17.5cm / 6.9 in wide.

The top of the box shows a 1:1 scale image of the face of the Santa minifigure with his black eyes, white moustache and eyebrows.

The build is 761 pieces in total and is for ages 10 and up. There are 7 bags of pieces. There are 249 steps in the main build.

Bags 1 to 7 contain the pieces for the Santa minifigure.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.

- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

**Axles** - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

**Pins** - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

**Technic brick** - a brick which contains one or more holes which accept technic pins.

**Lift-arms** - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm may accept axles or pins. They also come in a variety of shapes, including tees, elts and triangles.

**Gears** - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

**Axle and Pin Connectors** - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

**Bushes/Bushings** - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray,

generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner who may want to follow along with the printed visual instructions that come with each set, PDF versions are always online at <https://www.lego.com/en-us/service/building-instructions/40820> As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

#### Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags or small containers. Have a sighted friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted into groups according to the building steps in the set. Doing this in advance makes locating the pieces easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers or meaningful names. The parts will be collected into a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2 and 3, and put them in one container.

This LEGO set comes with 7 bags labeled 1, 2, 3, 4, 5, 6 and 7 and 1 set of instructions. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

#### Bag 1 – Up-scaled Santa Minifigure

- Group 1 – Steps 1-16
- Group 2 – Steps 17-22
- Group 3 – Step 23
- Group 4 – Steps 24-34

#### Bag 2 – Up-scaled Santa Minifigure

- Group 5 – Steps 35-51
- Group 6 – Steps 52-70

#### Bag 3 – Up-scaled Santa Minifigure

- Group 7 – Steps 71-76
- Group 8 – Steps 77-78
- Group 9 – Steps 79-84 plus 1 black 1x2 plate and 1 black 2x2 round plate from step 85
- Group 10 – Rest of Step 85
- Group 11 – Step 86-90
- Group 12 – Steps 91-98 plus 4 black 1x4 bricks and 1 black 1x2 brick from steps 99 & 100.
- Group 13 – Rest of steps 99-100 and Steps 101-106 plus 1 black 1x2 plate and 1 black 2x2 round plate from step 107
- Group 14 – Rest of step 107 and Steps 108-114

#### Bag 4 – Up-scaled Santa Minifigure

- Group 15 – Steps 115-121 plus 1 green 1x2 plate from step 143
- Group 16 – Rest of step 143 and Steps 122-160
- Group 17 – Step 161

## Bag 5 – Up-scaled Santa Minifigure

Group 18 – Step 162-165 plus 1 blue 1x1 plate from step 166

Group 19 – Rest of step 166 and Steps 167-176 plus 2 white 1x3 plates from step 177 & 179 and 1 dark purple 1x4 plate from step 179 and 2 black 1x2 plates from step 190.

Group 20 – Rest of Steps 177 & 179 and Step 178 and 1 white 1x3 sloped curved tile from Step 182, 3 yellow 1x4 plates from steps 183, 184 & 188 and 1 orange 1x3 plate from step 184.

Group 21 – Rest of steps 182-184 and Steps 180-181 and 185-186 plus 2 yellow 1x3 sloped curved tiles and 1 lime 2x2 plate from step 189.

Group 22 – Rest of Steps 188-190 and Steps 187 & 191

## Bag 6 – Up-scaled Santa Minifigure

Group 23 – Steps 192-195

Group 24 – Steps 196-206 plus 1 black 1x2 plate from step 207.

Group 25 – Rest of step 207 and Steps 208-217

## Bag 7 – Up-scaled Santa Minifigure

Group 26 – Steps 218-223

Group 27 – Steps 224- 237

Group 28 – Steps 238-249

Let's get to building!

Warning! This set is difficult to build. Be very careful when handling the various assemblies when connecting them and lots of patience is needed when building this set! Do not press too hard on assemblies if you don't think they're connecting properly, otherwise everything will implode and pieces will fly everywhere.

## Building Instructions (Bag 1)

### Group 1 – Up-Scaled Santa Minifigure

1. Let's make the torso! Locate 1 red 1x12 plate and place it horizontally in front of you.

2. Horizontally place a white 1x10 brick on the ppp so it is centered horizontally.

3. Let's make 2 identical parts. Place a red 1x4 plate vertically in front of you. Place a white 1x6 brick vertically on the ppp so it is centered vertically. Now you should have 2 identical parts. Place the back row of the first part vertically on the leftmost column of the main build so it overhangs 5 rows to the front. Repeat symmetrically to the right.

4. Place a red 1x12 plate horizontally under the front overhanging bricks. You should now have a rectangle shape.

5. Horizontally place a white 1x2 brick on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the left on the front row. Repeat symmetrically to the right.

6. Place a red 2x2 plate on the back left corner so the front right corner of the plate overhangs to the front right. Repeat symmetrically to the right. Repeat both parts symmetrically to the front. Then vertically place a red 1x2 slope tile on the leftmost column so it is centered vertically and slopes to the right. Repeat symmetrically to the right.

7. Vertically place a red 1x6 plate on the 3<sup>rd</sup> column from the left. It should attach to the front and back row. Repeat symmetrically to the right. Then horizontally place a third red 1x6 plate on the back row between the 2 ppp.
8. Horizontally place a black 1x2 grille slope tile on the 2<sup>nd</sup> row from the back on the 2 leftmost columns so it slopes to the right. Repeat symmetrically to the right. Then repeat both parts symmetrically to the front.
9. Horizontally place a black 2x8 brick on the back row so it is centered horizontally and overhangs 1 row to the front. Then horizontally place a yellow 1x8 brick on the second row from the front so it is centered horizontally. It should only connect to 2 studs. Place a black 1x1 brick on the front row on the 3<sup>rd</sup> column from the left. Repeat symmetrically to the right.
10. Horizontally place a red 1x2x3 slope on the back row on the 2 leftmost columns so it slopes to the left. Repeat symmetrically to the right.
11. Vertically place a red 1x2x2 brick to the left of the ppp. Repeat symmetrically to the left. Then repeat both parts symmetrically to the front.
12. Horizontally place a red 1x6x5 panel on the back row so it is centered horizontally and the wall faces the back. Horizontally place a red 1x2x3 slope brick to the right of the ppp so it slopes to the right. Repeat symmetrically to the left.
13. Let's make a part. Place a red 1x4 brick with 3 holes horizontally in front of you. Then horizontally place a 1x2 turquoise plate on top of the ppp so it is centered horizontally.
14. Horizontally place a tan 1x2 brick with 2 holes on top of the ppp. Then horizontally place a 1x2 turquoise plate on top of the ppp.
15. Horizontally place a white 1x4 plate with double inverted slopes on top of the ppp so it is centered horizontally.
16. Horizontally place a tan 1x2 brick on top of the ppp so it is centered horizontally. Then place a magenta 1x1 round plate on the leftmost column of the sub build. Repeat symmetrically to the right. Set your part aside.

## Group 2 – Up-Scaled Santa Minifigure

Let's make 2 identical parts.

17. Horizontally place a green 2x4 plate in front of you. Place a tan 1x2 brick with 2 holes on the back left corner.
18. Horizontally place a tan 1x2 brick with 2 holes in front of the ppp. Then place a red 2x2 plate on the 2 leftmost columns of the sub build.
19. Insert a blue 2l pin axle into the left back facing hole so the axle faces the back. Repeat symmetrically to the front.
20. Horizontally place a blue 1x2 plate with stud and slope on the back left corner so it slopes to the left. Repeat symmetrically to the front.
21. Horizontally place the 2 left columns of a black 2x3 stair plate under the right 2 columns of the sub build so the lower part of the stair plate is exposed 1 column to the right.

22. Vertically place a red 1x4x3 panel on the rightmost column of the ppp so it is centered vertically and the wall faces the right.

#### Group 3 – Up-Scaled Santa Minifigure

23. Vertically place a yellow 1x4 brick with 3 holes in front of you. Insert a dark gray 2l pin with axle into the back left facing hole so the axle is on the left. Repeat symmetrically to the front.

#### Group 4 – Up-Scaled Santa Minifigure

24. Vertically attach a red 1x4 brick with 3 holes to the right facing pins so it is centered vertically.

25. Locate 1 red 2x4 plate and place it vertically on top of the yellow and red 1x4 bricks from the previous steps so that there is no overhang.

26. Attach a dark gray gear to each of the left facing axles.

27.1. Let's make a part! Locate 1 lime 1x2 brick with 1 hole and place it vertically in front of you. Now locate 1 dark turquoise 1x2 plate and attach it vertically on top of the 1x2 brick so there is no overhang.

27.2. Insert a brown 4l axle with end stop into the left facing hole and push it all the way through. Attach a dark gray gear to the right facing axle and push it all the way to the left. Insert the right facing axle into the left facing hole of your previous part so it goes all the way through and protrudes to the right. The gear should fit between the previously placed left facing gears.

28. Bring back your previous part and place it in front of you so the wall faces the right. Horizontally place your current part on top so the 1x4 bricks sit on top of the 1x4 wall and the axle protrudes to the right.

29. Place a red 1x1 plate on the front row of the rightmost column. Repeat symmetrically to the back. Horizontally place a medium gray 2x4 plate with upright pinhole on the 4 right columns of the sub build so it is centered vertically and the pinhole is on the left.

30. Vertically place a red 1x4 plate on the rightmost column. Then place a red 1x4 tile vertically on top of the ppp.

31. Vertically place an orange 3l pin with bushing in front of you so the bushing faces the back. Insert the axle of a blue 2l pin axle into the bushing so the pin paces the back. Insert the front facing pin into the back facing pinhole of your part so the orange pin protrudes to the front.

32. You now have 2 identical parts that you built over the last several steps. Place these 2 parts on the table in front of you so that they are facing each other with the red 1x4 panel of the right piece facing towards the right and the 1x4 panel of the left part facing towards the left. The 2 hinge pieces with the blue and orange pins through them should now be close to each other in the middle. Locate the other small part you made earlier and place it horizontally behind the 2 identical parts. Now attach this smaller part to the back of the left part by inserting the orange pin through the leftmost hole in the top tan 1x2 brick you placed earlier and the bottom blue axle through the leftmost hole of the red 1x4 brick with 3 holes at the bottom of the smaller part. Attach the second part symmetrically to the right. The 3 parts are now connected.

33.1. Place a red 1x4 brick with 3 holes horizontally in front of you. Horizontally place a turquoise 1x2 plate on top so it is centered horizontally.

33.2. Horizontally place a tan 1x2 brick with 2 holes on top of the ppp. Then place a turquoise 1x2 plate on top of the ppp.

33.3. Horizontally place a white 1x4 plate with double inverted slope on top of the ppp so it is centered horizontally.

33.4. Place a tan 1x2 brick with 2 holes horizontally on top of the ppp. Then place a magenta 1x1 round plate on the leftmost column. Repeat symmetrically to the right. You will now attach this part to the front of the 3 parts you connected earlier. The top 2 pins will be inserted through the 2 holes in the top 1x2 tan brick you placed and the bottom 2 axes will go through the outside holes of the 1x4 brick so that the 4 parts make one symmetrical part.

34. Bring back your main build and place it horizontally in front of you so that the 1x6 panel is facing the back. Take the inner mechanism part you had been working on in the previous step and hold it horizontally in front of you. Now place your part on top so it is centered horizontally and vertically. The 1x4 brick with holes in the front should be centered horizontally on the second row from the front.

## Building Instructions (Bag 2)

### Group 5 – Up-Scaled Santa Minifigure

35.1. Let's make a part! Locate a medium azure 2x4 plate and place it vertically in front of you. Place a dark stone gray 2x2 plate with upright 1x2 side studs underneath the back left corner so 1 column is exposed to the left and the side studs face the left.

35.2. Now repeat symmetrically to the front. Then repeat both parts symmetrically to the right.

35.3. Locate a white 4x4 plate with 2x2 open center and place it directly on top of the part.

35.4. Vertically place a red 1x2 plate with 2x2 upright side studs on the back left corner so the side studs face up. Repeat symmetrically to the front. Then repeat both parts symmetrically to the right. Now take your main build and place it horizontally in front of you. Place your part on top of the main build so it is centered horizontally and vertically and the side studs face the left and right.

36. Locate 1 red 1x6x5 panel with Santa Torso print and place it so it is centered horizontally on the front row and the wall faces the front.

37. Horizontally place a red 1x2x3 slope brick on the 2 leftmost columns of the front row so it slopes to the left. Repeat symmetrically to the right.

38.1. Let's make a part. Locate 1 red 1x2 brick with 2 side studs and place it horizontally in front of you with the side studs facing the front.

38.2. Place 2 medium gray 1x1 round short bricks with side stud, one to the right of the other, on top of the ppp so the side studs face the front.

38.3. Locate 1 red 1x2 plate and place it horizontally on top of the 2 1x1 round bricks from the previous step. Place this part horizontally on the front row of your main build so that it is centered horizontally and the side studs are facing the front.

39. Horizontally place a red 1x2x2 brick to the left of the ppp. Repeat symmetrically to the right.

40. Horizontally place a red 1x2x3 slope brick on the 2 leftmost columns of the front row so it slopes to the left. Repeat symmetrically to the right. Now locate 1 red 1x6 plate and place it centered horizontally on the front row so that it sits between the 2 slopes you just placed.

41. Place a black 4x4 plate on top so it is centered horizontally and vertically. Place a red 1x4 tile horizontally on the back row so it is centered horizontally. Repeat symmetrically to the front. Now, vertically place a red 2x6 tile on the 2 leftmost columns so it is centered vertically. Repeat symmetrically to the right. This is the torso! Set it aside while we make the leg mechanism!

42. Let's make a part! We will be making the leg mechanism. Place a red 2x2 plate in front of you. Then vertically place a medium gray 1x2 brick with axle hole on the right column.

43. Place another medium gray 1x2 brick with axle hole vertically to the left of the ppp.

44. Place a lime 2x2 brick on top of your part.

45. Horizontally place a green 1x2 plate with 2x2 side studs hanging down on the front row so the side studs face the front. Repeat symmetrically to the back.

46. Place a lime 2x2 brick on top of the 2 ppp.

47. Horizontally place the lower side of a red 2x3 stair plate on the leftmost column so it overhangs 2 columns to the left. Repeat symmetrically to the right.

48. Horizontally place a green 1x2 plate with 2x2 side studs hanging down on the front row so the side studs face the front. Repeat symmetrically to the back.

49. Place a lime 2x2 brick on top so it is centered horizontally.

50.1. Set aside this part. Locate 1 lime 2x8 plate and place it horizontally in front of you.

50.2. Place a red 2x4 plate with mudguards vertically under the 2 left columns so it is centered vertically. Repeat symmetrically to the right.

50.3. Vertically place a blue 1x4 plate on the second column from the left. Repeat symmetrically to the right. Now bring back your previous part so it is horizontal. Place your current part on top so it is centered horizontally and vertically.

51. Horizontally place a white 1x2 plate with 2x4 side studs hanging down on the front row so it is centered horizontally and the side studs face the front. Repeat symmetrically to the back.

#### Group 6 - Up-Scaled Santa Minifigure

52. Vertically place a turquoise 1x2 plate upright on the top leftmost column of front facing side studs. Repeat symmetrically to the right. Then repeat both parts symmetrically to the back.

53.1. Let's make a part! Place a black 2x2 inverted round tile with rounded bottom in front of you. Vertically place a green 1x2 plate with 2x2 side studs hanging down on the right column so the side studs face the right.

53.2. Place a second green 1x2 plate with 2x2 side studs hanging down symmetrically to the left. Turn the main build upside down and place your part on top of the 2x2 anti studs so the side studs face the front and back. This will be placed loosely because it doesn't connect to any studs.

54.1. Let's make 2 identical parts! Place a lime 2x8 plate horizontally in front of you. Then place a blue 2x4 plate horizontally on the 4 rightmost columns of the ppp.



54.2. Now you should have 2 identical parts! Your main build is still upside down. Vertically place 1 part upright on the 2 middle columns of the front-facing side studs, so the studs of the red 1x2 plate with 2x2 anti side studs face up. Repeat symmetrically to the back.

55. Locate 2 dark purple 2x4 tiles. Horizontally place one of these tiles upright on the bottom 2 rows of the front-facing side studs so it is centered horizontally. Then repeat symmetrically to the back.

56.1. Let's make 3 identical parts. Place a red 2x2 plate in front of you. Then place a red 1x4 double curved slope tile horizontally on the back row so it is centered horizontally. Repeat symmetrically to the front.

56.2. Now you should have 3 identical parts. Vertically place one of the parts on top of your build so it is centered vertically and horizontally. Then vertically place another part upright on the 4 rows of front-facing side studs. Repeat symmetrically to the back.

57. Let's make a part! Vertically place a red 2x6 plate in front of you.

58. Horizontally place a red 1x6 plate on the front row so 4 columns overhang to the left. Repeat symmetrically to the back.

59. Horizontally place a red 1x8 plate underneath the overhang on the back row so 4 columns are exposed to the left. Repeat symmetrically to the front.

60. Horizontally place a red 1x6 plate on the front row so 2 columns overhang to the left. Repeat symmetrically to the back.

61. Locate a red 2x6 plate and place it vertically underneath the 2 leftmost columns so it is centered vertically.

62. Vertically place a red 1x3 inverted half arch brick on the back 3 rows of the leftmost column so it slopes to the front. Repeat symmetrically to the front. Now repeat both parts symmetrically to the right.

63. Horizontally place a red 1x4 plate on the front row on the 2<sup>nd</sup> through 4<sup>th</sup> columns from the left. Repeat symmetrically to the right. Then repeat both parts symmetrically to the back.

64. Horizontally place a red 1x2 tile on the front row on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the left. Then repeat symmetrically to the right. Now, repeat both parts symmetrically to the back.

65. Make sure your main build is still upside down, then horizontally place your part underneath your build so it is centered horizontally and vertically. Connect it to the 2 anti-studs that are on the front and back rows.

66. Locate 2 red 1x6 tiles. Place one of these tiles horizontally on the front row so it is centered horizontally. Repeat symmetrically to the back.

67. Insert a yellow 9L axle into the left-facing axle hole so it is centered horizontally.

68.1. Let's make 4 identical parts! Horizontally place a dark grey axle connector with a large socket in front of you so the socket faces the front. Now attach a black ball with an axle hole to the socket, so the axle hole faces up and down.

68.2. Attach 2 of your parts using the axle hole in the ball, one to the left of the other, to the left facing axle so the axle connectors face the top. Push them all the way in. Repeat symmetrically to the right.

69. Insert a black 4I axle into the top left facing axle hole and push it all the way in. Repeat symmetrically to the right.

70. Bring back your torso and lay it on its side in front of you so it is horizontal and the 4x4 plate faces the back. Make sure the 2x2 side studs are facing up! Now orient your current build so it is also on its side and horizontal and the axles are in the front. Now attach the back-facing studs of your current build to the front-facing anti-studs of your torso so it is centered vertically and horizontally! Now put away your build while we make a leg!

### Building Instructions (Bag 3)

#### Group 7 – Up-Scaled Santa Minifigure

71. Let's make a part! Horizontally place a black 1x6 plate in front of you. Then place a black 1x4 brick on top of the ppp so it is centered horizontally.

72.1. Let's make 2 identical parts. Vertically place a black 1x4 plate in front of you. Then vertically place a black 1x6 brick on top so it is centered vertically.

72.2. Now you have 2 identical parts. Place the back row of the first part vertically on the leftmost column of the previous part so it overhangs 5 rows to the front. Repeat symmetrically to the right.

73. Horizontally place a black 1x6 plate on the back row. Then horizontally place a black 4x6 plate in front of the ppp.

74. Horizontally place a black 1x6 plate under the front row so it is centered horizontally. Then place a black 1x4 brick on top of the ppp so it is centered horizontally.

75. Horizontally place a black 1x4 brick on the back row on the 4 rightmost columns. Then place a black 1x1 brick to the left of the ppp. Now vertically place a black 1x4 brick on the rightmost column so it is centered vertically. Finally, place a black 1x6 tile on the front row so there is no overhang.

76. Vertically place a black 1x3 tile on the leftmost column on the back 3 rows. Then place a black 1x2 tile vertically in front of the ppp. Now place a red 2x2 plate on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the back on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the left.

#### Group 8 – Up-Scaled Santa Minifigure

77. Locate 1 black 1x4 brick and place it horizontally on the 2<sup>nd</sup> row from the front so it is centered horizontally. Place a red 1x1 brick behind the leftmost column of the ppp.

78. Place a black 1x4 brick horizontally on the back row so it is centered horizontally. Then vertically place the back row of a black 1x4 brick to the right of the ppp. Now horizontally place a black 1x4 brick to the left of the front row of the ppp. Then vertically place the front row of a black 1x2 brick to the left of the ppp. Finally, vertically place a medium gray 1x2x1 2/3 brick with 2x2 side studs behind the ppp so the side studs face the left.

#### Group 9 – Up-Scaled Santa Minifigure

79. Horizontally place a red 1x4 brick on the back row on the 4 rightmost columns. Then vertically place another in front of the right column of the ppp. Now horizontally place another to the left of the front row of the ppp. Finally place one more vertically behind the left column of the ppp.

80.1. Let's make a part! Place a red 3x3 plate in front of you. Then horizontally place a red 1x3 tile on the left 2 columns of the back row so it overhangs 1 column to the left.

80.2. Place a red 1x2 tile horizontally to the right of the ppp so it overhangs 1 column to the right. Then horizontally place a black 2x3 tile in front of the 2 ppp so it overhangs 1 column to the right. Now place a black 2x2 tile to the left of the ppp so it overhangs 1 column to the left.

80.3. Vertically place a black 1x2 plate under the 2 front rows of the leftmost column. Then place a red 1x1 plate behind the ppp. Repeat both parts symmetrically to the right. Now rotate your part so it is horizontal and upright and the red tiles are on the top. Then rotate the part so the tiles face the left. Place your part on the left facing side studs so it is centered vertically.

81. Vertically place a red 1x4 brick on the back 4 rows of the rightmost column. Horizontally place another to the right of the back row of the ppp. Next place another red 1x4 brick horizontally on the front row on the 4 rightmost columns. Place a red 1x1 brick to the left of the ppp. Then place another behind the ppp so there are 2 free rows in between the two pieces.

82. Horizontally place a red 1x4 brick on the right 4 columns of the back row. Then vertically place the back row of a red 1x2 brick to the left of the ppp. Vertically place another red 1x4 brick on the rightmost column so it is centered vertically. Then place one more horizontally to the left of the front row of the ppp.

83. Horizontally place a white 1x4 plate on top of the ppp. Then place a red 1x1 brick to the right of the ppp. Now vertically place a red 1x4 brick behind the ppp. Finally place a red 2x4 brick to the left of the back 2 rows of the ppp. The front right of the piece will overhang toward the center of your part.

84. Horizontally place a red 2x4 slope brick on the 4 rightmost columns of the 2 back rows so it slopes to the back. Then place a red 1x2 slope brick vertically to the left of the ppp so it slopes to the back.

You will have 2 extra pieces, 1 black 1x2 plate and 1 black 2x2 round plate. Save them for later!

#### Group 10 – Up-Scaled Santa Minifigure

85.1. Let's make a part! Place a white 2x8 plate with holes horizontally in front of you. Place a red 2x3 plate horizontally on the right 3 columns of the ppp.

85.2. Place a tan 2x2 round plate to the left of the ppp. Then vertically place a tan 1x2 plate on the leftmost column.

85.3. Vertically place a black 1x2 plate on top of the ppp. Then place a black 2x2 round plate on the 4<sup>th</sup> and 5<sup>th</sup> columns from the right so it sits on the tan 2x2 round plate. Now place a red 1x2 plate with upright 2x2 tile on the rightmost column so the anti studs face the right.

85.4. Locate 1 white 2x8 plate with holes and place it horizontally on top of your build so it is centered vertically and horizontally.

85.5. Vertically place a red 1x2 tile on the rightmost column. Then place a red 1x2 plate with upright 2x2 tile on the 2 leftmost columns so the studs face the left. Lift your part so it is vertically upright and the overhanging studs from the ppp are on the right. Now, attach the right column of your part to the rightmost column on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front of the main build.

#### Group 11 – Up-Scaled Santa Minifigure

86. Place a medium stone gray 1x2x1 2/3 brick with 2x2 side studs in front of you so the 2x2 side studs face up and the anti-studs face the left. Now place a white 2x4 plate horizontally on top so 2 columns overhang to the right. Now attach the 2 right-facing side studs of your part to the top row of the left-facing anti-studs so it is centered vertically. The overhanging columns won't attach to any studs.

87. Horizontally place a medium gray 1x2x1 2/3 brick with 2x2 side studs in front of the 2 left columns of the ppp so the side studs face the front. Then place another to the right of the ppp.

88. Place a red 1x1 brick to the right of the ppp. Then vertically place a red 1x2 brick behind the ppp.

89. Vertically place 5 red 1x4 double curved slope tiles, 1 to the left of the other, on top of your build.

90.1. Let's make a part! Place a red 2x2 plate in front of you. Then horizontally place a red 1x4 double curved slope tile on the back row so it is centered horizontally. Then repeat symmetrically to the front.

90.2. Vertically place your part upright on the 2 leftmost columns of the front-facing side studs so it hangs 2 rows down and slopes up and down.

#### Group 12 – Up-Scaled Santa Minifigure

91.1. Let's make a part! Place a red 2x3 plate vertically in front of you. Then horizontally place 3 red 1x4 double curved slope tiles on top, 1 in front of the other, so they are centered horizontally.

91.2. Place your part vertically upright on the 2x2 front-facing studs so 2 rows hang down and it slopes up and down.

92. Bring back your main build and orient it so the 4x4 plate is facing the back and the 2x2 side studs face up with the axles in the front. Now place your leg on its side so the 6x6 anti-studs face the front and the 1x4 sloped curved tiles face up. Now attach your leg to the 2 right facing axles. The top-facing 1x4 sloped curved tiles should align with the 1x4 sloped curved tiles of the middle leg mechanism part!

93. Let's make a part! Horizontally place a black 1x6 plate in front of you. Then place a black 1x4 brick on top of the ppp so it is centered horizontally.

94.1. Let's make 2 identical parts. Vertically place a black 1x4 plate in front of you. Then vertically place a black 1x6 brick on top so it is centered vertically.

94.2. Now you have 2 identical parts. Place the back row of the first part vertically on the leftmost column of the previous part so it overhangs 5 rows to the front. Repeat symmetrically to the right.

95. Horizontally place a black 1x6 plate on the back row. Then horizontally place a black 4x6 plate in front of the ppp.

96. Horizontally place a black 1x6 plate under the front row so it is centered horizontally. Then place a black 1x4 brick on top of the ppp so it is centered horizontally.

97. Horizontally place a black 1x4 brick on the 4 leftmost columns of the back row. Then place a black 1x1 brick to the right of the ppp. Now vertically place a black 1x4 brick on the leftmost column so it is centered vertically. Finally, place a black 1x6 tile on the front row so there is no overhang.

98. Vertically place a black 1x3 tile on the rightmost column on the back 3 rows. Then place a black 1x2 tile vertically in front of the ppp. Now place a red 2x2 plate on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the back on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right.

You will have 5 extra pieces, 1 black 1x2 brick and 4 black 1x4 bricks. Save them for later!

#### Group 13 – Up-scaled Santa Minifigure

99. Locate 1 black 1x4 brick and place it horizontally on the 2<sup>nd</sup> row from the front so it is centered horizontally. Place a red 1x1 brick behind the leftmost column of the ppp.

100. Place a black 1x4 brick horizontally on the back row so it is centered horizontally. Then vertically place the back row of a black 1x4 brick to the left of the ppp. Now horizontally place a black 1x4 brick to the right of the front row of the ppp. Then vertically place the front row of a black 1x2 brick to the right of the ppp. Finally, vertically place a medium gray 1x2x1 2/3 brick with 2x2 side studs behind the ppp so the side studs face the right.

101. Horizontally place a red 1x4 brick on the back row on the 4 leftmost columns. Then vertically place another in front of the left column of the ppp. Now horizontally place another to the right of the front row of the ppp. Finally place one more vertically behind the right column of the ppp.

102.1. Let's make a part! Place a red 3x3 plate in front of you. Then horizontally place a red 1x3 tile on the right 2 columns of the back row so it overhangs 1 column to the right.

102.2. Place a red 1x2 tile horizontally to the left of the ppp so it overhangs 1 column to the left. Then horizontally place a black 2x3 tile in front of the 2 ppp so it overhangs 1 column to the left. Now place a black 2x2 tile to the right of the ppp so it overhangs 1 column to the right.

102.3. Vertically place a black 1x2 plate under the 2 front rows of the leftmost column. Then place a red 1x1 plate behind the ppp. Repeat both parts symmetrically to the right. Now rotate your part so it is horizontal and upright and the red tiles are on the top. Then turn it so the tiles face the right. Place your part on the right facing side studs so it is centered vertically.

103. Vertically place a red 1x4 brick on the back 4 rows of the leftmost column. Horizontally place another to the right of the back row of the ppp. Next place another red 1x4 brick horizontally on the front row on the 4 leftmost columns. Place a red 1x1 brick to the right of the ppp. Then place another behind the ppp so there are 2 free rows in between the two pieces.

104. Horizontally place a red 1x4 brick on the left 4 columns of the back row. Then vertically place the back row of a red 1x2 brick to the right of the ppp. Vertically place another red 1x4 brick on the leftmost column so it is centered vertically then place one more horizontally to the right of the front row of the ppp.

105. Horizontally place a white 1x4 plate on top of the ppp. Then place a red 1x1 brick to the left of the ppp. Now vertically place a red 1x4 brick behind the ppp. Finally place a red 2x4 brick to the right of the back 2 rows of the ppp. The front left corner of the piece will overhang toward the center of your part.

106. Horizontally place a red 2x4 slope brick on the 4 leftmost columns of the 2 back rows so it slopes to the back. Then place a red 1x2 slope brick vertically to the right of the ppp so it slopes to the back.

You will have 2 extra pieces, 1 black 1x2 plate and 1 black 2x2 round plate. Save them for later!

#### Group 14 – Up-Scaled Santa Minifigure

107.1. Let's make a part! Horizontally place a white 2x8 plate with holes in front of you. Place a white 2x8 plate with holes horizontally in front of you. Place a red 2x3 plate horizontally on the 3 right columns of the ppp.

107.2. Place a tan 2x2 round plate to the left of the ppp. Then vertically place a tan 1x2 plate on the leftmost column.

107.3. Vertically place a black 1x2 plate on top of the ppp. Then place a black 2x2 round plate on the 4<sup>th</sup> and 5<sup>th</sup> columns from the right so it sits on the tan 2x2 round plate. Now place a red 1x2 plate with upright 2x2 tile on the rightmost column so the anti studs face the right.

107.4. Locate 1 white 2x8 plate with holes and place it horizontally on top of your build so it is centered vertically and horizontally.

107.5. Vertically place a red 1x2 tile on the rightmost column. Then place a red 1x2 plate with upright 2x2 tile on the 2 leftmost columns so the studs face the left. Lift your part so it is vertically upright and the overhanging studs from the ppp are on the left. Now, attach the left overhanging column of your part to the leftmost column on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the front of the main build.

108. Place a medium stone gray 1x2x1 2/3 brick with 2x2 side studs in front of you so the 2x2 side studs face up and the anti-studs face the right. Now place a white 2x4 plate horizontally on top so 2 columns overhang to the left. Now attach the 2 left-facing side studs of your part to the top row of the right-facing anti-studs so it is centered vertically. The overhanging columns will not attach to any studs.

109. Horizontally place a medium gray 1x2x1 2/3 brick with 2x2 side studs in front of the 2 right columns of the ppp so the side studs face the front. Then place another to the left of the ppp.

110. Place a red 1x1 brick to the left of the ppp. Then vertically place a red 1x2 brick behind the ppp.

111. Vertically place 5 red 1x4 double curved slope tiles, 1 to the right of the other, on top of your build.

112.1. Let's make a part! Place a red 2x2 plate in front of you. Then horizontally place a red 1x4 double curved slope tile on the back row so it is centered horizontally. Then repeat symmetrically to the front.

112.2. Vertically place your part upright on the 2 rightmost columns of the front-facing side studs so it hangs 2 rows down and slopes up and down.

113.1 Let's make a part! Place a red 2x3 plate vertically in front of you. Then horizontally place 3 red 1x4 double curved slope tiles on top, 1 in front of the other, so they are centered horizontally.

113.2. Place your part vertically upright on the 2x2 front-facing studs so 2 rows hang down and it slopes up and down.

114. Bring back your main build and make sure the 4x4 plate is facing the back and the 2x2 side studs face up with the axles in the front. Now place your leg on its side so the 6x6 anti-studs face the front and the 1x4 sloped curved tiles face up. Now attach your leg to the 2 left facing axles. The top-facing 1x4 sloped curved tiles should align with the 1x4 sloped curved tiles of the middle leg mechanism part! Your up-scaled Santa Minifigure now has a torso and 2 legs! Set aside your build while we work on the arms!

#### Building Instructions (Bag 4)

#### Group 15 – Up-scaled Santa Minifigure

115. Let's make an arm! Place a red 2x3 plate vertically in front of you.

116. Horizontally place a red 1x4 plate on the 2<sup>nd</sup> row from the front so it overhangs 2 columns to the left.

117. Place a 3x3 wedge plate with cut corners under the left overhang so it is centered vertically.

118. Place a red 1x3 brick on the back row of the 3 rightmost columns.

119. Place 2 tan 1x1 bricks with a pin hole, 1 to the right of the other on the rightmost 2 columns of the second row from the front so the pin holes face left and right. Now insert a dark stone gray 2L pin with axle into the right-facing pin hole so the axle faces the right. Make sure the pin goes all the way in!

120. Locate a green 1x2 plate and place it horizontally to the left of the tan 1x1 bricks you previously placed. Then horizontally place a white 1x4 plate on the pppp so that 2 columns overhang to the left and the round hinge part faces the back.

121. Horizontally place a red 1x3 brick on the 3 rightmost columns of the front row. Then place a red 1x2 brick horizontally to the left of the ppp.

You will have 1 green 1x2 plate left. Save it for later!

#### Group 16 – Up-scaled Santa Minifigure

122. Place a red 1x4 plate horizontally on the front row on the 4 rightmost columns. Then place a red 1x2 plate horizontally on the 2 rightmost columns of the back row. Now place the back row of a 2x2 curved corner plate with cut corners to the left of the ppp so the right angle faces the front right.

123. Place a red 1x1 slope tile on the back right corner so it slopes to the back. Then horizontally place a 1x2 red slope tile to the left of the ppp so it slopes to the back.

124. Horizontally place a red 1x3 plate on the 3 rightmost columns of the second row from the front. Then place the front row of a red 2x2 triangle tile to the left of the ppp so the right angle faces the front right.

125. Horizontally place a red 1x2 curved slope tile on the 2 leftmost columns of the front row so it slopes to the left. Then place a red 2x2 curved slope tile on the 2 rightmost columns of the 2 front rows so it slopes to the front. Now place a red 1x2 curved slope tile vertically to the left of the ppp so it slopes to the front.

126. Let's make a part! Place a red 1x1 plate with 2 upright side studs in front of you so the side studs face the right. Then horizontally place a red 1x2 brick on the ppp so it overhangs 1 column to the left.

127. Place a red 1x1 plate with 2 upright side studs underneath the left column of the ppp so the side studs face the left.

128. Horizontally place a red 1x2 plate with 2x4 side studs hanging down on top of your part so it is centered horizontally and the side studs face the front.

129. Place a red 1x1 plate with 2 upright side studs on the rightmost column so the side studs face the right. Repeat symmetrically to the left.

130. Horizontally place a medium gray 1x2 brick with axle hole on top of your part. Then horizontally place a red 1x2 plate with 2x2 side studs hanging down on the ppp so the side studs face the front.

131. Horizontally place a red 1x2 slope tile on the ppp so it slopes to the front.

132.1. Let's make 2 identical parts! Horizontally place a red 1x3 plate in front of you. Then horizontally place a red 1x2 tile on the 2 leftmost columns. Now horizontally place a red 1x2 sloped curved tile to the right so it slopes and overhangs to the right.

132.2. Now you should have 2 identical parts! Vertically place 1 part upright on the 4 left-facing side studs so it slopes up. Then repeat symmetrically to the right.

133. Place a magenta 1x1 round plate upright on the front-facing side studs on the 2nd row from the bottom, and 2nd column from the right. Then place a tan 1x1 quarter circle tile upright on the front facing side studs, below the previously placed piece so the curve faces the bottom left.

134. Rotate your previous part so the axle faces the back right and the 1x2 overhang on the front left side is horizontal. Now lay your current part on its side so the side studs face up and the 1x2 slope tile faces the left. Now horizontally place the overhang of your previous part on the 2 rightmost columns and 2nd row from the front, in front of the 1x1 round tile and the 1x1 quarter circle tile.

135. Vertically place a red 1x2 plate on the 4th column from the left so it is centered vertically.

136. Vertically place 2 red 1x1 tiles with a 1x1 slope tile, 1 in front of the other, on top of the previously placed piece so they slope outwards to the front and back. Horizontally place a red 3x4 sloped curved brick on the 3 leftmost columns so it slopes to the left.

137. Bring back your main build and stand it up on its legs with the 2x2 side studs facing the front. Now attach the bottom-facing axle hole of your part to the left-facing axle so the axle of your arm faces down and to the front.

138. Now let's make the other arm! Place a red 2x3 plate vertically in front of you.

139. Horizontally place a red 1x4 plate on the 2<sup>nd</sup> row from the front so it overhangs 2 columns to the right.

140. Place a 3x3 wedge plate with cut corners under the right overhang so it is centered vertically and the right angle faces the front left.

141. Horizontally place a red 1x3 brick on the back row of the 3 leftmost columns.

142. Place 2 tan 1x1 bricks with a pin hole, 1 to the right of the other on the leftmost 2 columns of the second row from the front so the pin holes face left and right. Now insert a dark stone gray 2L pin with axle into the left-facing pin hole so the axle faces the left. Make sure the pin goes all the way in!

143. Bring back the green 1x2 plate you set aside earlier and place it horizontally to the right of the tan 1x1 bricks you previously placed. Then horizontally place a white 1x4 plate with hinge on the ppp so 2 columns overhang to the right and the round hinge part faces the back.

144. Horizontally place a red 1x3 brick on the 3 leftmost columns of the front row. Then place a red 1x2 brick horizontally to the right of the ppp.

145. Place a red 1x4 plate horizontally on the front row on the 4 leftmost columns. Then place a red 1x2 plate horizontally on the 2 leftmost columns of the back row. Now place the back row of a 2x2 curved corner plate with cut corners to the right of the ppp so the right angle faces the front left.

146. Place a red 1x1 slope tile on the back left corner so it slopes to the back. Then horizontally place a 1x2 red slope tile to the right of the ppp so it slopes to the back.

147. Horizontally place a red 1x3 plate on the 3 leftmost columns of the second row from the front. Then place the front row of a red 2x2 triangle tile to the right of the ppp so the right angle faces the front left.

148. Horizontally place a red 1x2 curved slope tile on the 2 rightmost columns of the front row so it slopes to the right. Then place a red 2x2 curved slope tile on the 2 leftmost columns of the 2 front rows so it slopes to the front. Now place a red 1x2 curved slope tile vertically to the right of the ppp so it slopes to the front.

149. Let's make a part! Place a red 1x1 plate with 2 upright side studs in front of you so the side studs face the left. Then horizontally place a red 1x2 brick on the ppp so it overhangs 1 column to the right.

150. Place a red 1x1 plate with 2 upright side studs underneath the right column of the ppp so the side studs face the right.

151. Horizontally place a red 1x2 plate with 2x4 side studs hanging down on top of your part so it is centered horizontally and the side studs face the front.

152. Place a red 1x1 plate with 2 upright side studs on the rightmost column so the side studs face the right. Repeat symmetrically to the left.



153. Horizontally place a medium gray 1x2 brick with axle hole on top of your part. Then horizontally place a red 1x2 plate with 2x2 side studs hanging down on the ppp so the side studs face the front.

154. Horizontally place a red 1x2 slope tile on the ppp so it slopes to the front.

155.1. Let's make 2 identical parts! Horizontally place a red 1x3 plate in front of you. Then horizontally place a red 1x2 tile on the 2 rightmost columns. Now horizontally place a red 1x2 sloped curved tile to the left so it slopes and overhangs to the left.

155.2. Now you should have 2 identical parts! Vertically place 1 part upright on the 4 left-facing side studs so it slopes up. Then repeat symmetrically to the right.

156. Place a magenta 1x1 round plate upright on the front-facing side studs on the 2nd row from the bottom, and 2nd column from the left. Then place a tan 1x1 quarter circle tile upright on the front facing side studs, below the previously placed piece so the curve faces the bottom right.

157. Rotate your previous part so the axle faces the back left and the 1x2 overhang on the front right side is horizontal. Now lay your current part on its side so the side studs face up and the 1x2 slope tile faces the right. Now horizontally place the overhang of your previous part on the 2 leftmost columns and 2nd row from the front, in front of the 1x1 round tile and the 1x1 quarter circle tile.

158. Vertically place a red 1x2 plate on the 4th column from the right so it is centered vertically.

159. Vertically place 2 red 1x1 tiles with a 1x1 slope tile, 1 in front of the other, on top of the previously placed piece so they slope outwards to the front and back. Horizontally place a red 3x4 sloped curved brick on the 3 rightmost columns so it slopes to the right.

160. Bring back your main build and stand it up on its legs with the 2x2 side studs facing the front. Now attach the bottom-facing axle hole of your part to the right-facing axle so the axle of your arm faces down and to the front.

#### Group 17 – Up-scaled Santa Minifigure

161.1. Let's make 2 identical parts! Let's make the hands! Vertically place a white 2x4 plate with inverted slope sides in front of you.

161.2. Horizontally place a white 2x3 plate on top so it is centered vertically and overhangs 1 column to the left.

161.3. Vertically place a white 1x4 plate with inverted slope sides underneath the leftmost column so it is centered vertically.

161.4. Place a white 1x1 slope tile on the rightmost column on the 2nd row from the front so it slopes to the back. Then horizontally place a white 1x2 slope tile to the left of the ppp so it slopes to the back. Now repeat both parts symmetrically to the back.

161.5. Horizontally place a white 1x3 brick on the front row. Repeat symmetrically to the back.

161.6. Horizontally place a white 1x2 sloped curved brick on the front right corner so it slopes to the front. Then place a white 1x1 slope tile to the left of the previously placed piece so it slopes to the left. Repeat both parts symmetrically to the back.

161.7. Place a dark grey 2x2 round brick underneath the 2 leftmost columns so it is centered vertically. Now you should have 2 identical parts! Attach the 2x2 round bricks of each of your parts to each of the bottom-facing axles of each of the arms so the 1x2 sloped curved bricks are on top and vertical. Now put your build away while we make the head!

#### Building Instructions (Bag 5)

#### Group 18 – Up-scaled Santa Minifigure

162. Locate 1 black 2x4 brick and place it horizontally in front of you.

163. Place a lime 4x4 plate on top of the ppp so 2 rows overhang to the front.

164. Locate 1 black 2x4 brick and place it horizontally underneath the 2 overhanging rows of the ppp.

165. Locate 4 dark green 1x1 round plates and place one on each corner of the 4x4 plate so the piece is symmetrical.

You will have 1 blue 1x1 plate left. Save it for later!

#### Group 19 – Up-scaled Santa Minifigure

166.1 Let's make a part! Locate a white 2x2 plate and place it in front of you. Place a white 1x1 slope tile on the back left corner so it slopes to the back.

166.2. Place a blue 1x1 plate on the front left corner. Then place a white 1x1 plate on top of the ppp.

166.3. Place a red 1x1 short brick on the front right corner. Then place a white 1x1 double slope tile on top of the ppp so it slopes to the front and back.

166.4. Let's make 2 identical parts! Place a white 1x1 cone brick on top of a dark green 1x1 round plate. Now you should have 2 identical parts. Place the first part on the back right corner and the other on the front left corner. The cone on the left will be higher than the one on the right. Now place your part on the previous part so it is centered horizontally and vertically and the higher cone is on the front left.

167. Horizontally place a yellow 1x2 plate with 2x4 side studs hanging down on the front row so it is centered horizontally and the side studs face the front. Then repeat symmetrically to the back. Place another vertically on the leftmost column so it is centered vertically and the side studs face the left. Repeat symmetrically to the right.

168. Place a white 4x4 plate with open center on top of your part so it is centered horizontally and vertically.

169. Place a medium gray 4x4 brick with open center and side holes on top of the ppp so the single side holes face the front and back.

170. Horizontally place an orange 1x2 plate with 2x2 side studs hanging down on the front row so it is centered horizontally and the side studs face the front. Repeat symmetrically to the back. Place another vertically on the leftmost column so it is centered vertically and the side studs face the left. Repeat symmetrically to the right.

171. Place a red 1x1 short brick on the back left corner. Repeat symmetrically to the right. Now, repeat both parts symmetrically to the front.

172. Vertically place a black 1x2 plate on the leftmost column so it is centered vertically. Then, vertically place a blue 1x2 plate with 2x2 upright side studs on the rightmost column so it is centered vertically and the side studs face the right. Now, horizontally place a white 1x2 plate with 1x2 upright side studs on the front row so it is centered horizontally and the side studs face the front. Repeat symmetrically to the back.

173. Place a lime 4x4 plate on top of your part so it is centered horizontally and vertically.

174. Vertically place a black 1x2 plate on the second column from the right so it is centered vertically. Then horizontally place a medium gray 1x2 plate with stud and upright clip on the 2 rightmost columns of the front row so the clip is on the right. Repeat symmetrically to the back.

175. Place a medium gray 2x2 curved slope tile on the 2 front rows so it slopes to the left. Repeat symmetrically to the back.

176. Locate 1 white 1x3 plate and place it horizontally upright on the right 3 columns of the bottom row of the front facing side studs.

You will have 2 black 1x2 plates, 2 white 1x3 plates and 1 dark purple 1x4 plate left. Save them for later!

#### Group 20 – Up-scaled Santa Minifigure

177.1. Let's make a part! Locate 1 white 1x3 curved slope tile and place it horizontally in front of you with the slope to the left. Now take a white 1x1 plate and place it underneath the rightmost column of the ppp.

177.2. Horizontally place a white 1x3 plate under your part.

177.3. Horizontally place a white 1x2 plate under the 2 leftmost columns of the ppp. Now, place your part horizontally upright on the bottom row of the left 2 columns of front facing side studs so it slopes and overhangs 1 column to the left.

178. Horizontally place a yellow 1x4 plate upright on the second row of front facing side studs from the bottom so it is centered horizontally. Then, place a yellow 1x2 curved slope brick on the 2 leftmost columns of the ppp so it slopes down.

179.1. Place a medium gray 2x3 brick vertically in front of you. Then, horizontally place a yellow 2x3 slope tile on the back 2 rows of the leftmost column so it slopes and overhangs 2 columns to the left.

179.2. Place a yellow 1x4 plate vertically in front of you. Then place a dark purple 1x4 plate vertically on top of the ppp. Now, place a yellow 1x4 brick with 4 side studs vertically on top of the ppp so the side studs face the right. Now, flip your part over so the side studs face up and the anti-studs face the right. Place it vertically under the 2 overhanging columns on the left so that 2 studs are exposed to the front.

179.3. Horizontally place a yellow 2x3 curved slope tile on the back 2 rows of the rightmost column so it slopes and overhangs 2 columns to the right.

179.4. Let's make a part! Vertically place an orange 1x3 plate in front of you. Then, place a white 1x3 plate vertically on top of the ppp. Now, place a yellow 1x2 brick with 2 side studs on the front 2 rows so the side studs face the left. Place a yellow 1x1 brick with 2 adjacent side studs on the back row so the side studs face the left and back. Then, place a yellow 1x1 slope tile upright on the back facing side stud so it slopes to the left. Flip your part on its side so the side studs face up and the anti studs face the left. Place it vertically underneath the 2 right columns of your part so there is 1 row of side studs exposed to the front. Now rotate the part 180 degrees so the yellow 1x1 slope tile is in the front left. Flip it upright so the 1x1 slope tile now faces down. Horizontally place your part upright on the 3<sup>rd</sup> through 5<sup>th</sup> rows from the bottom of the front facing side studs so it is centered horizontally.

You will have 3 yellow 1x4 plates, 1 orange 1x3 plate and 1 white 1x3 curved slope tile left. Place them with the 2 black 1x2 plates you have left over and save them for later!

#### Group 21 – Up-scaled Santa Minifigure

180. Horizontally place a yellow 1x3 curved slope tile upright on the top row of the 3 leftmost columns of front facing side studs so it slopes to the left. Place another horizontally to the right of the ppp so it slopes to the right.

181. Rotate your part 180 degrees so the upright curved slope tiles face the back. Horizontally place a white 1x3 plate upright on the 3 leftmost columns of the bottom row of front facing side studs.

182.1. Place a white 1x3 curved slope tile horizontally in front of you so it slopes to the right. Then, place a white 1x1 plate under the leftmost column of the ppp.

182.2. Locate a 1x3 white plate and place it horizontally beneath your part so there is no overhang.

182.3. Horizontally place a white 1x2 plate under the 2 rightmost columns of the ppp. Now, flip your part on its side so the curved slope tile is in the front and slopes to the right. Place your part horizontally upright on the 2 rightmost columns of the bottom row of front facing side studs so it slopes and overhangs 1 column to the right.

183. Place a yellow 1x4 plate horizontally upright on the second row from the bottom of the front facing side studs so it is centered horizontally. Then horizontally place a yellow 1x2 curved slope brick on the 2 rightmost columns of the ppp.

184.1. Let's make a part! Locate 1 dark stone gray 2x3 brick and place it vertically in front of you. Horizontally place a yellow 2x3 curved slope tile on the back 2 rows of the right column of the ppp so it slopes and overhangs 2 columns to the right.

184.2. Let's make a part! Place a yellow 1x4 plate vertically in front of you. Then vertically place a dark purple 1x4 plate on top of the ppp. Now, place a yellow 1x4 brick on top of the ppp so the side studs face the left. Flip your part on its side so the side studs face up and the anti studs face the left. Now, place it vertically under the 2 right overhanging columns so 2 rows are exposed to the front.

184.3. Horizontally place a yellow 2x3 curved slope tile on the 2 back rows of the leftmost column of your part so it slopes and overhangs 2 columns to the left.

184.4. Place an orange 1x3 plate vertically in front of you. Then, vertically place a white 1x3 plate on top of the ppp. Vertically place a yellow 1x2 brick with 2 side studs on the front 2 rows so the side studs face the right. Then, place a black 1x1 brick with 2 adjacent side studs behind the ppp so the studs face the back and the right. Now, place a yellow 1x1 slope tile upright on the back facing stud so it slopes to the right. Flip your part on its side so the side studs face up and the anti studs face the right. Place it vertically under the left overhang so one row of studs is exposed to the front. Rotate your part 180 degrees so the 1x1 slope tile is in the front right. Flip the part upright so that slope now faces down. Place your part horizontally upright on the 3<sup>rd</sup> through 5<sup>th</sup> rows from the bottom of front facing side studs so it is centered horizontally and the 1x1 slope tile hangs 1 row down.

185. Place a yellow 1x3 curved slope brick on the top row of the 3 rightmost front facing side studs so it slopes to the right. Then, place another horizontally to the left of the ppp so it slopes to the left.

186. Let's make 2 identical parts. Place a yellow 1x2 curved slope tile in front of you so it slopes to the left. Then, place a dark green 1x1 round plate under the right column of the ppp.

You will have 1 lime 2x2 plate and 2 yellow 1x3 curved slope tiles left. Place them with the 2 black 1x2 plates and 1 yellow 1x4 plate you have leftover and save them for later!

## Group 22 – Up-scaled Santa minifigure

187.1. Let's make a part! Stack 2 white 1x4 plates horizontally in front of you.

187.2. Place a white 1x2 plate on top of the ppp so it is centered horizontally.

187.3. Horizontally place a white 1x3 curved slope tile on the 2 left columns so it slopes and overhangs 1 column to the left. Repeat symmetrically to the right. Now place your part horizontally upright on the bottom row of right facing side studs so it is centered vertically.

188.1. Let's make a part! Place a yellow 1x4 plate horizontally in front of you. Then horizontally place 2 yellow 1x2 curved slope bricks, one to the right of the other, on top of the ppp so they slope to the front.

188.2. Place your part horizontally upright on the 2<sup>nd</sup> row from the bottom on the right facing side studs so it slopes down.

189.1. Let's make a part! Place a black 2x2 plate in front of you. Then, place a lime 2x2 plate on top of the ppp.

189.2. Horizontally place a yellow 1x2 curved slope tile on the back left corner so it slopes and overhangs to the left. Repeat symmetrically to the right.

189.3. Place a white 1x2 plate horizontally in front of the 2 ppp.

189.4. Horizontally place a yellow 1x3 curved slope tile on the front left corner so it slopes and overhangs 2 columns to the left. Repeat symmetrically to the right. Place your part horizontally upright on the top 2 rows of right facing side studs so the 1x3 curved slope tiles are on the bottom.

190.1. Let's make a part! Locate 1 white 2x6 plate and place it horizontally in front of you.

190.2. Place a black 2x4 plate with mudguards horizontally on the 4 rightmost columns of the ppp.

190.3. Place a blue 2x4 plate vertically to the left of the ppp so it is centered vertically.

190.4. Place a black 1x2 plate horizontally under the front row of the ppp. Repeat symmetrically to the back. Flip your part so it is vertically upright and the 2x4 plate is on the bottom. Place it upright on the left facing side studs so it is centered horizontally and vertically.

191. Locate 1 yellow 4x6 sloped curved tile. This is Santas face and is printed with 2 eyes, a white gray moustache and 2 white gray eyebrows. Attach it horizontally upright to the top 4 rows of the left facing side studs so it is centered horizontally. Ask a helper to ensure that it is oriented correctly!

## Building Instructions (Bag 6)

## Group 23 – Up-scaled Santa Minifigure

192.1. Let's make a part! Locate 1 white 2x3 brick and place it horizontally in front of you.

192.2. Horizontally place a white 1x3 plate on the front row of the ppp. Then place a white 1x2 plate horizontally behind the 2 left columns of the ppp.

192.3. Place the back row of a white 1x2 plate with short curved slope brick vertically to the right of the ppp so it slopes to the back. Then, place a white 2x2 plate to the left of the ppp so there is no overhang.

192.4. Vertically place a white 1x2 curved slope right wedge tile on the front left corner so it slopes and overhangs 1 row to the front. Then place a white 2x2 curved slope tile to the right of the ppp so it slopes and overhangs 1 row to the front.

192.5. Locate 2 white 1x1 quarter circle tiles. Place one in the back left corner so that the right angle is to the front right. Place the second quarter circle tile to the right of the previously placed piece so its right angle is also to the front right.

192.6. Horizontally place a white 1x2 plate with short curved slope brick under the rightmost column of the front row so it slopes and is exposed 1 column to the right. Then place a white 1x1 plate under the right column of the ppp. Now rotate your part so it is upright and horizontal and the 2 quarter circle tiles are in the front right. Bring back the main build and place it in front of you so the 4x6 curved slope tile faces the left. Place the bottom 2 rows of your part upright on the front facing side studs so it overhangs one column to the left.

193.1. Let's make a part! Locate 1 white 2x3 brick and place it horizontally in front of you.

193.2. Horizontally place a white 1x3 plate on the front row of the ppp. Then place a white 1x2 plate horizontally behind the 2 right columns of the ppp.

193.3. Place the back row of a white 1x2 plate with short curved slope brick vertically to the left of the ppp so it slopes to the back. Then, place a white 2x2 plate to the right of the ppp so there is no overhang.

193.4. Vertically place a white 1x2 curved slope left wedge tile on the front right corner so it slopes and overhangs 1 row to the front. Then place a white 2x2 curved slope tile to the left of the ppp so it slopes and overhangs 1 row to the front.

193.5. Locate 2 white 1x1 quarter circle tiles. Place one in the back right corner so that the right angle is to the front left. Place the second quarter circle tile to the left of the previously placed piece so its right angle is also to the front left.

193.6. Horizontally place a white 1x2 plate with short curved slope brick under the leftmost column of the front row so it slopes and is exposed 1 column to the left. Then place a white 1x1 plate under the left column of the ppp. Now rotate your part so it is upright and horizontal and the 2 quarter circle tiles are in the front left. Bring back the main build and place it in front of you so the 4x6 curved slope tile faces the right. Place the bottom 2 rows of your part upright on the front facing side studs so it overhangs one column to the right

194. Bring back your main build and place it in front of you so it is standing on the legs and the 2x2 side studs are to the front. Rotate the head build so that the 4x6 face tile is facing the front. Now attach it to the 4x4 plate on top of your build so it is centered vertically and horizontally. Set aside your build while we make Santa's beard and moustache!

195. Let's make Santa's beard and moustache! Locate 1 blue 2x3 plate and place it vertically in front of you.

#### Group 24 – Up-scaled Santa Minifigure

196. Place a white 2x6 plate horizontally on the back 2 rows of the ppp so it is centered horizontally.

197. Place the back 2 rows of a white 3x3 quarter circle plate under the 2 right columns of the back 2 rows so the right angle faces the back left. One column should be exposed to the right and 1 row to the front. Repeat symmetrically to the left.

198. Vertically place a white 1x2 half circle tile on the rightmost column of the back 2 rows so the round side faces the right. Repeat symmetrically to the left.

199. Vertically place a white 2x3 plate on the front row so it is centered horizontally and overhangs 2 rows to the front.

200. Horizontally place a white 2x4 trapezoid plate under the front 2 rows so the wider side faces the back and it is centered horizontally.

201. Place a yellow 1x1 tile on the 3<sup>rd</sup> row from the back on the 2<sup>nd</sup> column from the left. Then place the back row of a white 1x2 curved corner tile with cut corner to the left of the ppp so the curve is in the front left.

Repeat both parts symmetrically to the right.

202. Place a dark gray 2x2 plate on the back 2 rows so it is centered horizontally. Then, place a white 2x2 corner plate to the right of the ppp so it looks like a braille letter F. Repeat symmetrically to the left.

203. Horizontally place 3 white 1x2 plates with 1x2 upright side studs, one to the right of the other, on the back row so the side studs face the back.

204. Locate 1 white 1x4 plate and place it horizontally on the second row from the back so it is centered horizontally.

205. Place a white 1x1 quarter circle tile on the back left corner so the right angle is in the front right. Repeat symmetrically to the right. Then, place a white 1x1 curved slope brick in front of the ppp so it slopes to the front. Repeat symmetrically to the left.

206. Place a white 1x1 short round brick with side stud on the left column on the 3<sup>rd</sup> row from the front so the side stud faces the left. Repeat symmetrically to the right.

You will have 1 black 1x2 plate left. Set it aside for later!

#### Group 25 – Up-scaled Santa Minifigur

207. Bring back the black 1x2 plate you set aside earlier and place it horizontally on the 2<sup>nd</sup> row from the front. Now locate 1 medium azure 1x2 plate and place it directly on top of the ppp.

208. Place a white 1x1 short round brick on the front row on the left column so the side stud faces the left. Repeat symmetrically to the right.

209. Vertically place a white 2x4 plate on the back 4 rows so it is centered horizontally. Then, place a white 1x1 plate to the right of the 2<sup>nd</sup> row from the back of the ppp. Repeat symmetrically to the left.

210. Locate 1 white 2x2 plate and place it on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the back so it is centered horizontally.

211.1. Let's make a part! Locate 1 white 1x3 curved slope tile and place it horizontally in front of you so it slopes to the left. Locate 1 white 1x1 plate with upright side stud and place it beneath the right column of the curved slope tile so that the side stud faces the front.

211.2. Locate 1 white 1x1 quarter circle tile and attach it to the front facing side stud with the right angle to the bottom right. Rotate this part so it is on its side vertically upright, with quarter circle tile facing up and curving to the front. Connect it to the 2 left facing side studs of your build.

212.1. Let's make a part! Locate 1 white 1x3 curved slope tile and place it horizontally in front of you so it slopes to the right. Locate 1 white 1x1 plate with upright side stud and place it beneath the left column of the curved slope tile so that the side stud faces the front.

212.2. Locate 1 white 1x1 quarter circle tile and attach it to the front facing side stud with the right angle to the bottom left. Rotate this part so it is on its side vertically upright, with quarter circle tile facing up and curving to the front. Connect it to the 2 right facing side studs of your build.

213. Rotate your build 180 degrees so that the back facing side studs now face the front. Vertically place 2 white 1x2 curved sloped right wedge tiles, one to the right of the other, on the front 2 rows of the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the left so they slope to the front. Repeat symmetrically to the right with 2 white 1x2 curved sloped left wedge tiles.

214.1 Let's make a part! Locate 1 white 1x2 plate with rail and place it horizontally in front of you so the rail is to the front. Locate 1 white 1x1 sloped curved brick and place it on the right column so it slopes to the right.

214.2. Place a white 1x1 short round brick on the left column so the side stud faces front. Then, place a white 1x2 curved slope tile horizontally on the left column so it slopes and overhangs 1 column to the left.

214.3 Horizontally place the left column of a white 1x2 half circle tile on the front facing side stud so the round side faces up.

214.4. Place a white 1x1 short round brick with side stud under the left column so the side stud faces the left. Then, place a white 1x1 curved slope brick upright on the left facing side stud so the curve faces the bottom left. Rotate your part horizontally upright so the 1x2 half circle tile is on top. Now, place it horizontally on the 3 right columns of front facing side studs so it overhangs 1 column to the right.

215.1. Let's make a part! Locate 1 white 1x2 plate with rail and place it horizontally in front of you so the rail is to the front. Locate 1 white 1x1 sloped curved brick and place it on the left column so it slopes to the left.

215.2. Place a white 1x1 short round brick on the right column so the side stud faces the front. Then place a white 1x2 curved slope tile on the ppp so it slopes and overhangs 1 column to the right.

215.3 Locate 1 white 1x2 half circle tile and place it horizontally upright so its right column is attached to the front facing side stud and the rounded side is facing up.

215.4. Place a white 1x1 short round brick under the rightmost column so the side stud faces the right. Then, place a white 1x1 curved slope brick upright on the right facing side stud so the curve faces the bottom right. Rotate your part horizontally upright so the 1x2 half circle tile is on top. Now, place it horizontally on the 3 left columns of front facing side studs so it overhangs 1 column to the left.

216. Rotate your part 180 degrees so the ppp faces the back. Vertically place a white 1x4 curved sloped left wedge tile on the front 3 rows of the right column so it slopes and overhangs to the front. Repeat symmetrically to the left with a white 1x4 curved sloped right wedge tile.

217. Bring back your main build so it is standing upright on its legs and the 2x2 side studs are to the front. Rotate your part so the 2 ppp are on the bottom and slope down. Then place it upright on the front facing side studs so it is centered horizontally. Santa now has a beard and moustache! Set aside your main build while we make Santa's hat!

#### Building Instructions (Bag 7)

#### Group 26 – Up-scaled Santa Minifigure

218. Let's build Santa's hat! Locate 1 medium stone gray 6x6 plate and place it in front of you. Place a lime 2x2 brick on the 2 rightmost columns of the back 2 rows.



219. Locate a lime 2x2 brick and place it on the 2 rightmost columns of the front 2 rows. Now locate a red 2x4 brick and place it horizontally so it is between the two lime 2x2 bricks you placed earlier and overhangs 2 columns to the right.

220. Stack 2 red 1x10 plates. Then, place them vertically to the left of the ppp so they are centered vertically.

221. Place a black 2x4 plate vertically on the ppp so it is centered vertically. Then, horizontally place a red 2x4 brick to the left of the ppp so it is centered vertically and overhangs 1 column to the left.

222. Horizontally place a blue 2x8 plate on top of the 8 leftmost columns so it is centered vertically. Then vertically place a gray 1x2 hinge base on the leftmost column of the ppp so the wall faces the right.

223.1. Let's make a part! Locate 1 orange 2x4 plate and place it horizontally in front of you. Locate 1 black 1x2 plate and place it vertically on the rightmost column.

223.2. Vertically place a red 1x4 plate to the left of the ppp so it is centered vertically. Then, place a dark gray 2x2 plate to the left of the ppp.

223.3. Locate 1 yellow 2x3 plate and place it horizontally on the 3 rightmost columns.

223.4. Vertically place a medium azure 1x2 brick under the left column. Then repeat symmetrically to the right. Now, horizontally place your part on the main build on the 2<sup>nd</sup> through 5<sup>th</sup> columns from the left so it is centered vertically.

#### Group 27 – Up-scaled Santa Minifigure

224.1. Let's make a part! Locate 1 red 2x2 plate with bar underneath and place it in front of you so the bar is on the right side. Locate 1 red 1x2 plate with rail and place it vertically on the rightmost column so the rail is to the right.

224.2. Locate 1 red 1x2 brick with hole and 1x2 plate and attach the 1x2 plate vertically to the leftmost column so the 1x2 brick with hole faces the left.

224.3. Locate 1 red 2x2 plate and place it on the 2 rightmost columns.

224.4. Locate 1 red 1x2 plate with rail and place it vertically on the rightmost column with the rail to the right.

224.5. Place a red 2x2 curved sloped left wedge tile on the front row of the 2 rightmost columns so it slopes to the front and overhangs 1 row to the front. Repeat symmetrically to the back with a red 2x2 curved sloped right wedge tile.

224.6. Place a red 1x1 slope tile on the back row so it slopes to the back. Repeat symmetrically to the front. Now, attach your part to the hinge base on the leftmost column of the build so the hole faces the left.

225. Let's make 2 identical parts! Horizontally place a red 1x4 brick in front of you. Then horizontally place a red 1x3x2 curved slope brick on the 3 leftmost columns so it slopes to the left. Now you should have 2 identical parts. Vertically place the first part on the front 2 rows of the 3<sup>rd</sup> column from the left so it slopes to the front. Repeat symmetrically to the back.

226. Place a red 4x4x3 quarter dome brick on the front left corner so the right angle is to the back right. It should overhang 2 columns to the left and 2 rows to the front. Repeat symmetrically to the back.

227. Horizontally place the rightmost column of the backrow of a red 2x3 left wedge plate on top of the front 4x4x3 quarter dome so the angled side faces the front. Repeat symmetrically to the back with a red 2x3 right wedge plate.

228. Place a medium gray 2x2 corner plate on the 2<sup>nd</sup> and 3<sup>rd</sup> columns from the right so that it looks like a braille letter D and the right column sits on top of the red 1x3x2 slope brick. Repeat symmetrically to the back.

229. Vertically place a red 2x4 plate on the 3<sup>rd</sup> and 4<sup>th</sup> columns from the left so it is centered vertically. Then, place a black 1x2 plate on the right column of the ppp so it is centered vertically.

230. Vertically place a red 1x4 plate on the 2<sup>nd</sup> column from the left so it is centered vertically.

231. Locate 1 red 2x3 curved slope tile and place it horizontally on the leftmost 3 columns so it is centered vertically and slopes to the left.

232. Place a red 2x2 curved sloped right wedge tile on the 2 leftmost columns of the back row so it slopes and overhangs to the back. Then, vertically place a red 2x3 curved sloped left wedge tile to the right of the ppp so it slopes and overhangs to the back. Now repeat both placements symmetrically to the front with a red 2x2 curved sloped left wedge tile and a red 2x3 curved sloped right wedge tile.

233. Vertically place the front row of a 1x5x3 curved slope brick on the front row of the 5<sup>th</sup> column from the right so it slopes to the front. Repeat symmetrically to the back.

234. Horizontally place the right column of a red 1x5x3 curved slope brick on the front row of the rightmost column so it slopes to the right. Repeat symmetrically to the back.

235. Locate 1 red 2x2 plate and place it on the 4 open studs at the center of your build.

236. Let's make 2 identical parts! Place a red 4x4x3 quarter dome in front of you so the right angle faces the back right. Then place a 1x4 curved corner brick under the front left edge of the part so the curves align. Place one part on the front right corner of the build so the right angle is in the back left. Repeat symmetrically to the back.

237. Place a red 1x1 quarter circle tile on the ppp so the right angle is in the front left. Repeat symmetrically to the front. Flip your part upside down so the hole is on the left.

#### Group 28 – Up-scaled Santa Minifigure

238.1. Let's make 2 identical parts! Horizontally place a white 1x2 plate with 2x2 side studs in front of you so the side studs face the front.

238.2. Locate 1 white 2x2 plate and place it upright on the front facing side studs.

238.3. Place a white 1x2 plate with 1x2 side studs hanging down vertically upright on the left column of front facing side studs so the side studs face the left. Repeat symmetrically to the right.

238.4. Locate 1 white 2x2 tile and place it upright on the front facing side studs. You now have 2 identical parts! Place one part horizontally on the 2<sup>nd</sup> row from the front so it is centered horizontally and the tile faces the front. Repeat symmetrically to the back.

239. Place a blue 2x8 plate vertically on top of the build so it is centered vertically and horizontally.

240. Vertically place a yellow 1x3 plate to the left of the ppp on the 3<sup>rd</sup> through 5<sup>th</sup> rows from the back. Repeat symmetrically to the right.

241. Vertically place the right column of a medium gray 2x3 plate with horizontal bar underneath on the ppp. Repeat symmetrically to the left.

242. Vertically place the back row of a green 1x2 plate to the left of the front row of the ppp. Repeat symmetrically to the right.

243. Let's make 2 identical parts! Place a green 1x2 brick with side studs horizontally in front of you so the side studs face the front. Horizontally place a red 1x2 plate with rail upright on the front facing side studs so the rail faces down. Now you should have 2 identical parts. Place the first part vertically to the left of the left green 1x2 plate so the side studs face the left. Repeat symmetrically to the right. It should sit on the leftmost column of the build.

244. Turn a white 1x5x3 curved slope brick on its side so the stud is in the back left. Attach the rightmost anti stud to the bottom row of left facing side studs on the front row of your part. The leftmost column of the curved sloped brick should attach to the front row of left facing side studs on the leftmost column of the build. Repeat symmetrically to the back. Then repeat both parts symmetrically to the right.

245. Repeat the previous step.

246. Place a white 2x2 tile upright on the left facing side studs. Repeat symmetrically to the right.

247. Locate 1 white half pin with stud and insert the pin into the pin hole on the left side of your build, so that only the stud is exposed.

248.1. Let's make the bobble for Santa's hat! Locate 1 white 1x1 round tile and place it in front of you with the anti-stud up. Locate 1 white 3x3 round dome brick and attach it upside down to the anti-stud of the 1x1 round tile.

248.2. Insert a white 4L bar into the central anti stud of the ppp.

248.3. Locate 1 white 3x3 dish and push it onto the white bar you placed previously so that the dish is sloped upwards. Now attach the bobble to the hat by inserting the bar into the stud on the left side of your build. Rotate your build so the 2x2 studs are facing up and the bobble is to the left.

249. Bring back your main build and stand it in front of you so the beard is to the front. Attach your hat to the top of Santas head by connecting the 2 horizontal bars underneath the hat into the clips on top of Santas head so the hat is centered vertically and horizontally with the bobble on the left side.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at [info@bricksfortheblind.org](mailto:info@bricksfortheblind.org) and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.