

## **60479 Police Prisoner Transport Van**

Adapted by John Le and tested by Peter Durieux.

Gear up for exciting breakout adventures with the LEGO® City Police Prisoner Transport Van (60479) building set for kids ages 6 and up. The model police truck features a detailed driver's cab and a jail cell with room for 2 crooks. Kids can use the toy motorcycle with its chain and hook to pull the door from the cell. Just add the police officer and 2 crook minifigures for epic jailbreak role play.

**POLICE TOY FOR AGES 6+ –** Treat a young builder to the LEGO® City Police Prisoner Transport Van building set, including an officer and 2 crook minifigures for action-packed role play.

**FUN VEHICLE BUILDING TOY FOR KIDS –** This building kit includes everything kids need to build a getaway motorcycle and a toy police truck with an onboard jail cell.

**JAILBREAK ESCAPES –** Kids can put the police driver minifigure in the toy van, lock crooks in the onboard cell and use the model motorcycle hook to pull off the cell door for epic escape action.

**DIMENSIONS –** The toy police van in this 198-piece LEGO® car building set measures over 3 in. (7 cm) high, 5.5 in. (14 cm) long and 2.5 in. (6 cm) wide.

The front of the box shows a prisoner transport van carrying a prisoner to the jail! There is another crook on a motorcycle that is breaking out his friend from the back of the van!

The back of the box shows the police officer taking the crook off his motorcycle and putting him into the back of the transport van.

The top of the box shows a real size image of the crook!

The build is 198 pieces in total and is for ages 6+.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.

- “Anti-stud” is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

**Axles** - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

**Pins** - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

**Technic brick** - a brick which contains one or more holes which accept technic pins.

**Lift-arms** - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

**Gears** - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

**Axle and Pin Connectors** - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/60479>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 2 bags labeled 1 to 2, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Police Officer, Crook, Motorcycle, and Transport Van

Group 1 - Page 5.

Group 2 - Page 6.

Group 3 - Steps 1-7.

Group 4 - Steps 8-20.

Group 5 - Steps 21-25 and 2 dark grey 1x2 sloped curved bricks from Step 26.

Group 6 - Rest of Step 26 and Steps 27-33.

Bag 2 - Crook and Transport Van

Group 7 - Page 32.

Group 8 - Steps 34-40.

Group 9 - Steps 41-45.

Group 10 - Steps 46-49.

Group 11 - Steps 50-60.

Group 12 - Step 61 and 2 dark blue 2x2 triangle tiles from Steps 62-63.

Group 13 - Rest of Steps 62-63 and Steps 64-71.

Group 14 - Steps 72-78, 1 transparent blue 1x1 plate and 1 transparent blue 1x2 tile from Steps 79-80.

Group 15 - Rest of Steps 79-80 and Steps 81-83.

Let's get to building!

Building Instructions (Bag 1, Book 1):

### Group 1 - Police Officer

Sub-build 1. Locate 1 dark blue pair of legs, 1 torso printed with a black vest and dark blue sleeves, 1 yellow head printed with eyes, mouth, and a mustache, a brown hair, 1 light grey pair of handcuffs, and a white 2x3 tile printed with a wanted poster of a crook! Assemble your minifigure, then attach the handcuffs and wanted poster to his hands! Now put him away while we make a crook!

### Group 2 - Crook

Sub-build 2.1. Locate 1 black pair of legs, 1 white torso printed with a black vest and red tie, 1 yellow head printed with eyes, eyelashes, and a grin, and 1 black hair. Assemble your minifigure then put her in front of you.

Sub-build 2.2. Let's make a part! Attach a transparent visor to a black helmet. Now you can switch this out with her hair if you like! Now put everything away while we make the motorcycle!

### Group 3 - Motorcycle

1. Horizontally place a black motorcycle base in front of you so the top-facing clip is on the left.
2. Diagonally place a silver 1x2 grill tile upright on the 2 front-facing side studs. Then repeat symmetrically to the back.
3. Horizontally place a dark red motorcycle fairing on top of the motorcycle base so the studs are on the right.
4. Attach a silver wheel to a black tire. Now attach it to the 2 leftmost bottom-facing clips. Then repeat everything symmetrically to the right.
5. Vertically attach black handlebars to the leftmost top-facing clips so the ends of the handle bars face the right.
6. Place 1 end of a dark grey chain on the rightmost column so it overhangs to the right. Then attach a dark grey ball and hook to the other end of the chain so the hook faces the right.
7. Horizontally place a dark grey 1x2 sloped curved tile on top of the 2 rightmost columns of the motorcycle so it slopes to the left. Now put it away while we make the transport van!

### Group 4 - Prisoner Transport Van

8. Horizontally place a black 4x14 car base in front of you.
9. Insert a tan 2L pin axle into the leftmost front-facing axle hole so the pin faces the front. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.
10. Vertically place a red 1x2 rounded plate on the 2nd column from the left so it is centered vertically. Then repeat symmetrically to the right.

11.1. Let's make a part! Horizontally place a light grey 2x3 plate in front of you. Then place a black 2x2 corner plate on the back left corner so it looks like the braille letter h and it overhangs 1 row to the back. Then repeat symmetrically to the front. Now place a black 2x2 short ridged brick on the 2 leftmost columns so it is centered vertically.

11.2. Vertically place your part on the 2 leftmost columns so it is centered vertically and the ridged brick overhangs 1 column to the left.

12. Place a black 2x2 tile with 2 studs on the front row of the 5th and 6th columns from the right so it overhangs 1 row to the front and the studs are in the back. Now place 2 more, 1 to the left of the other, to the left of the ppp so the studs are in the back and they overhang 1 row to the front. Now repeat everything symmetrically to the back.

13. Place a red 2x2 plate with 2 side studs on the 2 rightmost columns so it is centered vertically and the side studs face the right.

14. Horizontally place 2 tan 1x12 bricks, 1 in front of the other, on the left column of the ppp so together they are centered vertically.

15. Vertically place a black 1x4 brick with 4 side studs on the rightmost column so it is centered vertically and the side studs face the right.

16. Horizontally place a dark tan 1x3 plate on the front row to the left of the ppp. Then repeat symmetrically to the back.

17. Horizontally place 3 light grey 1x2 plates with 2x2 upright side studs, 1 to the left of the other, on the back row, to the left of the ppp so the side studs face the back. Then repeat symmetrically to the front.

18. Horizontally place a light grey 1x4 plate on the front row to the left of the 3 ppp. Then repeat symmetrically to the back.

19. Place a dark grey 1x1 plate with 2 upright side studs on the front left corner so the side studs face the front. Then repeat symmetrically to the back.

20. Horizontally place a red 1x2 rounded plate on the front row of the 2nd and 3rd columns from the right. Then repeat symmetrically to the back.

21. Horizontally place a black 1x12 plate on the back row to the left of the ppp. Then repeat symmetrically to the front.

22. Horizontally place a dark grey 1x5 plate on the back row of the 2nd to 6th columns from the right. Then repeat symmetrically to the front.

23. Vertically place a dark tan 2x4 brick to the left of the 2 ppp so it is centered vertically.

24. Horizontally place a dark tan 1x6 plate to the left of the front row of the ppp. Then repeat symmetrically to the back.

25. Vertically place a black 1x4 tile with 2 studs on the leftmost column.

26.1. Horizontally place a dark grey 1x2 sloped curved brick on the front row of the 6th and 7th columns from the left so it slopes to the back. Then repeat symmetrically to the back.

#### Group 6 - Prisoner Transport Van

26.2. Horizontally place a white 1x2 sloped curved brick on the front row of the 5th and 6th columns from the right so it slopes to the back. Then repeat symmetrically to the back.

27. Horizontally place a dark grey 2x4 sloped curved tile upright on the 4 leftmost columns of 6 middle columns of front-facing side studs so it slopes down. Now place a dark grey 2x2 plate upright to the right of the ppp.

28. Place a yellow 2x2 triangle tile upright on the top right corner of the ppp so the right angle faces the top right.

29. Place a dark grey 1x1 plate with a clip upright on the top front-facing side stud of the leftmost column so the clip faces the left. Then vertically place a dark grey 1x2 sloped curved tile upright on the front-facing side studs, on top of the ppp, so it slopes down.

30. Rotate your build 180 degrees. Horizontally place a dark grey 2x4 sloped curved tile upright on the 4 rightmost columns of 6 middle columns of front-facing side studs so it slopes down. Now place a dark grey 2x2 plate upright to the left of the ppp.

31. Place a yellow 2x2 triangle tile upright on the top left corner of the ppp so the right angle faces the top left.

32. Place a dark grey 1x1 plate with a clip upright on the top front-facing side stud of the rightmost column so the clip faces the right. Then vertically place a dark grey 1x2 sloped curved tile upright on the front-facing side studs, on top of the ppp, so it slopes down.

33.1. Let's make a part! Horizontally place a dark grey 2x4 plate in front of you. Then horizontally place a black 1x4 tile with 2 studs on the back row. Now horizontally place a white 1x1 tile with a 1x1 slope tile on the back left corner so it slopes and overhangs to the left. Then repeat symmetrically to the right.

33.2. Place 2 black 1x1 clips, 1 to the right of the other, on the front row so together they are centered horizontally and the clip hands face the front and back. Now place a dark grey 1x1 slope tile to the left of the 2 ppp so it slopes to the front. Then repeat symmetrically to the right. Now horizontally attach a black bar grill to the 2 top-facing clips so it overhangs to the back and the rounded parts face the back left and back right.

33.3. Horizontally place your part upright on the left-facing side studs so it is centered horizontally. Make sure the clips of your part are on the bottom.

#### Building Instructions (Bag 2, Book 1):

#### Group 7 - Crook

Sub-build 3. Locate 1 orange pair of legs, 1 orange torso with a V-neck, 1 yellow head printed with eyes, lips, and light brown sideburns, 1 light brown hair, and 1 silver pair of handcuffs. Assemble your minifigure then attach the handcuffs to both of his hands! Now put him away while we continue the build!

#### Group 8 - Prisoner Transport Van

34. Vertically place a black 1x2 tile with an upright horizontal bar on the 2nd column from the right so it is centered vertically and slopes to the left.

35. Vertically place a dark grey 1x1 plate with a 1x1 sloped curved brick in front of the ppp so it slopes to the back and overhangs 1 row to the front. Then repeat symmetrically to the back. Now place 1 on the back row to the left of the ppp so there is a 2 column gap in between them and it slopes to the front and overhangs 1 row to the back. Then repeat symmetrically to the front.

36. Vertically place a black 1x2 tile with an upright horizontal bar in between the 2 ppp so it slopes to the left.

37. Horizontally place a dark grey 2x2 brick with a mudguard on the front row of the 3rd and 4th columns from the right so 1 row overhangs to the front and the mudguard faces the front. Then repeat symmetrically to the back.

38. Vertically place a black 1x2 tile with an upright horizontal bar on the 6th column of studs from the left so it is centered vertically and slopes to the left.

39. Place 2 light grey 1x1 short bricks, 1 in front of the other, on the 2nd column from the left so together they are centered vertically.

40. Vertically place a light grey 1x2 steering wheel to the right of the 2 ppp so it is centered vertically and the wheel faces the right.

#### Group 9 - Prisoner Transport Van

41. Vertically place a white 1x1 sloped curved brick with a 1x1 plate on the front row of the 4th column from the left so it slopes to the back and overhangs to the front. Then repeat symmetrically to the back.

42. Horizontally place the leftmost column of a yellow 1x8 plate on top of the ppp so it just sits on 2 studs. Then repeat symmetrically to the front. Now horizontally place a yellow 1x2 plate on the front right corner so it overhangs 1 column to the right over the upright parts. Then repeat symmetrically to the back.

43. Horizontally place a dark blue 1x10 plate on the front right corner. Then repeat symmetrically to the back.

44. Horizontally place a black 1x2 plate with a hinge on the back row, to the left of the ppp so the hinge faces the back. Then repeat symmetrically to the front.

45. Vertically place a light grey 2x4 slope brick on the 8th and 9th columns from the right so it is centered vertically and slopes to the left.

#### Group 10 - Prisoner Transport Van

46. Horizontally place a white 2x2 brick with a mudguard on the front row of the 2nd and 3rd columns from the left so 1 row overhangs to the front and the mudguard faces the front. Then horizontally place a white 1x2 plate on the front row of the ppp. Now repeat both parts symmetrically to the back.

47. Place a transparent red 1x1 plate on the 2nd row from the back of the 2nd column from the left. Then place a light grey 1x1 short brick to the right of the ppp. Now repeat both parts symmetrically to the front.

48. Vertically place a dark grey 2x6 plate with a round side on the leftmost column so it is centered vertically and the round side faces the left.

49. Horizontally place a black 2x3 plate on the 3 leftmost columns so it is centered vertically. Then vertically place a white 1x2 plate on the rightmost column of the ppp.

#### Group 11 - Prisoner Transport Van

50. Vertically place a transparent blue 1x2 plate on the front 2 rows of the 2nd column from the left. Then place a transparent blue 1x1 quarter circle tile to the left of the back row of the ppp so the curve faces the front left. Then repeat both parts symmetrically to the back.

51. Horizontally place a dark blue 2x3 sloped curved brick printed with a dark grey shield and star on the 3 leftmost columns so it is centered vertically and slopes to the left.

52. Horizontally place a white 2x3 angled sloped curved tile in front of the ppp so it slopes to the left and the short side is in the front. Then repeat symmetrically to the back.

53. Horizontally place a white 1x3 tile on the back row to the right of the ppp. Then horizontally place a dark blue 1x2 tile to the right of the ppp. Now repeat both parts symmetrically to the front.

54. Place a dark blue 1x1 brick with a clip on the back right corner so the clip faces the right. Then repeat symmetrically to the front.

55. Horizontally place a black 1x4x2 fence on the front row, to the left of the ppp. Then repeat symmetrically to the back. These are prison bars!

56. Vertically place a dark blue 1x6 arch brick on the rightmost column so it is centered vertically.

57. Vertically place a white 1x2 plate on the rightmost column so it is centered vertically. Then place the right column of a white 2x2 corner tile in front of the ppp so it looks like the braille letter j. Then repeat symmetrically to the back.

58. Horizontally stack 2 dark blue 1x3 bricks, on the back row to the left of the 1x4x2 fence. Then repeat symmetrically to the front.

59.1. Let's make a part! Horizontally place 2 light grey 1x2x2 bricks with 2x2 side studs, 1 to the right of the other, in front of you so the side studs face the front. Now horizontally place a black 1x4 tile with 2 studs on top of them.

59.2. Place a white 2x2 plate upright on the front-facing side studs so it is centered horizontally. Now vertically place a light grey 1x2 plate with 2x2 upright side studs, upright to the left of the ppp so the side studs face the left. Then repeat symmetrically to the right. Now horizontally place a light grey 2x4 tile on top.

59.3. Vertically place your part on the 8th column from the right so it is centered vertically, the upright parts face the left, and the side studs face the front and back.

60. Horizontally place a white 1x8 tile on the front row, to the left of the 2x2 corner tile that is on the front right corner so it overhangs 2 columns to the left. Then repeat symmetrically to the back.

#### Group 12 - Prisoner Transport Van

61. Vertically place a transparent red 1x4 tile on the rightmost column so it is centered vertically.

Now you will have 2 extra dark blue 2x2 triangle tiles. Save them for later!

#### Group 13 - Prisoner Transport Van

62. Place a white 2x2 plate upright on the 2x2 front-facing side studs that are on the 9th and 10th columns from the right. Now place a white 2x2 triangle tile upright on the top left corner of the ppp so the right angle faces the top left. Now place a dark blue 2x2 triangle tile upright on the front-facing side studs, to the bottom right of the ppp so the right angle faces the bottom right.

63. Rotate your build 180 degrees. Now place a white 2x2 plate upright on the 2x2 front-facing side studs that are on the 9th and 10th columns from the left. Now place a white 2x2 triangle tile upright on the top right corner of the ppp so the right angle faces the top right. Now place a dark blue 2x2 triangle tile upright on the front-facing side studs, to the bottom left of the ppp so the right angle faces the bottom left.

64. Vertically attach a black 4L bar to the 2 left-facing clips that are on the back left corner so it is centered vertically.

65. Let's make a part! Horizontally place a dark blue 4x6 plate with sloped sides in front of you so it slopes to the left and right.

66. Horizontally place a black 1x2 plate with a bar on the front row so it is centered horizontally and the bar faces the front.

67. Place a black 2x2 sloped curved tile on the front 2 rows so it is centered horizontally and slopes to the back.

68. Vertically place 2 black 2x3 plates, 1 to the right of the other, underneath the front 3 rows so together they are centered horizontally.

69. Horizontally place 2 black 1x2 plates with a bar, 1 to the right of the other, underneath the back row so together they are centered horizontally and the bars face the back.

70. Place a dark grey 2x2 round plate with a smooth bottom underneath the back 2 rows so it is centered horizontally.

71. Vertically attach the 2 bars of your part to the 2 left-facing clips that are on the front left corner so the studs face the front, and the single bar faces the left. This is the back door of the van!

#### Group 14 - Prisoner Transport Van

72. Rotate your build 180 degrees. Now vertically place the leftmost column of a transparent 2x6x2 windshield on the leftmost column of studs so it is centered vertically and slopes to the left.

73. Let's make a part! Let's make the roof! Vertically place a white 2x4 plate in front of you.

74. Vertically place a dark blue 4x6 plate with sloped sides on the rightmost column so it is centered vertically, overhangs 3 columns to the right, and slopes to the front and back.

75. Vertically place a dark blue 4x6 plate with sloped sides on the leftmost column so it is centered vertically, overhangs 3 columns to the left, and slopes to the front and back.

76. Horizontally place a dark grey 2x6 tile on top so it is centered horizontally and vertically.

77. Vertically place a white 2x4 plate underneath the leftmost column so it is centered vertically and 1 column is exposed to the left.

78. Vertically place a dark blue 4x6 car hood with 4 studs on the leftmost column so it is centered vertically, overhangs 3 columns to the left, and the studs are on the right.

79. Place a transparent blue 1x1 plate on the 2nd row from the back of the leftmost column of studs. Then vertically place a transparent blue 1x2 tile behind the ppp so it sits on 1 stud.

#### Group 15 - Prisoner Transport Van

80. Vertically place a transparent red 1x1 plate on the 2nd row from the front of the leftmost column of studs. Then vertically place a transparent red 1x2 tile in front of the ppp so it sits on 1 stud.

81. Vertically place 2 black 2x2 sloped curved tiles, 1 in front of the other, on the 2 leftmost columns of studs so together they are centered vertically and slope to the right.

82. Horizontally place your part on top of the 12 rightmost columns so it is centered vertically and the car hood is on the left.

83.1. Let's make 4 identical parts! Insert a black wheel into a black tire.

83.2. Now you should have 4 identical parts! Insert 1 part into the leftmost front-facing pin so the hollow side faces the front. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at [info@bricksfortheblind.org](mailto:info@bricksfortheblind.org) and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We hope you enjoyed building your LEGO set! Bricks for the Blind are able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

At the end of the instruction booklets are advertisements for the following 9 LEGO City Theme kits:

60500 The LEGO® Van

60485 Hot Rod

60488 Fries Food Truck

60479 Police Prisoner Transport Van

60486 EV Supercar

60489 Jet vs. Car

60499 Airport Fire Truck

60487 Yellow Taxi

60502 Airport with Airplane