

## **60488 Fries Food Truck**

Adapted by John Le and tested by Peter Durieux.

Serving fast food is child's play with this LEGO® City Fries Food Truck (60488) toy building set for ages 5 and up. The colorful food truck features a detachable kiosk shaped like a giant carton of fries. Kids can remove the roof to access a detailed food prep area complete with a fryer, condiments and a sliding service window. This model fast food truck also features an opening hood with a toy engine and comes with vendor and customer minifigures.

**FOOD TRUCK TOY FOR AGES 5+** – Serving up crispy fries is the name of the game with the LEGO® City Fries Truck building set for kids who love imaginative play.

**WHAT'S IN THE BOX?** – Includes everything kids need to build the LEGO® City Fries truck toy, plus vendor and customer minifigures and accessories.

**REALISTIC FUNCTIONS FOR ROLE PLAY** – Kids can detach the toy kiosk, remove the roof to access the prep area and slide open the service window to serve hungry customers.

**LEGO® MINIFIGURE ACCESSORIES** – This kids' food truck playset comes with accessories including a toy ketchup bottle and carton of fries.

**DIMENSIONS** – The model fries truck in this 216-piece LEGO® building set measures over 2.5 in. (7 cm) high, 5.5 in. (14 cm) long and 2 in. (6 cm) wide.

The front of the box shows a fries food truck parked on the street serving fries to a customer!

The back of the box shows the fries food truck driving down the street! There is another picture which shows that the kiosk can detach from the back of the truck!

The top of the box shows a real size image of a food truck worker!

The build is 216 pieces in total and is for ages 5+.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/PPP: previously placed piece.
- Plate: piece with studs.

- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

**Axles** - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

**Pins** - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

**Technic brick** - a brick which contains one or more holes which accept technic pins.

**Lift-arms** - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

**Gears** - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

**Axle and Pin Connectors** - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have

a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

**Bushes/Bushings** - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/60488>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 2 bags labeled 1 to 2, 2 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

The steps in this set correspond to page numbers.

Bag 1 - Food Truck Worker and Fries Food Truck

Group 1 - Pages 6-7.

Group 2 - Pages 8-9, 2 pink 2x2 plates, and 1 black 2x6 plate with a round side and a 2x3 plate from Pages 10-11.

Group 3 - Rest of Pages 10-11 and Pages 12-29.

Group 4 - Pages 30-41.

Group 5 - Pages 42-55.

Group 6 - Pages 56-73.

Group 7 - Pages 74-83 and 2 transparent 1x1 sloped curved bricks from Pages 84-91.

Group 8 - Rest of Pages 84-91 and Pages 92-103.

Bag 2 - Customer and Fries Food Truck

Group 9 - Pages 4-5.

Group 10 - Pages 6-31.

Group 11 - Pages 32-51.

Group 12 - Pages 52-71.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Food Truck Worker

Sub-build 1. Locate 1 sand blue pair of legs, 1 white torso printed with a black and red uniform, 1 yellow head printed with eyes, lips, and eyelashes, and 1 red hat. Assemble your minifigure and put her in front of you.

Sub-build 2. Let's make a part! Let's make fries! Place a light grey 1x1 round plate with a bar in front of you so the bar faces the back. Now place a light grey 1x1 plate on top. Then place a yellow crystal on top. These are fries! Attach it to your minifigure's hand, then put her away while we make her truck!

Group 2 - Fries Food Truck

8-9. Horizontally place a black 4x10 car base with 4 axle holes in front of you. Then insert a tan 2L pin axle into the leftmost front-facing axle hole so the pin faces the front. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back.

10-11.1. Place a pink 2x2 plate on the 2nd and 3rd columns from the left so it is centered vertically. Then repeat symmetrically to the right. Now vertically place a black 2x6 plate with a round side and a 2x3 plate on the 2 rightmost columns so it is centered vertically and the round side overhangs 2 columns to the right.

Group 3 - Fries Food Truck

10-11.2. Vertically place a white 2x6 plate with a round side and a 2x3 plate on the 2 leftmost columns so it is centered vertically and the round side overhangs 2 columns to the left.

12-13. Vertically place a yellow 1x2 rounded plate on the 5th column from the left so it is centered vertically. Then horizontally place a red 2x3 brick on the 3rd to 5th columns from the left so it is centered vertically. Now repeat both parts symmetrically to the right.

14-15. Horizontally place a black 2x4 brick with a mudguard on the front row of the 3rd to 6th columns from the right so the mudguard overhangs 1 row to the front. Then repeat symmetrically to the back.

16-17. Vertically place a dark grey 2x4 tile with 2 studs on the 4th and 5th columns from the right so it is centered vertically.

18-19. Horizontally place a green 1x2 plate with 2x2 side studs on the front row of the 7th and 8th columns from the right so the side studs face the front. Then repeat symmetrically to the back. Now vertically place a dark grey 2x4 tile with 2 studs to the left of the 2 ppp.

20-21. Horizontally place a green 1x2 plate with 2x2 side studs on the front row to the left of the ppp so the side studs face the front. Then repeat symmetrically to the back.

22-23. Vertically place a light blue 2x4 plate on top of the 2 ppp. Then vertically place another 1 to the right so there is a 2 column gap in between them and it sits in between the side studs.

24-25. Horizontally place a yellow 1x2 rounded plate on the front row of each of the 2 ppp. Then repeat symmetrically to the back.

26-27. Horizontally place a lime green 2x6 plate upright on the 8 front-facing side studs. Then repeat symmetrically to the back.

28-29. Horizontally place a black and white 2x6 tile printed with a black and white grid upright on the 2x6 front-facing side studs so the grid is on the left. Then repeat symmetrically to the left.

#### Group 4 - Fries Food Truck

30-31. Horizontally place a white 2x4 brick with a mudguard on the front row of the 3rd to 6th columns from the left so the mudguard overhangs 1 row to the front. Then repeat symmetrically to the back.

32-33. Vertically place a light blue 2x4 plate on the 4th and 5th columns from the left so it is centered vertically.

34-35. Place 2 white 1x1 short bricks, 1 in front of the other, on the leftmost column so together they are centered vertically. Then vertically place a yellow 1x2 rounded plate to the right of the 2 ppp so it is centered vertically.

36-37. Place a white 1x2 curved brick on the front left corner so the curve faces the front left and aligns with the curve of the 2x6 plate with a round side. Then repeat symmetrically to the back.

38-39. Horizontally place 2 white 1x2 plates with a stud and a clip, 1 in front of the other, on the 2 leftmost columns so together they are centered vertically and the clips are on the left.

40-41. Vertically place a dark grey 1x2 grill tile on top of the 2 ppp. Now place a white 1x2 curved tile on the front left corner so it aligns with the 1x2 curved brick. Then repeat symmetrically to the back.

#### Group 5 - Fries Food Truck

42-43. Let's make a part! Vertically place a light grey 1x2 plate with a bar in front of you so the bar faces the right. Then vertically place a dark grey 1x2 rounded plate on top of the ppp. Now vertically place a light grey 1x2 plate with a bar on top of the ppp so the bar faces the right.

44-45. Vertically place your part on the 2nd column from the right so it is centered vertically and the bars face the right.

46-47. Vertically place a black 1x2 brick in front of the previous part. Now vertically place a transparent red 1x2 plate on top of the ppp. Then repeat both parts symmetrically to the back.

48-49. Vertically place 2 black 2x3 tiles, 1 in front of the other, on the 2nd and 3rd columns from the right so they are centered vertically.

50-51. Place a black 6x6 tile to the left of the 2x4 tile with 2 studs that is to the left of the 2 ppp so it is centered vertically.

52-53. Place a black 2x2 plate on the front 2 rows to the left of the ppp. Then repeat symmetrically to the back.

54-55. Vertically place a black 1x2 brick in between the right column of the 2 ppp so it is centered vertically.

#### Group 6 - Fries Food Truck

56-57. Vertically place a black 1x2 rounded plate in front of the ppp. Then repeat symmetrically to the back.

58-59. Vertically place 2 light grey 1x2 ridged bricks, 1 in front of the other, on top of the 2 ppp and a 1x2 brick so together they are centered vertically and the vertical ridges face the left. Now place a black 1x1 round brick in front of the 2 ppp. Then repeat symmetrically to the back.

60-61. Vertically place a black 2x5 plate with short walls on the ends to the left of the 4 ppp so it is centered vertically.

62-63. Horizontally place a dark grey 1x2 ingot tile on top of the ppp so it is centered vertically. Then vertically place a black 1x6 plate to the left of the ppp so it is centered vertically.

64-65. Vertically place a light grey 1x2 steering wheel on the 2nd and 3rd rows from the front of the ppp so the wheel faces the right. Then vertically place a light grey 1x2 sloped curved brick behind the ppp so it slopes to the right.

66-67. Vertically place a tan 1x2x2 brick with 2x2 side studs to the left of the 2 ppp so it is centered vertically and the side studs face the left. Now place a dark grey 2x2 round tile with a pinhole upright on the left-facing side studs.

68-69. Vertically place a black 1x2x2 brick with 2x2 side studs in front of the 2 ppp so the side studs face the left. Then repeat symmetrically to the back. Now vertically place a black 1x6 plate on top of the 2 ppp so it is centered vertically.

#### Group 7 - Fries Food Truck

70-71. Vertically place a dark grey 1x2 grill tile upright on the 2nd column of left-facing side studs from the front. Then repeat symmetrically to the back.

72-73. Vertically place a black 1x2 plate with a hinge on the front 2 rows of the leftmost column of studs so the hinge faces the front. Then repeat symmetrically to the back.

74-75. Let's make a part! Place a sand green 2x2 plate in front of you. Then vertically place a dark grey 1x2 rounded plate on the left column. Now vertically place a black 1x4 double sloped curved tile on the ppp so it is centered vertically.

76-77. Vertically place your part on the leftmost column of studs so it is centered vertically and the 1x4 double sloped curved tile overhangs 1 column to the left.

78-79. Vertically place a black 1x6 plate on the right column of the previous part so it is centered vertically.

80-81. Let's make a part! Vertically place a light grey 1x4 rounded plate in front of you. Then vertically place a light grey 1x2 plate with a bar on top so it is centered vertically and the bar faces the left. Now place an olive green 1x1 round plate in front of the ppp. Then repeat symmetrically to the back. Then vertically place a black 3x4 car hood with 2 studs on top so it is centered vertically, overhangs 2 columns to the right, and the studs are on the left. Now vertically place a dark grey 1x2 grill tile on top.

82-83. Attach the left-facing bar of your part to the 2 leftmost top-facing clips so the anti-studs face the right, and the grill tile faces the left. This is the front of the truck!

You will have 2 extra transparent 1x1 sloped curved bricks. Save them for later!

#### Group 8 - Fries Food Truck

84-85. Let's make a part! Horizontally place a black 1x3 plate in front of you. Then place a transparent orange 1x1 sloped curved brick on the rightmost column so it slopes to the front. Then place a transparent 1x1 sloped curved brick from group 7 to the left of the ppp so it slopes to the front. Now place a black 1x1 sloped curved corner brick to the left of the ppp so it slopes to the front left.

86-87. Vertically place your part upright on the back column of left-facing side studs so the 1x1 sloped curved corner brick overhangs 1 row to the top.

88-89. Let's make a part! Horizontally place a black 1x3 plate in front of you. Then place a transparent orange 1x1 sloped curved brick on the leftmost column so it slopes to the front. Then place a transparent 1x1 sloped curved brick from group 7 to the right of the ppp so it slopes to the front. Now place a black 1x1 sloped curved corner brick to the right of the ppp so it slopes to the front right.

90-91. Vertically place your part upright on the front column of left-facing side studs so the 1x1 sloped curved corner brick overhangs 1 row to the top.

92-93. Horizontally place a black 1x3x2 door on the front row of the 2nd column of studs from the left so the stud is on the left and the door opens to the front. Then repeat symmetrically to the back.

94-95. Vertically place a black 1x6x3 panel with curved corners to the right of the 2 ppp so it is centered vertically and the wall faces the right. Now vertically place a transparent 2x6x2 windshield on the leftmost column of studs so it is centered vertically and slopes to the left.

96-97. Vertically place a black 4x6 car hood on top of the 2 ppp so it is centered vertically.

98-99. Let's make 4 identical parts! Place a black 2x2 round tile on a black and yellow tire.

100-101. Now you should have 4 identical parts! Attach 1 to the leftmost front-facing pin so the round tile faces the front. Then repeat symmetrically to the right. Now repeat both parts symmetrically to the back. Now put your truck away while we make the next part!

## Building Instructions (Bag 2, Book 1):

### Group 9 - Customer

Sub-build 3. Locate 1 dark grey pair of legs with yellow kneeguards, 1 dark orange torso printed with light grey and yellow straps, 1 yellow head printed with eyes, lips, and eyelashes, 1 black hair, 1 short white 1x1 brick, and 1 yellow crystal. Assemble your minifigure, place the crystal on top of the brick, then attach it to your minifigure's hand! These are fries! Now put her away while we make the rest of the fries food truck!

### Group 10 - Fries Food Truck

6-7. Horizontally place a red 6x10 plate in front of you. Then vertically place a black 2x4 brick on the 2 leftmost columns so it is centered vertically.

8-9. Vertically place a light grey 1x4 plate on the 2nd column from the left so it is centered vertically. Then vertically place another 1 to the right of the ppp so it is centered vertically. Now vertically place a tan 1x4 brick with 4 side studs on top of the ppp so the side studs face the right

10-11. Horizontally place a light grey 1x2 panel with 3 walls on the 2nd and 3rd columns from the left of the 2nd row from the back so the long wall faces the back. Then horizontally place another 1 in front of the ppp so the long wall faces the front. Now place a dark tan 2x2 tile with a stud in front of the ppp.

12-13. Place a red 1x1 round brick on top of the ppp. Now place a white 1x1 round tile with an upright bar on top of the ppp so the bar faces up. Now horizontally place a black 1x2 grill tile upright on the front 2 right-facing side studs. Then horizontally place a light grey 1x2 plate with an upright bar on the back 2 right-facing side studs so the bar is on top.

14-15. Horizontally place a red 1x10 brick on the front row so it is centered horizontally. Then repeat symmetrically to the back. Now vertically place a red 1x6 plate on the leftmost column.

16-17. Horizontally place a white 1x8 plate on the back row so it is centered horizontally.

18-19. Horizontally place a white 1x8 plate with a rail on the front row so it is centered horizontally and the rail overhangs to the front.

20-21. Vertically place a black 1x4x3 panel on the leftmost column so it is centered vertically and the wall faces the left. Then place a red 1x1 on the front right corner. Then repeat symmetrically to the back.

22-23. Vertically place a red 1x2x3 inverted slope brick on the front row of the leftmost column so it slopes to the front. Then repeat symmetrically to the back. Now vertically place a red 1x6 plate on the leftmost column so it is centered vertically.

24-25. Place a red 1x1x3 brick on the back row of the 2nd column from the right. Then horizontally place a transparent 1x6x3 panel with rounded corners to the left of the ppp so the wall faces the back. Now place a red 1x1x3 brick to the left of the ppp.

26-27. Place a red 1x1 plate on the front row of the leftmost column. Then repeat symmetrically to the back. Now horizontally place the back row of a white 2x8 plate with pinholes to the right of the ppp.

28-29. Place a red 1x1x3 brick on the front row of the 2nd column from the left. Now horizontally place a black 2x4 tile on the back left corner. Then vertically place a black 1x4 tile with 2 studs on the leftmost column, in front of the ppp.

30-31. Horizontally place a red 1x3x3 window on the front row of the 3rd to 5th columns from the left so the ridged side faces the back. Now attach a transparent window pane to the back-facing side of the ppp.

#### Group 11 - Fries Food Truck

32-33. Horizontally place a white 1x2 jumper plate on the front row to the right of the 2 ppp.

34-35. Place a silver 1x1 round tile printed with a number 5 on top of the ppp. Then place a light grey 1x1 tile printed with a keypad to the right of the ppp.

36-37. Place a red 1x1x3 brick to the right of the ppp.

38-39. Horizontally place a white 1x4x3 window in front of the 1x3x3 window so the ridged side faces the front. It should not sit on any studs and freely move left and right. Now horizontally attach a transparent window pane printed with a black circle that says fries to the front of the ppp so it opens up.

40-41. Horizontally place a white 1x8 plate with a rail on the front 2 rows of the 2nd to 9th columns from the left so the rail faces the front. Make sure the ppp is still able to freely move left and right!

42-43. Horizontally place a black 2x4 tile on the front left corner. Then place a black 2x2 tile to the right of the ppp. Then repeat the 2x2 tile symmetrically to the back.

44-45. Vertically place a red 1x2x3 inverted slope brick on the back right corner so it slopes to the back. Then horizontally place a black 1x2 inverted half arch brick in front of the ppp so there is no overhang and it slopes to the left. Now place a black 1x1x3 brick on top of the ppp.

46-47. Vertically place a red 1x2x3 inverted slope brick on the front right corner so it slopes to the front. Then vertically place a black 1x4x4 door behind the ppp so the stud is in the front and it opens to the right. Then vertically place a black 1x4 rounded plate on top of the ppp so it is centered vertically.

48-49. Vertically place a red 1x6 plate on top of the ppp so it is centered vertically. Then place a red 1x1 plate in front of the ppp. Then repeat symmetrically to the back.

50-51. Vertically place a black 1x4 tile with 2 studs on the rightmost column so it is centered vertically. Then horizontally place a black 2x4 tile on the front right corner. Then repeat symmetrically to the back.

#### Group 12 - Fries Food Truck

52-53. Let's make a part! Let's make the roof! Horizontally place a red 6x10 plate in front of you. Now horizontally place 2 red 1x3 tiles, 1 to the right of the other, on the back row so together they are centered horizontally. Now horizontally place a red 1x2 inverted half arch brick on the back left corner so it slopes to the right. Then repeat symmetrically to the right.

54-55. Vertically place a black 1x6 brick on the leftmost column so 1 row overhangs to the front. Then repeat symmetrically to the right. Now horizontally place a red 2x10 plate underneath the front row of the 2 ppp so it is centered horizontally.

56-57. Horizontally place 2 red 1x3 tiles, 1 to the right of the other, on the front row so together they are centered horizontally. Then horizontally place a red 1x2 inverted half arch brick on the front left corner so it slopes to the right. Then repeat symmetrically to the right. Now vertically place a red 1x8 tile on the leftmost column. Then repeat symmetrically to the right.

58-59. Place a yellow 2x2x2 slope brick on the back left corner so it slopes to the right. Then place another 1 to the right of the ppp so it slopes to the front. Now place another 1 to the right of the ppp so it slopes to the back. Then place 1 more to the right of the ppp so it slopes to the left.

60-61. Place a yellow 1x2 slope tile on top of each of the 4 ppp so they each slope in the same direction of each of them. Now horizontally place a light orange 2x4 brick on the 3rd and 4th rows of studs from the front so it is centered horizontally. Then place a yellow 2x2x2 slope brick to the left of the ppp so it slopes to the left. Then repeat symmetrically to the right.

62-63. Place a yellow 2x2x2 slope brick on the 2 leftmost columns of the previous 2x4 brick so it slopes to the front. Then place another 1 to the right of the ppp so it slopes to the back. Now place a yellow 1x2 slope tile on top of each of the previous 4 2x2x2 slope bricks so they each slope in the same direction of the slope bricks.

64-65. Place a yellow 2x2x2 slope brick on the front left corner so it slopes to the right. Then place another 1 to the right of the ppp so it slopes to the back. Now place 1 more to the right of the ppp so it slopes to the front. Now place 1 more to the right of the ppp so it slopes to the left.

66-67. Place a yellow 1x2 slope tile on top of each of the previous 4 2x2x2 slope bricks so they each slope in the same direction of the slope bricks.

68-69. Horizontally place your part on top of the main build so it is centered horizontally and vertically.

70-71. Bring back your truck and horizontally place it in front of you so the front of it faces the left. Now horizontally place your current build to the right of the truck cabin so it is centered vertically.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at [info@bricksfortheblind.org](mailto:info@bricksfortheblind.org) and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We hope you enjoyed building your LEGO set! Bricks for the Blind are able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

At the end of the instruction booklets are advertisements for the following 9 LEGO City Theme kits:

60500 The LEGO® Van

60485 Hot Rod

60488 Fries Food Truck

60479 Police Prisoner Transport Van

60486 EV Supercar

60489 Jet vs. Car

60499 Airport Fire Truck

60487 Yellow Taxi

60502 Airport with Airplane