

60500 The LEGO Van

Adapted by John Le and tested by Peter Durieux.

Deliver endless hours of fun with LEGO® City: The LEGO Van (60500) toy truck building kit for ages 6+. Kids can fold up the sides of the delivery van to access its cargo area, lift the hood to view the engine bay and open the rear doors. The set also includes a hand trolley, a pallet and 4 miniature toy LEGO boxes, plus driver and worker minifigures for imaginative play. This model truck playset makes a great holiday or birthday gift for boys and girls who love toy vehicles, LEGO building and imaginative storytelling.

ICONIC LEGO VAN TOY BUILDING SET – Deliver a world of imaginative play with LEGO® City: The LEGO Van (60500), an imagination toy for kids aged 6+ who love trucks, cars and building kits.

WHAT'S IN THE BOX – This easy-build set includes everything kids need to create a bright yellow delivery truck, plus driver and worker minifigures for fun role play.

VEHICLE TOY FOR CREATIVE PLAY – Kids can fold up the sides of the toy truck to access the cargo area, load up the pallet of miniature toy playsets, lift the hood and open the rear doors.

LEGO® MINIFIGURE ACCESSORIES – Comes with accessories for pretend play, including a hand truck, pallet, cup and 4 miniature toy LEGO boxes.

DIMENSIONS – The toy LEGO® truck in this 276-piece LEGO car playset measures over 3 in. (7 cm) high, 5 in. (16 cm) long and 2 in. (6 cm) wide.

The front of the box shows a lego van parked on the side of a street selling lego sets!

The back of the box shows the truck driving down the highway and lego sets falling out the back!

The top of the box shows a real size image of a driver.

The build is 276 pieces in total and is for ages 6+.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/PPP: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)

- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- “Anti-stud” is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/60500>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 3 bags labeled 1 to 3, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - LEGO Workers, LEGO sets, and LEGO Van

Group 1 - Page 4.

Group 2 - Page 5.

Group 3 - Steps 1-7.

Group 4 - Steps 8-20.

Group 5 - Steps 21-33.

Group 6 - Steps 34-38.

Bag 2 - LEGO Van

Group 7 - Steps 39-43.

Group 8 - Steps 44-49.

Group 9 - Steps 50-64.

Group 10 - Steps 65-75.

Bag 3 - LEGO Van

Group 11 - Steps 76-95.

Group 12 - Steps 96-99 and 2 yellow 2x2 tiles from Step 100.

Group 13 - Rest of Step 100, Steps 101-104, and 1 yellow 2x2 tile printed with a red sign that says LEGO on Step 105.

Group 14 - Rest of Step 105 and Steps 106-108.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - LEGO Worker

Sub-build 1. Locate 1 dark tan pair of legs, 1 torso printed with a mint green shirt and dark blue vest, 1 yellow head printed with eyes, glasses, and a beard, 1 black hair, and 1 red mug. Assemble your minifigure then attach the mug to his hand! Now put him away while we make another worker!

Group 2 - LEGO Worker

Sub-build 2. Locate 1 light blue pair of legs, 1 torso printed with a mint green shirt and dark blue vest, 1 yellow head printed with eyes, lips, and an earpiece, and 1 brown hair. Assemble your minifigure then put her in front of you.

Sub-build 3. Let's make a part! Let's make a dolly! Attach a black pair of wheels to the 2 clips of a red dolly. Now attach the handles of it to your minifigure so she can roll it around! Now put everything away while we make the LEGO sets!

Group 3 - LEGO Sets

1. Vertically place a tan 1x4 plate in front of you.
2. Horizontally place a tan 2x6 plate on the back 2 rows so 5 columns overhang to the right.
3. Horizontally place a tan 2x6 plate on the front 2 rows so 5 columns overhang to the right.
4. Vertically place a tan 1x4 plate underneath the rightmost column. Then place a light grey 2x2 inverted tile underneath your build so it is centered horizontally and vertically.
5. Vertically place a blue 2x3 plate on the back left corner.
6. Vertically place a blue 2x3 tile printed with white mountains and a snowmobile on the ppp. Then place a blue 2x2 tile printed with green trees and a red van on the back 2 rows, to the right of the ppp. The snowmobile is a reference to the LEGO set 60376. The red van is a reference to the 60454 camper van!
7. Vertically place a blue 2x3 plate on the front right corner. Then place a blue 2x2 brick on the front 2 rows, to the left of the ppp.

Group 4 - LEGO Sets

8. Vertically place a blue 2x3 tile printed with a light grey floor and a construction vehicle on the front right corner. Now place a blue 2x2 tile printed with a black and blue monster truck on the front 2 rows, to the left of the ppp. Now put your pallet of LEGO sets away while we make the LEGO van! The construction vehicle is a reference to the 60420 construction excavator and the black and blue monster truck is a reference to the 60402 mini monster truck.

9. Horizontally place a dark grey 2x16 plate in front of you. Then horizontally place a light brown 2x4 plate on the 4 rightmost columns. Then repeat symmetrically to the left.
10. Horizontally place 2 black 2x4 plates with higher sides, 1 to the right of the other, in between the 2 ppp.
11. Vertically place a mint green 2x4 tile on the 6th and 7th columns from the left so it is centered vertically. Then repeat symmetrically to the right.
12. Vertically place a tan 1x4 plate on the leftmost column so it is centered vertically. Now vertically place a light grey 2x4 plate with 2 pins to the right of the ppp. Then vertically place another tan 1x4 plate to the right of the ppp. Now repeat everything symmetrically to the right.
13. Horizontally place 2 lime green 1x4 tiles with 2 studs, 1 in front of the other, on the 4 rightmost columns so they are centered vertically.
14. Horizontally place a black 2x4 brick with a mudguard in front of the 2 ppp so the mudguard overhangs 1 row to the front. Then repeat symmetrically to the back.
15. Place 2 dark grey 4x4 plates with a 2x2 gap, 1 to the left of the other, to the left of the 2 ppp so they are centered vertically.
16. Horizontally place a black 2x5 stair plate on the 2 leftmost columns so it is centered vertically and the lower side overhangs 3 columns to the left. Now place a light orange 2x2 tile to the right of the ppp.
17. Horizontally place a black 2x4 brick with a mudguard on the front row of the 4th to 7th columns from the left so the mudguard overhangs 1 row to the front. Then repeat symmetrically to the back.
18. Place a white 2x2 corner brick on the front row of the 2nd column from the left so it looks like the braille letter h and 1 row overhangs to the front. Then repeat symmetrically to the back.
19. Vertically place a black 1x4 brick with 4 side studs on the leftmost column so it is centered vertically and the side studs face the left. Then horizontally place a dark grey 1x2 grill tile upright on the left-facing side studs so it is centered horizontally. Now place a transparent red 1x1 round tile upright on the left-facing side studs, in front and behind the ppp.
20. Horizontally place a light grey 2x4 tile with 2 studs on the 4 leftmost columns so it is centered vertically.

Group 5 - LEGO Van

21. Horizontally place a red 2x14 plate to the right of the ppp.
22. Horizontally place a dark tan 1x2 plate with 2x2 side studs hanging down on the front row of the 5th and 6th columns from the right so the side studs face the front. Then horizontally place a light grey 1x2 plate with 2x4 side studs hanging down to the left of the ppp so the side studs face the front. Now horizontally place another dark tan 1x2 plate with 2x2 side studs hanging down to the left of the ppp so the side studs face the front.

23. Place a light grey 1x1 plate with a side stud hanging down on the front left corner so the side stud faces the front. Then horizontally place a dark tan 1x2 plate with 2x2 side studs hanging down to the right of the ppp so the side studs face the front. Now repeat both parts symmetrically to the back.

24. Horizontally place a black 1x2 ingot tile upright on the 2 rightmost front-facing side studs of the top row. Then horizontally place a black 1x2 slope tile upright on the front-facing side studs below the ppp so it slopes down.

25. Horizontally place a black 2x4 sloped curved tile upright to the left of the 2 ppp so it slopes down.

26. Horizontally place a light blue 1x2 plate upright on the top row of front-facing side studs to the left of the ppp. Now place a black 2x2 sloped curved tile upright on the ppp so there is no overhang and it slopes down.

27.1. Let's make a part! Horizontally place a light grey 1x3 plate in front of you. Then place a black 2x2 sloped curved tile on the 2 rightmost columns so it slopes and overhangs to the front. Then vertically place a black 1x2 angled sloped curved tile to the left of the ppp so it slopes and overhangs to the front, and the angled part faces the front left.

27.2. Horizontally place your part upright on the 3 leftmost columns of front-facing side studs so it slopes down.

28. Rotate your build 180 degrees. Then horizontally place a dark tan 1x2 plate with 2x2 side studs hanging down on the front row of the 5th and 6th columns from the left so the side studs face the front. Then horizontally place a light grey 1x2 plate with 2x4 side studs hanging down to the right of the ppp so the side studs face the front. Now horizontally place another dark tan 1x2 plate with 2x2 side studs hanging down to the right of the ppp so the side studs face the front.

29. Horizontally place a black 1x2 ingot tile upright on the 2 leftmost front-facing side studs of the top row. Then horizontally place a black 1x2 slope tile upright on the front-facing side studs below the ppp so it slopes down.

30. Horizontally place a black 2x4 sloped curved tile upright to the right of the 2 ppp so it slopes down.

31. Horizontally place a light blue 1x2 plate upright on the top row of front-facing side studs to the right of the ppp. Now place a black 2x2 sloped curved tile upright on the ppp so there is no overhang and it slopes down.

32.1. Let's make a part! Horizontally place a light grey 1x3 plate in front of you. Then place a black 2x2 sloped curved tile on the 2 leftmost columns so it slopes and overhangs to the front. Then vertically place a black 1x2 angled sloped curved tile to the right of the ppp so it slopes and overhangs to the front, and the angled part faces the front right.

32.2. Horizontally place your part upright on the 3 rightmost columns of front-facing side studs so it slopes down.

33.1. Let's make a part! Horizontally place a black 1x2 plate with 2x6 side studs hanging down in front of you so the side studs face the front. Then horizontally place a black 1x4 tile with 2 studs upright on the bottom row of front-facing side studs so it is centered horizontally.

33.2. Horizontally place 2 dark grey 1x2 plates with 2 clips, 1 to the right of the other, upright on the top row of front-facing side studs so together they are centered horizontally and the clips face up.

33.3. Place a black 1x2 ingot tile upright on the top row of front-facing side studs so it is centered horizontally. Now place a black 2x2 sloped curved tile upright on the 2 leftmost columns of front-facing side studs so it slopes to the left. Then repeat symmetrically to the right.

33.4. Vertically place your part on the leftmost column so it is centered vertically.

Group 6 - LEGO Van

34. Vertically place a yellow 4x6 plate on the 4 rightmost columns so it is centered vertically.

35. Vertically place a brown 2x4 plate to the left of the ppp so it is centered vertically.

36. Horizontally place a mint green 2x4 tile to the left of the ppp so it is centered vertically. Then horizontally place a tan 2x6 plate to the left of the ppp.

37. Horizontally place a yellow 2x10 plate in front of the 2 ppp. Then repeat symmetrically to the back.

38. Horizontally place 2 dark grey 2x3 plates, 1 in front of the other, on the 3 leftmost columns so they are centered vertically.

Building Instructions (Bag 2, Book 1):

Group 7 - LEGO Van

39. Vertically place a yellow 1x2 ingot tile on the rightmost column so it is centered vertically. Then place a yellow 2x2 corner plate on the front right corner so it looks like the braille letter j. Then repeat symmetrically to the back.

Group 8 - LEGO Van

40. Vertically place 2 light grey 1x2 ingot tiles, 1 in front of the other, on the 2nd column from the right so they are centered vertically. Now vertically place a light grey 1x4 tile with 2 studs to the left of the 2 ppp so it is centered vertically.

41. Horizontally place 2 light grey 2x6 tiles, 1 in front of the other, to the left of the ppp so together they are centered vertically. Now vertically place a light grey 1x4 tile with 2 studs to the left of the 2 ppp so it is centered vertically.

42. Place 2 black 1x1 round tiles on top of the ppp. Now place a black 1x1 round tile on the 2nd row from the front of the 3rd column from the right. Then repeat symmetrically to the back.

43. Horizontally place a yellow 1x2 panel on the front row of the 3rd and 4th columns from the right so the wall faces the back. Then repeat symmetrically to the back.

Group 9 - LEGO Van

44. Horizontally place 2 yellow 1x2 ingot tiles, 1 to the left of the other, on the front row, to the left of the ppp. Then repeat symmetrically to the back.

45. Horizontally place a yellow 1x2 panel on the back row to the left of the ppp so the wall faces the front. Then repeat symmetrically to the front.

46. Vertically place a nougat 1x4 plate to the left of the 2 ppp so it is centered vertically. Now vertically place a teal 2x4 plate to the left of the ppp so it is centered vertically.

47. Horizontally place a yellow 1x3 tile on the front row, in front of the 2 ppp. Then repeat symmetrically to the back.

48. Vertically place a yellow 2x5 plate with short walls on the ends to the left of the 2 ppp so it is centered vertically.

49. Vertically place a red 1x2 rounded plate to the left of the ppp so it is centered vertically. Now vertically place a yellow 1x2 plate in front of the ppp. Then repeat symmetrically to the back.

Group 10 - LEGO Van

50. Vertically place a yellow 1x2 panel to the left of the 3 ppp so it is centered vertically and the wall faces the right. Now vertically place a mint green 1x2 jumper plate to the left of the ppp so it is centered vertically. Then vertically place a light grey 1x2 ingot tile to the left of the ppp so it is centered vertically.

51. Place a yellow 2x2 corner brick on the front 2 rows of the 2nd and 3rd columns from the left so it looks like the braille letter j. Then repeat symmetrically to the back.

52. Place a silver 2x2 dish on the 1x2 jumper plate that is in between the 2 ppp.

53. Horizontally place a red 1x2 rounded plate on the 2 leftmost columns of the 2nd row from the front. Then horizontally place a dark grey 1x3 rounded plate on top of the ppp so 1 column overhangs to the left. Now horizontally place a red 1x2 rounded plate on the 2 rightmost columns of the ppp. Now repeat everything symmetrically to the back.

54. Place a yellow 1x1 brick with a side stud on the front left corner so the side stud faces the left. Then repeat symmetrically to the back.

55. Place a transparent light blue 1x1 slope tile upright on the back left-facing side stud so it slopes to the back. Then repeat symmetrically to the front.

56. Vertically place 2 yellow 2x3 plates, 1 in front of the other, on the 3rd and 4th columns from the left so together they are centered vertically.

57. Vertically place a yellow 1x2 plate on the left column of the 2 ppp so it is centered vertically.

58. Vertically attach the bar of a dark grey 2x2 plate with a bar underneath to the 2 leftmost top-facing clips so it overhangs 1 column to the right.

59. Vertically place a yellow 1x2 plate on the 2nd column from the left so it is centered vertically. Then place a yellow 2x2 sloped curved tile on the 2 leftmost columns so it is centered vertically and slopes to the left.

60. Horizontally place a yellow 2x3 angled sloped curved tile on the front left corner so it slopes to the left and the short end is in the front. Then repeat symmetrically to the back.

61. Horizontally place a yellow 1x3x1 door with a handle on the back row to the right of the ppp so there is a 1 column gap in between them, the stud is on the left and it opens to the back. Then repeat symmetrically to the front.

62. Horizontally place a black 1x2 plate with a hinge on the front row on top of the ppp so there is no overhang and the hinge faces the front. Then repeat symmetrically to the back.

63. Vertically place a light grey 1x2 slope tile printed with a speedometer behind the left column of the 1x2 plate with a hinge that is on the front row so it slopes to the right. Then vertically place a light grey 1x2 steering wheel to the right of the ppp so the wheel faces the right.

64. Vertically place a light grey 1x2 ingot tile behind the ppp.

65. Vertically place a transparent 3x6 windshield on the leftmost column so it is centered vertically and slopes to the left.

66. Horizontally place a brown 1x2 half cylinder brick to the right of the ppp so it is centered vertically. Now horizontally place a yellow 2x3 plate to the right of the ppp so it is centered vertically.

Group 11 - LEGO Van

67. Place a brown 1x1 plate with 2 upright side studs in front of the leftmost column of the ppp so the side studs face the front. Then horizontally place a dark grey 1x2 plate with 2x2 upright side studs to the right of the ppp so the side studs face the front. Now repeat both parts symmetrically to the back.

68. Horizontally place 2 dark grey 2x3 plates, 1 in front of the other, in between the side studs of the 4 ppp.

69. Vertically place a nougat 1x4 plate on the leftmost column of the 2 ppp. Then vertically place 2 nougat 1x2 sloped curved bricks, 1 in front of the other, on top of the ppp so they slope to the left.

70. Vertically place a light grey 2x4 brick to the right of the 2 ppp.

71. Vertically place a yellow 1x2 plate on the left column of the ppp so it is centered vertically. Now vertically place a light grey 1x2 plate with a clip to the right of the ppp so the clip faces the right.

72. Horizontally place a dark grey 1x2 plate with 2x2 upright side studs in front of the 2 ppp so the side studs face the front. Then repeat symmetrically to the back.

73.1. Let's make a part! Horizontally place a light grey 2x4 brick in front of you. Then place a dark grey 2x2 corner plate on the 2 leftmost columns so it looks like the braille letter j. Then repeat symmetrically to the right.

73.2. Place a black 1x1 plate with a side stud hanging down on the back left corner so the side stud faces the back. Then repeat symmetrically to the right.

73.3. Place a transparent 1x1 round tile upright on each of the 2 back-facing side studs.

73.4. Horizontally place a tan 1x2 brick with 2 side studs on the front row so it is centered horizontally and the side studs face the front.

73.5. Place a light grey 2x2 corner brick on the 2 leftmost columns so it looks like the braille letter f. Then repeat symmetrically to the right.

73.6. Horizontally place a white 1x4 tile upright on the front-facing side studs so it is centered horizontally.

73.7. Vertically place your part in between the 2x4 front-facing and back-facing side studs so the upright 1x1 round tiles face the right.

74. Place a black 3x3 plate upright on the bottom 3 rows of front-facing side studs so it overhangs 1 stud in the top left corner. Then repeat symmetrically to the back.

75. Horizontally attach a black wrench to the right-facing clip that is on the 11th column from the right so the wrench hand faces the back.

Building Instructions (Bag 3, Book 1):

Group 12 - LEGO Van

76. Vertically place a black 1x4 rounded plate on the 4th column of studs from the left so it is centered vertically. Then vertically place a yellow 1x2 ingot tile on top of the ppp so it is centered vertically.

77. Place a white 1x1x3 brick on the front row of the 2nd column from the right. Then repeat symmetrically to the back.

78. Vertically place a white 1x6 arch brick on top of the 2 ppp.

79. Vertically place a white 1x3x4 door on the front right corner so the stud is in the front and it opens to the right. Then repeat symmetrically to the back.

80. Vertically place a white 2x6 plate on the 2 rightmost columns. Then vertically place a white 1x2 plate on the rightmost column so it is centered vertically. Now place a transparent orange 1x1 round plate in front of the ppp. Then repeat symmetrically to the back.

81. Let's make 2 identical parts! Horizontally place a yellow 1x2 plate with 2x4 upright side studs in front of you so the side studs face the back.

82-83. Place a light grey 1x2 brick with a pinhole and a 1x2 plate on the left column so 1 row overhangs to the front and the pinhole faces the left. Then repeat symmetrically to the right.

84. Place a black 2x2 ridged brick on top so it is centered horizontally.

85. Horizontally place a black 2x3 stair plate on the leftmost column so the lower side overhangs 2 columns to the left. Then repeat symmetrically to the right.
86. Vertically place a transparent light blue 1x2 plate on the leftmost column. Then vertically place a light grey 1x2 rounded plate on top of the ppp. Now repeat both parts symmetrically to the right.
87. Vertically place a yellow 1x2 plate with a stud and a pinhole on the leftmost column so the pinhole is in the front. Then repeat symmetrically to the right.
88. Horizontally place a yellow 1x4 tile on the back row so it is centered horizontally.
89. Horizontally place a yellow 1x6 tile on the front row.
90. Horizontally place a yellow 1x2 plate with 2x2 side studs hanging down on the back left corner so the side studs face the back. Then repeat symmetrically to the right.
91. Rotate your part 180 degrees. Now horizontally place 2 black 2x4 tiles with 2 studs, 1 to the right of the other, upright on the front-facing side studs.
92. Insert a black 2L pin into the left-facing pinhole. Then repeat symmetrically to the right.
93. Vertically attach the pinhole of a yellow 1x2 plate with a stud and a pinhole to the left-facing pin so the stud is in the front. Then repeat symmetrically to the right.
94. Horizontally place the rightmost column of 1 part on the 2nd and 3rd rows from the front of the 2nd column from the right so the side studs face the front. Then horizontally place the other part behind the ppp so the side studs face the back.
95. Place a yellow 2x2 corner tile on the 2nd and 3rd rows from the front of the 2 rightmost columns so it looks like the braille letter j. Then repeat symmetrically to the back.

Group 13 - LEGO Van

96. Horizontally place a white 1x2 plate on the front right corner. Then horizontally place a white 1x2 tile on top of the ppp. Now repeat both parts symmetrically to the back.
97. Rotate your build 180 degrees. Now horizontally place a yellow 1x2 plate with 2x2 side studs hanging down on the front row, to the right of the 2 upright 2x4 tiles with 2 studs so the side studs face the front.
98. Vertically place a black 2x3 plate upright on the front-facing side studs of the ppp, above the upright 3x3 plate.
99. Vertically place a yellow 1x4 tile upright on the rightmost front-facing column of side studs so 1 row overhangs to the top.
- 100.1. Place a yellow 2x2 tile upright on the bottom 2 rows of front-facing side studs. Then place another 1 upright on the top 2 rows of front-facing side studs, to the right of the 2x4 tiles with 2 studs.

Group 14 - LEGO Van

100.2. Place a yellow 2x2 tile printed with a red sign that says LEGO upright on the front-facing side studs, in between the 2 ppp.

101.1. Let's make a part! Horizontally place a dark grey 1x8 plate in front of you. Then horizontally place a white 6x8 tile printed with yellow, orange, red, blue, and green lego bricks on top of the ppp so 5 rows overhang to the back.

101.2. Horizontally place the back 2 rows of your part upright on the 2 front-facing 2x4 tiles with 2 studs.

102. Rotate your build 180 degrees. Now horizontally place a yellow 1x2 plate with 2x2 side studs hanging down on the front row, to the left of the 2 upright 2x4 tiles with 2 studs so the side studs face the front.

103. Vertically place a black 2x3 plate upright on the front-facing side studs of the ppp, above the upright 3x3 plate.

104. Vertically place a yellow 1x4 tile upright on the leftmost front-facing column of side studs so 1 row overhangs to the top.

105.1. Place a yellow 2x2 tile printed with a red sign that says LEGO upright on the 2 front-facing columns of side studs so it is centered vertically.

Group 15 - LEGO Van

105.2. Place a yellow 2x2 tile upright on the front-facing side studs, below the ppp. Then repeat symmetrically to the top.

106.1. Let's make a part! Horizontally place a dark grey 1x8 plate in front of you. Then horizontally place a white 6x8 tile printed with yellow, orange, red, blue, and green lego bricks on top of the ppp so 5 rows overhang to the back.

106.2. Horizontally place the back 2 rows of your part upright on the 2 front-facing 2x4 tiles with 2 studs.

107. Vertically place the leftmost column of a yellow 4x6 sloped curved brick on the windshield that is on the left end of the build so it is centered vertically and slopes to the left.

108.1. Let's make 4 identical parts! Insert a silver wheel into a black tire so the stud of the wheel faces the front. Now place a silver 1x1 round tile with a gear upright on the front-facing side stud.

108.2. Now you should have 4 identical parts! Attach 1 wheel to each of the 2 front-facing pins. Then repeat symmetrically to the back.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We hope you enjoyed building your LEGO set! Bricks for the Blind are able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

At the end of the instruction booklets are advertisements for the following 9 LEGO City Theme kits:

60500 The LEGO® Van

60485 Hot Rod

60488 Fries Food Truck

60479 Police Prisoner Transport Van

60486 EV Supercar

60489 Jet vs. Car

60499 Airport Fire Truck

60487 Yellow Taxi

60502 Airport with Airplane