

40794 Elphaba & Glinda Figures

Adapted by John Le and tested by Jolene Nemeth.

Give fans of Wicked a magically creative treat with LEGO® BrickHeadz™ Elphaba & Glinda Figures (40794). The 2 authentically detailed characters are fun to build, play with and put on display for all to admire. Featuring sturdy baseplates, the BrickHeadz characters make an awesome addition to any Wicked merchandise collection and look great displayed alongside other BrickHeadz figures (sold separately).

LEGO® BrickHeadz™ Elphaba & Glinda Figures – Fans can recreate scenes from Wicked when they build, play with and display these fun, collectible characters.

Authentic details – These BrickHeadz™ models recreate the appearance of Elphaba Thropp, and Glinda Upland, with her pink dress, tiara and wand.

Play and display – Featuring sturdy baseplates, the LEGO® BrickHeadz™ Elphaba & Glinda Figures can easily be displayed for all to admire.

325-piece building set – The Glinda model stands over 2 in. (6 cm) tall, while the Elphaba model stands over 2 in. (7 cm) tall.

The front of the box shows Elphaba and Glinda standing side by side!

The back of the box shows that the figure can be lifted off its platform!

The top of the box shows a real size image of a black 1x4 brick printed with white and purple curved lines.

The build is 325 pieces in total and is for ages 10+.

Welcome to text-based instructions from Bricks for the Blind. Before you start building, here are some terms we'll be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the

bottom of a plate or brick.

- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray,

generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/40794>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 6 bags labeled 1 to 6, 2 sets of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Glinda

Group 1 - Steps 1-3.

Group 2 - Steps 4-11.

Group 3 - Step 12.

Bag 2 - Glinda

Group 4 - Steps 13-14 and 2 green 2x2 bricks from Step 15.

Group 5 - Rest of Step 15, Step 16 and 4 light grey 1x2x2 bricks with 2x2 side studs from Step 17.

Group 6 - Rest of Step 17 and Step 18.

Group 7 - Steps 19-26.

Group 8 - Steps 27-37.

Bag 3 - Glinda

Group 9 - Steps 38-53.

Bag 4 - Elphaba

Group 10 - Steps 1-11.

Group 11 - Step 12 and 1 black 2x2 plate from Step 13.

Group 12 - Rest of Step 13.

Bag 5 - Elphaba

Group 13 - 2 black 1x2x2 bricks with 2x2 side studs from Step 14.

Group 14 - Rest of Step 14 and 2 tan 2x2 bricks from Step 15.

Group 15 - Rest of Step 15, Step 16, and 4 light grey 1x2x2 bricks with 2x2 side studs from Step 17.

Group 16 - Rest of Step 17 and Steps 18-21.

Group 17 - Steps 22-27.

Group 18 - Steps 28-39.

Bag 6 - Elphaba

Group 19 - Steps 40-47.

Group 20 - Steps 48-54.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Glinda

1. Horizontally stack 2 yellow 2x4 plates in front of you.
2. Horizontally place a white 1x4 brick with 4 side studs on the front row so the side studs face the front. Then repeat symmetrically to the back.
- 3.1. Let's make 2 identical parts! Place a tan 2x2 plate with 2 side studs in front of you so the side studs face the left. Then place a lime green 2x2 plate on the right column so 1 column overhangs to the right.
- 3.2. Place a tan 2x2 plate with 2 side studs underneath the rightmost column so 1 column is exposed to the right and the side studs face the right.
- 3.3. Horizontally place a pink 1x4 plate on the back row.
- 3.4. Place a pink 2x2 sloped curved tile on the 2 leftmost columns so it slopes to the front. Then repeat symmetrically to the right.
- 3.5. Now you should have 2 identical parts! Now rotate your main build so it is vertical. Then horizontally place 1 part upright on the left-facing side studs so 1 row overhangs to the bottom and it slopes up. Then repeat symmetrically to the right.

Group 2 - Glinda

4. Horizontally place a pink 2x4 plate on the front 2 rows. Then repeat symmetrically to the back.
5. Horizontally stack 2 pink 1x4 plates on the back row. Then repeat symmetrically to the front.
6. Place a lime green 2x2 plate on top so it is centered vertically and horizontally. Then place a red 2x2 round brick on top of the ppp. Now place a lime green 2x2 plate on top of the ppp.
7. Vertically place a light grey 1x2x1 2/3 brick with 2x2 side studs on the leftmost column so it is centered vertically and the side studs face the left. Then repeat symmetrically to the right.
8. Horizontally place a pink 1x4 brick on the front row.

9.1. Let's make a part! Horizontally place a pink 1x4 plate in front of you. Then horizontally place a pink 1x2 plate on top so it is centered horizontally.

9.2. Place a pink 2x2 sloped curved tile on top so it is centered horizontally, slopes and overhangs 1 row to the front. Then horizontally place a pink 1x2 plate underneath the front row.

9.3. Vertically place a pink 1x3 sloped curved tile on the leftmost column so 2 rows slope and overhang to the front. Then repeat symmetrically to the right.

9.4. Horizontally place your part upright on the front-facing side studs so it is centered horizontally and slopes up.

Group 3 - Glinda

10. Rotate your build 180 degrees. Then horizontally place a pink 1x4 brick printed with a curved white and pink striped design on the front row so the print faces the front.

11.1. Let's make a part! Horizontally place a pink 2x4 plate in front of you. Then place 2 pink 2x2 sloped curved tiles, 1 to the right of the other, on the front row so they slope and overhang 1 row to the front.

11.2. Horizontally place a pink 1x2 sloped curved brick on the back left corner so it slopes to the front. Then repeat symmetrically to the right.

11.3. Horizontally place your part upright on the front-facing side studs so the 2x2 sloped curved tiles slope to the top.

12.1. Let's make 2 identical parts! Horizontally place a light nougat 1x2 plate in front of you. Now vertically place a light nougat 1x2 plate with a clip on the right column so 1 row overhangs to the front and the clip faces the right.

12.2. Horizontally place a light nougat 1x2 plate underneath the front row so 1 column is exposed to the left. Then vertically place a light nougat 1x2 tile on the left column.

12.3. Now you should have 2 identical parts! Place 1 part upright on the left-facing 2x2 side studs so the clip faces down. Then repeat symmetrically to the right. These are the hands!

Building Instructions (Bag 2, Book 1):

13. Place a light nougat 4x4 plate on top so it is centered.

14. Horizontally place a light grey 1x2x1 2/3 brick with 2x2 side studs on the back row so it is centered horizontally and the side studs face the back. Then vertically place another 1 on the back left corner so the side studs face the left. Then repeat symmetrically to the right.

15.1. Let's make a part! Stack 2 green 2x2 bricks in front of you.

Group 5 - Glinda

15.2. Place a yellow 2x2 round plate on top of the ppp. Now place a pink 2x2 brick on top of the ppp.

15.3. Place your part on top of the main build so it is centered horizontally and vertically.

16. Horizontally place a light grey 1x2x1 2/3 brick with 2x2 side studs on the front row so it is centered horizontally and the side studs face the front. Now vertically place 1 on the front right corner so the side studs face the right. Then repeat symmetrically to the left.

17.1. Horizontally place 2 light grey 1x2x1 2/3 bricks with 2x2 side studs, 1 to the right of the other, on the back row so the side studs face the back. Then repeat symmetrically to the front.

Group 6 - Glinda

17.2. Vertically place a white 1x2x1 2/3 brick with 2x2 side studs on the leftmost column so it is centered vertically and the side studs face the left. Then repeat symmetrically to the right.

18.1. Let's make a part! Horizontally place a light nougat 2x4 plate in front of you. Then horizontally place a light nougat 1x4 tile with 2 studs on the back row. Then horizontally place a nougat 1x4 tile on the front row. Now place a black 1x1 round tile printed with a white eye on the back left corner. Then repeat symmetrically to the right.

18.2. Horizontally place your part upright on the bottom 2 rows of front-facing side studs so it is centered horizontally and the 1x1 round tiles are on top.

Group 7 - Glinda

19.1. Let's make a part! Horizontally place a tan 2x4 plate in front of you. Then horizontally place a light nougat 1x4 tile with 2 studs on the back row. Now horizontally place a light nougat 1x4 tile on the front row.

19.2. Place a tan 1x1 quarter circle tile on the back left corner so the curve faces the front right. Then repeat symmetrically to the right.

19.3. Horizontally place your part upright on the front-facing side studs, above the previous part so the 1x1 quarter circle tiles are on top. This is the face!

20. Rotate your build 90 degrees counterclockwise so the previous part faces the right. Horizontally place a light nougat 1x2 tile upright on the 2 rightmost front-facing side studs that are on the 4th row from the top. Then place a light nougat 1x1 plate upright above the right column of the ppp. Now horizontally place a light nougat 1x2 plate upright to the left of the ppp. Then place a tan 1x1 plate upright below the left column of the ppp.

21. Place a tan 1x1 quarter circle tile upright on the front-facing side stud that is on the 3rd row from the top and 3rd column from the left so the curve faces the bottom right. Then vertically place the top row of a light nougat 1x2 slope tile upright to the left of the ppp so it slopes to the left.

22.1. Let's make a part! Horizontally place a tan 1x3 plate in front of you. Then place a tan 1x1 plate on top so it is centered horizontally. Now horizontally place a tan 1x2 sloped curved left wedge tile to the left of the ppp so it slopes and overhangs to the left, and the angled part faces the front left.

22.2. Vertically place your part upright on the leftmost column of front-facing side studs so it is centered vertically on them and it slopes down.

23.1. Let's make a part! Horizontally place a tan 2x3 plate in front of you. Then place a tan 2x2 corner plate on the 2 leftmost columns so it looks like the braille letter j.

23.2. Horizontally place a tan 1x2 sloped curved tile on the back left corner so it slopes and overhangs 1 column to the left. Then repeat symmetrically to the right.

23.3. Horizontally place your part upright on the top 2 rows of front-facing side studs so it is centered horizontally and the sloped curved tiles are on top.

24. Horizontally place a tan 1x2 sloped curved tile upright on the top row of front-facing side studs that are on the 2 leftmost columns so it slopes to the left. Then horizontally place another 1 upright to the right of the ppp so it slopes to the right.

25. Rotate your build 180 degrees so the upright 1x1 round tiles face the left. Horizontally place a light nougat 1x2 tile upright on the 2 leftmost front-facing side studs that are on the 4th row from the top. Then place a tan 1x1 plate upright to the right of the ppp. Now horizontally place the right column of a light nougat 1x2 plate upright above the ppp. Then place a light nougat 1x1 tile to the left of the ppp.

26. Place a tan 1x1 quarter circle tile upright to the right of the ppp so the curve faces the bottom left. Now vertically place the top row of a light nougat 1x2 slope tile to the right of the ppp so it slopes to the right.

Group 8 - Glinda

27.1. Let's make a part! Horizontally place a tan 1x3 plate in front of you. Then place a tan 1x1 plate on top so it is centered horizontally. Now horizontally place a tan 1x2 sloped curved right wedge tile to the right of the ppp so it slopes and overhangs to the right and the angled part faces the front right.

27.2. Vertically place your part on the rightmost column of front-facing side studs so it is centered vertically on them and it slopes down.

28.1. Let's make a part! Horizontally place a tan 2x3 plate in front of you. Then place a tan 2x2 corner plate on the 2 rightmost columns so it looks like the braille letter h. Now horizontally place a tan 1x2 sloped curved tile on the back left corner so it slopes and overhangs to the left. Then repeat symmetrically to the right.

28.2. Horizontally place your part on the top 2 rows of front-facing side studs so it is centered horizontally and the sloped curved tiles are on the top left and top right.

29. Horizontally place a tan 1x2 sloped curved tile upright on the top row of front-facing side studs that are on the 2 rightmost columns so it slopes to the right. Then repeat symmetrically to the left.

30. Rotate your build 90 degrees counterclockwise so the upright 1x1 round tiles face the front. Now horizontally place a tan 1x2 plate on the back row so it is centered horizontally.

31. Vertically place a tan 2x4 plate in front of the ppp. Then vertically place a tan 1x2 plate to the right of the front 2 rows of the ppp so it sits on 1 stud. Now vertically place a tan 1x2 plate with a rail on the long side behind the ppp so the rail faces the right. Now repeat the last 2 placements symmetrically to the right.

32. Vertically place a tan 1x2 sloped curved tile on the back left corner so it slopes to the back. Then repeat symmetrically to the right.

33. Place the right column of a tan 2x2 corner plate in front of the ppp so it looks like the braille letter h. Then repeat symmetrically to the left. Now place a tan 2x2 plate in front of the 2 ppp so it is centered horizontally.

34. Place 2 tan 1x1 slope tiles, 1 to the right of the other, on the back row so they are centered horizontally and slope to the back.

35. Horizontally place 2 tan 1x2 plates, 1 to the right of the other, on the 3rd row from the front so together they are centered horizontally.

36. Place the front row of a tan 2x2 sloped curved tile on top of the 2 ppp so it slopes to the back.

37. Place 4 tan 1x1 slope tiles, 1 to the right of the other, on the 2nd row from the front so they slope to the front.

Building Instructions (Bag 3, Book 1):

Group 9 - Glinda

38. Rotate your build 180 degrees. Now horizontally place a tan 1x2 plate with a rail upright on the top row of front-facing side studs so it is centered horizontally and the rail faces up. Then place a tan 1x1 slope tile upright to the left of the ppp so it slopes to the left. Then repeat symmetrically to the right.

39. Place a tan 1x1 quarter circle tile upright on the left column of the 1x2 plate with a rail from the previous step so the curve faces the top right. Then repeat symmetrically to the right.

40. Let's make a part! Let's make the back of the head! Place a tan 4x4 plate in front of you.

41. Horizontally place a tan 2x4 plate on the front 2 rows. Now place a tan 2x2 plate with a cutoff corner on the back left corner so the cutoff corner faces the back left. Then repeat symmetrically to the right.

42. Horizontally place a tan 1x2 slope tile on the back row so it is centered horizontally and slopes to the back. Then horizontally place a tan 1x2 plate in front of the ppp.

43. Place a tan 1x1 quarter circle tile to the left of the ppp so the curve faces the back left. Then repeat symmetrically to the right. Now horizontally place a tan 1x4 plate on the 2nd row from the front.

44. Horizontally place a tan 1x2 plate on the front row so it is centered horizontally. Now vertically place a tan 1x2 sloped curved right wedge tile on the front left corner so it slopes and overhangs to the front, and the angled part faces the front left. Then repeat symmetrically to the right.

45. Horizontally place a tan 1x4 plate on the 2nd row of studs from the front.
46. Place a tan 2x2 sloped curved tile on the back 2 rows of studs so it is centered horizontally and slopes to the back.
47. Vertically place 2 tan 1x2x2 sloped curved bricks, 1 to the right of the other, in front of the ppp so they are centered horizontally and slope and overhang to the front.
48. This is the hair! Vertically place your part upright on the 3 rows of front-facing side studs so the 2 ppp are on the bottom.
49. Rotate your build 180 degrees so the 1x1 round tiles face the front. Now place a white 1x1 plate with an upright side stud on the front left corner so the side stud faces the front. Then place a transparent 1x1 gem tile upright on the front-facing side stud of the ppp. Then repeat both parts symmetrically to the right.
50. Horizontally place a white 1x2 plate with 2x2 upright side studs on the front row so it is centered horizontally and the side studs face the front. Now place 4 transparent 1x1 gem tiles upright on the front-facing side studs of the ppp.
51. Horizontally place a white 1x4 double sloped curved tile on the front row.
- 52.1. Let's make a part! Let's make a wand! Place a pink 1x1 round plate in front of you. Then place a transparent 5L antenna on top of the ppp.
- 52.2. Place a pink plant stem with 6 tips on the anti-stud of the part. Now attach the bars of 6 transparent 1x1 round tiles with an upright bar to the 6 tips of the ppp. This is a wand!
- 52.3. Attach the antenna part of your part to the rightmost bottom-facing clip of your main build so the anti-studs face the front.
- 53.1. Let's make a part! Let's make the platform! Place a black 6x6 plate in front of you.
- 53.2. Place a black 2x2 tile with a stud on the 2nd and 3rd rows from the back so it is centered horizontally. Then place another 1 in front of the ppp. Now vertically place a black 1x4 tile to the left of the 2 ppp so it is centered vertically. Then repeat symmetrically to the right.
- 53.3. Place your main build on top of the platform so it is centered. Now put Glinda away while we make Elphaba.

Building Instructions (Bag 4, Book 2):

Group 10 - Elphaba

1. Horizontally stack 2 yellow 2x4 plates in front of you.
2. Horizontally place a white 1x4 brick with 4 side studs on the front row so the side studs face the front. Then repeat symmetrically to the back.

3.1. Let's make 2 identical parts! Place a tan 2x2 plate with 2 side studs in front of you so the side studs face the left. Then place a green 2x2 plate on top so 1 column overhangs to the right.

3.2. Place a tan 2x2 plate with 2 side studs underneath the rightmost column so 1 column is exposed to the right and the side studs face the right.

3.3. Horizontally place a black 1x4 plate on the back row. Then place 2 black 2x2 sloped curved tiles, 1 to the right of the other, on top so they slope to the front.

3.4. You should have 2 identical parts! Rotate your main build 90 degrees so it is vertical. Then horizontally place 1 part upright on the left-facing side studs so it slopes up. Then repeat symmetrically to the right.

4. Place a black 4x4 plate on top so it is centered.

5. Horizontally stack 2 black 1x4 plates on the back row. Then repeat symmetrically to the front.

6. Place a green 2x2 plate on top so it is centered. Then place a red 2x2 round brick on top of the ppp. Now place a green 2x2 plate on top of the ppp.

7. Vertically place a light grey 1x2x1 2/3 brick with 2x2 side studs on the leftmost column so it is centered vertically and the side studs face the left. Then repeat symmetrically to the right.

8. Horizontally place a black 1x4 brick on the front row.

9.1. Let's make a part! Horizontally place a black 2x4 plate in front of you. Then horizontally place a black 1x4 plate on the back row.

9.2. Place a black 2x2 sloped curved tile on the front left corner so it slopes and overhangs to the front. Then repeat symmetrically to the right. Now horizontally place 2 black 1x2 slope tiles, 1 to the right of the other, on the back row so they slope to the front.

9.3. Horizontally place your part upright on the 4 front-facing side studs so it slopes up.

10. Rotate your build 180 degrees so the previous part is in the back. Now horizontally place a black 1x4 brick printed with many white curves on the front row so the print faces the front.

11.1. Let's make a part! Horizontally place a black 2x4 plate in front of you. Then horizontally place a black 1x4 tile on the back row. Now place 2 black 2x2 sloped curved tiles, 1 to the right of the other, on the front row so they slope and overhang to the front.

11.2. Horizontally place your part upright on the 4 front-facing side studs so it is centered horizontally and slopes up.

Group 11 - Elphaba

12.1. Let's make 2 identical parts! Let's make the arms! Place a black 2x2 plate in front of you. Then horizontally place a black 1x4 double sloped curved tile on the back row so it is centered horizontally and

slopes to the left and right. Now horizontally place a green 1x2 plate with a clip on the long side on the front row so the clip faces the front.

12.2. Now you should have 2 identical parts! Horizontally place 1 part upright on the 2x2 right-facing side studs so it is centered horizontally and the clip faces down. Then repeat symmetrically to the left.

13.1. Place a black 2x2 plate on the back 2 rows so it is centered horizontally.

Group 12 - Elphaba

13.2. Place a green 2x2 plate on the front 2 rows so it is centered horizontally. Now vertically place a black 1x4 plate to the right of the ppp so it is centered vertically. Then repeat symmetrically to the left.

Building Instructions (Bag 5, Book 2):

Group 13 - Elphaba

14.1. Vertically place a black 1x2x1 2/3 brick with 2x2 side studs on the back left corner so the side studs face the left. Then repeat symmetrically to the right.

Group 14 - Elphaba

14.2. Horizontally place a light grey 1x2x1 2/3 brick with 2x2 side studs on the back row so it is centered horizontally and the side studs face the back.

15.1. Let's make a part! Stack 2 tan 2x2 bricks in front of you.

Group 15 - Elphaba

15.2. Place a light blue 2x2 round plate on top of the ppp. Now place a pink 2x2 brick on top of the ppp.

15.3. Place your part on the 2nd and 3rd rows from the front so it is centered horizontally.

16. Horizontally place a light grey 1x2x1 2/3 brick with 2x2 side studs on the front row so it is centered horizontally and the side studs face the front. Then vertically place 1 on the front right corner so the side studs face the right. Then repeat symmetrically to the left.

17.1. Horizontally place 2 light grey 1x2x1 2/3 bricks with 2x2 side studs, 1 to the right of the other, on the front row so the side studs face the front. Then repeat symmetrically to the back.

Group 16 - Elphaba

17.2. Vertically place a tan 1x2x1 2/3 brick with 2x2 side studs on the rightmost column so it is centered vertically and the side studs face the right. Then repeat symmetrically to the left.

18. Let's make a part! Horizontally place a black 2x4 plate in front of you.

19. Horizontally place 2 black 1x2 slope tiles, 1 to the right of the other, on the back row so they slope to the back.

20. Place a green 2x2 tile on the front row so it is centered horizontally and overhangs 1 row to the front. Then place a green 1x1 plate on the front left corner. Then repeat symmetrically to the right.

21. Place a black 1x1 quarter circle tile on the front left corner so the curve faces the front right. Then repeat symmetrically to the right.

Group 17 - Elphaba

22. Horizontally place a green 2x4 plate underneath the front row so it is centered horizontally.

23. Horizontally place a green 1x4 tile on the front row. Then place a dark green 1x1 plate behind the leftmost column of the ppp. Then repeat symmetrically to the right.

24. Place a black 1x1 round tile printed with a white eye on each of the 2 ppp.

25. Place your part upright on the front-facing side studs so the 1x2 slope tiles face up.

26. Let's make a part! Vertically place a black 2x3 plate in front of you.

27. Vertically place a black 1x2 plate on the front right corner. Then place a black 1x1 slope tile on the back right corner so it slopes to the right.

Group 18 - Elphaba

28. Vertically place a black 2x4 plate on top so 1 column overhangs to the left and 1 row overhangs to the front.

29. Vertically place a black 2x3 plate underneath the back left corner so 1 column is exposed to the left.

30. Place a black 1x1 slope tile on the back left corner so it slopes to the left. Then vertically place a black 1x2 plate in front of the ppp.

31. Place a black 2x2 right wedge plate underneath the left column of the front row so the angled side is exposed to the left and the short end is exposed 1 row to the front. Then repeat symmetrically to the right.

32. Place a black 1x1 quarter circle tile on the left stud of the back row so the curve faces the back right. Then repeat symmetrically to the right. Now place a black 2x2 plate in front of the 2 ppp so it is centered horizontally.

33. Horizontally place a black 1x4 sloped curved tile on the back row of studs. Then place a black 1x1 round plate in front of the leftmost column of the ppp. Then repeat symmetrically to the right.

34. Place 2 black 2x2 round plates, 1 to the right of the other, on the front row so together they are centered horizontally, and they overhang 1 column to the left and right, and 1 row to the front.

35. Place a black 2x2 right wedge plate on the 2 leftmost columns of the 2nd and 3rd rows from the front so the angled side faces the left and the short end faces the back. Then repeat symmetrically to the right.

36. Place a black 2x2 round plate on the 3rd and 4th rows from the front so it is centered horizontally.

37. Horizontally place a black 1x2 rounded plate on the front row so it is centered horizontally. Then place a black 2x2 round plate on the front 2 rows so it is centered horizontally.

38. Place a black 2x2 round plate on the 2nd and 3rd rows from the front so it is centered horizontally.

39. Bring back your main build and rotate it 180 degrees so the upright 1x1 round tiles face the back. Now vertically place your part upright on the front-facing side studs so there is no overhang and the tiles are on top.

Building Instructions (Bag 6, Book 2):

40. Rotate your main build 90 degrees clockwise so the upright 1x1 round tiles face the right. Now place a black 2x2 plate upright on the 2 leftmost columns of front-facing side studs that are on the 3rd and 4th rows from the top. Then place a black 2x2 corner plate upright above the ppp so it looks like the braille letter j.

41. Place a black 2x2 plate upright on the front-facing side studs, to the right of the ppp so it attaches to 2 studs. Then place a green 1x1 plate upright on the front-facing side studs, below the left column of the ppp. Now place a green 1x1 tile upright to the right of the ppp. Then horizontally place a green 1x2 tile upright below the 2 ppp.

42. Horizontally place a black 1x2 sloped curved tile upright on the leftmost front-facing side stud that is on the 2nd row from the top so it slopes and overhangs 1 column to the left. Now horizontally place a black 1x2 sloped curved right wedge tile upright below the ppp so it slopes and overhangs 1 column to the left and the angled part faces the bottom left. Then place a black 1x1 quarter circle tile upright below the right column of the ppp so the curve faces the bottom left. Now vertically place a green 1x2 sloped curved left wedge tile upright on the front-facing side studs, to the right of the 2 ppp so it slopes to the left.

43. Place a black 2x2 corner plate upright on the top 2 rows of front-facing side studs, on the 2nd and 3rd columns from the right so it looks like the braille letter j. Then horizontally place a black 1x2 sloped curved tile upright to the left of the top row of the ppp so it slopes to the left.

44. Place a black 1x1 round plate upright on the leftmost column of the 2nd row from the top of the front facing side studs. Then place a black 1x1 quarter round tile upright on the 2nd column from the right and 3rd row from the top of the front facing side studs so the curve is facing the bottom right.

45. Horizontally place a black 1x2 sloped curved left wedge tile upright on the top right front-facing side stud so it slopes and overhangs 1 column to the right, and the angled part faces the top right. Now horizontally place a black 1x2 sloped curved tile upright below the ppp so it slopes to the right.

46. Rotate your build 180 degrees so the face faces the left. Now place a black 2x2 plate upright on the 2 rightmost columns of front-facing side studs that are on the 3rd and 4th rows from the top. Then place a black 2x2 corner plate upright above the ppp so it looks like the braille letter h.

47. Place a black 2x2 plate upright on the front-facing side studs, to the left of the ppp so it attaches to 2 studs. Then place a green 1x1 plate upright on the front-facing side studs, below the right column of the

ppp. Now place a green 1x1 tile upright to the left of the ppp. Then horizontally place a green 1x2 tile upright below the 2 ppp.

Group 20 - Elphaba

48. Horizontally place a black 1x2 sloped curved tile upright on the rightmost front-facing side stud that is on the 2nd row from the top so it slopes and overhangs 1 column to the right. Now horizontally place a black 1x2 angled sloped curved tile upright below the ppp so it slopes and overhangs 1 column to the right and the angled part faces the bottom right. Now place a black 1x1 quarter circle tile upright below the left column of the ppp so the curve faces the bottom right. Now vertically place a green 1x2 slope tile upright on the front-facing side studs, to the left of the 2 ppp so it slopes to the right.

49. Place a black 2x2 corner plate upright on the top 2 rows of front-facing side studs, on the 2nd and 3rd columns from the left so it looks like the braille letter h. Then horizontally place a black 1x2 sloped curved tile upright to the right of the top row of the ppp so it slopes to the right.

50. Place a black 1x1 round plate upright on the rightmost column of the 2nd row from the top of the front facing side studs. Then place a black 1x1 quarter round tile upright on the 2nd column from the left and 3rd row from the top of the front facing side studs so the curve is facing the bottom right.

51. Horizontally place a black 1x2 sloped curved right wedge tile upright on the top left front-facing side stud so it slopes and overhangs 1 column to the left, and the angled part faces the top left. Now horizontally place a black 1x2 sloped curved tile upright below the ppp so it slopes to the left.

52.1. Let's make a part! Let's make the witch hat! Horizontally place a black 4x8 plate with a round side in front of you so the round side faces the back. Then place a black 4x4 plate on the front 2 rows so it is centered horizontally and overhangs 2 rows to the front.

52.2. Horizontally place a black 4x8 plate with a round side underneath the front 2 rows so it is centered horizontally and the round side faces the front.

52.3. Horizontally place a black 1x2 slope tile on the 2nd row from the front so it is centered horizontally and slopes to the front. Then repeat symmetrically to the back. Now vertically place 1 on the 2nd column from the right so it is centered vertically and slopes to the right. Then repeat symmetrically to the left.

52.4. Place 2 black 2x2 corner slope bricks, 1 to the right of the other, on the 3rd and 4th rows from the back so together they are centered horizontally, and they slope to the back left and back right. Then repeat both parts symmetrically to the front.

52.5. Place a black 2x2 corner slope brick on top of the 4 ppp so it is centered and slopes to the front right. Then place a black 1x1 plate on top of the ppp. Now place a black 1x1 slope tile on top of the ppp so it slopes to the right.

52.6. Bring back your main build and orient it so the face faces the front. Now place your witch hat on top so it is centered. Make sure the 1x1 slope tile slopes to the right.

53.1. Let's make a part! Let's make the witch's broom! Place a brown 1x1 round plate on top of a dark brown broom head. Now attach the side with a stop of a brown 5L bar with a stop to the stud of the ppp.

53.2. Attach the 5L bar of your broom to the rightmost bottom-facing clip so the broom head faces the back.

54.1. Let's make a part! Let's make the platform! Place a black 6x6 plate in front of you.

54.2. Place a black 2x2 tile with a stud on the 2nd and 3rd rows from the back so it is centered horizontally. Then place another 1 in front of the ppp. Now vertically place a black 1x4 tile to the left of the 2 ppp so it is centered vertically. Then repeat symmetrically to the right.

54.3. Place your main build on top of the platform so it is centered.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We hope you enjoyed building your LEGO set! Bricks for the Blind are able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>. Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets, there are no ads.