

## 75436 The Mandalorian & Grogu's Speeder Bike

Adapted by Arturo Moncada-Torres and tested by Peter Durieux.

Replay thrilling *Star Wars*: The Mandalorian™ Season 1 scenes on Tatooine with this cool toy building set. A cool small gift for kids, boys and girls ages 6 and up, it features a LEGO® brick version of The Mandalorian & Grogu's Speeder Bike (75436). Place The Mandalorian LEGO minifigure in the driver's seat with the Grogu LEGO figure alongside in the attached satchel. Clip The Mandalorian's blaster rifle to the back of the vehicle ready for action. Designed for quick building so the action starts fast, this building toy is a great way to inspire children's imaginations as they create their own fantasy adventures with iconic *Star Wars*™ characters.

The packaging gives a very adventurous vibe. The front of the box shows The Mandalorian riding the speeder bike with Grogu on this side, travelling through a tan desert with some brown mountains in the back under a light blue sky. On the top, there is a metallic blue stripe with the classic red LEGO logo to the left and the Star Wars logo to its right. On the top right corner, we see the LEGO version of Mando carrying Grogu on his back. In the middle and to the left, the box displays the set's number, name, and number of pieces, all in white letters. On the bottom right corner, we see the minifigures included in this set. From left to right, these are Grogu and The Mandalorian. The right side of the box has a warning that states that the set contains small parts, and it is therefore not recommended for children younger than 3 years old in different languages. The back of the box shows the speeder bike parked in the desert, with some dark tan buildings on the background with curved ceilings, typical of the architecture on Tatooine. The Mandalorian is standing at the left of the speeder bike, firing his blaster, while Grogu is standing on the opposite side. On the top left corner, we have the classic LEGO and Star Wars logos. On the top right corner, we have a small vignette with a blue background that shows that you can sit Grogu in the speeder bike's baby carrier. On the left side of the box, we see The Mandalorian and Grogu minifigures walking in the desert. The top of the box has the set's name in different languages, as well as a picture of minifigure of The Mandalorian on a 1:1 scale. The bottom side is a tidy strip that contains the barcode as well as a few technical bits, such as the place of manufacture, copyright and trademark notices.

The build consists of 58 pieces in total and is recommended for ages 6+. Once finished, you will have a speeder bike and 2 minifigures. The set consists of 1 instruction booklet and 2 unnumbered bags.

Welcome to text-based instructions from Bricks for the Blind! Before you start building, here are some terms we may be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.

- Open/hollow stud: a bump on a LEGO brick with a hole, which allows attaching bars. In the case of open studs, the hole goes all the way through. In the case of hollow studs, it does not.
- “Anti-stud” is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Left/right wedge parts: these are parts that when placed in front of you and are pointing to the back, their wedge is on the left/right side of the part.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

Additionally, it is worth mentioning that besides the printed visual instructions that come with each kit, a PDF version for the set’s instructions is always available online at [<https://www.lego.com/en-us/service/building-instructions/75436>]. This might help a sighted building partner that may want to follow along or low vision users that may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2, and 3 and put them in one container.

This LEGO set comes with 1 instruction booklet, 2 unnumbered bags, and 2 minifigures. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder!

LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Book 1 – The Mandalorian, Grogu, and speeder bike

Group 1: pages 4-6

Group 2: steps 1- 8

Group 3: steps 9-15

Group 4: steps 16-21

Group 5: steps 22-29

Building Instructions

Book 1:

## Group 1 – The Mandalorian and Grogu

Let's start putting together The Mandalorian. Locate 1 dark brown pair of legs with silver armor plates and 1 dark brown torso with silver armor plates, dark brown arms with silver plates, and black hands. Assemble the body of the minifigure. Then, attach 1 dark bluish gray cloth cape to the minifigure's neck by sliding both of its holes into the neck, so that the cape is on the back of the minifigure. Next, attach 1 medium tan head with dark brown eyebrows and stubble to the neck. Lastly, put 1 flat silver helmet with cheek indents and black visor pattern on the minifigure's head. Ask a sighted friend to make sure that the face print and the helmet are facing the right way. Make The Mandalorian ready for battle by putting 1 black blaster in his right hand.

Then, let's assemble Grogu. Attach 1 sand green head with black eyes and white pupils to the neck of 1 dark tan baby body with sand green hands. Make sure that the head faces to the front.

## Group 2 – Speeder bike

1. Place 1 dark orange 2x3 plate vertically in front of you. Rotate 1 dark bluish gray 1x4 inverted curved slope vertically so that it slopes to the front. Place its back row on the front right corner of the ppp.
2. Locate 1 dark bluish gray 1x4 inverted curved slope and repeat symmetrically to the left.
3. Find 2 light bluish gray 1x1 plates with horizontal clips. Place the first one on the leftmost column of the 3<sup>rd</sup> row from the front, so that its clip faces to the left. Then, take the second one and repeat symmetrically on the right.
4. Place 1 dark bluish gray 2x3 plate vertically on the 2 back rows, so that it overhangs to the back by 1 row.
5. Grab 2 light bluish gray 1x2 plates with 1x2 side studs hanging down. Place the first one vertically on the 3<sup>rd</sup> and 4<sup>th</sup> rows from the back of the leftmost column, so its side studs face to the left. Take the second one and repeat symmetrically to the right.
6. Attach 1 dark bluish gray 1x2 grille tile horizontally upright to the side studs of each of the ppps.
7. Place 1 dark orange 1x2 ingot tile horizontally on the 2<sup>nd</sup> row from the back. Then, place 1 light bluish gray 1x2 plate with vertical clip on long edge horizontally behind the ppp, so that its clip faces to the back.
8. Place 1 dark orange 1x2 rounded plate with open studs horizontally on the front row. Then, place 1 dark tan 2x6 plate vertically behind the ppp.

## Group 3 – Speeder bike (continued)

9. Place 1 dark orange 1x2 rounded plate with open studs horizontally on the back row of the ppp.
10. Place 1 reddish brown 1x1 plate with 1x1 side stud hanging down on the right column of the ppp, so that its side stud faces to the right.

11. Attach 1 reddish brown 1x1 plate with bar handle upright to the side stud of the ppp, so that its bar handle faces down.

12. Attach 1 dark tan baby carrier on the back left corner of the speeder, so that the baby carrier hangs to the left. Affix it by inserting the pin of 1 tan 1x1 round tile with pin into the stud to which it is attached to. Put the speeder bike to the side for now. Make sure that it stays in the same orientation.

13.1 Let's make a small sub-build. Place 1 light bluish gray 2x2 plate with rounded extension and hole vertically in front of you, so that its hole is to the front. Then, place 1 transparent clear 1x2 plate horizontally on the back row of the ppp.

13.2 Insert 1 dark bluish gray ½ pin with friction ridges into the top-facing hole of the ppp, so that its stud faces up. Place 1 light bluish gray 2x2 inverted radar dish on top of the ppp.

13.3 The sub-build is finished. Bring back the speeder build. Attach the 2 back rows of the sub-build to the 2 front rows of the speeder bike, so that it overhangs to the front by its rounded extension.

14. Place 1 tan 2x2 tile behind the sub-build from the previous step.

15.1 Let's make two identical sub-builds for the speeder bike connectors, beginning with the first one. Place 1 light bluish gray bar holder horizontally in front of you, so that its hole faces to the right and its handle is vertical and facing to the left. Insert 1 light bluish gray 4L bar into the right-facing hole of the ppp.

15.2 Attach 1 light bluish gray bar holder to the right of the ppp, so that its handle is vertical and facing to the right.

15.3 The sub-build of the connector is complete. Attach its left-facing handle to the right-facing clip of the speeder bike.

15.4 Build another connector by repeating steps 15.1 to 15.2. Then, attach it symmetrically on the left. Put the speeder bike to the side for now. Make sure that it stays in the same orientation.

Group 4 – Speeder bike (continued)

16. Let's make a build for the speeder bike's blasters. Place 1 dark bluish gray 2x2 inverted curved slope tile in front of you so that it slopes to the front.

17. Locate 2 light bluish gray 1x1 plates with horizontal clips. Place the first one on the leftmost column of the back row of the ppp, so that its clip faces to the left. Then, take the second one and repeat symmetrically on the right.

18. Place 1 dark orange 1x2 rounded plate with open studs horizontally on top of the ppps.

19. Find 2 dark bluish gray 1x2 plates with 1x2 upright side studs sticking up. Place the first one vertically on the front right corner, so that its side studs face to the right and it overhangs to the front by 1 row. Take the second one and repeat symmetrically on the left.

20. Grab 1 light bluish gray 2x2 plate with bars connected to 1x2 plate. Place its 2x2 plate on the 2 back rows, so that its 1x2 plate is to the back.

21. Place 1 dark orange 1x2 ingot tile horizontally in front of the ppp, on the front row.

#### Group 5 – Speeder bike (continued)

22. Attach 1 dark bluish gray 2x2 plate with cut corner on the left-facing side studs, so that it overhangs by 1 row to the top and its cut corner faces up front.

23. Attach 1 dark bluish gray 1x1 tile upright to the back column of the bottom row of the ppp. Then, place 1 dark bluish gray 1x2 curved tile horizontally upright in front of the ppp, so that it slopes and overhangs to the front by 1 column.

24. Place 2 light bluish gray 1x1 round plates with bar handle, one right to the other, on the front row, so that their bar handles face to the front. These represent the speeder bike's blasters.

25. Attach 1 dark bluish gray 2x2 plate with cut corner on the right-facing side studs, so that it overhangs by 1 row to the top and its cut corner faces up front.

26. Attach 1 dark bluish gray 1x1 tile upright to the back column of the bottom row of the ppp. Then, place 1 dark bluish gray 1x2 curved tile horizontally upright in front of the ppp, so that it slopes and overhangs to the front by 1 column.

27. Grab 2 light bluish gray 1x1 round plates with open studs. Slide the first one upright in the left back-facing bar, so that its antistud faces to the back. Take the second one and repeat symmetrically on the right. Locate 2 light bluish gray 1x1 round plates with bar handle. Attach the first one upright to the ppp, so that its bar handle points up. Take the second one and repeat symmetrically on the left. These are the speeder bike's controls.

28. Bring back the main build of the speeder bike. Place the 1x2 plate on the back of the speeder bike's blasters on top of the 1x2 transparent clear plate located on the 2<sup>nd</sup> row from the front of the speeder bike's main build.

29. Currently, the speeder bike's connectors are facing to the left and right. Bring them closer to the speeder bike's blasters by rotating them towards the front and attaching them into the side-facing clips.

We are done with the construction! You can sit The Mandalorian on the 2<sup>nd</sup> and 3<sup>rd</sup> rows from the back so that he can control the speeder bike. You can also sit Grogu on the left-facing baby carrier. Enjoy the adventures of The Mandalorian and Grogu while they travel through unknown worlds on their speeder bike!

At the end of the instruction booklet, you will find two pages advertising other sets from the wave. On the first page, you will find sets 75437 (Cobb Vanth's Speeder), 75448 (Clone Shock Trooper Mech), 75436 (The Mandalorian & Grogu's Speeder Bike, this set), and 75452 (BB-8). On the second page, you will find sets 75443 (Grogu's Homestead) and 75449 (Siege of Mandalore Battle Pack). Afterwards, you will find the set inventory. On the last page you will find an invitation to share feedback.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at [info@bricksfortheblind.org](mailto:info@bricksfortheblind.org) and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind are able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!