

75443 Grogu's Homestead

Adapted by Arturo Moncada-Torres and tested by Jolene Nemeth.

Give kids ages 4 plus an inspiring first build-and-play experience in the LEGO® *Star Wars*™ universe with this toy building set: Grogu's Homestead (75443). A great small gift for preschool boys, girls and *Star Wars* fans, it features an easy-to-build, posable Grogu figure, a Sorgan frog, 2 mini builds plus authentic accessories. Send the Sorgan frog flying with the catapult. Recreate *Star Wars: The Mandalorian*™ scenes around the fireplace with a cooking pot, 2 tentacles, a marshmallow on a stick and 2 blue macaron accessories. One of the macarons can fit inside Grogu's belly.

The packaging gives a very cozy vibe. The front of the box shows Grogu looking at the Sorgan frog, which is flying through the air after being catapulted. In the background, we can see the small terrain build with Grogu's cooking cauldron. The builds are displayed on top of a blurred background depicting some ground with patches of green grass. On the top, there is a metallic blue stripe with the classic red LEGO logo to the left and the Star Wars logo to its right. On the top right corner, we see the LEGO version of Mando carrying Grogu on his back. In the middle and to the left, the box displays the set's number, name, and number of pieces, all in white letters. On the bottom left corner, we see the age indication for the set (4+) in a white font on top of a red circle. The right side of the box has a warning that states that the set contains small parts, and it is therefore not recommended for children younger than 3 years old in different languages. The back of the box shows the different elements of the set (Grogu, the Sorgan frog, the two terrain builds, and Grogu's food) on top of a simple tan background. On the left corner, we have the classic LEGO and Star Wars logos. On the bottom, we have a small vignette with a blue background with Grogu standing to the right of one of the terrain's builds, with his macarons at his feet and the Sorgan frog to its left. On the bottom right corner, we have a blue circle with Grogu's body and Grogu's head being inserted into it, with the text "LEARN TO BUILD" on a white stripe above it. On the left side of the box, we have the LEGO logo with the Star Wars logo underneath it. The top of the box shows the classic LEGO logo on the left. On the right, it shows Grogu's face on a 1:1 scale. The bottom side is a tidy strip that contains the barcode as well as a few technical bits, such as the place of manufacture, copyright and trademark notices.

The build consists of 107 pieces in total and is recommended for ages 4+. Once finished, you will have Grogu, a Sorgan frog, and two terrain builds. The set consists of 2 numbered bags.

Welcome to text-based instructions from Bricks for the Blind! Before you start building, here are some terms we may be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the table.
- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)

- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- Open/hollow stud: a bump on a LEGO brick with a hole, which allows attaching bars. In the case of open studs, the hole goes all the way through. In the case of hollow studs, it does not.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Left/right wedge parts: these are parts that when placed in front of you and are pointing to the back, their wedge is on the left/right side of the part.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

Additionally, it is worth mentioning that besides the printed visual instructions that come with each kit, a PDF version for the set's instructions is always available online at [<https://www.lego.com/en-gb/service/building-instructions/75443>]. This might help a sighted building partner that may want to follow along or low vision users that may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1, 2, and 3 and put them in one container.

This LEGO set comes with 2 numbered bags and 2 instruction booklets. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder!

LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Book 1, bag 1 – Sorgan frog, catapult, and terrain

Group 1: pages 6-13

Group 2: pages 14-23

Group 3: pages 24-35

Group 4: pages 36-51

Group 5: pages 52-71

Book 2, bag 2 – Grogu

Group 6: pages 4-13

Group 7: pages 14-31

Group 8: pages 32-39

Group 9: pages 40-47

Group 10: pages 48-53

Group 11: pages 54-67

Building Instructions

Book 1, bag 1:

Group 1 – Sorgan frog

Pages 6-7. Place 1 dark blue 3x4 double wedge plate vertically in front of you, so that its narrow side faces to the front. Place 1 white 2x3 plate vertically under the ppp, so that it is centered horizontally, its 2 back rows are under the ppp, and has 1 row exposed to the front.

Pages 8-9. Locate 2 dark blue 2x2 round corner plates. Rotate the first one so that its curved edge faces to the back right. Place its leftmost column on the front right corner of the frog build, so that it overhangs to the right by 1 column. Take the second one and repeat symmetrically on the left.

Pages 10-11. Place 1 medium azure 2x4 plate vertically on top of the build, so that it is centered horizontally and it overhangs to the front by 1 row. Then, place 1 blue 1x2 curved slope brick with a printed dark blue eye and mouth horizontally on the front row of the ppp, so that it slopes to the front.

Pages 12-13. Place 1 blue 1x2 plate horizontally behind the ppp. Rotate 1 dark blue 2x3 curved slope tile so that it slopes to the back. Place its front row on top of the ppp. The Sorgan frog is complete!

Group 2 – Catapult

Pages 14-15. Place 1 green 4x6 plate horizontally in front of you. Then, place 2 white 2x3 plates horizontally, one to the right of the other, on the 2 back rows.

Pages 16-17. Place 1 dark green 1x2 brick vertically on the 2 back rows of the leftmost column.

Pages 18-19. Place 1 light bluish gray 2x2 brick with pin and axle hole to the right of the ppp, so that its pin faces to the right.

Pages 20-21. Place 1 lime 2x2 tile with a round side on the 2 back rows of the 2 leftmost columns, so that its curved edge faces to the left. Then, place 1 light bluish gray 1x2 slope brick horizontally on the 2 leftmost columns of the 2nd row from the front, so that it slopes to the left.

Pages 22-23. Place 1 medium lavender 1x1 round flower plate on top of the ppp. Then, place 1 bright green 1x2 plate vertically on the 3rd column from the left of the 2 back rows. Put the terrain build to the side for now. Make sure that it stays in the same orientation.

Group 3 – Catapult (continued)

Pages 24-25. Let's make the catapult. Place 1 medium nougat 2x8 plate vertically in front of you. Then, place 1 dark blue 2x3 tile vertically on the 3 front rows of the ppp. Next, place 1 blue 2x4 tile vertically behind the ppp.

Pages 26-27. Place 1 black 2x4 plate with pin hole underneath vertically under the catapult build, so that it is centered vertically and its pin hole faces to the left and right.

Pages 28-29. Place 1 medium azure 1x2 panel with 3 walls horizontally on the back row, so that it is centered horizontally and its long wall is to the back.

Pages 30-31. The catapult is complete. Bring back the terrain build. Attach the left-facing hole to the right-facing pin of the terrain.

Pages 32-33. Place 1 dark green 1x2 brick vertically on the 2 back rows of the rightmost column.

Pages 34-35. Place 1 bright green 1x2 plate vertically on top of the ppp. The catapult build is complete! You can place the Sorgan frog on the back of the catapult and press its front down, so that the frog is thrown into the air. Be careful to not shoot at anyone's face.

Group 4 – Terrain

Pages 36-37. Place 1 medium nougat 8x8 plate with a round side in front of you, so that its curved edge faces to the front.

Pages 38-39. Place 1 blue 2x4 tile horizontally on the 4 left columns of the 2 back rows. Then, place 1 medium azure 2x2 jumper plate in front of the 2 leftmost columns of the ppp.

Pages 40-41. Place 1 bright green 1x2 plate horizontally on the 2 rightmost columns of the back row. Then, place 1 reddish brown 1x2x2 brick horizontally to the left of the ppp.

Pages 42-43. Place 1 reddish brown 1x3x3 half arch brick horizontally in front of the left column of the ppp, so that its arch faces to the left.

Pages 44-45. Place 1 reddish brown 1x3x2 inverted half arch brick horizontally to the right of the ppp, so that it slopes to the right.

Pages 46-47. Place 1 reddish brown 2x2 slope brick on the 2 back rows of the 3rd and 4th columns from the right, so that it slopes to the back.

Pages 48-49. Place 1 dark green 1x2 plate with stud and upright clip horizontally on top of the ppp, so that its clip is to the right. Then, place 1 reddish brown 1x2 brick with vertical bar handle on short end horizontally to the left of the ppp, so that its bar handle faces to the left.

Pages 50-51. Place 1 medium lavender 1x1 round flower plate on the left column of the ppp. Rotate 1 bright green 1x1 tile with 1x1 sloped tile horizontally so that it slopes to the right. Place its left column to the right of the ppp.

Group 5 – Terrain (continued)

Pages 52-53. Place 1 dark green 1x2 brick horizontally on the 3rd and 4th columns from the right of the 3rd row from the back. Then, place 1 light bluish gray 1x2 slope brick horizontally to the right of the ppp, so that it slopes to the right.

Pages 54-55. Place 1 light bluish gray 1x2 slope brick vertically in front of the right column of the ppp, so that it slopes to the front. Then, place 1 orange 2x2 brick to the left of the ppp.

Pages 56-57. Place 1 dark bluish gray 2x2 slope brick to the left of the ppp, so that it slopes to the left.

Pages 58-59. Place 1 dark bluish gray 2x2 slope brick in front of the orange 2x2 brick, so that it slopes to the front.

Pages 60-61. Rotate 1 transparent orange 2x4 plate vertically. Place its front row on top of the ppp.

Pages 62-63. Place 1 bright green 1x2 plate horizontally on the back row of the ppp.

Pages 64-65. Place 1 black cauldron in front of the ppp, so that its handles face to the left and right.

Pages 66-67. Attach 1 green 5x6 sword leaf with clip to the left-facing bar handle located on the tree branch on the 2nd row from the back.

Pages 68-69. Place 2 dark pink elephant trunks in the cauldron. These represent some food that Grogu is cooking.

Pages 70-71. Hold 1 reddish brown 6L bar with stop ring vertically upright, so that its ring faces the top. Insert 1 white 1x1 hollow round brick into the top of the ppp. This is a marshmallow on a stick for Grogu to roast.

Book 2, bag 2:

Group 6 – Grogu

Pages 4-5. Place 1 tan 4x6 plate horizontally in front of you. Then, place 1 reddish brown 2x4 plate vertically on top of the ppp, so that it is centered horizontally.

Pages 6-7. Place 1 lime 1x2 brick with side studs horizontally on the front row of the ppp, so that its side studs face to the front. Then, place 1 dark bluish gray 2x3 brick vertically behind the ppp. Next, place 1 reddish brown 2x4 plate vertically on top of the ppps.

Pages 8-9. Place 1 bright pink 2x2 tile on top of the 2 front rows of the ppp. Then, place 1 dark tan 2x2 plate behind the ppp.

Pages 10-11. Place 1 tan 2x2 brick on top of the ppp.

Pages 12-13. Locate 4 dark tan 2x2x3 slope bricks. Place the first one to the right of the ppp, so that it slopes to the right. Then, take the second one and repeat symmetrically to the front. Take the remaining 2 and repeat symmetrically on the left.

Group 7 – Grogu (continued)

Pages 14-15. Place 1 tan 1x4 brick horizontally on the back row.

Pages 16-17. Place 1 reddish brown 2x4 plate horizontally in front of the ppp.

Pages 18-19. Find 2 dark bluish gray 1x2 plates with tow balls on long side. Place the first one vertically on the leftmost column of the ppp, so that its tow ball faces to the left. Take the second one and repeat symmetrically on the right.

Pages 20-21. Place 1 medium nougat 2x4 plate with 3 holes horizontally on top of the ppps. Only its leftmost and rightmost columns will attach to studs.

Pages 22-23. Place 1 tan 1x4 brick horizontally in front of the ppp.

Pages 24-25. Place 1 yellow 2x2 round tile with hole on top of the build, so that it is centered horizontally and vertically.

Pages 26-27. Grab 4 dark tan 2x2 round corner tiles. Place the first one to the front left of the ppp, so its larger curve faces to the front left. Then, take the second one and repeat symmetrically to the back. Take the remaining 2 and repeat symmetrically to the right. Together, they should form a circle around the 2x2 round tile with hole.

Pages 28-31. Let's make a build for the front part of Grogu's robe. Place 1 dark tan 2x2 plate in front of you. Then, place 1 blue 1x2 plate horizontally on top of the front row of the ppp. Next, rotate 1 dark tan 4x4 triple curved wedge tile vertically, so that it slopes to the back. Place its front row on top of the ppp.

The build is complete. Attach it vertically upright to the front-facing studs on the main build, so that it slopes to the top. Its bottom part should be even with the bottom of Grogu's body. Put Grogu's body to the side for now. Make sure that it stays in the same orientation.

Group 8 – Grogu's right arm

Pages 32-33. Let's build Grogu's right arm. Place 1 dark tan 2x2 plate in front of you. Then, place 1 light bluish gray 1x2 plate with socket on long edge horizontally on top of the back row of the ppp, so that its socket faces to the back.

Pages 34-35. Place 1 medium nougat 1x2 brick with pin hole and 1x2 plate on top of the build, so that its pin hole faces to the front. Then, place 1 tan 2x2 curved slope tile on top of the ppp, so that it slopes to the back.

Pages 36-37. Insert 1 sand green right giant hand into the front-facing hole. When attached to the pin hole and when its thumb is on the top, it should curve downwards right.

Pages 38-39. Grogu's right arm is ready. Bring back Grogu's build. Attach the arm's socket to Grogu's left-facing ball. You can pose it as you wish, but for now, we will fold the arm down, so that its side slopes up. Put Grogu's body to the side for now. Make sure that it stays in the same orientation.

Group 9 – Grogu's left arm

Pages 40-41. Let's build Grogu's left arm. Place 1 dark tan 2x2 plate in front of you. Then, place 1 light bluish gray 1x2 plate with socket on long edge horizontally on top of the back row of the ppp, so that its socket faces to the back.

Pages 42-43. Place 1 medium nougat 1x2 brick with pin hole and 1x2 plate on top of the build, so that its pin hole faces to the front. Then, place 1 tan 2x2 curved slope tile on top of the ppp, so that it slopes to the back.

Pages 44-45. Insert 1 sand green left giant hand into the front-facing hole. When attached to the pin hole and when its thumb is on the top, it should curve downwards left.

Pages 46-47. Grogu's left arm is ready. Bring back Grogu's build. Attach the arm's socket to Grogu's right-facing ball. You can pose it as you wish, but for now, we will fold the arm down, so that its side slopes up. Put the body to the side for now. Make sure that it stays in the same orientation.

Group 10 – Grogu's head

Pages 48-49. Let's build Grogu's head. Place 1 sand green 4x6 oval plate horizontally in front of you. Then, place 1 sand green 1x2 brick horizontally on the back row of the ppp, so that it is centered horizontally.

Pages 50-51. Place 1 tan 2x2 brick in front of the ppp. Grab 2 yellow 1x2 half cylinder bricks. Place the first one to the left of the ppp, so that its curved side faces to the left. Take the second one and repeat symmetrically to the right.

Pages 52-53. Place 1 red 1x2 brick with pin hole horizontally on the front row of the build, so that its pin hole faces to the front. Locate 4 sand green 2x2 round corner bricks. Place the first one to the left of the ppp, so that its long curved edge faces to the front left. Take the second one and place it symmetrically to the back. Lastly, take the remaining 2 and place them symmetrically to the right.

Group 11 – Grogu's head (continued) and Grogu's macarons

Pages 54-55. Place 1 light bluish gray 2x4 tile with 2 studs vertically on top of the build, so that it is centered vertically. Find 2 light bluish gray 1x2 oval tiles. Place the first one vertically on the 2 back rows of the 2nd column from the left. Take the second one and repeat symmetrically on the right.

Pages 56-57. Grab 2 sand green 1x2 rounded plates with rounded leaves. Rotate the first one horizontally, so that its leaf faces to the right. Place its left column in front of the ppp. Take the second one and repeat symmetrically on the left.

Pages 58-59. Place 1 sand green 4x6 curved sloped oval tile with Grogu's face print (made of 2 large reddish brown eyes, one nose, one smiling mouth, and dark tan brow lines) horizontally on top of the build. Ask a sighted friend to make sure that the piece is oriented correctly.

Pages 60-61. Insert 1 black 2L pin into the front-facing pin hole.

Pages 62-63. Grogu's head is complete. Rotate it so that its pin faces down and its face print faces to the front. Bring back Grogu's body. Insert the pin of Grogu's head into the top-facing hole.

Pages 64-67. Let's build 2 identical macarons for Grogu. Let's begin with the first one. Place 1 white 2x2 round plate in front of you. Then, place 1 medium azure 2x2 round tile on top of it. Repeat to build a second one.

Grogu's macarons are ready. If you wish, you can remove the front of Grogu's robe and insert one of them into his belly. You can also put the second one in any of Grogu's hands.

We are done with the construction! Enjoy the adventures of Grogu while he chases his Sorgan frog. At the end of the instruction booklet, you will find two pages advertising other sets from the wave. On the first page, you will find sets 75437 (Cobb Vanth's Speeder), 75448 (Clone Shock Trooper Mech), 75436 (The Mandalorian & Grogu's Speeder Bike), and 75452 (BB-8). On the second page, you will find sets 75443 (Grogu's Homestead, this set) and 75449 (Siege of Mandalore Battle Pack). Afterwards, you will find the set inventory. On the last page you will find an invitation to share feedback.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

Please [sign up](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!